PATRINGTON.

ROSE COTTAGE

YORKS

1911 - 1920

R ~~1~~911

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

Kept at Patring

5 in.

ove Ground 2 ft. 6 in.

in the County of Yo

, Sea Level 45.37 ft.

8 a.m.

by W. B. Bi

Name Patrington

Distance Direction

IMPORTANT NO d the result entered to the previous day. If an O iversal rule, he is earnestly requested to add the rea year in the space provided for it at the end of th rement of rain, the selection and placi British Rainfall Organization are given i application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.30	—	—	—	—	—	—	0.26	—	0.06	—	0.06	1
2	0.24	—	—	—	0.01	—	0.20	—	—	—	—	0.05	2
3	—	0.05	—	0.13	0.01	0.04	—	0.09	—	0.30	0.04	—	3
4	0.10	—	0.19	0.07	—	—	—	—	0.05	0.30	0.17	0.30	4
5	—	—	—	0.04	—	—	—	0.06	—	0.06	—	0.15	5
6	0.12	—	0.04	—	—	—	—	0.04	—	0.07	0.04	0.23	6
7	—	0.02	—	—	—	—	—	—	—	—	—	0.06	7
8	0.07	0.01	—	—	—	—	—	—	—	0.01	—	0.05	8
9	—	—	0.16	—	—	0.01	—	—	—	0.04	—	—	9
10	—	0.11	0.01	—	—	—	—	0.01	—	—	0.23	0.30	10
11	0.38	—	—	—	—	—	—	—	—	—	0.31	—	11
12	0.08	—	0.10	—	—	0.04	—	—	0.50	—	0.06	—	12
13	—	—	0.53	—	—	0.29	—	—	—	0.03	—	0.32	13
14	—	0.06	0.29	—	0.28	—	0.01	—	0.09	—	0.01	0.15	14
15	—	0.09	0.25	—	—	—	—	—	0.10	0.01	—	0.11	15
16	—	—	0.13	—	—	0.03	—	—	—	—	—	0.08	16
17	—	—	0.06	—	—	0.13	0.07	—	—	—	0.18	0.05	17
18	—	—	0.01	—	—	0.32	—	—	—	—	0.80	—	18
19	—	—	—	—	—	0.26	—	0.07	—	0.04	0.27	—	19
20	—	—	—	0.14	—	—	0.13	0.19	—	—	0.05	0.29	20
21	—	0.21	—	—	—	—	—	0.08	0.05	0.08	—	—	21
22	0.10	0.04	—	—	—	—	—	0.13	—	0.28	0.21	0.05	22
23	—	0.06	0.01	—	—	1.55	—	—	0.60	—	—	—	23
24	—	—	0.02	—	—	0.85	—	—	—	0.30	—	0.05	24
25	—	0.05	—	0.25	—	0.31	—	—	0.01	—	0.12	0.07	25
26	—	—	—	—	—	—	—	—	—	0.18	0.51	0.20	26
27	—	0.12	0.16	0.12	—	—	—	0.76	0.32	0.07	—	0.04	27
28	—	0.10	0.02	0.32	—	0.05	—	—	—	0.08	0.01	0.10	28
29	—	X	—	0.04	—	0.09	0.27	—	0.50	0.11	—	0.04	29
30	—	X	—	—	0.27	0.13	—	—	0.37	0.10	—	—	30
31	—	X	—	X	0.04	X	—	—	X	0.01	X	0.02	31
Total	1.39	0.92	1.98	1.11	0.61	4.10	0.68	1.69	2.59	2.13	3.01	2.77	TOTAL for year
No. of Rain Days.	~~8~~	~~12~~	~~15~~	~~8~~	~~5~~	~~14~~	~~5~~	~~10~~	~~10~~	~~19~~	~~15~~	~~22~~	22.98

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

R RAINFALL IN 1911

Kept at Patrington

in the County of Yorkshire ER 3

by W. B. Pugh Esqr

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 45.37 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Patrington
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.30	—	—	—	—	—	—	0.26	—	0.06	—	0.06	1
2	0.24	—	—	—	0.01	—	0.20	—	—	—	—	0.05	2
3	—	0.05	—	0.13	0.01	0.04	—	0.09	—	0.30	0.04	—	3
4	0.10	—	0.19	0.07	—	—	—	—	0.05	0.30	0.17	0.30	4
5	—	—	—	0.04	—	—	—	0.06	—	0.06	—	0.15	5
6	0.12	—	0.04	—	—	—	—	0.04	—	0.07	0.04	0.23	6
7	—	0.02	—	—	—	—	—	—	—	—	—	0.06	7
8	0.07	0.01	—	—	—	—	—	—	—	0.01	—	0.05	8
9	—	—	0.16	—	—	0.01	—	—	—	0.04	—	—	9
10	—	0.11	0.01	—	—	—	—	0.01	—	—	0.23	0.30	10
11	0.38	—	—	—	—	—	—	—	—	—	0.31	—	11
12	0.08	—	0.10	—	—	0.04	—	—	0.50	—	0.06	—	12
13	—	—	0.53	—	—	0.29	—	—	—	0.03	—	0.32	13
14	—	0.06	0.29	—	0.28	—	0.01	—	0.09	—	0.01	0.15	14
15	—	0.09	0.25	—	—	—	—	—	0.10	0.01	—	0.11	15
16	—	—	0.13	—	—	0.03	—	—	—	—	—	0.08	16
17	—	—	0.06	—	—	0.13	0.07	—	—	—	0.18	0.05	17
18	—	—	0.01	—	—	0.32	—	—	—	—	0.80	—	18
19	—	—	—	—	—	0.26	—	0.07	—	0.04	0.27	—	19
20	—	—	—	0.14	—	—	0.13	0.19	—	—	0.05	0.29	20
21	—	0.21	—	—	—	—	—	0.08	0.05	0.08	—	—	21
22	0.10	0.04	—	—	—	—	—	0.13	—	0.28	0.21	0.05	22
23	—	0.06	0.01	—	—	1.55	—	—	0.60	—	—	—	23
24	—	—	0.02	—	—	0.85	—	—	—	0.30	—	0.05	24
25	—	0.05	—	0.25	—	0.31	—	—	0.01	—	0.12	0.07	25
26	—	—	—	—	—	—	—	—	—	0.18	0.51	0.20	26
27	—	0.12	0.16	0.12	—	—	—	0.76	0.32	0.07	—	0.04	27
28	—	0.10	0.02	0.32	—	0.05	—	—	—	0.08	0.01	0.10	28
29	—	X	—	0.04	—	0.09	0.27	—	0.50	0.11	—	0.04	29
30	—	X	—	—	0.27	0.13	—	—	0.37	0.10	—	—	30
31	—	X	-	X	0.04	X	—	—	X	0.01	X	0.02	31
Total	1.39	0.92	1.98	1.11	0.61	4.10	0.68	1.69	2.59	2.13	3.01	2.77	TOTAL for year
No. of Rain Days.	~~8~~	~~12~~	~~15~~	~~8~~	~~5~~	~~14~~	~~5~~	~~10~~	~~10~~	~~19~~	~~15~~	~~22~~	22.98

W. 8,000, X. '11.

~~14~~3

431

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Patrington

in the County of E. Riding York E3

by

RAIN GAUGE:
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station: Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		07					·18	·01	·53	·04			1
2		·10				·56	·36	·07		·08			2
3		·02				·80		·17	·08			·25	3
4	·26		·26		·03	·11	–	·07			·26		4
5					·03	19							5
6	·80	·16	05		·05		·15	·16	·04			·02	6
7	·08					01	·10	·10	·09			·01	7
8	·24	·12	·09	·03			12		·30		05	·03	8
9		·09	·08	·07		·01	·01		·25				9
10				·01		·26		·09	·17		·07		10
11	·19	—						·15			·14	·70	11
12		·12	05			·27					·65		12
13	·04							·05		·17	·30		13
14	·08		22			·23		·02	·02			·04	14
15	·07	·01	·32		·33	·05						·01	15
16	·07		·17		·17	·10		·12		·08			16
17			·25			·34		·09				·03	17
18	·32		·07				·22	·01		·08		·03	18
19	·31	·30	·03			·76	·31	·26		·05	·05		19
20	·06	·06			·26	·01	·13			·10			20
21			27		·45		·22			·07	·05		21
22		·05	·07		·65	·10	·01					·14	22
23			·12					·53			·15		23
24	·38					·31	·18	·01					24
25	·08					·32	·09	·01			·14	·20	25
26		·04	04					1·26		·56	·18	·19	26
27						·07	·02	·03		·80		·03	27
28						·01		·35	·02	·26	·90	·42	28
29		—	·06			·11	·07		·41	·10	·20		29
30		X	·05		·03			·05	·19	·03			30
31		X	·10	X	·13	X	·29	·15	X	·18	X		31
Total	2·98	1·14	2·30	·11	2·13	4·62	2·46	3·76	2·10	2·60	3·14	2·10	TOTAL for year 29·44
No. of Rain Days.	14	12	18	3	10	20	16	22	11	14	13	14	167

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

445

31 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Patrington

in the County of E. R. York E 3

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.10	.30					1.20				1
2		.03	.15	.10			.01				.05		2
3			.05		.15					.09		.06	3
4	.59										.46	.24	4
5	.01	.01			.06		.08	.01		.16			5
6			.01		.14					.06			6
7		.05								.69			7
8					.55	.22			.14	.05	.10		8
9		.20		.08	.24			.07					9
10											.59		10
11	.83			.40							.15		11
12	.08			.07		.12					.20		12
13								.01			.17		13
14		.06	.30	.04						.10		.05	14
15	.15		.28	.15							.06		15
16			.31						.17		.06		16
17	.15		.43	.02		.05							17
18			.16	.05	.05							.14	18
19					.05								19
20	.31									.40			20
21	.20	.02			.09						.13		21
22			.12			.04	.02	.57					22
23	.12					.09	.05	.09	.15	.14			23
24	.10							.05					24
25				.09									25
26		.15								.44	.09	.31	26
27		.09	.08			.06							27
28	.17		.16	.15						.08		.08	28
29	.31	X	.20	.38	.06								29
30	.30	X			.05					.04			30
31		X		X		X			X		X		31
Total	3.32	.61	2.35	1.83	1.44	.58	.16	.80	1.66	2.25	2.06	.88	YEAR'S TOTAL 17.94
Rain Days.	~~13~~	~~8~~	~~13~~	~~12~~	~~10~~	~~6~~	~~4~~	~~6~~	~~4~~	~~11~~	~~11~~	~~6~~	[illegible]

W. 7,500, XI. 12

8/

429

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Patrington

in the County of E. R. York 3

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							1·27	·20					1
2								·12			·39	·04	2
3			·12		·10		·12						3
4	·09		·02	·14		·01		·14			·44		4
5			·19		·20		·01	·07				·29	5
6		·05			·15		·17					·05	6
7		·06	·16		·07	·13						·17	7
8	·39				·09	·23		·05					8
9	·45		·09			·43			·09				9
10	·56	·07								·01		·04	10
11			·20	·17	·12	·09			·11		·33	·34	11
12							·01		·14			·42	12
13			·24								·08	·20	13
14							·01			·16		·09	14
15		·08	·09				·20				·61	·25	15
16	·30		·21								·09		16
17		·10							·43			·32	17
18			·07				·05		·06			·25	18
19			·10								·08	·10	19
20	·14	·02	·16		·05	·10			·04				20
21		·22	·14					·08		·35	·12	·10	21
22				·02	·73		·20	·04		·12			22
23					·27	·15							23
24				·12			·01	·09		·03			24
25		·07					·38			·71	·25		25
26							·14	·66		·14	·10	·62	26
27							·08				·01	·33	27
28										·08		·83	28
29		X	·13		·02					·47			29
30		X									·20	·18	30
31		X		X		X	·24		X		X	·11	31
Total	1·93	·67	1·92	·45	1·80	1·14	2·89	1·45	·87	2·07	2·70	4·73	YEAR'S TOTAL 22·62
Rain Days.	~~6~~	~~8~~	~~14~~	~~4~~	~~10~~	~~7~~	~~14~~	~~9~~	~~6~~	~~9~~	~~12~~	~~19~~	~~118~~

8L

3595
~~411~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Patrington [illegible]
in the County of E. R. York
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·25	·06		·42				·55		·15		1
2			·30	·09			·09	·17	·06		·16		2
3	·51			·02			1·06				·13	·40	3
4			·03				1·01				·08	1·10	4
5	·18				·06			·15		·03	·16	·39	5
6		·27		·06	·01		·70	·07				·04	6
7	·26	·31	·25				·95	·16			·04	·12	7
8		·11					·01						8
9	·07							·02				·45	9
10	·26							·21				·02	10
11					·38								11
12	·20			·13			·08	·02		·20	1·30	·10	12
13		·73			·10							·26	13
14		·25											14
15	·15	·05					·01					·08	15
16							·78					·02	16
17	·31	·35					·06				·28		17
18		·18	·37						·03		·12		18
19		·06	·04				·05	·05		·25			19
20												·75	20
21	·21	·01										·04	21
22			·10	·01			·27				·04	·09	22
23							·07		·15		·10		23
24		·16	·11			·02			·20	·05		·20	24
25						·21					·20		25
26	·12	·24	·09	·01			·33		·04	·28	·05	·42	26
27			·10				·23			·44		·09	27
28		·06			·07	·11		·21	·05	·24			28
29					·19			·01	·32		·30		29
30	·20			·02					·12			·21	30
31								·25				·18	31
Total	2·72	3·03	1·45	·34	1·23	·34	5·70	1·32	1·52	1·49	3·11	4·96	YEAR'S TOTAL 27·21
Rain Days.	12	14	10	7	7	3	15	11	9	7	14	19	128

W. 8,000. X. 14.

81

3520
~~371~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Patrington

in the County of E. R. Yorkshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·08			·07	·13			·05	·25		1
2		·03	·30		·24								2
3		·08		·04			·06	·01	·52	·34			3
4		·23	·05		·33	·36			·05	·08		·20	4
5			·18		·04	·23				·21	·10	·04	5
6	·24	·15	·30	·24	·11		·06				·26		6
7					·40		·10			·02		·27	7
8			·42							·06			8
9			·06		·96	·33						·47	9
10			·08			·14			·08				10
11	·16	·50	·30			·35				·12		·05	11
12			·21	·16	·57	·45	·30						12
13			·08		·24		·40			·39		·04	13
14		·10			·11	·02							14
15	·05	·11	·49					·41		·10			15
16				·19			·11	·13				·15	16
17				·16			·08		·14	·17			17
18		·37		·45				·07		·29	·80	—	18
19	·03		·07	·10					·10		·20	·16	19
20	·12		·24	·14				·24				·01	20
21		·32	·11	·05	·02		·14					·40	21
22						·04				·03		·12	22
23						·07						·31	23
24		·31	·22	·02				·11		·20	·12	·26	24
25								·20		·11		·06	25
26		·30								·07	·29		26
27		·14											27
28		·28	·28			·12						·21	28
29						·45		·25		·16		·07	29
30		X								·08			30
31		X		X		X			X		X	·01	31
Total	·64	2·92	3·47	1·55	3·02	2·63	1·38	1·42	·89	2·48	2·02	2·83	YEAR'S TOTAL 25·25
Rain Days.	6	13	17	10	10	12	9	8	5	17	7	13	127

W. 8,000. X. 15.

8r

Exe DL

3779
~~367~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Patrington

in the County of E. R. Yorkshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·15				·74	·16			·12	1
2				·15		·12		·26	·02				2
3		·04				·02		·15					3
4	·04	·02								·33			4
5								·01		·01	·09		5
6	·15			·23					·08				6
7	·36					·40				·52			7
8	·29		·07	·10				1·02		·35			8
9				·12							·13		9
10	·34		·37	·13	·07			·08	·01	·12	·20		10
11				·09				·15		·26			11
12	·21				·13			·01				·01	12
13								·12	·08	·20			13
14	·44		·02					·01					14
15	·15						·10	·16		·06			15
16	·16			·19				·02				·63	16
17	·04	·20		·15	·37	·07		·09		·07			17
18				·03	·07		·38		·28				18
19			·20										19
20			·07	·01			·01	·05			·34	·02	20
21		·52			·03	·06					·04		21
22	·03		·19			·02				·04			22
23	·03				·15	·03		·15					23
24						·56	·46	·01		·16	·13	·03	24
25		·02									·16	·22	25
26						·60		1·20	·08		·27	·16	26
27						·09	·14	·52					27
28		·07	·27			·12	·04	·21					28
29	·08	X	·01				·03	·05		·18		·18	29
30	·07	X		·01			·04	·06					30
31		X		X		X		·03	X		X		31
Total	2·39	·87	1·20	1·36	·82	2·09	1·20	5·10	·71	2·30	1·36	1·37	YEAR'S TOTAL 20·77
Rain Days.	14	6	8	12	6	11	8	22	7	12	8	8	122

W. 8,000, VIII. 16

Dl ~~232~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
22.1.19

Kept at Patrington
in the County of E. R. York
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.22	.07					.17	.03	.09	.28	1
2		.18		.25					.08			.31	2
3	.12				.15			.64			.60		3
4					.07			.30	.37		.27	.16	4
5					.31			.85		.05		.01	5
6		.21		.29									6
7	.17	.01		.01		.15				.07	.10	.11	7
8							.40		.19			.13	8
9		.12		.01					.27	.25			9
10							.19		.03	.16			10
11	.15	.20		.15	.39		.11			.32		.10	11
12							.22	.12	.10				12
13				.05	.09					.01			13
14						.01	.06		.55	.03			14
15	.18			.11			.17		.50			.58	15
16				.12					.12			.03	16
17	.20				.04		.49	.02	.06	.15		.26	17
18	.22						.09		.28				18
19			.12	.47				.10		.10			19
20	.09	.26				.02	.18						20
21	.04				.04				.20	.05			21
22				.03	.11					.11		.55	22
23	.17				.41		.22						23
24		.10			.01				.03	.06			24
25							.06	.55			.15	.12	25
26							.27	.06	.18		.09		26
27		.03	.03			.02		.35	.06				27
28			.25								.08		28
29		X	.01						.20			.32	29
30		X	.35						.14				30
31		X	.09	X		X			X		X	.27	31
Total	1.34	1.11	1.07	1.56	1.62	.20	2.46	2.99	3.53	1.39	1.38	3.23	YEAR'S TOTAL 21.88
Rain Days.	9	8	7	11	10	4	12	9	18	13	7	14	122

W. 8 000, IX. 17.

81

3203
~~300~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Patrington
in the County of E. R. York
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19				·20		·21		·06	02	·18		1
2							·40		·10	·03	·22	·18	2
3	·55				·02		·18				·29	·12	3
4			·48		·01	·09		·02			·17		4
5	·47					·03	·01		·54			·13	5
6	·01										·09	·11	6
7			·12		·05							·05	7
8											·04		8
9										·12	·26		9
10					·01					·08	·20	·14	10
11				·18	·10		·24			·05	·06	·01	11
12			1·04			·05	·07		·07	·13	·39		12
13	·30					·02	·11		·33	·24	·19		13
14	·42			·42			·05	·04	·02		·11		14
15				·46						·11	·07	·33	15
16		1·35		·05									16
17		·11		·01	·01	·06	01				·16		17
18												·08	18
19			·31			·05		·65	·12			·01	19
20	·56	·32				·02	·20	·29	·05			·19	20
21	·26	·27				·09	·13					·11	21
22							·20		·07			·20	22
23						·08	·07	·03		·30	·04		23
24					·13	04				·05		·13	24
25	·07			·14		·12	·02	·51			·07	·01	25
26				·16				·21		·35	·09	·43	26
27		·26		·44			·06			·60			27
28	·15			·04			·01	·68		·40		·37	28
29	·08	X	·10	·10		·06		·04		·39	·25		29
30		X		·19		·23				·08		·32	30
31		X		X		X	·05		X	·04	X	·01	31
Total	3·06	2·31	2·05	2·19	·53	·94	2·02	2·47	1·36	2·99	2·88	2·93	YEAR'S TOTAL 25·73
Rain Days.	~~11~~	~~5~~	~~5~~	~~11~~	~~8~~	~~13~~	~~17~~	~~9~~	~~9~~	~~16~~	~~18~~	~~19~~	~~141~~

2415

3086

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Patrington

in the County of E. R. York

by Miss H. Kirman

new Gauge from April
see March card

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·09	·27		·27			·62			1
2				·10					·04	·15		·34	2
3		·01		·11	·01	·05			·09	·05		·28	3
4				·20			·42	·44		·12		·01	4
5			·01		22		·24	·02				·02	5
6			·08		·03		·14					·20	6
7	·01		·08	·11			·25					·06	7
8		·05		·34	·07								8
9			·01	·52				·48	·01				9
10	·38	·13	·05	·20			·03					·08	10
11	·21			·29	·01			·01				·15	11
12	·11			·16			·03	·04				·19	12
13	·03	·01	·15	·04		·02			·05		·01	·06	13
14	·01		·46	·24					·36		·09		14
15		·03	·68	·12					·19	·13			15
16									·03			·10	16
17					·16		·11		·43	·03		·04	17
18	·11				·02		·38	·06	·02				18
19		1·09		·03				·82					19
20	·19	·09		·18		·63						·03	20
21				·12			·29	·13					21
22	·05			·13			·01	·04	·04				22
23							·45					·18	23
24			·19	·04			·02					·03	24
25		·02	·10				·90						25
26	·06		·01	·03			·06						26
27	·11	·12		·15	·33	30					·13	·17	27
28	·46		·07	·13	·10						·08	·05	28
29	·05		·36		1·35		·03				·09	·39	29
30	·18			·21					·23			·11	30
31	·09				·01		·42					·35	31
Total	2·06	1·55	2·25	3·54	2·58	1·00	4·05	2·04	1·49	1·10	·40	2.84	Year's Total 24·90
Days with ·01 in. or more	~~16~~	~~9~~	~~13~~	~~22~~	~~12~~	7	~~17~~	~~9~~	~~11~~	~~6~~	~~5~~	~~20~~	~~147~~
	14	8	13	20	7	4	12	7	8	5	11	16	11[illegible]

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3169

PENISTONE

INGBIRCHWORTH RES

1915 – 30

~~1916~~20

Smoke ✓

3349

FORM A.
BRITISH RAINFALL.

15.

Kept at Ing

in the County of

by J Henry Taylor

ong.

9 a.m.

on Penistone

ge 8 in.

ge above Ground 1 ft. – in.

„ Sea Level 853 ft.

IMPORTANT … and the result entered to the previous day. I… universal rule, he is earnestly requested to add … g year in the space provided for it at the end of this paragraph. … asurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·29	·35	s ·02	·	·42	·	·07	·20	·14	·	·02	·06	1
2	s ·02	·25	·06	·30	·	·03	·11	·42	·02	·05	·	·01	2
3	1·05	·	·02	·07	·	·	·08	·34	·	·01	·04	·76	3
4	·10	·05	·	·	·20	·	·80	·	·	·	·01	1·10	4
5	·09	·39	·02	·	·03	·02	·	·03	·	·10	·01	·50	5
6	·25	·27	·11	·35	·	·	·61	·05	·	·02	·	·49	6
7	·31	·43	s ·01	·20	·	·	·12	·86	·	·	·01	·21	7
8	·44	·19	·01	·12	·	·	·01	·16	·	·	·19	·03	8
9	·06	·04	·	·	·	·	·	·10	·	·03	·40	S R ·65	9
10	·64			·	·	·	·01	·15	·01	·04	·	·27	10
11	·37	·	·04	·03	·75	·	·12	·04	·	·	·50	S R ·35	11
12	·02	·	·	·16	·28	·	·04	·02	·	·09	S. R. 1·69	·	12
13	·09	·	·	·	·	·	·	·01	·	·	·	·03	13
14	·23	S. R. ·90	·	·	·	·	·04	·20	·03	·	·	·37	14
15	1·49	·	·	·02	·	·	·10	·29	·02	·01	s ·29	·16	15
16	·	·	·	·01	·25	·	1·36	·39	·	·02	·	·02	16
17	·	·41	·	·	·	·	·08	·04	·	·	·	·01	17
18	·	·25	s ·15	·	·	·	·02	·	·06	·	·02	·	18
19	·	·05	s ·01	·04	·	·	·12	·01	·	·	·	·	19
20	·17	·	·	·	·02	·	·09	·01	·	·	·	·30	20
21	s ·06	·02	·	·10	·	·	·12	·	·	·	·	·08	21
22	·04	·	·09	·03	·	·01	·06	·	·	·02	·01	·06	22
23	·03	s ·04	·10	·	·	·	·09	·	·	·27	·01	·12	23
24	·	·	·	·07	·	·01	·	·	·67	·07	·	·15	24
25	·	·	·01	·04	·	·39	·	·	·05	·02	·02	·20	25
26	s ·01	·40	·	·	·	·15	·28	·	·04	·	·	·50	26
27	·	·28	·	·	·	·11	·04	·	·01	·43	·	·50	27
28	·	·34	s ·02	·	·	·02	·	·44	·	·16	·	·08	28
29	s ·01		·	·	·14	·36	·	·25	·02	·	·13	·90	29
30	s ·08		·	01	·	·05	·	·	·	·	·01	·05	30
31	·17		·		·		·02	·42		·54		·48	31
Total	6·02	4·66	·67	1·55	2·09	1·15	4·39	4·43	1·07	1·88	3·36	8·44	YEAR'S TOTAL 39·71
Rain Days.	23	17	14	15	8	10	23	21	11	16	16	28	202

W. 7,500, XI. ·12

S note

15.

ong.

FORM A.
BRITISH RAINFALL.

Kept at Ingbirchworth

in the County of York. West Riding.

by J. Henry Taylor M. Inst. C.E. – Barnsley

Time of Observation 9 a.m.

Nearest Railway Station Penistone

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 853 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·35	s ·02	·	·42	·	·07	·20	·14	·	·02	·06	1
2	s ·02	·25	·06	·30	·	·03	·11	·42	·02	·05	·	·01	2
3	1·05	·	·02	·07	·	·	·08	34	·	·01	·04	·76	3
4	·10	·05	·	·	·20	·	·80	·	·	·	·01	1·10	4
5	·09	·39	·02	·	·03	·02	·	·03	·	·10	·01	·50	5
6	·25	·27	·11	·35	·	·	·61	·05	·	·02	·	·49	6
7	·31	·43	s ·01	·20	·	·	·12	·86	·	·	·01	·21	7
8	·44	·19	·01	·12	·	·	·01	·16	·	·	·19	·03	8
9	·06	·04	·	·	·	·	·	·10	·	·03	·40	s R ·65	9
10	·44	[illegible]	[illegible]	·	·	·	·01	·15	·01	·04	·	·27	10
11	·37	·	·04	·03	·75	·	·12	·04	·	·	·50	s R ·35	11
12	·02	·	·	·16	·28	·	·04	·02	·	·09	s R 1·69	·	12
13	·09	·	·	·	·	·	·	·01	·	·	·	·03	13
14	·23	s R ·90	·	·	·	·	·04	·20	·03	·	·	·37	14
15	1·49	·	·	·02	·	·	·10	·29	·02	·01	s ·29	·16	15
16	·	·	·	·01	·25	·	1·36	·39	·	·02	·	·02	16
17	·	·41	·	·	·	·	·08	·04	·	·	·	·01	17
18	·	·25	s ·15	·	·	·	·02	·	·06	·	·02	·	18
19	·	·05	s ·01	·04	·	·	·12	·01	·	·	·	·	19
20	·17	·	·	·	·02	·	·09	·01	·	·	·	·30	20
21	s ·06	·02	·	·10	·	·	·12	·	·	·	·	·08	21
22	·04	·	·09	·03	·	·01	·06	·	·	·02	·01	·06	22
23	·03	s ·04	·10	·	·	·	·09	·	·	·27	·01	·12	23
24	·	·	·	·07	·	·01	·	·	·67	·07	·	·15	24
25	·	·	·01	·04	·	·39	·	·	·05	·02	·02	·20	25
26	s ·01	·40	·	·	·	·15	·28	·	·04	·	·	·50	26
27	·	·28	·	·	·	·11	·04	·	·01	·43	·	·50	27
28	·	·34	s ·02	·	·	·02	·	·44	·	·16	·	·08	28
29	s ·01		·	·	·14	·36	·	·25	·02	·	·13	·90	29
30	s ·08		·	01	·	·05	·	·	·	·	·01	·05	30
31	·17		·		·		·02	·42		·54		·48	31
Total	6·02	4·66	·67	1·55	2·09	1·15	4·39	4·43	1·07	1·88	3·36	8·44	YEAR'S TOTAL 39·71
Rain Days.	23	17	14	15	8	10	23	21	11	16	16	28	202

W. 7,500, XI. ·12

DL

435

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

REG

PICKERING

HUNGATE HILL

1911 — 1920

Kept at Pickering
in the County of N. R.
by C H Toke

in.
ound ... ft. ... in.
Level ... ft.
ne
ance ... Direction

IMPORTANT NOTE.— ... e result entered to the previous day. If an Obser ... al rule, he is earnestly requested to add the reading ... in the space provided for it at the end of this p ... of rain, the selection and placing ... Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20						·11	·27		·02			1
2	·41		·01			—	·12			·01		·11	2
3	·04	·01	·01	·14	·17	·01				·18	·04		3
4	·06		·10	·17	·01			·25	·02	·20	·28	·35	4
5	·03			·08				·45		·09	·02		5
6	·18		·05	·06				·17		·07	·12	·38	6
7	·02		·04	·01							·05		7
8			·11			·08			·04	·01	·02	·13	8
9			·07	·01								·07	9
10	·03	·02	·02	·01		·01					·18	·39	10
11	·32		·01			·01			·01		·25	·09	11
12	·44		·23		·10	·25			·54		·24	·01	12
13		·01	·55		·10	·28					·04	·44	13
14		·23	·24		·05				·06		·03	·45	14
15		·04	·29						·01	·02	·22	·21	15
16			·38			·03	·10				·04	·07	16
17	·01	·02	·04			1·53	·03				·28	·11	17
18		·02	·08			·24					·42	·12	18
19		·02			·01	·15	·13	·01	·04	·22	·75	·06	19
20	·01	·04		·07		·03	·12	·74	·03		·09	·42	20
21	·01	·26						·23	·01	·28	·46	·01	21
22	·07							·24		·02	·15		22
23	·02	·17				·83			·65	·03		·13	23
24	·07	·02	·05			·78	·04	·01		·10		·08	24
25	·01	·12		·07		·50	·01		·31	·02	·05	·11	25
26				·08	·12		·74			·62	·42	·17	26
27		·04	·05	·10				·21	·25	·05	·03	·05	27
28		·06	·01	·17		·04				·07	·05	·07	28
29				·03		·06	·30	·03	·47	·37	·01	·05	29
30					·20	·01			·47	·09		·01	30
31			·01		·28					·15		·04	31
Total	1·93	1·08	2·35	1·00	1·04	4·84	1·70	2·61	2·91	2·62	4·24	4·13	TOTAL for year 30·45
No. of Rain Days	17	15	20	13	9	17	10	11	14	20	24	26	196

9,000, IX. '10

DL

435

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REG

Kept at Pickering

in the County of N. R. York 4

by C. H. Toke

Rain Gauge { Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20						·11	·27		·02			1
2	·41		·01				·12			·01		·11	2
3	·04	·01	·01	·14	·17	·01				·18	·04		3
4	·06		·10	·17	·01			·25	·02	·20	·28	·35	4
5	·03			·08				·45		·09	·02		5
6	·18		·05	·06				·17		·07	·12	·38	6
7	·02		·04	·01							·05		7
8			·11			·08			·04	·01	·02	·13	8
9			·07	·01								·07	9
10	·03	·02	·02	·01		·01					·18	·39	10
11	·32		·01			·01			·01		·25	·09	11
12	·44		·23		·10	·25			·54		·24	·01	12
13		·01	·55		·10	·28					·04	·44	13
14		·23	·24		·05				·06		·03	·45	14
15		·04	·29						·01	·02	·22	·21	15
16			·38			·03	·10				·04	·07	16
17	·01	·02	·04			1·53	·03				·28	·11	17
18		·02	·08			·24					·42	·12	18
19		·02			·01	·15	·13	·01	·04	·22	·75	·06	19
20	·01	·04		·07		·03	·12	·74	·03		·09	·42	20
21	·01	·26						·23	·01	·28	·46	·01	21
22	·07							·24		·02	·15		22
23	·02	·17				·83			·65	·03		·13	23
24	·07	·02	·05			·78	·04	·01		·10		·08	24
25	·01	·12		·07		·50	·01		·31	·02	·05	·11	25
26				·08	·12		·74			·62	·42	·17	26
27		·04	·05	·10				·21	·25	·05	·03	·05	27
28		·06	·01	·17		·04				·07	·05	·07	28
29				·03		·06	·30	·03	·47	·37	·01	·05	29
30					·20	·01			·47	·09		·01	30
31			·01		·28					·15		·04	31
Total	1·93	1·08	2·35	1·00	1·04	4·84	1·70	2·61	2·91	2·62	4·24	4·13	TOTAL for year ✓ 30·45
No. of Rain Days	17	15	20	13	9	17	10	11	14	20	24	26	196 ✓

9,000, IX. '10

82

Re-DM

435

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Pickering

in the County of North Riding, York N4

by C. H. Toke

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.12	.06	.01	.01	.24	.07	.36	.09	.04		.14	1
2		.12	.09	.01		.12	.40	.02		.21	.01		2
3	.15	.17	.01			.79		.20	.21	.05		.16	3
4	.32		.31		.02	.41		.28			.28		4
5	.04				.20	.17		.01			.01	.01	5
6	.80	.08	.03		.01	.10	.02	.44	.02				6
7	.03	.04			.15	.01		.02	.27		.01	.01	7
8	.27	.20	.15	.01		.03	.08		.23		.25		8
9	.01	.04	.19	.05		.02	.01		.37		.03		9
10	.01	.01		.01	.05	.10		.02	.04		.09	.32	10
11	.22	.08						.30	.01		.28		11
12	.05	.07	.07			.14	.69				1.54	.09	12
13		.01	.01			.03	.01			.11	.39	.04	13
14	.20		.69			.14		.12	.01		.05	.03	14
15	.01	.01	.45		.60	.10		.01		.07			15
16	.13		.10		.04			.01		.05	.01	.03	16
17		.03	.19			.40	.10	.14				.01	17
18	.14			.02		.03	.26			.02			18
19	.30	.24	.02				.02	.63		.11	.02		19
20	.09	.06	.01		.29	.03		.05		.26			20
21			.24		.11					.19	.01	.01	21
22		.09	.01		.60	1.00	.05	.15		.03		.01	22
23	.04		.06		.02	.01	.21	.44		.01	.24	.16	23
24	.19		.01			.01	.01	.01			.02	.01	24
25	.25					.73	.15	.04		.01	.14		25
26	.07	.04	.06			.01		.66		.84	.10	.20	26
27			.06			.44	.41	.01		.45	.02	.06	27
28				.03	.09	.09	.11	.47	.03	.13	.26		28
29		.01	.10	.01			.23	.07	.47	.05	.02	.05	29
30	.05		.14			.29	.05	.03	.14	.23		.02	30
31			.11		.09		1.02	.34		.26			31
Total	3.37	1.42	3.17	.15	2.28	5.44	3.90	4.83	1.89	3.12	3.78	1.36	TOTAL for year 34.71
No. of Rain Days.	21	18	24	8	14	25	19	25	12	19	21	18	224

W. 8,000, X. '11.

Exe DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3- JAN 1914

Kept at Pickering
in the County of York
by C. H. Toke

Lat. Long.
Time of Observation 9 Am
Nearest Railway Station Pickering
Diameter of Rain Gauge — in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.03	.04	.34	—	—	—	—	—	—	.42	—	1
2	.01	.04	.05	—	—	.13	.01	—	—	—	.05	—	2
3	.06	—	.01	—	.20	—	.01	—	—	.24	—	.01	3
4	.57	—	.05	—	—	—	.20	—	.03	1.02	.44	.40	4
5	.07	.02	.04	—	—	.39	.05	.02	—	.07	—	—	5
6	.01	.19	.07	.01	.18	.04	.04	.01	—	—	.01	—	6
7	—	.30	—	.01	.04	.19	—	—	—	.47	.01	—	7
8	—	.02	—	.03	.55	.06	—	—	.07	.10	.05	.01	8
9	.01	.06	.03	.03	.21	—	.01	.37	—	—	.01	—	9
10	—	.09	.05	.03	.02	—	—	—	.02	.04	.47	—	10
11	1.20	—	—	.45	—	.07	—	—	—	—	.16	.01	11
12	.16	.01	—	.01	—	—	—	—	.03	—	.02	—	12
13	.07	—	—	—	—	—	—	.11	.03	—	.12	—	13
14	.05	.02	.06	.01	—	—	.02	—	—	.13	.01	.01	14
15	.20	—	.21	.32	—	—	—	—	.01	—	.18	.01	15
16	.02	—	—	.01	—	—	—	—	—	—	.03	—	16
17	.01	.01	.12	.04	—	.01	.01	—	—	—	.09	—	17
18	.01	—	.27	.09	.07	.01	—	—	.09	—	.04	.01	18
19	.06	—	.02	.01	.02	—	—	—	.14	—	—	—	19
20	.11	—	.08	.02	—	—	—	—	.13	.03	.11	—	20
21	.09	.01	.03	—	.35	—	.03	.12	.01	—	—	—	21
22	.05	—	.23	—	.04	—	—	.28	.12	—	—	—	22
23	.13	—	.05	—	—	.04	—	.04	.04	—	.01	—	23
24	.21	.01	—	.03	—	.65	—	.18	—	—	—	—	24
25	—	—	—	.05	—	.04	—	—	.11	.01	.01	.11	25
26	—	.01	.03	.02	—	.01	—	—	.02	.38	.11	.33	26
27	—	.11	.02	.25	—	.08	—	—	—	.05	.05	.07	27
28	.20	.02	.14	.33	—	—	—	—	—	.01	—	.20	28
29	.02		.31	.19	.08	—	—	.16	—	—	.07	.60	29
30	.25		.02	—	.05	—	—	—	—	.36	—	.16	30
31	.12		—		.25		—	—		—		—	31
Total	3.72	.95	1.93	2.28	2.06	1.72	.38	1.29	.85	2.91	2.07	1.93	YEAR'S TOTAL 22.09
Rain Days.	25	16	22	21	13	13	9	9	14	13	22	13	190

W.7,000, XI. 13

8L

Cod fr auth 12.IV.15 ~~W~~ 91 L

434

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Pickering

in the County of N. R. York 4

by C. H. Toke

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·72	·17			·01	·15	1
2							1·33	·14		·01	·44	·06	2
3	·01				·14		·05	·01			·07	·31	3
4	·01		·02	·11	·17						·14	·62	4
5			·08	·10	·10	·01	·02	·01		·01	·28	·02	5
6		·05		·04	·10		·28				·02	·03	6
7		·03	·16	·02	·04	·30					·01	·13	7
8	·37		·03	·07	·40	·44	·08	·04		·12	·01	·01	8
9	·34	·05	·04	·10	·07	·81		·02	·90		·03	·03	9
10	·26	·10							·04		·01	·01	10
11		·22	·17	·01	·31				·02		·27	·28	11
12	·04	·01							·12		·01	·72	12
13	·02	·07	·25						·01	·03	·17	·24	13
14	·01	·11	·01	·04			·04			·02	·22	·20	14
15	·06		·20		·01		·23				·46	·03	15
16	·11		·09				2.00		·35		·12	·01	16
17	·16	·11					·01		·45		·02	·08	17
18	·07	·07	·11						·05		·02	·38	18
19	·01		·09				·01		·18		·08	·03	19
20	·01	·11	·12			·11				·04		·01	20
21	·01	·42	·12			·01	·03	·05		·02	·07	·03	21
22	·02	·01	·01	·03	·03	·28	·03	·05		·05	·03	·11	22
23		·02	·01	·03	·31	·65				·01	·01	·15	23
24	·02		·08	·07	·05			·33			·17		24
25		·07					·01	·06		·54	·06	·25	25
26			·07				·12	·06		·31	·14	·26	26
27										·01	·11	·63	27
28	·02	·06								·13	·09	·28	28
29			·12		·01			·17		·89	·04		29
30			·11					·01		·05	·12	·15	30
31	·09		·01				·37			·30		·01	31
Total	1·64 ~~1.68~~	1.51	1·90	·62	1·74	2·61	5·33	1·12	2·12	2·54	3·23	5·22	YEAR'S TOTAL 29·58
Rain Days.	19	16	21 ~~18~~	11	13	8	16	13	9	16	29	29	200

W.7,000, XI. 13

82

447

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Pickering

in the County of N. Riding York 4

by C. H. Toke

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	·16	·03		·11		·16	·76	·11	·01	·22	·20	1
2	·01	·14	·30	·11		·02	·04	·23	·07		·06	·01	2
3	·46	·01	·07	·10			·14	·03	·01		·24	·41	3
4	·07	·01					·59	·24			·11	·48	4
5	·24	·03	·02		·06	·02	·02	·01		·03	·03	·74	5
6	·04	·27	·05	·13	·05		·46	·15	·04	·04		·10	6
7	·36	·33	·11	·01			·19	·13	·01			·01	7
8	·05	·03	·02				·02	·01		·01	·03		8
9	·01	·04					·03	·05		·02	·02	·34	9
10	·22	·01								·01		·11	10
11	·05	·25	·01	·09	·69		·01	·02			·02	·13	11
12	·20	·04		·21	·04		·13			·11	1·32	·12	12
13	·01	·50					·01	·05		·01	·05	·01	13
14	·05	·48			·07		·05	·02		·01		·08	14
15	·30	·21					·11	·26			·16	·15	15
16	·07	·31			·02		1·30	·02		·03		·02	16
17	·47	·16	·02				·40	·02		·01	·05	·02	17
18		·09	·58						·01	·03	·04	·05	18
19		·16	·03				·08			·21	·01		19
20	·07	·01	·01							·07		·42	20
21	·07	·03		·12	·14					·01		·04	21
22	·04	·01	·08	·03			·23					·16	22
23	·23	·16	·02	·01			·53		·03		·03	·06	23
24	·01	·03	·10	·05		·01	·07		·40	·02	·01	·18	24
25			·01			·14			·01	·02	·21	·02	25
26	·01	·27	·09			·04	·10		·02	·10	·02	·53	26
27	·05	·08	·04				·70		·02	·25		·20	27
28	·01	·04	·11		·17		·03	·18		·29		·02	28
29	·01		·01		·31			·01	·46	·02	·34	·18	29
30	·07	×		·18	·01	·02	·24	·01	·10		·01	·03	30
31	·07	×		×		×		·31	×	·01	×	·14	31
Total	3·43	3·86	1·71	1·04	1·67	·25	5·64	2·51	1·29	1·32	2·98	4·96	YEAR'S TOTAL 30·66
Rain Days.	28	27	20	11	11	6	24	19	13	22	20	29	230

W. 3,000. X. 14.

8L

Ex 8L

3613

377

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Pickering

in the County of N. R. Yorkshire

by C. H. Toke

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15		·05			·10	·20				·10		1
2	·03	·08	·20			·12	·01		·44	·09	·01	·02	2
3		·08	·07	·04					·30	·12	·10	·01	3
4	·01	·09	·05	·05	·70	·55			·15	·60	·24	·21	4
5	·07	·05	·34		·02	·25			·01	·43	·14	·07	5
6	·01	·28	·27	·02	·21	·05	·05			·02	·31		6
7		·03	·19		·14	·03	·03			·05	·01	·18	7
8		·01	·46		·17						·01	·01	8
9			·07		·18						·05	·35	9
10	·06	·01	·02	·03	·01	·03	·05		·01	·10	·01	·10	10
11	·02	·42	·60	·20	·02	·08	·13		·07	·04		·15	11
12	·02	·01	·30	·02	·60	·30	·61	·06		·02		·25	12
13		·02	·08		·35	·01	·50	·32	·05	·44	·02	·07	13
14		·16	·03	·01	·17	·01	·01	·54		·13		·10	14
15	·02	·21	·34				·02	·03		·05			15
16		·01	·05	·07	·01		·17	·18		·02		·11	16
17	·02		·01	·12			·01	·24		·10	·04	·01	17
18	·01	·21		·34		·01	·02	·01		·09	1·63	·02	18
19	·05		·03	·01	·08			·03	·20	·07	·95	·20	19
20	·06		·12	·27	·01		·37	·14	·02		·11	·02	20
21	·02	·26	·05	·05	·26		·05					·25	21
22		·14	·03	·01		·03				·06	·02	·10	22
23	·02	·04	·10	·07		·01		·01		·02	·12	·20	23
24		·03	·02	·05		·86	·01	·13		·11	·01	·05	24
25		·16	·09	·01	·02			·23		·08	·17	·14	25
26	·01	·25	·06			·02				·01	·09		26
27		·47	·01					·60		·10		·02	27
28		·28	·04		·01			·10		·11	·01	·29	28
29		·13			·03	·07				·07		·10	29
30	·01	✕			·11	·13			·01	·25		·01	30
31	·01	✕		✕	·06	✕			✕	·21	✕	·01	31
Total	·60	3·43	3·68	1·37	3·16	2·66	2·24	2·62	1·26	3·39	4·15	3·05	YEAR'S TOTAL 31·61
Rain Days.	18	24	27	17	20	18	16	14	10	26	21	27	238

W. 8,000. X. 15.

8L Ext H

346 ~~363~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Pickering
in the County of N. R. Yorkshire
by C. H. Toke

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01		·14		·01		·62	·30		·10	·08	1
2	·09			·23		·15		·22	·11				2
3		·04	·09	·07		·05	·01	·08	·01	·02	·02		3
4		·02	·03	·01				·01		·12	·05		4
5	·15		·06	·34						·02	·16	·05	5
6										·10	·10	·01	6
7	·53		·05			·06				·34		·09	7
8	·92		·01	·08				1·77		·43	·13		8
9	·27		·04	·04				·24		·05	·19	·03	9
10	·35		·55	·23	·10			·48		·21	·30		10
11	·09							·06		·30	·01		11
12	·80	·01		·23	·22			·32		·36	·01	·02	12
13	·32			·06	·26			·17	·23	·04		·07	13
14	·36		·05	·10	·28		·04	·09	·01			·03	14
15	·20			·01						·02		·26	15
16	·10	·01		·31				·15				·50	16
17	·09	·03		·15	·20	·92	·31	·45		·03		·29	17
18	·12			·04	·06			·10	·11	·01			18
19	·22	·15	·28		·04	·39		·01	·01			·01	19
20	·10	·67	·13	·02		·26		·01	·04		·30	·03	20
21	·03	·21	·16					·48			·01	·01	21
22		·01	·17			·13	·15	·10	·05	·02			22
23	·03		·01		·12	·12	·01	·02	·01			·01	23
24	·02	·01				·02		·09		·36	·11	·10	24
25	·01	·02	·10			·09		·02		·30	·02	·26	25
26			·17			·35	·19	·86	·04	·25	·40	·15	26
27	·02		·07			·15	·20	·36		·01	·01	·05	27
28	·01		·12			·02	·10	·24		·06		·01	28
29	·02		·01				·10	·02		·26	·03		29
30	·04	✕	·09	·17			·32	·02			·03	·01	30
31	·07	✕	·10	✕	·03	✕	·02	·02	✕		✕	·09	31
Total	4·96	1·19	2·29	2·23	1·31	2·72	1·45	7·01	·92	3·31	1·98	2·16	YEAR'S TOTAL 31·53
Rain Days.	25	12	20	17	9	14	11	27	11	21	18	22	207

W. 8,000, VIII. 16

62
~~338~~

FORM A.
BRITISH RAINFALL.
22. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Pickering
in the County of N. R. Yorks
by C. H. Toke

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.02	.02	.02			.01		.39	.02	.16	.03	1
2	.11	.24	.01	.16				.06	.18	.01		.19	2
3		.04	.03	.01	.06			.02		.03	.40	.01	3
4			.02		.18			.20	.16	.01	.20	.37	4
5		.02	.01	.02	.23		.01	.71	.01	.23		.01	5
6	.03	.35		.50		.19		.19	.19	.15		.03	6
7	.20	.04		.02		.07				.09	.18	.01	7
8	.03	.06	.06				.52		.05	.02		.01	8
9	.07	.34		.03		.06	.18		.85	.20	.02	.11	9
10	.05	.05		.01			.08		.13	.01	.04	.02	10
11	.23	.07			.40		.11	.03	.01			.10	11
12		.17	.03		.05		.68	.04	.15	.10		.02	12
13		.01		.02	.11				.30	.03			13
14	.26			.04		.01	.02		.26	.01		.06	14
15	.05			.01		.04	.27		.74		.01	.70	15
16	.01					.11	.04	.09	.23	.02		.29	16
17	.33			.01	.25	.09	.54	.10	.04	.06		.24	17
18	.34		.03	.33		.02	.25		.40	.04		.09	18
19	.31		.04	.20			.20	.24	.04	.11		.03	19
20	.16	.40			.02	.02	.06		.20	.02			20
21	.10	.01			.43	.08	.02		.10	.16			21
22	.03				.05	.06	.02		.09	.01		.29	22
23	.13				.25		.39		.04		.06	.01	23
24		.12					.22		.11	.04	.05		24
25		.01	.02			.03	.07	.21	.02		.01	.10	25
26							.30	.08	.32		.09	.06	26
27		.03	.01			.01	.04	.32	.26		.08	.19	27
28		.42	.54					.01	.02		.05	.40	28
29			.01						.14		.06	.13	29
30	.01		.30	.01					.22	.01	.11	.74	30
31			.21					.04				.10	31
Total	2.47	2.40	1.34	1.39	2.03	.79	4.03	2.34	5.65	1.38	1.52	4.34	YEAR'S TOTAL 29.68
Rain Days.	19	18	15	15	11	13	21	15	28	22	15	27	219

W. 8 000, IX. 17.

8L ~~II~~ D.r. [illegible]

3290
~~314~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Pickering
in the County of N. R. York
by C. H. Toke

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·14		·02	·35		·45		·23	·02	·12	·07	1
2	·17	·06	·06	·01			·50		·01	·05	·08	·01	2
3	·78	·02			·12	·02	·01		·05		·34	·05	3
4	·10		·45		·08	·08			·14		·19	·03	4
5	·11	·06				·01		·14	·10	·01	·07	·09	5
6	·08	·03	·24								·13	·26	6
7	·01	·02	·23		·15						·01	·61	7
8	·11		·01	·03	·07					·04	·23	·12	8
9	·01		·07	·02		·01		·02		·21	·29		9
10	·01		·05	·03						·19	·10	·21	10
11			·83		·02		·19			·07	·09	·01	11
12			·96	·07		·03			·02	·19	·02	·01	12
13	·12		·03	·01		·08	·34			·08			13
14	·23		·01	·30				·02		·01	·24	·01	14
15	·04		·06	·05						·01	·03	·78	15
16	·03	·33		·03				·07		·12	·04	·02	16
17		·16		·02	·13	·07	·02	·09		·01	·22	·01	17
18		·14					·74	·22				·08	18
19	·02		·27			·01	·07	·16	·02		·13	·03	19
20	·30	·33	·01			·05	·01	·05	·13			·26	20
21	·16	·14	·13			·02	·15	·01	·04	·01	·03	·05	21
22		·13	·02			·01	·02	·03	·08		·02	·14	22
23		·02	·04			·33	·01	·10		·46	·08	·03	23
24	·01		·02	·01	·03	·01				·41	·05		24
25	·08	·02		·02	·02	·13		·43		·03	·10	·03	25
26	·01	·03	17	·14		·01	·01	·37	·02	·46	·31	·33	26
27	·10			·58		·02	·01	·01	·01	·86	·14	·08	27
28	·06	·02	·02	·05			·01	·56		·47	·03	·23	28
29	·13		·07	·08		·12		·01		1·34		·19	29
30	·09	✕	·06	·17		·17		·02		·19	·13	·23	30
31		✕	·20	✕		✕	·16		✕	·16	✕	·03	31
Total	2·97	1·65	4·01	1·64	·97	1·18	2·70	2·31	·85	5·40	3·22 ~~3·24~~	4·00	YEAR'S TOTAL 30·90 ~~30·92~~
Rain Days.	24	16	23	18	9	18	16	17	12	23	26	28	230

W. 6,500, VII. 18. W W C

424 [illegible] 3167

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Pickering, Hungate Hall
in the County of N. R. Yorks
by C. H. Toke

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·10	·30	·38	·03	·35		·18	·40		·01	1
2		·01	·04	·09	·01		·21		·13	·24		·33	2
3		·03		·02	·01		·27	·12	·03	·05		·57	3
4	·04				·08		·52	·43	·12	·58		·23	4
5		·01	·03	·01	·20		·16	·02	·01	·01		·02	5
6			·12	·10	·11		·10	·01				·10	6
7	·01	·01	·04		·05		·18					·04	7
8	·01	·01		·25	·08		·02	·15			·02	·01	8
9	·25	·05	·01	·40	·01		·25	·25	·03	·01			9
10	·67	·09	·05	·13			·17	·01				02	10
11	·27	·06	·02	·15	·06							·45	11
12	·14		·03	·22	·02		·01		·01	·01	·02	·35	12
13	·05	·03	·24	·07					·01		·07	·10	13
14		·06	·45	·17			·05		·32	·09	·14	·05	14
15		·16	·29	·15			·03		·02	·06	·04	·04	15
16		·01		·03			·90		·15	·01	·04	·02	16
17					·17		·02	·21	·18	·01	·01	·01	17
18	·15		·02		·17		·42	·02	·46	·02			18
19	·01	·19		·32	·01	·02	·01	·16	·01				19
20	·13	·02	·01	·09		·18	·02	·01				·01	20
21		·07		·17			·30	·19	·03		·01	·04	21
22	·07	·01		·14			·10			·01			22
23	·01		·01	·10			·35	·01	·01	·02	·01	·10	23
24	·02	·01	·36	·11			·01			·01		·03	24
25		·05	·10	·03		·02	·55		·01		·01		25
26	·03	·03	·16	·04	·05	·01	·02			·01		·04	26
27	·17		·01	·03	·20	·57			·01		·39	·04	27
28	1·36		·09	·07	·01	·01	·05				·05	·14	28
29	·10		·04	·03	·45	·14	·08		·01		·12	·55	29
30	·12		·01	·01	·04	·01	·01		·23			·12	30
31	·17				·08		·06					·17	31
TOTAL	3·78	·91	2·23	3·23	2·19	·99	5·22	1·59	1·96	1·54	·93	3·59	YEAR'S TOTAL 28·16 715
Days with ·01 in. or more	20	19	22	26	20	9	28	13	20	16	13	26	232
404	14	8	13	19	14	3	19	7	8	6	7	18	136

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

PONTEFRACT

TANSHELF DRIVE

YORKSHIRE

1911 –1920

11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Po

in the County of Y

by J Keighley

owden

5 in.

ve Ground 1 ft. – in.

Sea Level 180 ft.

9am

Name Tanshelf (Lry)

Distance 600 yds Direction NW

IMPORTANT NO … l the result entered to the previous day. If an O … versal rule, he is earnestly requested to add the re … ear in the space provided for it at the end of th … ment of rain, the selection and placi … ritish Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Ca … Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												–	1
2												·01	2
3												–	3
4												·09	4
5												–	5
6												·27	6
7												–	7
8												·25	8
9												–	9
10												·34	10
11											·48	·04	11
12											·13	·01	12
13											·04	·47	13
14											–	·54	14
15											–	·14	15
16											·10	·07	16
17											·14	·07	17
18											·23	·07	18
19											·41	·02	19
20											–	·17	20
21											·05	·01	21
22											·04	–	22
23											–	·18	23
24											–	·19	24
25											–	·10	25
26											·31	·31	26
27											–	–	27
28											·07	·12	28
29											–	·01	29
30											·03	–	30
31												–	31
Total												3·48	TOTAL for year
No. of Rain Days.												22	

W. 8,000, X. '11.

11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Pontefract

in the County of Yorkshire

by J. Keighley Heseltine

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 180 ft.

Time of Observation 9. 0 am

Nearest Railway Station
Name Tanshelf (L y)
Distance 600 y Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												—	1
2												·01	2
3												—	3
4												·09	4
5												—	5
6												·27	6
7												—	7
8												·25	8
9												—	9
10												·34	10
11											·48	·04	11
12											·13	·01	12
13											·04	·47	13
14											—	·54	14
15											—	·14	15
16											·10	·07	16
17											·14	·07	17
18											·23	·07	18
19											·41	·02	19
20											—	·17	20
21											·05	·01	21
22											·04	—	22
23											—	·18	23
24											—	·19	24
25											—	·10	25
26											·31	·31	26
27											—	—	27
28											·07	·12	28
29											—	·01	29
30											·03	—	30
31												—	31
Total												3·48	TOTAL for year
No. of Rain Days.												22	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Pontefract

in the County of Yorkshire W9

by T. Keighley Heseltine

Rain Gauge
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 180 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name Tanshelf (L&Y)
Distance 600 yards Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·16	·07	–	–	·37	·11	·01	·19	–	–	·19	1
2	–	·02	·02	–	–	·15	·54	–	·04	·04	–	·03	2
3	·07	·06	–	–	–	·49	–	·51	·19	–	–	·03	3
4	·15	–	·35	·01	·06	·46	–	·36	–	–	·38	–	4
5	·07	·03	–	–	·16	·27	–	·02	–	–	·01	–	5
6	·84	·06	·05	–	·05	–	–	·30	·01	–	–	–	6
7	–	·02	–	–	·03	·04	–	·42	·04	–	–	–	7
8	·37	·17	·06	–	–	–	–	·01	·14	·01	–	–	8
9	·07	·11	·17	·13	–	–	–	·03	–	–	–	–	9
10	–	·01	·01	·10	–	·31	–	·08	–	–	·14	–	10
11	·14	·06	–	–	–	–	–	–	–	–	·12	·61	11
12	·06	·31	·09	–	–	·19	·42	–	–	–	·06	–	12
13	–	·02	–	–	–	–	–	·09	–	·08	·13	–	13
14	·13	–	·35	–	–	·06	–	·03	–	–	–	–	14
15	·08	·08	·26	–	·65	·04	–	–	–	–	–	·35	15
16	·83	–	·20	–	·04	·26	–	·06	–	·04	–	·03	16
17	·03	–	·14	–	–	·24	·05	·26	–	–	·01	·24	17
18	·26	·01	·04	–	–	–	–	·02	–	–	–	–	18
19	·37	·15	–	–	–	–	·43	·43	–	·16	–	–	19
20	·20	–	·03	–	·24	·02	·30	·01	–	·21	–	–	20
21	–	·01	·36	–	·51	–	·08	–	–	–	–	–	21
22	·02	·10	·02	–	1·42	·40	·22	·45	–	–	–	·04	22
23	–	·01	·17	–	–	–	·28	·36	–	–	·10	–	23
24	·37	–	–	–	·01	·03	·38	·10	–	–	–	·16	24
25	–	–	–	–	–	·21	–	·03	–	–	·20	·03	25
26	–	·13	–	–	–	–	·17	1·11	–	·89	·10	·23	26
27	–	–	·04	–	–	·21	·26	–	–	·53	–	·07	27
28	–	–	–	–	·12	–	·09	·35	·06	·20	·10	–	28
29	–	–	·02	–	–	–	–	–	·46	·10	·40	·01	29
30	·02		·05	–	·48	–	–	–	·12	·01	–	–	30
31	–		·02		·21		·58	·21		–		–	31
Total	4·08	1·52	2·52	·24	3·98	3·75	3·91	5·25	1·25	2·27	1·75	1·72	TOTAL for year 32·24
No. of Rain Days.	18	19	21	3	13	17	14	23	9	11	12	13	173

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

Kept at Pontefract [illegible]

in the County of Yorkshire W 9

by T. Keighley Heseltine

Lat. ____ Long. ____

Time of Observation 9 am

Nearest Railway Station Tanshelf (L & Y)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·06	·11	–	–	–	–	–	–	·01	–	1
2	–	·05	·04	–	–	·02	–	–	–	–	–	·03	2
3	·03	·02	·05	–	·36	–	·06	–	–	·73	·03	·46	3
4	·50	·02	·02	–	·04	–	·07	–	·10	·13	·08	·18	4
5	·01	·01	·11	–	–	·17	·05	–	·02	·43	–	–	5
6	–	·13	·06	–	·41	·02	·48	–	–	·44	–	–	6
7	–	·15	–	·01	·06	·14	–	–	–	·63	·01	–	7
8	–	·01	–	–	·38	·04	–	–	·01	·04	·13	–	8
9	–	·15	–	·02	·05	·02	–	·06	–	–	·11	·01	9
10	–	·02	·01	·04	·05	–	·07	–	–	·04	·20	–	10
11	·87	–	–	·52	·09	–	–	–	–	·05	·16	–	11
12	–	–	–	–	–	·04	–	–	–	–	·15	–	12
13	·06	–	·03	·03	–	–	–	·03	·09	–	·05	–	13
14	·04	·08	·12	–	–	–	–	–	–	·10	·08	–	14
15	·07	·01	·14	·45	–	–	–	–	·01	–	·15	–	15
16	–	–	·14	·01	–	–	–	–	–	–	·03	–	16
17	·04	·04	·16	·03	–	–	–	–	·91	–	·04	–	17
18	·01	–	·15	·07	–	–	·03	–	–	–	·09	–	18
19	·09	–	·06	·03	–	–	–	–	·02	–	–	–	19
20	·08	–	·06	·08	–	–	–	–	·01	·06	·06	–	20
21	–	–	–	–	·19	–	·19	·05	–	–	–	–	21
22	·16	–	·32	–	–	–	–	·50	·11	–	–	–	22
23	·08	–	–	–	·02	·08	–	·06	·17	–	·01	–	23
24	·08	–	–	·04	–	·04	–	–	–	–	–	–	24
25	–	–	–	–	–	–	–	–	·09	–	–	·02	25
26	–	–	·12	·06	·06	–	–	–	·01	·20	·11	·18	26
27	–	·01	–	·28	–	·07	–	–	–	–	–	·05	27
28	·31	–	·20	·52	–	–	–	–	·01	·02	–	·08	28
29	·02		·29	·43	·04	–	–	·29	–	–	·01	·33	29
30	·27		–	–	–	–	–	–	–	·47	·07	·03	30
31	·01		–		·22		·02	–		–		–	31
Total	2·73	·70	2·14	2·73	1·97	·64	·97	·99	1·56	3·34	1·58	1·37	YEAR'S TOTAL 20.72
Rain Days.	18	13	19	17	13	10	8	6	13	13	20	10	160

W.7,000, XI. 13

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Pontefract

in the County of Yorkshire WR 9

by J. Keighley Heseltine

Lat. ✓ Long. ✓

Time of Observation 9 a.m daily

Nearest Railway Station Pontefract (N.E.+Mid)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	–	·86	·22	–	·10	–	·40	1
2	–	–	–	–	–	–	·45	·25	–	–	·27	–	2
3	–	–	·03	–	·11	–	·01	–	–	–	–	·37	3
4	·14	–	·06	·14	·01	–	–	–	–	–	·30	·32	4
5	·13	–	·23	·09	·06	·04	·04	–	–	–	·10	·14	5
6	–	–	–	·16	·16	–	·05	–	–	–	·01	·05	6
7	–	–	·23	–	·02	·01	–	–	–	–	·06	–	7
8	·10	–	·01	·14	·05	·49	·15	·09	·02	–	–	–	8
9	·33	–	·01	–	–	1·09	–	·07	·04	–	–	–	9
10	·22	·09	–	·01	–	–	–	–	·08	–	·01	–	10
11	–	·19	·20	·04	–	·09	–	–	–	–	·56	·39	11
12	–	·03	·08	–	·02	–	–	–	·20	–	–	·34	12
13	–	·05	·21	–	–	–	–	–	–	–	·16	·15	13
14	·04	·01	–	–	–	–	–	–	–	·16	·30	·33	14
15	–	·01	·12	–	–	–	–	–	–	–	–	·04	15
16	–	–	·01	–	–	–	·35	–	·20	–	–	–	16
17	·09	·06	·07	–	–	–	·04	–	·24	–	–	·13	17
18	–	–	·08	–	–	·13	–	–	–	–	–	·21	18
19	–	–	–	–	–	–	·02	–	–	–	·09	·13	19
20	–	·19	·11	–	–	–	–	·05	–	·02	–	–	20
21	–	·44	·03	–	–	·12	–	–	–	·15	–	·06	21
22	–	–	·01	–	·33	·03	·04	·03	–	·03	·01	–	22
23	–	–	·02	·01	·38	·02	–	–	–	–	–	·04	23
24	–	–	·06	–	·10	–	–	·18	–	–	·18	–	24
25	–	–	–	–	–	–	·02	·17	–	·52	·01	·31	25
26	–	–	·19	–	–	–	–	·23	–	·30	·04	·22	26
27	·05	–	–	–	–	–	–	–	–	·07	·15	·63	27
28	–	·04	–	–	–	–	–	–	–	·07	·01	·09	28
29	–		·16	·03	–	–	–	·01	–	·44	–	–	29
30	–	X	·01	–	·01	–	–	·02	–	·08	–	·07	30
31	·01	X	–	X	–	X	·26	–	X	·20	X	·01	31
Total	1·11	1·11	1·93	·62	1·25	2·02	2·29	1·32	·78	2·14	2·26	4·43	YEAR'S TOTAL 21·26 ✓
Rain Days.	9	10	21	8	11	9	12	11	6	12	16	21	146 ✓

W. 8,000. X. 14.

3439

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Pontefract
in the County of York
by J. Keighley Heseltine

Lat. Long.
Time of Observation 9 am daily
Nearest Railway Station Tanshelf (L&Y)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·14	–	–	·18	–	·09	·08	–	–	–	·02	1
2	–	·04	·10	·15	–	–	·08	·32	–	·07	–	–	2
3	·77	–	·02	·11	–	–	·18	·03	–	–	–	·64	3
4	·16	–	–	–	–	–	·47	–	–	–	–	1.03	4
5	·11	·27	–	–	–	–	–	–	–	–	·05	·54	5
6	·05	·28	·08	·09	–	–	·51	·07	–	–	–	·08	6
7	·33	·19	·04	·10	·07	–	·16	·45	–	–	–	·06	7
8	–	·07	–	–	–	–	·04	·06	–	–	·06	–	8
9	·02	–	–	–	–	–	–	·09	–	·01	·03	·56	9
10	·20	–	·09	–	–	–	–	·02	–	–	–	–	10
11	–	–	–	–	·63	–	–	·19	–	–	·27	·43	11
12	·04	–	–	·33	·22	–	–	·04	–	·09	·95	–	12
13	·01	·57	–	–	–	–	–	–	–	–	–	–	13
14	–	·01	–	–	–	–	·05	·31	–	–	–	·03	14
15	·29	–	–	–	–	–	–	·06	–	–	·29	·14	15
16	–	·13	–	–	·06	–	1·19	·05	–	–	–	–	16
17	–	·08	–	–	–	–	·16	·02	–	–	–	–	17
18	–	·08	·23	–	–	–	–	–	–	–	–	–	18
19	–	–	–	–	–	–	·04	–	–	–	–	–	19
20	–	–	–	–	–	–	–	–	–	–	–	·48	20
21	·04	–	–	·05	–	–	·13	–	–	–	–	·21	21
22	–	–	·07	–	–	–	·08	–	–	–	–	·02	22
23	·08	·06	·08	–	–	–	·18	–	·04	·05	–	–	23
24	–	–	·12	–	–	·05	–	–	·65	–	–	·16	24
25	·03	–	–	·05	–	·05	–	–	–	–	–	·15	25
26	–	·12	–	–	–	·06	·05	–	–	–	–	·47	26
27	–	·18	–	–	–	·11	–	–	–	·38	·14	·08	27
28	–	·13	–	–	–	·51	–	·36	–	·01	–	–	28
29	–		–	–	·16	·03	–	–	–	–	–	·65	29
30	·09	X	–	·05	–	·01	–	–	–	–	–	–	30
31	·07	X	–	X	–	X	–	·28	X	·09	X	·16	31 ✓
Total	2·38	2·35	·83	·93	1·32	·82	3·41	2·43	·69	·70	1·79	5·91	YEAR'S TOTAL 23·56 ✓
Rain Days.	16	15	9	8	6	7	15	16	2	7	7	19	127 ✓

cont/p. with W 40

REGISTER OF RAINFALL IN 1916

5362

FORM A. BRITISH RAINFALL.
1 JAN 1917

Kept at Pontefract
in the County of Yorkshire W.R.
by Thos. Keighley Heseltine
per T. S. Heseltine

Lat. ...... Long. ......
Time of Observation 9 0 a.m.
Nearest Railway Station Bag Hill N.E. and G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1916

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	24	–	09	–	–	19	16	–	–	–	15	–	1
2	0.8	–	25	–	–	–	–	–	22	12	–	–	2
3	–	15	–	13	–	–	–	–	28	37	05	–	3
4	01	21	–	01	75	24	–	–	41	08	33	-	4
5	–	02	01	–	05	16	–	–	–	27	23	–	5
6	04	31	16	07	23	–	14	–	–	-	25	–	6
7	–	03	06	–	08	–	17	–	–	06	–	31	7
8	–	02	27	–	–	03	–	–	–	–	06	17	8
9	–	–	16	–	42	14	–	–	23	–	06	11	9
10	–	02	03	05	–	11	–	–	–	–	–	11	10
11	01	43	38	15	–	05	–	–	03	–	–	08	11
12	–	–	52	04	42	–	58	–	–	–	–	–	12
13	–	–	22	–	05	–	02	39	–	59	–	05	13
14	–	17	04	-	09	–	–	21	–	05	–	-	14
15	–	19	73	–	–	–	12	27	–	–	–	–	15
16	–	11	19	05	–	–	02	34	–	–	–	–	16
17	06	11	–	13	–	–	07	–	15	15	-	–	17
18	–	34	01	11	–	05	–	20	14	–	S94	–	18
19	07	–	26	20	–	–	–	09	02	–	41	S27	19
20	11	–	36	18	–	–	06	–	–	–	–	–	20
21	04	–	03	–	–	–	10	–	–	–	–	04	21
22	–	–	–	08	-	06	–	–	–	12	–	–	22
23	-	02	04	–	–	02	–	–	–	–	09	S42	23
24	–	S65	–	07	–	–	–	19	–	–	-	S16	24
25	–	12	14	–	08	–	–	15	–	08	8	–	25
26	02	06	03	-	-	03	–	–	–	08	–	–	26
27	–	41	01	–	–	–	–	–	–	18		–	27
28	–	25	–	–	–	01	–	–	–	04	–	–	28
29	–	20	–	–	–	15	–	–	–	25	–	31	29
30	-	X	–	–	–	~~02~~	–	–	–	07	–	–	30
31	-	X	-	X	15	X	–	–	X	26	X	–	31

													YEAR'S TOTAL
Total	68	3.82	3.99	1.27	2.32	1.26	94	1.84	1.48	2.77	2.65 2·65	2.93 2·03	25.05 25·05
Rain Days.	10	20	22	13	10	14	10	8	8	16	11	11	153

W. [illegible]. VIII. 16   Thos. Keighley Heseltine is on active service so Thos. T. Heseltine sends Record

FORM A.
BRITISH RAINFALL.
3. JAN 1918

cnd for auth

REGISTER OF RAINFALL IN 1917

Kept at Pontefract

in the County of Yorkshire

by Thos Keighley Hesseltine

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Tanshelf (Land Y)

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1				42				20	27		13	8	1
2				17		3		9					2
3	22							16					3
4			9				2			28	4		4
5	27		7	19						11			5
6						9				23	8		6
7	35									45			7
8	39			13				93		58	4	5	8
9	34			5				2		5	27		9
10	17		55	16	9			8					10
11	4			37				12		25			11
12	6			4	22			12		27		2	12
13	13			6	21			21	11	6			13
14	28			2				4					14
15	2			4			10	7					15
16		14		5		13	16					57	16
17		11		13	71	11		20	8				17
18	7			4	3		28	10	24			8	18
19	7	8	20		86	36							19
20		15	8		15	68		6			3		20
21	5	4	7					7					21
22						6		4					22
23					10			7					23
24						13½		15		44	24		24
25		6						9		24	3		25
26						5		48	7				26
27			10			29		64		10			27
28			11			3	6	6				16	28
29							5			21		14	29
30		X	7					1			3		30
31		X		X		X			X		X	8	31
Total	246 2·46	58	134 1·34	187	237	196	64	401	77	327	89	118	YEAR'S TOTAL 21·37
Rain Days.	14	6	9	14	8	11	6	23	5	13	9	8	126

W. 8,000, IX. 17.

192

FORM A.
BRITISH RAINFALL.

9. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Taushelf Pontefract
in the County of Yorkshire W R
by Thos Keighley Haselthine

Lat. N 53°45 Long. 1°30
Time of Observation 9 a m
Nearest Railway Station L.Y Taushelf N W
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1ft ft. in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
28 points

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			3						4		10		1
2		31							5			22	2
3			5	2	58			30			18		3
4			3		9			16	37		13	35	4
5					35			50		10			5
6		54		27		25			9				6
7	30			14					23	3		2	7
8		5	13				27		7	10	6		8
9		38		26		18	9		51	12		5	9
10	7	3					6		40				10
11	13	7		3	22		1		7			8	11
12		8	5		3		19	38					12
13				15	19				35	17		8	13
14	10			4			20		49			15	14
15	11						52		97			35	15
16						13	10		21	6		8	16
17	24					9	55			12		12	17
18	38		1				9		44			8	18
19	15		6	2			08		3	11		65	19
20	3	35				11	16		6	8			20
21	16	15			42	12			14	29			21
22	6					7	17		2			30	22
23					37		49						23
24		3					2		8		3		24
25						62	17	27	3				25
26							24	18	13	2	5	3	26
27		1				2		35	20		2	6	27
28		14	20						1			55	28
29			2						8			17	29
30		×	32					5	4		8	5	30
31		×	6	×		×			×		×		31
Total	173	214	94	93	225	159	341	219	511	120	65	339	YEAR'S TOTAL 25·53
Rain Days.	11	12	10	8	8	9	17	8	25	11	8	18	145

W. 8,000, IX. 17.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Pontefract

in the County of York

by T. K. Haseltine

Lat. — N53°·45' Long. N 1°·30'

Time of Observation 9. 0 am

Nearest Railway Station Pontefract

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·02			·28		·25		·25	·10	·04	·07	1
2	·20						·24		·01		·04		2
3	·13				·03	·08	·46		·07		·31	·16	3
4	1·15	·30		·03		·05		·08	·11		·05	·22	4
5	·13								·14		·02	·07	5
6			·10		·15						·01	·02	6
7			·28		·15								7
8	·10				·02						·19		8
9											·06		9
10			·12		·25						·01	·07	10
11			1·00	·01	·10		·18			·02			11
12			·70	·08		·06	·10		·11				12
13	·11			·08					·68	·31	·01		13
14	·16			·33			·05	·09			·04	·01	14
15	·04	·19		·25				·01			·12	·67	15
16		·80		·03							·16		16
17	·07	·18		·03		·13					·10		17
18			·15				·03	·34	·02			·09	18
19		·23	1·11				1·97	·32	·09		·09	·01	19
20	·48	·15	·15				·44	·13	·08		·08	·07	20
21	·19	·28					·21		·03			·17	21
22		·14				·05		·01	·14		·02	·27	22
23								·03		·87		·04	23
24				·15	·04	·30		·54		·35		·26	24
25	·04			·17	·04			·32		·01	·08		25
26								·78		·05	·03	·30	26
27				·39						·06	·07	·03	27
28				·04						·09		·28	28
29	·15					·10				1·09		·11	29
30		✕		·15		·13				·07	·11	·17	30
31	·02	✕		✕		✕	·02		✕	·04	✕	·01	31
TOTAL	3·25	2·29	3·61	1·74	1·06	·90	3·95	2·65	1·73	3·06	1·64	3·10	YEAR'S TOTAL 28·98
Days with ·01 in. or more	15	9	8	13	9	8	11	11	12	12	21	21	150

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

E.B.1

532

8 JAN

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Pontefract

in the County of Yorkshire

by J. K. Haselline

Lat. ? Long. ?

Time of Observation 9.0 am

Nearest Railway Station Tanshelf (L&Y) or Pontefra

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·19	·29		·34			·17	·11	·04	1
2				·21			1·18		·21	·43		·18	2
3		·01		·14	·05	·06	·82		·09	·17		·15	3
4	·02			·06			·42	·71	·03	·72		·17	4
5			·08				·05	·12	·01	·03			5
6			·15	·10	·15		·10					·05	6
7	·04		·15				·37						7
8				·31	·01		·16	·13		·03			8
9	·18	·06	·01	·47			·05	·07		·01			9
10	·19	·32	·01	·22			·35	·14					10
11	·32		·01	·13	·12	·07						·19	11
12	·06		·06	·29			·01	·05			·09	·06	12
13	·04	·02	·04	·15		·32						·13	13
14	·01		·41	·10		·33	·03		·35	·04	·17	·02	14
15		·07	·24	·10					·06	·05	·06		15
16			·01		·03		·92		·07		·02		16
17			·01		·09				·31				17
18	·10			·04	·05	·05		·10	·04				18
19		1·04		·09		·24		·03					19
20	·05	·06		·18		·13	·08						20
21				·03			·64	·15				·03	21
22	·01			·24			·02			·01		·04	22
23			·01				·24					·29	23
24	·03		·18	·03			·01					·07	24
25		·07	·04				·68						25
26	·08		·08		·02		·16						26
27	·14	·04		·05	·23	·57					·24	·10	27
28	1·08		·10	·12	·08						·08	·05	28
29	·07		·12		·79		·05		·02		·12	·44	29
30	·19	✕	·02	·07		·07			·11		·14	·18	30
31	·08	✕	·08	✕	·14	✕	·01		✕	·32	✕	·10	31
Total	2·69	1·69	1·83	3·32	2·05	1·84	6·69	1·50	1·30	1·98	1·03	2·29	Year's Total 28·21
Days with ·01 in. or more	18	9	21	22	13	9	22	9	11	11	9	18	172
Days with ·04 in. or more	14	7	13	20	10	9	17	8	8	7	8	16	137

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
16 APR 1912

PONTEFRACT
ROALL W. W.
YORKS

1911

Pontefract Corporation

11

Kept at Pumping St

in the County of Y

by D. Cromac

6 in.

Above Ground 1 ft. 0 in.

Sea Level 437 ft.

0 am

Name Whitley Bridge
Distance 1½ Miles Direction South

IMPORTANT N … nd the result entered to the
previous day. If an … niversal rule, he is earnestly
requested to add the … year in the space provided
for it at the end of … urement of rain,
the selection and pl … British Rainfall
Organization are given in … on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·00	0·00	0·00	0·00	0·00	0·00	0·04	0·07	0·00	0·00	0·00	0·00	1
2	0·34	0·00	0·00	0·00	0·10	0·00	0·06	0·00	0·00	0·00	0·00	0·09	2
3	0·00	0·00	0·01	0·01	0·10	0·00	0·00	0·00	0·00	0·07	0·03	0·00	3
4	0·01	0·00	0·01	0·12	0·00	0·00	0·00	0·00	0·08	0·05	0·10	0·08	4
5	0·02	0·00	0·10	0·03	0·00	0·00	0·00	0·00	0·00	0·23	0·08	0·00	5
6	0·10	0·00	0·01	0·00	0·00	0·00	0·00	0·11	0·00	0·01	0·07	0·28	6
7	0·02	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·28	0·00	7
8	0·04	0·00	0·10	0·00	0·00	0·00	0·00	0·00	0·05	0·00	0·03	0·25	8
9	0·00	0·00	0·00	0·00	0·00	0·07	0·00	0·00	0·00	0·00	0·00	0·00	9
10	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·03	0·36	10
11	0·11	0·00	0·00	0·00	0·02	0·00	0·00	0·00	0·00	0·00	0·32	0·03	11
12	0·10	0·00	0·00	0·00	0·07	0·04	0·00	0·00	0·48	0·00	0·05	0·00	12
13	0·00	0·00	0·15	0·00	0·05	0·08	0·00	0·00	0·00	0·00	0·04	0·53	13
14	0·00	0·00	0·04	0·00	0·03	0·00	0·00	0·00	0·00	0·00	0·00	0·42	14
15	0·00	0·05	0·17	0·00	0·00	0·00	0·00	0·00	0·00	0·03	0·00	0·06	15
16	0·00	0·03	0·05	0·03	0·00	0·03	0·00	0·00	0·00	0·00	0·13	0·08	16
17	0·00	0·05	0·02	0·00	0·00	0·13	0·04	0·00	0·00	0·00	0·16	(·10) 0·20	17
18	0·00	0·05	0·03	0·00	0·00	0·07	0·00	0·00	0·00	0·00	0·28	0·04	18
19	0·00	0·00	0·00	0·00	0·00	0·06	0·00	0·00	0·13	0·00	0·43	0·03	19
20	0·00	0·00	0·00	0·11	0·00	0·00	0·01	0·35	0·05	0·00	0·00	0·23	20
21	0·00	0·25	0·00	0·00	0·00	0·00	0·05	0·15	0·00	0·00	0·22	0·02	21
22	0·00	0·04	0·00	0·00	0·00	0·70	0·00	0·13	0·00	0·28	0·03	0·00	22
23	0·00	0·07	0·03	0·00	0·00	1·15	0·00	0·04	0·34	0·00	0·01	0·16	23
24	0·00	0·04	0·06	0·04	0·00	0·25	0·00	0·00	0·00	0·03	0·00	0·12	24
25	0·00	0·04	0·00	0·15	0·00	0·00	0·00	0·00	0·30	0·00	0·03	0·10	25
26	0·00	0·00	0·00	0·04	0·18	0·00	0·00	0·02	0·00	0·40	0·32	0·25	26
27	0·00	0·07	0·00	0·06	0·00	0·00	0·00	0·56	0·30	0·00	0·00	0·03	27
28	0·00	0·01	0·00	0·22	0·00	0·00	0·00	0·02	0·02	0·00	0·00	0·13	28
29	0·00		0·04	0·03	0·00	0·05	0·00	0·00	0·29	0·20	0·00	0·03	29
30	0·00		0·00	0·00	0·10	0·26	0·00	0·00	0·02	0·11	0·00	0·00	30
31	0·00		0·00		0·00		0·00	0·00		0·12		0·00	31
Total	0·74	0·70	0·83	0·84	0·65	2·89	0·20	1·45	2·06	1·53	2·64	3·42 ✓	TOTAL for year 17·95
No. of Rain Days.	8	11	15	11	8	12	5	9	11	11	19	22 ✓	142

W. 8,000, X. '11.

I-fade

FORM A2.
BRITISH RAINFALL.
16 APR 1912

REGISTER OF RAINFALL IN 19 11

Pontefract Corporation

Kept at Pumping Station Roall. Whitley Bridge

in the County of York. 9

by D. Cromack. Manager

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
„ „ „ Sea Level 43·7 ft.

Time of Observation 9·0 am

Nearest Railway Station
Name Whitley Bridge
Distance 1½ Miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·00	0·00	0·00	0·00	0·00	0·00	0·04	0·07	0·00	0·00	0·00	0·00	1
2	0·34	0·00	0·00	0·00	0·10	0·00	0·06	0·00	0·00	0·00	0·00	0·09	2
3	0·00	0·00	0·01	0·01	0·10	0·00	0·00	0·00	0·00	0·07	0·03	0·00	3
4	0·01	0·00	0·01	0·12	0·00	0·00	0·00	0·00	0·08	0·05	0·10	0·08	4
5	0·02	0·00	0·10	0·03	0·00	0·00	0·00	0·00	0·00	0·23	0·08	0·00	5
6	0·10	0·00	0·01	0·00	0·00	0·00	0·00	0·11	0·00	0·01	0·07	0·28	6
7	0·02	0·00	0·01	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·28	0·00	7
8	0·04	0·00	0·10	0·00	0·00	0·00	0·00	0·00	0·05	0·00	0·03	0·25	8
9	0·00	0·00	0·00	0·00	0·00	0·07	0·00	0·00	0·00	0·00	0·00	0·00	9
10	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·03	0·36	10
11	0·11	0·00	0·00	0·00	0·02	0·00	0·00	0·00	0·00	0·00	0·32	0·03	11
12	0·10	0·00	0·00	0·00	0·07	0·04	0·00	0·00	0·48	0·00	0·05	0·00	12
13	0·00	0·00	0·15	0·00	0·05	0·08	0·00	0·00	0·00	0·00	0·04	0·53	13
14	0·00	0·00	0·04	0·00	0·03	0·00	0·00	0·00	0·00	0·00	0·00	0·42	14
15	0·00	0·05	0·17	0·00	0·00	0·00	0·00	0·00	0·00	0·03	0·00	0·06	15
16	0·00	0·03	0·05	0·03	0·00	0·03	0·00	0·00	0·00	0·00	0·13	0·08	16
17	0·00	0·05	0·02	0·00	0·00	0·13	0·04	0·00	0·00	0·00	0·16	(·10) 0·20	17
18	0·00	0·05	0·03	0·00	0·00	0·07	0·00	0·00	0·00	0·00	0·28	0·04	18
19	0·00	0·00	0·00	0·00	0·00	0·06	0·00	0·00	0·13	0·00	0·43	0·03	19
20	0·00	0·00	0·00	0·11	0·00	0·00	0·01	0·35	0·05	0·00	0·00	0·23	20
21	0·00	0·25	0·00	0·00	0·00	0·00	0·05	0·15	0·00	0·00	0·22	0·02	21
22	0·00	0·04	0·00	0·00	0·00	0·70	0·00	0·13	0·00	0·28	0·03	0·00	22
23	0·00	0·07	0·03	0·00	0·00	1·15	0·00	0·04	0·34	0·00	0·01	0·16	23
24	0·00	0·04	0·06	0·04	0·00	0·25	0·00	0·00	0·00	0·03	0·00	0·12	24
25	0·00	0·04	0·00	0·15	0·00	0·00	0·00	0·00	0·30	0·00	0·03	0·10	25
26	0·00	0·00	0·00	0·04	0·18	0·00	0·00	0·02	0·00	0·40	0·32	0·25	26
27	0·00	0·07	0·00	0·06	0·00	0·00	0·00	0·56	0·30	0·00	0·00	0·03	27
28	0·00	0·01	0·00	0·22	0·00	0·00	0·00	0·02	0·02	0·00	0·00	0·13	28
29	0·00		0·04	0·03	0·00	0·05	0·00	0·00	0·29	0·20	0·00	0·03	29
30	0·00		0·00	0·00	0·10	0·26	0·00	0·00	0·02	0·11	0·00	0·00	30
31	0·00		0·00		0·00		0·00	0·00		0·12		0·00	31
Total	0·74	0·70	0·83	0·84	0·65	2·89	0·20	1·45	2·06	1·53	2·64	3·42 ✓	TOTAL for year 17·95
No. of Rain Days.	8	11	15	11	8	12	5	9	11	11	19	22 ✓	142

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

23 MAY 19

REGISTER OF RAINFALL IN 1912

Kept at Pontefract Corporation Waterworks pumping station, Roall, Whitley Bridge

in the County of York.

W. 9

by H. J. E. Pickard, Borough Surveyor, Pontefract.

Lat. 53°.43 Long. 1°.8' W.
Time of Observation 9 am.
Nearest Railway Station Whitley Bridge (L. & Y. R.)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 42 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.00	0.10	0.00	0.00	0.11	0.00	0.02	0.21	0.00	0.00	0.24	1
2	0.00	0.02	0.03	0.00	0.00	0.27	0.14	0.00	0.00	0.00	0.00	0.00	2
3	0.00	0.00	0.00	0.00	0.00	0.16	0.67	0.40	0.19	0.00	0.00	0.05	3
4	0.02	0.00	0.34	0.00	0.14	0.90	0.00	0.39	0.00	0.00	0.42	0.00	4
5	0.04	0.00	0.00	0.02	0.01	0.36	0.00	0.02	0.00	0.00	0.00	0.00	5
6	0.04	0.04	0.04	0.00	0.23	0.49	0.00	0.43	0.00	0.00	0.00	0.00	6
7	0.00	0.02	0.03	0.00	0.00	0.00	0.00	0.38	0.07	0.00	0.00	0.00	
8	0.00	0.12	0.04	0.00	0.00	0.02	0.00	0.00	0.14	0.00	0.00	0.00	8
9	0.02	0.07	0.15	0.08	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.02	9
10	0.01	0.00	0.04	0.00	0.00	0.07	0.00	0.03	0.00	0.00	0.11	0.00	10
11	0.00	0.07	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.10	0.47	11
12	0.00	0.18	0.10	0.00	0.40	0.00	0.09	0.00	0.00	0.00	0.15	0.00	12
13	0.00	0.00	0.00	0.00	0.21	0.14	0.00	0.11	0.00	0.09	0.00	0.00	13
14	0.00	0.00	0.34	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14
15	0.02	0.03	0.23	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00	15
16	0.03	0.00	0.13	0.00	0.00	0.02	0.00	0.07	0.00	0.02	0.00	0.03	16
17	0.03	0.00	0.14	0.00	0.00	0.15	0.04	0.24	0.00	0.00	0.00	0.21	17
18	0.00	0.03	0.05	0.00	0.14	0.20	0.00	0.00	0.00	0.02	0.00	0.00	18
19	0.00	0.14	0.00	0.00	0.00	0.00	0.61	0.16	0.00	0.14	0.00	0.00	19
20	0.00	0.00	0.00	0.00	0.01	0.00	0.26	0.05	0.00	0.22	0.00	0.00	20
21	0.00	0.00	0.30	0.00	0.00	0.04	0.04	0.00	0.00	0.00	0.00	0.00	21
22	0.00	0.11	0.04	0.00	0.00	0.00	0.06	0.36	0.00	0.00	0.00	0.00	22
23	0.02	0.02	0.16	0.00	0.03	1.02	0.28	0.28	0.00	0.00	0.10	0.05	23
24	0.00	0.00	0.00	0.00	0.02	0.00	0.30	0.17	0.00	0.00	0.00	0.14	24
25	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.07	0.00	0.00	0.15	0.03	25
26	0.00	0.16	0.02	0.00	0.16	0.40	0.21	0.84	0.00	0.89	0.10	0.20	26
27	0.00	0.00	0.00	0.00	0.10	0.00	0.27	0.00	0.00	0.47	0.02	0.08	27
28	0.00	0.00	0.00	0.00	0.20	0.00	0.11	0.31	0.00	0.20	0.60	0.00	28
29	0.00	0.00	0.02	0.00	0.03	0.12	0.02	0.00	0.57	0.04	0.00	0.00	29
30	0.00		0.07	0.00	0.05	0.00	0.00	0.00	0.10	0.05	0.00	0.00	30
31	0.00		0.03		0.09		0.55	0.25		0.00		0.02	31
Total	0.23	1.01	2.40	0.10	1.89	4.83	3.65	4.60	1.28	2.14	1.75	1.54	YEAR'S TOTAL 25.42
Rain Days.	9	13	21	2	17	18	15	20	6	10	9	~~13~~ 12	152

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
15 JAN 191

REGISTER OF RAINFALL IN 1913..

Kept at PONTEFRACT CORPORATION WATERWORKS PUMPING STATION, ROALL, WHITLEY BRIDGE..

in the County of YORK.. W 9

by Mr. J. E. PICKARD. BORO SURVEYOR, PONTEFRACT..

Lat 53° 43' Long. 1° 8' W.
Time of Observation 9am.
Nearest Railway Station Whitley Bridge L.&Y.R
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 42 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.01	0.09	0.15	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	1
2	0.00	0.00	0.02	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.03	2
3	0.00	0.00	0.04	0.00	0.21	0.00	0.00	0.00	0.03	0.84	0.00	0.37	3
4	0.52	0.00	0.01	0.00	0.03	0.00	0.07	0.00	0.06	0.02	0.42	0.24	4
5	0.01	0 .00	0.09	0.00	0.00	0.11	0.00	0.00	0.01	0.32	0.00	0.00	5
6	0.01	0.00	0.06	0.00	0.53	0.04	0.20	0.00	0.00	0.20	0.00	0 .00	6
7	0.00	0.02	0.00	0.00	0.04	0.03	0.02	0.00	0.00	0.59	0.00	0.00	7
8	0.09	0.12	0.00	0.00	0.34	0.18	0. 00	0.02	0.00	0.54	0.00	0.00	8
9	0.00	0·10	0·00	0.00	0·05	0·01	0·00	0.00	0·00	0·00	0·00	0·00	9
10	0·00	0·00	0·01	0·00	0·00	0·00	0·05	0·00	0·00	0·00	0·11	0·00	10
11	0·88	0·15	0·00	0·42	0·00	0·00	0·00	0·00	0·00	0·00	0·10	0·00	11
12	0·00	0·03	0·00	0·00	0·00	0·07	0·00	0·00	0·00	0·00	0·15	0·00	12
13	0·00	0·00	0·00	0·02	0·00	0·00	0·00	0·01	0·00	0·03	0·00	0·00	13
14	0·15	0·08	0·00	0·00	0·00	0·00	0·03	0·00	0·00	0·15	0·00	0·02	14
15	0·00	0·00	0·01	0·27	0·00	0·00	0·00	0·00	0·10	0·00	0·00	0·00	15
16	0·00	0·00	0·42	0·00	0·00	0·00	0·00	0·00	0·02	0·00	0·00	0·00	16
17	0·00	0·00	0·13	0·04	0·00	0·00	0·00	0·00	0·26	0·00	0·00	0·00	17
18	0·00	0·00	0·14	0·07	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	18
19	0·10	0·00	0·05	0·02	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	19
20	0·09	0·00	0·11	0·08	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·00	20
21	0·00	0·00	0·00	0·00	0·16	0·00	0·08	0·15	0·00	0·00	0·00	0·00	21
22	0·11	0·00	0·29	0·00	0·00	0·00	0·00	0·40	0·08	0·00	0·00	0·00	22
23	0·06	0·00	0·00	0·00	0·00	0·06	0·00	0·08	0·11	0·00	0·10	0·00	23
24	0·10	0·00	0·00	0·00	0·00	0·03	0·00	0·00	0·00	0·00	0·00	0·00	24
25	0·00	0·00	0·00	0·01	0·00	0·00	0·00	0·00	0·10	0·00	0·15	0·02	25
26	0·00	0·00	0·08	0·00	0·11	0·00	0·00	0·00	0·00	0·22	0·10	0·18	26
27	0·02	0·00	0·00	0·30	0·00	0·08	0·00	0·00	0·00	0·01	0·02	0·00	27
28	0·29	0·00	0·14	0·12	0·00	0·00	0·00	0·00	0·02	0·00	0·60	0·04	28
29	0·00		0·20	0·47	0·05	0·00	0·00	0·07	0·00	0·00	0·00	0·42	29
30	0·30		0·00	0·00	0·02	0·00	0·00	0·00	0·00	0·37	0·00	0·00	30
31	0·01		0·00		0·05		0·00	0·00		0·00		0·00	31
Total	2·74 ✓	0·51	1·89	1·97	1·59	0·63	0·45	0·73	0·78	3·29	1·75	1·32	YEAR'S TOTAL 17·65 ✓
Rain Days.	15	7	17	12	11	11	6	6	10	11	9	8	123 ✓

W. 7,500, XI. ·12

PUDSEY

FULNECK

YORKSHIRE

1912 - 1920

RE

BRITISH RAINFALL FORM A.
3 FEB 1913
9.4.R

Kept at Fu…

in the County of Y…

by Mis…

9 a.m

…ley Greenside

5 in.

…ound 1 ft. — in.

… Level 490 (approx) ft.

IMPORTANT N… result entered to the previous day. If an … l rule, he is earnestly requested to add the r… the space provided for it at the end of t… Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	l	—	—	w	w	—	w	—	—	w	1
2	—	w	l	—	—	w	w	l	—	—	—	w	2
3	w	—	—	—	w	w	l	w	w	—	—	l	3
4	w	—	w	w	w	w	—	w	l	—	—	—	4
5	w	—	w	w	w	w	—	w	—	—	—	—	5
6	w	—	w	—	w	—	—	w	—	—	—	—	6
7	w	—	l	w	—	l	l	w	—	—	—	—	7
8	w	w	w	—	—	w	—	w	—	—	—	l	8
9	w	w	w	w	—	w	—	l	—	—	—	w	9
10	w	—	—	l	—	l	—	w	—	—	w	—	10
11	—	w	w	—	—	—	—	w	—	l	w	w	11
12	w	w	—	—	—	w	w	w	—	—	w	w	12
13	w	l	—	—	—	w	—	—	—	l	w	w	13
14	w	—	w	l	—	w	—	—	—	—	w	w	14
15	l	—	w	—	w	—	—	w	—	—	l	w	15
16	w	l	l	—	—	w	—	w	—	—	—	w	16
17	w	—	—	—	—	l	l	l	—	l	l	w	17
18	w	w	w	—	—	w	—	w	—	—	—	l	18
19	w	l	w	—	—	l	w	w	—	w	—	w	19
20	w	—	—	—	w	l	w	—	—	—	—	w	20
21	—	l	w	—	w	—	w	—	—	—	—	l	21
22	w	—	w	—	w	w	w	w	—	w	—	w	22
23	l	—	w	—	w	—	w	w	—	w	w	w	23
24	w	—	w	—	w	w	w	w	—	—	w	w	24
25	l	—	w	—	—	w	w	w	—	w	w	w	25
26	—	w	w	—	—	w	w	w	—	w	w	l	26
27	—	l	w	—	—	w	w	w	l	w	w	l	27
28	—	w	w	—	—	w	w	w	w	w	w	—	28
29	—	—	w	—	w	l	w	w	w	—	w	w	29
30	—		l	—	w	l	w	w	w	—	w	—	30
31	—		w		w		w	w		—		l	31
Total	5·06	2·12	3·77	·38	3·80	5·51	4·89	6·13	1·43	3·00	2·49	2·46	YEAR'S TOTAL 41·04
Rain Days.	18	8	20	4	13	18	16	23	5	7	13	17	~~162~~

W. 7,500. XI. 12

Without rain 161

RE

FORM A.
BRITISH RAINFALL.
3 FEB 1913

Kept at Fulneck

in the County of York W. 9

by Miss E C Lawford

Lat. Long.

Time of Observation 9 to 9 a.m

Nearest Railway Station Pudsey Greenside G. N. Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 490 (approx) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	l	—	—	m	m	—	m	—	—	m	1
2	—	m	l	—	—	m	m	l	—	—	—	m	2
3	m	—	—	—	m	m	l	m	m	—	—	l	3
4	m	—	m	m	m	m	—	m	l	—	—	—	4
5	m	—	m	m	m	m	—	m	—	—	—	—	5
6	m	—	m	—	m	—	—	m	—	—	—	—	6
7	m	—	l	m	—	l	l	m	—	—	—	—	7
8	m	m	m	—	—	m	—	m	—	—	—	l	8
9	m	m	m	m	—	m	—	l	—	—	—	m	9
10	m	—	—	l	—	l	—	m	—	—	m	—	10
11	—	m	m	—	—	—	—	m	—	l	m	m	11
12	m	m	—	—	—	m	m	m	—	—	m	m	12
13	m	l	—	—	—	m	—	—	—	l	m	m	13
14	m	—	m	l	—	m	—	—	—	—	m	m	14
15	l	—	m	—	m	—	—	m	—	—	l	m	15
16	m	l	l	—	—	m	—	m	—	—	—	m	16
17	m	—	—	—	—	l	l	l	—	l	l	m	17
18	m	m	m	—	—	m	—	m	—	—	—	l	18
19	m	l	m	—	—	l	m	m	—	m	—	m	19
20	m	—	—	—	m	l	m	—	—	—	—	m	20
21	—	l	m	—	m	—	m	—	—	—	—	l	21
22	m	—	m	—	m	m	m	m	—	m	—	m	22
23	l	—	m	—	m	—	m	m	—	m	m	m	23
24	m	—	m	—	m	m	m	m	—	—	m	m	24
25	l	—	m	—	—	m	m	m	—	m	m	m	25
26	—	m	m	—	—	m	m	m	—	m	m	l	26
27	—	l	m	—	—	m	m	m	l	m	m	l	27
28	—	m	m	—	—	m	m	m	m	m	m	—	28
29	—	—	m	—	m	l	m	m	m	—	m	m	29
30	—		l	—	m	l	m	m	m	—	m	—	30
31	—		m		m		m	m		—		l	31
Total	5·06	2·12	3·77	·38	3·80	5·51	4·89	6·13	1·43	3·00	2·49	2·46	YEAR'S TOTAL 41·04
Rain Days.	18	8	20	4	13	18	16	23	5	7	13	17	~~162~~

W. 7,500, XI. ·12

Without rain 161

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
21 JAN 1914

Ex. H. L.

Kept at Fulneck
in the County of York W 9
by Emma C. Lawford (Miss)

Lat. 53½° Long. 1½°
Time of Observation 9 a.m
Nearest Railway Station Pudsey Greenside
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	l	l											1
2		m	l	l									2
3	m			m	m		m					l	3
4	m					m	m		m		l	m	4
5	m	m		l			l	l	m		m	m	5
6	m	m	l		m		l			m	m		6
7	m	m			m	m	l			m		l	7
8	m	l		l	m	m	l			m	m		8
9	m	m	m		m	m	l				m		9
10	l			l	m						l		10
11	m			m						l			11
12	m			m					l	m			12
13			m	l							l		13
14			m						m	m	l		14
15	m	l	m					l	l		m		15
16		l	m	l							m		16
17			l	m	l	m			m		m		17
18	l		m	m		l	l				m		18
19	l		m	m					l		m	l	19
20	m		m							m			20
21	m	l		m	m		m			m			21
22	m		m				l	m	l				22
23	m		m			m	l		m		l		23
24	m			l		l			l				24
25										l	l		25
26		l		m					m	m		m	26
27			m	m								m	27
28	m		m	m	l							m	28
29	m		l	m				m		m		m	29
30	m							m		l		m	30
31			m		l							l	31
Total	3·32	108	3·59	2·29	2·96	1·25	·85	1·31	1·58	2·90	2·67	2·25	YEAR'S TOTAL 26·05
Rain Days.	22	11	17	18	10	8	11	5	11	12	15	11	~~151~~

26.05

W.7,000, XI. 13 "m" means more than a 100th; "l" less than a 100th; Blank space - no rain

Est DD

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL 17 FEB 1915

Kept at Fulneck nr Leeds
in the County of York. W.R. 9
by (Miss) Emma C Lawford

Lat. 53¾° Long. 1½°
Time of Observation 9 a.m.
Nearest Railway Station Pudsey Greenside G.N.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 490 Abt ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			l		l		m	m			m	m	1
2			m	l	l		l	m		l	m	m	2
3	m		m	m	m			l			m	m	3
4	m		m	m	m	l						m	4
5	m		m	m	l			m			l	m	5
6			m	m	m			l			m	m	6
7			m	m	m	m					l	m	7
8	l		m	m	m	m	l	m	m		m	m	8
9		l			m				m		m	m	9
10	m	m	m	m	l				l		m	l	10
11		m			l	l	m		m		m	m	11
12		m	m		l		m		m		m	m	12
13		m	m	l					m		m	m	13
14		m	m				m		l		m		14
15		m	m				m				m	l	15
16		l	m				m		m			l	16
17			m				l		l			m	17
18	l	m							l	l		m	18
19		l	m				m			l	m	m	19
20			m							m	m	m	20
21		l	l			m	m	m		m		m	21
22		m				l	m			m	m	l	22
23			m		m	m	l	m		l			23
24			m	m	m		m	m		m	m	m	24
25			m					m		m	m	m	25
26			m					m		l	m	m	26
27			l							m		m	27
28		m								m	l	m	28
29	l		m					m		m	m	m	29
30		X	m	l				m		m	m	l	30
31	m	X	m	X		X	m		X	m	X	l	31
Total	1·79	1·97	3·12	1·50	·92	2·47	3·75	2·54	1·36	2·49	4·40	6·18	YEAR'S TOTAL 32·49
Rain Days.	8	13	26	11	14	7	15	13	10	15	23	29	~~184~~

W. 8,000. X. 14.

3442

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 4 JAN 1916

Kept at Fulneck nr. Leeds
in the County of York
by Emma Caroline Lawford

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Pudsey Greenside
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 490 ft approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	m	—	m	m	m	—	l	l	1
2	—	l	—	m	l	—	m	m	—	—	—	—	2
3	m	l	—	m	m	—	m	m	—	—	—	m	3
4	m	—	—	—	m	—	l	—	—	—	—	m	4
5	m	m	l	l	—	l	—	m	—	—	—	m	5
6	m	—	—	m	—	—	—	—	—	l	—	m	6
7	m	m	—	m	m	—	l	m	—	—	—	m	7
8	m	—	m	l	—	—	l	m	—	l	m	—	8
9	m	m	—	—	—	—	—	m	—	m	m	m	9
10	m	l	—	—	—	—	—	m	—	m	l	m	10
11	l	—	—	—	m	—	l	m	—	—	m	m	11
12	m	m	—	m	m	—	—	m	—	l	m	m	12
13	m	m	—	—	—	—	—	m	l	—	—	m	13
14	—	—	—	—	—	—	m	m	—	—	—	m	14
15	m	m	—	—	—	—	m	m	—	—	m	m	15
16	m	m	—	—	m	—	m	m	—	l	m	m	16
17	—	—	l	—	—	—	m	m	—	—	m	l	17
18	—	m	m	—	—	—	—	l	—	—	—	l	18
19	—	l	l	—	—	—	m	l	—	—	—	—	19
20	—	—	—	—	—	—	m	—	—	—	—	m	20
21	l	l	—	—	—	—	—	—	—	—	—	—	21
22	—	—	—	l	—	—	l	—	—	l	—	—	22
23	—	—	—	—	—	—	m	—	—	m	l	l	23
24	—	—	l	m	—	—	—	—	m	m	—	m	24
25	—	—	l	—	—	—	—	—	—	m	—	—	25
26	—	—	l	—	—	m	m	—	—	—	—	m	26
27	—	l	—	—	—	—	m	—	—	l	—	m	27
28	—	m	l	—	m	m	—	m	—	m	—	—	28
29	—	X	—	—	m	m	—	—	—	m	l	m	29
30	—	X	—	—	—	m	—	—	—	m	l	m	30
31	l	X	—	X	—	X	m	m	X	m	X	m	31
Total	3·78	3·87 (as 3.87)	·93	1·5 (as 1.05)	1·97	1·35	4·13	4·57	·63	1·33	1·87	7·39	YEAR'S TOTAL 32·81
Rain Days.	15	15	9	9	10	5	18	19	3	15	12	24	154

W. 8,000. X. 15.

Ex'd C.S.E.

3363

FORM A. BRITISH RAINFALL
8. FEB 19

REGISTER OF RAINFALL IN 1916

Kept at Fulneck

in the County of York. WR

by (Miss) Emma C. Lawford.

Lat. 53°¾ Long. 1½°

Time of Observation 9 a.m

Nearest Railway Station Pudsey Greenside G.N.R.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 490 approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	m	l	m	—	—	m	m	l	—	—	m	—	1
2	m	l	m	—	—	l	—	—	—	l	m	l	2
3	m	m	m	—	—	m	l	—	m	m	m	—	3
4	m	—	—	—	m	m	—	—	m	m	—	—	4
5	m	m	—	—	m	m	—	—	m	m	m	—	5
6	m	m	m	l	m	—	—	—	—	m	m	—	6
7	—	m	l	—	m	—	l	—	—	m	m	—	7
8	l	m	m	—	l	l	m	—	—	—	m	—	8
9	—	m	m	—	m	m	l	—	—	—	m	m	9
10	—	—	m	—	—	m	m	—	m	m	l	l	10
11	l	m	m	—	—	m	m	—	m	m	l	m	11
12	m	—	m	l	m	—	m	m	—	m	—	—	12
13	l	—	m	—	—	l	m	m	—	m	—	—	13
14	m	m	l	m	m	—	l	m	—	m	—	—	14
15	—	m	m	—	—	—	—	m	—	—	—	—	15
16	—	m	m	m	—	—	m	m	—	—	—	—	16
17	—	m	—	m	—	—	m	l	m	m	—	—	17
18	—	m	l	m	—	—	—	l	m	l	m	m	18
19	m	—	m	m	—	—	—	—	m	—	m	l	19
20	—	—	m	m	—	—	m	—	—	—	—	—	20
21	l	m	l	m	—	—	—	m	—	—	—	—	21
22	—	m	l	m	—	m	—	m	—	—	—	—	22
23	l	m	l	—	—	—	—	m	—	m	l	m	23
24	—	m	l	—	—	m	—	—	—	m	—	—	24
25	l	m	—	—	m	m	—	—	—	m	m	—	25
26	l	m	l	—	—	—	—	—	—	m	—	—	26
27	—	m	l	—	—	l	—	—	—	m	—	—	27
28	—	m	m	—	m	—	—	—	l	m	—	m	28
29	—	m	—	—	—	l	—	—	—	m	m	—	29
30	—	X	—	—	l	—	—	l	—	m	—	—	30
31	—	X	—	X	m	X	—	—	X	m	X	—	31
Total	1·81	5·39	4·13	1·62	1·93	1·67	1·40	2·14	·92	4·91	3·40	2·81.	YEAR'S TOTAL 32·13
Rain Days.	9	21	15	8	10	10	9	8	8	20	12	5	135

W. 8,000, VIII. 16

3212

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Fulneck nr Leeds
in the County of York
by (Miss) E. C. Lawford

Lat. 53¾° N Long. 1½°
Time of Observation 9 a.m.
Nearest Railway Station Pudsey Greenside [illegible]
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 490 approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	m	—	l	—	m	m	—	m	—	1
2	m	—	—	m	—	m	—	l	—	l	l	—	2
3	—	—	—	l	—	—	—	m	—	—	l	—	3
4	—	l	m	m	—	—	l	—	—	—	—	l	4
5	m	—	m	m	—	—	—	—	—	—	l	—	5
6	—	—	l	—	—	—	—	l	—	m	—	—	6
7	m	—	—	—	—	—	—	l	—	m	m	m	7
8	m	—	l	m	—	—	—	m	l	m	m	m	8
9	—	—	—	m	—	—	—	l	—	—	m	—	9
10	l	—	m	m	m	—	—	l	—	m	m	l	10
11	m	—	—	m	—	—	—	m	—	m	l	l	11
12	l	—	—	m	m	—	—	m	—	m	—	—	12
13	m	—	l	l	m	m	—	m	m	m	—	m	13
14	m	—	—	m	l	—	—	m	—	—	—	m	14
15	m	—	—	l	—	—	m	m	—	l	—	l	15
16	l	—	l	m	—	—	—	—	—	—	—	m	16
17	m	—	—	l	m	—	m	m	—	l	—	m	17
18	—	—	—	—	m	l	m	m	m	—	—	—	18
19	m	—	m	—	m	m	—	m	—	—	—	—	19
20	m	—	—	—	m	m	—	m	m	—	l	—	20
21	l	m	m	—	m	—	—	m	—	l	l	—	21
22	l	—	m	—	—	—	—	l	—	m	l	—	22
23	—	m	—	—	m	m	—	m	—	—	—	—	23
24	—	l	—	—	—	m	—	—	l	m	m	—	24
25	—	l	—	—	—	m	m	m	—	m	l	—	25
26	—	—	l	—	—	m	—	m	—	m	m	—	26
27	—	—	—	—	—	m	—	m	—	—	l	l	27
28	—	—	l	—	—	m	m	l	—	m	m	m	28
29	—	—	—	—	m	—	m	—	—	m	m	m	29
30	—	X	l	—	l	—	—	m	—	m	m	—	30
31	l	X	l	X	—	X	—	—	X	m	X	m	31
Total	2·33	·82	3·50	2·29	2·74	2·72	1·30	5·98	1·01	5·40	2·50	1·88	YEAR'S TOTAL 32·47
Rain Days.	11	2	6	11	10	10	6	18	3	15	10	9	111

W. 8,000, IX. 17.

"m" means more than ·01 "l" less than ·01.

E+d. E.F.E.

193

FORM A.
BRITISH RAINFALL
10 I. 19

REGISTER OF RAINFALL IN 1918.

Kept at Fulneck nr Leeds

in the County of York. W

by Miss E. C. Lawford.

Lat. 53¾° Long. 1½°

Time of Observation 9am to 9am

Nearest Railway Station Pudsey Greenside

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	m												
1	m	—	m	m	—	—	—	—	m	m	—	l	1
2	m	m	m	m	l	—	—	—	m	m	—	—	2
3	l*	—	—	l	m	—	—	m	m	m	—	l	3
4	—	l	l	—	m	—	—	m	m	l	—	m	4
5	l	—	l	l	m.	—	—	m	m	m	—	—	5
6	—	m	m	m	m	—	—	m	m	m	—	—	6
7	—	m	m	m	—	m	—	—	l	m	—	—	7
8	m	m	—	m	—	—	m	—	m	m	m	l	8
9	m	l	—	m	—	l	—	—	m	m	—	m	9
10	m	l	—	m	—	—	—	—	m	m	—	l	10
11	m	m	—	m	m	—	—	—	m	m	—	m	11
12	m	m	m	m	l	—	l	—	m	—	—	—	12
13	—	m	—	m	—	m	—	—	m	m	—	—	13
14	m	l	—	—	—	l	m	—	m	l	—	m	14
15	m	—	—	—	—	—	m	—	m	m	—	m	15
16	—	—	—	—	—	m	m	—	m	m	—	l	16
17	m	—	—	l	m	l	m	—	m	m	—	—	17
18	m	—	l	l	—	m	m	—	m	m	—	m	18
19	m	—	m	m	—	l	m	—	m	m	—	m	19
20	m	m	—	m	—	—	m	—	m	m	—	m	20
21	—	m	—	—	m	m	—	—	m	m	—	m	21
22	l	m	—	—	m	m	m	—	m	m	—	m	22
23	—	m	—	l	m	—	m	—	l	—	—	—	23
24	—	—	—	—	l	—	m	l	m	—	—	l	24
25	—	—	—	—	—	m	m	m	m	—	m	—	25
26	—	l	—	—	—	l	m	m	m	—	l	—	26
27	—	—	m	—	—	—	—	m	m	—	—	l	27
28	—	m	—	—	—	—	—	m	m	—	—	l	28
29	—	X	—	—	—	—	—	m	m	—	—	m	29
30	—	X	m	—	—	—	—	m	—	—	m	m	30
31	—	X	m	X	—	X	—	m	X	—	X	m	31
Total	1.98	3.89	1.54	1.38	3.44	1.35	3.57	2.49	8.56	1.96	1.47	6.4	YEAR'S TOTAL. 37.67
Rain Days	14	12	9	12	9	7	13	11	29	19	3	13	149

W, 6,500, VII. 18. w w c

Ex Oh

(304)

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

4 JAN 20

Kept at Fulneck, nr Leeds
in the County of York
by Miss Lawford

Lat. 53¾° Long. 1½°
Time of Observation 9 a m to 9 a m
Nearest Railway Station Pudsey Greenside G.N.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	m	—	—	m	—	m	—	m	m	m	l	1
2	l	—	l	—	m	—	m	—	m	—	l	—	2
3	l	—	—	—	l	m	m	—	m	—	m	l	3
4	m	—	m	—	—	m	m	m	l	—	m	m	4
5	m	—	—	—	m	—	—	—	l	—	m	m	5
6	—	—	—	—	m	—	—	—	—	—	m	m	6
7	m	—	m	—	m	—	—	—	—	—	l	—	7
8	m	—	l	—	m	l	—	l	—	—	—	—	8
9	m	—	—	—	—	—	—	—	—	—	l	—	9
10	—	—	m	—	m	m	—	—	—	—	—	m	10
11	—	—	l	—	m	m	l	—	—	—	—	—	11
12	—	—	m	—	—	—	m	—	m	l	l	—	12
13	l	—	m	m	—	—	—	—	—	—	m	—	13
14	l	—	—	m	—	—	—	m	—	—	m	l	14
15	l	—	l	—	—	—	—	—	—	—	m	m	15
16	m	m	—	m	—	—	—	—	—	—	l	—	16
17	—	m	—	m	l	l	—	l	l	—	m	l	17
18	—	l	m	—	—	—	—	m	m	—	m	m	18
19	—	m	m	—	—	m	m	m	m	—	m	—	19
20	m	m	m	—	—	—	m	m	—	—	m	—	20
21	m	m	m	—	—	m	m	—	—	—	—	l	21
22	—	m	m	—	—	—	—	—	m	m	—	m	22
23	—	—	—	l	—	l	—	—	l	m	—	—	23
24	l	—	l	m	—	l	m	—	—	—	—	m	24
25	—	—	—	m	l	m	—	m	—	—	m	—	25
26	—	—	l	l	—	—	—	—	—	—	m	m	26
27	m	—	—	m	—	—	—	m	—	l	m	m	27
28	m	—	—	m	—	—	—	m	—	—	—	m	28
29	—	—	m	—	—	l	—	—	—	m	—	m	29
30	—		—	—	—	m	l	—	—	m	—	m	30
31	l		—		—		—	—		l		m	31
TOTAL	3·96	1·91	5·05 5.5	1.85	2·03 2·3	·96	2·66	2·13	1·42	2·89	2·70	4·01 4·1	YEAR'S TOTAL 31.5
Days with ·01 in. or more	10	7	11	8	8	8	9	8	7	5	15	14	~~110~~.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W. Straight stroke - fine: 'M' more than ·01: 'L' less than ·01

2433

24 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Fulneck nr Leeds
in the County of York
by Emma C. Lawford

Lat. 53¼° Long. 1½°
Time of Observation 9 a.m.
Nearest Railway Station Pudsey Greenside
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	m	m	—	m	—	m	m	m	—	1
2	—	—	—	—	m	m	m	—	l	—	—	—	2
3	—	l	—	—	l	—	m	l	m	—	—	m	3
4	—	—	—	m	—	—	m	m	l	m	—	—	4
5	—	—	—	m	l	—	m	m	m	l	—	m	5
6	—	—	m	—	m	—	m	—	—	—	—	—	6
7	—	—	m	m	l	—	m	—	—	—	—	—	7
8	—	l	—	m	—	—	m	m	—	—	m	—	8
9	m	m	—	m	—	—	m	m	—	m	—	—	9
10	m	m	—	m	l	m	m	m	—	—	—	—	10
11	m	l	—	m	—	—	—	l	—	—	—	l	11
12	m	—	m	m	m	—	m	—	—	—	—	m	12
13	m	l	m	m	l	m	l	—	—	—	—	m	13
14	—	l	m	m	l	—	—	—	m	m	m	—	14
15	l	m	l	m	l	—	l	—	l	m	m	l	15
16	—	—	—	l	m	—	—	—	l	l	m	l	16
17	l	—	—	—	m	—	—	—	m	l	—	—	17
18	—	—	—	m	m	—	—	l	m	—	—	—	18
19	—	m	—	m	m	l	—	m	m	m	—	—	19
20	—	—	—	—	—	m	l	l	l	l	—	—	20
21	—	—	—	m	—	—	m	—	l	m	—	—	21
22	—	—	—	m	—	l	—	—	l	l	—	—	22
23	—	—	—	—	—	—	m	m	—	l	—	l	23
24	l	—	m	—	—	—	—	—	—	—	—	—	24
25	—	—	l	—	—	—	—	—	—	—	—	—	25
26	m	—	l	m	m	—	—	—	—	—	—	—	26
27	m	l	—	l	l	—	l	—	—	—	m	l	27
28	m	l	m	m	m	m	—	—	l	—	—	m	28
29	—	—	m	m	m	m	—	—	l	—	m	m	29
30	m	×	m	l	m	m	—	—	—	—	m	—	30
31	m	×	—	×	m	×	—	—	×	m	×	m	31
TOTAL	3·38	2·54	2·46	3·84	3·35	2·12	7·25	2·37	1·68	2·72	1·61	3·33	YEAR'S TOTAL 36·65
Days with ·01 in. or more	10	4	9	19	13	7	13	7	7	8	7	7	111
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

3151

5 JAN 1921

FORM A. 1. **METEORO ZATION.**

REETH

YORKSHIRE

1920

Kept at Reet m

chmond Yorks

in the County of ge 5 in.

by T R ound 1 ft. – in.

Level 700 ft.

IMPORTANT NO to the previous day.

If an Observer prefers not to conform to this almost universal rule, to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·14	·52	·65		·54			·08			1
2		·10	·04	·18	·13		·59		·11	·14		·53	2
3		·11		·32	·22		1·32	·13		·53		·86	3
4				·05			·33	·85		·72		·35	4
5			·06		·10		·10		·10	·19		·07	5
6			·10	·25	·15		·03					·07	6
7	·78		·02	·03	·02		·56						7
8		·7		·23	·21		·19						8
9	·17	·65		·45			·42	·31					9
10	1·19	·94		·64			·12	·07					10
11	·44			·10	·28	·04						·06	11
12	·26	·19	·68	·46	·04		·07				·13	·24	12
13	·19	·5	·09	·22	·04	·18					·31	·14	13
14	·02	·09	·24	·36			·14		·07	·13	1·11		14
15		·15	·21	·55			·04			·46	·37		15
16	·04			·03			·60		·88		·39		16
17	·14		·17		·20			·10	·14	·10			17
18	·20			·06	1·00	·14	·05	·01					18
19	·06	·37		·15	·07			·19					19
20		·02		·41		·04			·30			·25	20
21	·15			·06			·28	·15	·25			·34	21
22	·18			·21		·04	·29	·12					22
23							·25					·11	23
24	·13		·80	·03									24
25			·18				·47	·02				·12	25
26	·03	·13	·58	·11			·31						26
27	·35		·15	·16	·13	·48					·15	·05	27
28	·31		·38	·21		·04	[illegible]					·16	28
29	·14		·06		·65		·13		[illegible]		·20	·74	29
30	·24	☒	·05			·08			·09		·10	·25	30
31	·13	☒	·06	☒		☒			☒	·38	☒	·22	31
													YEAR'S TOTAL
TOTAL	5·15	2·87	4·01	5·79	3·89	1·04	6·83	1·95	1·94	2·73	2·76	4·56	43·52
Days with ·01 in. or more	20	12	18	24	15	8	21	10	8	9	8	17	170
Days with ·04 in. or more	18	11	17	21	14	8	20	8	8	9	8	17	159

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

315

5 JAN 1921

FORM A. 1. METEORO ZATION.

REGISTER OF RAINFALL IN 192

Kept at *Reeth*

in the County of *Yorkshire*

by *T R Plummer*

Lat. Long.

Time of Observation *9 am*

Nearest Railway Station *Richmond Yorks*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *–* in.

" " " " Sea Level *700* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·14	·52	·65		·54			·08			1
2		·10	·04	·18	·13		·59		·11	·14		·53	2
3		·11		·32	·22		1·32	·13		·53		·86	3
4				·05			·33	·85		·72		·35	4
5			·06		·10		·10		·10	·19		·07	5
6			·10	·25	·15		·03					·07	6
7	·78		·02	·03	·02		·56						7
8		·7		·23	·21		·19						8
9	·17	·65		·45			·42	·31					9
10	1·19	·94		·64			·12	·07					10
11	·44			·10	·28	·04						·06	11
12	·26	·19	·68	·46	·04		·07				·13	·24	12
13	·19	·5	·09	·22	·04	·18					·31	·14	13
14	·02	·09	·24	·36			·14		·07	·13	1·11		14
15		·15	·21	·55			·04			·46	·37		15
16	·04			·03			·60		·88		·39		16
17	·14		·17		·20			·10	·14	·10			17
18	·20			·06	1·00	·14	·05	·01					18
19	·06	·37		·15	·07			·19					19
20		·02		·41		·04			·30			·25	20
21	·15			·06			·28	·15	·25			·34	21
22	·18			·21		·04	·29	·12					22
23							·25					·11	23
24	·13		·80	·03									24
25			·18				·47	·02				·12	25
26	·03	·13	·58	·11			·31						26
27	·35		·15	·16	·13	·48					·15	·05	27
28	·31		·38	·21		·04	[illegible]					·16	28
29	·14		·06		·65		·13		·29		·20	·74	29
30	·24	✕	·05			·08			·09		·10	·25	30
31	·13	✕	·06	✕		✕			✕	·38	✕	·22	31
TOTAL	5·15	2·87	4·01	5·79	3·89	1·04	6·83	1·95	1·94	2·73	2·76	4·56	YEAR'S TOTAL 43·52
Days with ·01 in. or more	20	12	18	24	15	8	21	10	8	9	8	17	170
Days with ·04 in. or more	18	11	17	21	14	8	20	8	8	9	8	17	159

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RAWDON
—
BARNINGHAM

YORKSHIRE

1911 - 12, 14

FORM A2.
BRITISH RAINFALL.
26 JUN 1912

RE

Kept at Barningh

in the County of Yo

by A. Kill

- ft. 9 in.

525 ft.

Direction

IMPORTANT NOTE lt entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				~~.20~~			~~.32~~						1
2									—			.13 ~~.43~~	2
3						~~.28~~							3
4		—	(.25)								.27 ~~.47~~		4
5								.40					5
6					.27								6
7	.45						—			.33			7
8				.30									8
9									—			1.23	9
10						.10							10
11		.15	.18								1.15		11
12								.70					12
13													13
14	.29						—						14
15				—									15
16		.79							2.18			1.75	16
17						.47							17
18			.43								.67		18
19								.90					19
20					.75								20
21	—									.64			21
22							—						22
23									.25			.65	23
24						2.55							24
25		1.35	—								.35		25
26								—					26
27					.20								27
28	—	(.25)								1.37			28
29				.57			.42						29
30				—		.32			1.19		.30	.83	30
31	—		.20		.28		—			.20			31
Total	.74	~~2.29~~	~~.61~~	~~1.07~~	~~1.22~~	~~3.40~~	~~.74~~	2.00	~~1.43~~ 3.62	~~3.53~~ ~~2.34~~	~~2.64~~	~~4.89~~	TOTAL for year ~~16.56~~
No. of Rain Days.	.74	2.54	1.06	.87	1.50	3.44	.42	2.00	3.62	2.54	2.74	4.59	26.06

W. 8,000, X. '11.

RE

FORM A2.
BRITISH RAINFALL.
26 JUN 1912

Kept at Barningham, Rawdon

in the County of York WR 9

by A. Killick, Esq.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground - ft. 9 in.
" " " Sea Level 525 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				~~·20~~			~~·32~~						1
2									—			·13 ~~·43~~	2
3						~~·28~~							3
4		—	(·25)								·27 ~~·47~~		4
5								·40					5
6					·27								6
7	·45						—			·33			7
8				·30									8
9									—			1·23	9
10						·10							10
11		·15	·18								1·15		11
12								·70					12
13													13
14	·29						—						14
15				—									15
16		·79							2·18			1·75	16
17						·47							17
18			·43								·67		18
19								·90					19
20					·75								20
21	—									·64			21
22							—						22
23									·25			·65	23
24						2·55							24
25		1·35	—								·35		25
26								—					26
27					·20								27
28	—	(·25)								1·37			28
29				·57			·42						29
30				—		·32			1·19		·30	·83	30
31	—		·20		·28		—			·20			31
Total	·74	~~2·29~~	~~·61~~	~~1·07~~	~~1·22~~	~~3·40~~	~~·74~~	2·00	~~2·13~~ 3·62	~~3·53~~ ~~2·34~~	~~2·64~~	~~4·89~~	TOTAL for year ~~25·56~~
No. of Rain Days.	·74	2·54	1·06	·87	1·50	3·44	·42	2·00	3·62	2·54	2·74	4·59	26·06

W. 8,000, X. '11.

[illegible] cond for writer to date quarterly} 17·III·13 Ex ~~W~~ DL

REGISTER OF RAINFALL IN 1912

FORM A2.

BRITISH RAINFALL. 4 JAN 1913

Kept at Rawdon

in the County of York W.9

by J Killick

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 520 ft.

Time of Observation Sunday morning between 9.30 & 10.

Nearest Railway Station { Name Apperley Bridge
Distance 1 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								3·34	1·84	nil		1·30	1
2						~~·60~~ (·20)							2
3			(·20) ~~·50~~										3
4		(·2~~8~~3)						·73					4
5					·10								5
6													6
7	1·49			(·1~~8~~0)			·55						7
8									·53			·43	8
9						1·95							9
10			·90								(·12) ~~·82~~		10
11		·75						2·34					11
12					·38								12
13										·54			13
14	1·24			·28									14
15									·12			·73	15
16						·92							16
17			1·02								(·48) ·48		17
18		·59						·31					18
19					·45								19
20										·44			20
21	2·43			nil									21
22									nil			·71	22
23						1·09							23
24			1·02										24
25		·35						1·23					25
26					1·80								26
27										1·61			27
28	·48			nil									28
29									·05			·73	29
30						·99							30
31	(·05)	(·30)	·55 (·66)	(–)	(·48)	(–)	3·34	1·84	–	(·70)	1·30	·31	31
Total	~~5·64~~ 5·69	~~1·97~~ 2·22	~~3·99~~ 3·75	~~·44~~ ·38	~~2·73~~ 3·21	~~5·63~~ 5·15	~~3·34~~ 3·89	~~4·61~~ 6·45	~~2·54~~ ·70	~~2·59~~ 3·29	~~1·30~~ 1·90	~~4·21~~ 2·91	TOTAL for year 39·54
No. of Rain Days.													~~38·99~~

(only take the gauge once a week & occasionally miss a week if I am away)

W. 8,000, X. '11.

written
prepared for sending
14-IV-15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 -

Kept at Rawdon

in the County of York WR 9R

by J Killick

Lat. ______ Long. ______

Time of Observation Sunday mornings

Nearest Railway Station Apperley & Rawdon (Midland Rly)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ____ in.

" " " " Sea Level 625 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .82

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.41	.14								2.32	~~2.08~~	1
2				~~(.23)~~				~~1.23~~ (.43)					2
3					.02								3
4	.48			(.23)						.02			4
5		~~.41~~		~~.63~~			1.62					(1.68)	5
6									.03			~~2.08~~	6
7						.01							7
8		.04	.86								1.13		8
9								.37					9
10					.49								10
11	.99									nil			11
12		~~.24~~		.79			.01						12
13									.53			1.22	13
14						1.58							14
15		.95	.58								1.68		15
16								.07					16
17					nil								17
18	.12									.03			18
19		~~.95~~		nil			.87						19
20									.56			1.27	20
21						.08							21
22		.90	.35								.23		22
23								.33					23
24					.36								24
25	.02									.22			25
26				.06			.35						26
27									nil			1.19	27
28	~~.02~~					1.48							28
29		~~.90~~	.62								.72		29
30		X						.61					30
31		X		X	.10	X			X		X		31
	.41	.14	(.40)	.02	(–)	(–)	(.80)	.03	(–)	2.32	(.40)	.82	YEAR'S TOTAL
Total	~~1.61~~	2.30	2.55	~~1.48~~	.97	3.15	~~2.85~~	2.61	1.12	.27	6.08	5.76	~~30.75~~
Rain Days.	2.02	2.03	2.81	1.10	.95	3.15	3.65	1.84	1.09	2.59	4.16	6.18	31.57?

Note, I suspect my gauge shows slightly less rain than actually falls as my other gauge in a more open situation generally shows more I should be disposed to add 1% or 2%

W. 8,000. X. 14.

RICHMOND

GILLING WEST

YORKSHIRE

1911 – 1915

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

1

Kept at Gillin

in the County of Y

by George

in.

Ground 1 ft. 3 in.

Sea Level 303 ft.

a.m.

Name Richmond

Distance 3½ miles Direction South

IMPORTANT … the result entered to the previous day. If a … rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03										1
2	.36				.21		.09	.06		.07	.09	.10	2
3	.02		.03		.20		.01	.03		.07	.10		3
4			.16	.25				.32		.19	.30	.24	4
5	.10		.11					.31		.04	.25		5
6			.04	.13				.18		.10	.11	.77	6
7	.13										.10		7
8			.35		~~.08~~	.08			.07		.20	.50	8
9				.04								.22	9
10	.08	.08							.26			.64	10
11	.39										.67	.04	11
12	.22		.04	~~.05~~	.05	.09			.13			.03	12
13			.15		.08	.01						.45	13
14			.09		.40						.09	.55	14
15		.03	.17							.01	.21	.16	15
16		.06	.33	.06		.13	.07				.05	.11	16
17			.02			.76	.03				.32		17
18		.26	.10				.02			.01	.34	.56	18
19						.31		.07	.08	.09	.75	.25	19
20		.09		.09			.09	.40	.03	.02		.10	20
21		.29						.79		.20	.05		21
22	.28							.06			.22		22
23	.03	1.09					.02		.13			.17	23
24		.02	.05			1.12		.02		.15		.12	24
25		.26				1.25			.39	.22	.04	.21	25
26					.09	.11			.07	1.23	1.00	.13	26
27		.07	.14	.07				.22	.08	.09	.06		27
28		.08	.03	.28								.19	28
29				.16			.03	.03	.45	.55	.01	.05	29
30			.04		.08				.07	.25			30
31					.05								31
Total	1.61	2.35	1.88	1.08	1.13	3.86	0.36	2.48	1.66	3.29	5.06	5.59	TOTAL for year 30.35
No. of Rain Days.	9	11	17	8	8	9	8	12	11	16	20	21	

Total days 160

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

Kept at Gilling West

in the County of North Riding of Yorkshire 2

by George Roper

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 3 in.
	" " " Sea Level	303 ft.

Time of Observation 9. a. m

Nearest Railway Station { Name Richmond
Distance 3½ miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.03										1
2	.36				.21		.09	.06		.07	.09	.10	2
3	.02		.03		.20		.01	.03		.07	.10		3
4			.16	.25				.32		.19	.30	.24	4
5	.10		.11					.31		.04	.25		5
6			.04	.13				.18		.10	.11	.77	6
7	.13										.10		7
8			.35		~~.08~~	.08			.07		.20	.50	8
9				.04								.22	9
10	.08	.08							.26			.64	10
11	.29	—									.67	.04	11
12	.22		.04	~~.05~~	.05	.09			.13			.03	12
13			.15		.08	.01		—				.45	13
14			.09		.40						.09	.55	14
15		.03	.17							.01	.21	.16	15
16		.06	.33	.06		.13	.07				.05	.11	16
17			.02			.76	.03				.32		17
18		.26	.10				.02			.01	.34	.56	18
19						.31		.07	.08	.09	.75	.25	19
20	—	.09		.09			.09	.40	.03	.02		.10	20
21		.29						.78		.20	.05		21
22	.28							.06			.22		22
23	.03	1.09					.02		.13			.17	23
24		.02	.05			1.12		.02		.15		.12	24
25		.26				1.25			.29	.22	.04	.21	25
26					.09	.11			.07	1.23	1.00	.13	26
27		.07	.14	.07				.22	.08	.09	.06		27
28		.08	.03	.28								.19	28
29				.16			.03	.03	.45	.55	.01	.05	29
30			.04		.08				.07	.25			30
31					.05								31
Total	1.61	2.35	1.88	1.08	1.13	3.86	0.36	2.48	1.66	3.29	5.06	5.59	TOTAL for year 30.35
No. of Rain Days.	9	11	17	8	8	9	8	12	11	16	20	21	152

Total days 160

W. 8,000, X. '11.

Evans

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
6 JAN 1913

N2

Kept at Gilling West
in the County of North Riding of Yorkshire
by George Roper.

Lat. ...... Long. ......
Time of Observation 9 a. m
Nearest Railway Station Richmond Jctn
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 303 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.18	.21			.54	.14	.21	.15	.05		.15	1
2						.58	.15	.03	.10				2
3			.15			.68	.03	.91					3
4	.22	.14	.57		.02	.87		.45	.13		.02	.29	4
5					.26	.22		.01	.20				5
6	1.03	.27						.85					6
7		.06			.14			.04	.45		.05	.02	7
8	.40	.17	.11			.07					.19		8
9	.01	.03	.16			.13		.04					9
10	.11					.68					.13		10
11	.04	-		.04							.10	.03	11
12	.12	.32				.11	.37				.10	.11	12
13	.02	-				.02			.04	.13	.24	.60	13
14	.17	-	.21			.11						.25	14
15		-	.10			.04				.03		.23	15
16	.37	.06	.15		.40					.01		.08	16
17	.54	.11	.31			.33		.31				.37	17
18	.12	.06								.03			18
19	.08	.41	.02		.03		.24	.06		.42	.01		19
20	.29				.32	.04	.18						20
21	.03	.03	.35		.12		.16						21
22	.03	.20			.84	.32		.23					22
23	.02		.13		.35		.29	.52		.11	.03		23
24	.25				.04		.02	.20				.39	24
25	.24					.59	.14	1.16			.21	.02	25
26	.09	.22	.04			.44	{.85	35		1.04	.26	.31	26
27	-		.03		.22	.11				.18	.29	.37	27
28	-	.03		.03			.40	.56		.23	.20	.09	28
29	-		.46			.39	.08	.03	.71	.04			29
30	.08		.10		.12	.02	.08		.40	.08			30
31			.09				.03					.03	31
Total	4.26	2.29	3.19	.07	2.86	6.28	3.13	5.95	2.18	2.35	1.83	3.23	YEAR'S TOTAL 37.62
Rain Days.	21	15	17	2	12	20	16	17	8	12	13	16	169

W. 7,500, XI. 13

4

Ex DL Cor. by ltr. 17.IV.14

Sep 26 .86 See B letter

Written 14.4.14

REGISTER OF RAINFALL IN 1913

FORM A2. BRITISH RAINFALL.

9 MAR 1914

Kept at Gilling West

in the County of North Riding of Yorks

by George Roper J P

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 303 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Richmond Junction
Distance 3 miles Direction South

IMPORTANT NOTE. Rain should be measured daily at 9

---

16 APR 1914

TELEGRAMS: GILLING WEST.

THE LODGE, GILLING WEST, RICHMOND, YORKS.

15th April 1914

Carle Salter Esq.

Dear Sir -

In reply to yours of yesterday re - the discrepancy in my rainfall record, I find on reference that the total for the month of September is 2.22 and not 1.72 & that the heaviest rainfall during the month is .86 on the 26th and not .36 I must have misread the 8 for a 3 & regret error

Yours sincerely
Geo Roper

31	.21		.02										31
Total	4.44	0.96	4.50	3.34	1.97	1.12	1.08	1.14	~~1.72~~ 2.22	3.04	1.88	1.67	TOTAL for year 24.56
No. of Rain Days	17	9	20	14	13	8	5	9	8	15	15	5	~~27.06~~

138

9,000, IX. '10.

Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.15	.13							.09		1
2	.03										.03		2
3	.08	.03	.40		.39					.02			3
4	.23				.03	.05	.19			.15	.02	.53	4
5	.60	.07	.15		.31		.08	.10		.18			5
6		.25	.27			.37	.75			1.82			6
7	[illegible]	.43	.04		.06	.19				.11			7
8	[illegible]	.01	.06	.02	.75			.02					8
9	[illegible]	.05			.13	.16		.05			.24		9
03 10	.03		.15	.04	.04					.02	.25		10
11	.68			.47	.05	.07					.12		11
12	.13						.02		.45				12
13				.03					.23		.07		13
14	.70	.08	.62	.09						.04			14
15		.01	.13	.14				.10			.21		15
16	.09												16
17	[illegible]		.10								.17		17
18	[illegible]		.35	.15		.06							18
19	.25		.32						.09	.03	.20		19
20	.64		.08	.12				.04	.09	.16	.34		20
21			.09	.05	.04		.04	.07					21
22	.16		.86		.02			.33	.06				22
23	.09								.11		.07		23
24	.19					.20		.04					24
25										.02		.02	25
26			.05	.21					86 ~~.36~~	.13			26
27		.03	.01	1.07		.02			.33	.06	.01	.60	27
28	.38		.26	.40	.01					.02	.03	.45	28
29			.49	.42	.03			.39		.14		.37	29
30	.45				.11					.14	.03		30
31	.21		.03										31
Total	4.44	0.96	4.50	3.34	1.97	1.12	1.08	1.14	~~1.72~~ 2.22	3.04	1.88	1.67	TOTAL for year 27.56
No. of Rain Days	17	9	20	14	13	8	5	9	8	15	15	5	~~27.06~~ 128

9,000, IX. '10.

referred 18.III.15

~~W~~ BJJ Corr^d by observer 20.III.15.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at Gilling West
in the County of North Riding of Yorkshire
by George Roper

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Richmond Yorksh. 3 miles
Diameter of Rain Gauge 5 ~~15~~ in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 303 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.08				.41	1
2	.03	.02		.03	.34		.34	.67			.46	.19	2
3		.07	.03		.15		.53				.18	.87	3
4				.18	.04	.02					.25	.65	4
5			.08	.20	.03	.04				.03	.42	.22	5
6				.28	.06		.04					.14	6
7	.14	.08	.19		.08	.20	.16	.03				.12	7
8	.04		.06	.10		.56	.30	.12		.03		.04	8
9	.52					1.99					.15	.13	9
10	.14	.26									.26	.03	10
11		.10	.16		.11	.12					.27		11
12		.17	.02			.03	.04		.08		.04	.44	12
13		.08	.19							.01	.21	.20	13
14	.11	.62	.02				.17		.19		.20	.36	14
15		.14	.12								.31	.25	15
16	.09	.16					1.11		1.06			.04	16
17	.03		.09				.02		.40			.25	17
18	.03	.11				.26					.01	.04	18
19		.17					.09				.05	.05	19
20			.09							.01			20
21		.41				.14				.10	.09	.25	21
22		.01				.04				.03	.03		22
23		.05	.07		.79			.08					23
24	.07		.26	.02	.33		.07	.14			.09		24
25		.02	.16					.19		.78	.02	.60	25
26			.23				.06	.06		.17	.08	.40	26
27								.33		.08	.44	.62	27
28			.03					.21			.11		28
29	.04		.14							.67	.23		29
30	.16	X	.08	.07	.12		.49			.08	.28	.48	30
31	.37	X		X		X			X	.47	X		31
Total	1.77	2.47	2.02	.88	2.05	3.40	3.42	1.91	1.73	2.46	4.18	6.78	YEAR'S TOTAL 33.07
Rain Days.	13	16	18	7	10	10	13	10	4	12	22	23	158

W. 8,000. X. 14.

78/md.

3668

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
4. JAN 1916

Kept at Gilling West

in the County of North Riding of Yorkshire

by George Roper

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Richmond Yorksh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 303 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48	.30			.08			.38	.22		.06	.73	1
2		.22				.01	.64	.58	.01		.03		2
3	.88	.03	.33	.25			.27				.45	1.08	3
4	.11	.05			.05			.58					4
3 5	.13	.33			.10			.02		.05		1.14	5
6	.16	.32	.04	.17	.02		.85	.04	.10				6
7	.11	.67	.08	.04			.03	.15				.10	7
8	.10	.30					.05	.02			.18		8
9	.23	.05						.16		.01		.64	9
10		.01	.13	.04				.15				.10	10
11	.02	.01			1.05			.04				.11	11
12	.12				.04		.03	.03			1.31		12
13		.27			.30			.04			.34	05	13
14	.35	.12						.04					14
15	.51	.51					.03	.56		.53		.28	15
16		.34		.07	.02		.85	.17		.03			16
17		.28							.03			.11	17
18		.01	.17						.16	.19	.06		18
19							.19			.38			19
20	.01				.29		.03			.14		.48	20
21	.10			.08			.07					.16	21
22	.08		.09				.16			.04		.22	22
23	.06	.10		.13			.02		.51	.05		.09	23
24			.27							.03		.42	24
25						.07			.04	.05		.02	25
26		.12	.02			.15	.04					.62	26
27		.21					.21					.26	27
28			.06		.27			.60		.49		.01	28
29						.26		.02			.27	.82	29
30	09	X			.25		.30				.03	.11	30
31	05	~~06~~ X		X		X		.58	X	.04	X	.23	31
Total	3.59	4.31	1.19	0.78	2.48	.49	3.77	4.16	1.07	2.01	2.72	7.78	YEAR'S TOTAL 34.34
Rain Days.	18	21	9	7	11	4	16	18	7	13	9	22	155

W. 8,000. X. 15.

RICHMOND

SEDBURY RK

~~RICHMOND~~ ~~RK~~

1911 — 1917

FROM A. BRITISH RAINFALL
3 - JAN 1912

Kept at Sedbu ... ichmond Yks,

in the County of N ... a.m

... in.

by G. Gilpi ... round ..... ft. ..... in.

... ea Level ..... ft.

NOTE.—Rain should be m ... structions for the measurement of rain and particulars as to th ... ," sent post-free on application to Dr. H. R. MILL, 62, Camd ...

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.02	—	.03	—	.02	.07	—	—	.02	—	1
2	.33	—	—	—	.17	—	.07	—	—	.05	.06	.08	2
3	.02	—	.09	.02	.15	—	.02	.05	—	.09	.09	—	3
4	.07	—	.08	.15	.02	—	—	.28	—	.15	.21	.20	4
5	.03	—	.08	.02	—	—	—	.33	—	.03	.13	—	5
6	.11	—	.04	.13	—	—	—	.19	—	.08	.07	.63	6
7	.02	—	.01	.02	—	—	—	—	—	—	.08	—	7
8	—	—	.25	.01	—	.07	—	—	.02	.03	.15	.40	8
9	—	—	—	.04	—	—	—	—	—	—	.01	.20	9
10	.07	.06	—	.02	—	—	—	—	—	—	—	.44	10
11	.35	—	—	—	.03	—	—	—	.11	—	.30	.03	11
12	.16	—	.09	.02	.05	.07	—	—	.95	—	.23	.02	12
13	—	—	.12	—	.04	.03	—	—	—	—	.07	.36	13
14	—	—	.10	—	.41	—	—	—	—	—	—	.50	14
15	—	.03	.22	.03	—	—	—	—	—	.02	.17	.12	15
16	—	.04	.44	.04	—	.12	.08	—	—	.02	.15	.09	16
17	—	—	.03	—	—	.82	.04	—	—	—	.27	.22	17
18	—	.14	.10	.04	—	—	.02	—	—	—	.17	.23	18
19	—	—	.02	.07	—	.18	—	.08	.06	.11	.73	.18	19
20	—	.08	—	.03	—	—	.10	.38	.03	.02	—	.11	20
21	—	.22	—	—	—	—	—	.88	—	.21	.09	—	21
22	22	.10	—	.02	—	.01	—	.02	—	.01	.23	—	22
23	.02	.36	.06	—	—	1.04	.02	—	.11	—	—	.15	23
24	—	.03	—	—	—	1.18	—	.04	—	.16	—	.09	24
25	—	.18	—	—	—	.13	.03	—	.35	.16	.05	.14	25
26	—	—	—	.02	.08	—	—	.02	.06	1.00	.63	.11	26
27	—	.08	.10	.07	.03	—	—	.22	.07	.10	.04	.03	27
28	—	.08	.04	.22	—	—	—	.02	—	—	—	.14	28
29	—		.02	.20	—	.02	.03	.03	.40	.42	—	.04	29
30	—		.03	—	.09	—	—	—	.08	.27	.02	—	30
31	—		—		.05		—	—		.02		.02	31
Total	1.40	1.38	1.94	1.17	1.15	3.67	.43	2.61	2.24	2.95	4.97 3.97	4.53 453	TOTAL for year 27.44
No. of Rain Days	11	12	20	19	12	11	10	14	11	19	23	24	186

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Cod franck

FORM A.
BRITISH RAINFALL
3 JAN 1912

Kept at Sedbury - Richmond
in the County of NR York 2
by G. Gilpin Brown.

Lat. Long.
Nearest Railway Station Richmond, Yks.
Time of Observation 10 a.m
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.02	—	.03	—	.02	.07	—	—	.02	—	1
2	.33	—	—	—	.17	—	.07	—	—	.05	.06	.08	2
3	.02	—	.09	.02	.15	—	.02	.05	—	.09	.09	—	3
4	.07	—	.08	.15	.02	—	—	.28	—	.15	.21	.20	4
5	.03	—	.08	.02	—	—	—	.33	—	.03	.13	—	5
6	.11	—	.04	.13	—	—	—	.19	—	.08	.07	.63	6
7	.02	—	.01	.02	—	—	—	—	—	—	.08	—	7
8	—	—	.25	.01	—	.07	—	—	.02	.03	.15	.40	8
9	—	—	—	.04	—	—	—	—	—	—	.01	.20	9
10	.07	.06 ~~—~~	—	.02	—	—	—	—	—	—	—	.44	10
11	.35	—	—	—	.03	—	—	—	.11	—	.30	.03	11
12	.16	—	.09	.02	.05	.07	—	—	.95	—	.23	.02	12
13	—	—	.12	—	.04	.03	—	—	—	—	.07	.36	13
14	—	—	.10	—	.41	—	—	—	—	—	—	.50	14
15	—	.03	.22	.03	—	—	—	—	—	.02	.17	.12	15
16	—	.04	.44	.04	—	.12	.08	—	—	.02	.15	.09	16
17	—	—	.03	—	—	.82	.04	—	—	—	.27	.22	17
18	—	.14	.10	.04	—	—	.02	—	—	—	.17	.23	18
19	—	—	.02	.07	—	.18	—	.08	.06	.11	.73	.18	19
20	—	.08	—	.03	—	—	.10	.38	.03	.02	—	.11	20
21	—	.22	—	—	—	—	—	.88	—	.21	.09	—	21
22	22	.10	—	.02	—	.01	—	.02	—	.01	.23	—	22
23	.02	.36	.06 ~~—~~	—	—	1.04	.02	—	.11	—	—	.15	23
24	—	.03	—	—	—	1.18	—	.04	—	.16	—	.09	24
25	—	.18	—	—	—	.13	.03	—	.35	.16	.05	.14	25
26	—	—	—	.02	.08	—	—	.02	[illegible]6	1.00	.63	.11	26
27	—	.08	.10	.07	.03	—	—	.22	.07	.10	.04	.03	27
28	—	.08	.04	.22	—	—	—	.02	—	—	—	.14	28
29	—		.02	.20	—	.02 ~~—~~	.03	.03	.40 ~~.04~~	.42	—	.04	29
30	—		.03	—	.09	—	—	—	.08	.27	.02	—	30
31	—		—		.05		—	—		.02		.02	31
Total	1.40	1.38	1.94	1.17	1.15	3.67	.43	2.61	2.24	2.95	4.07 3.97	4.53 453	TOTAL for year 27.44
No. of Rain Days	11	12	20	19	12	11	10	14	11	19	23	24	186

6,000, XI. '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

cor pr auth 18.11.13 W 9m R

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 6 JAN 1913

Kept at Sedbury Park

in the County of York North Riding NZ

by G. Gilpin Brown.

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 450 ft.

Time of Observation 9-30

Nearest Railway Station
Name Richmond Yorks
Distance 4 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.22	.17	—	—	.54	.12	.25	.08	.07	—	.16	1
2	—	—	.12	—	—	.54	.14	.05	.01	.02	—	—	2
3	.14	.18	.01	—	—	.62	.02	.70	.30	—	—	.15	3
4	.15	—	.45	—	.04	.78	—	.45	.03	—	.02	.01	4
5	—		—	—	.24	.23	—	.02	—	—	—	.01	5
6	.69	.21	—	—	—	.04	—	.34	—	—	—	—	6
7	—	.06	.04	—	.14	—	—	.05	.12	—	.06	.02	7
8	.54	.13	.08	—	—	.06	—	—	.30	—	.18	—	8
9	—	.03	.10	.02	—	.19	—	.03	—	—	.03	—	9
10	.05	—	.02	.03	—	.38	—	—	.01	—	.11	—	10
11	.05	.14	—	—	.02	—	—	.01	.05	—	.15	.04	11
12	.11	.13	—	—	—	.11	.23	—	—	—	.17	.09	12
13	.03	.04	—	—	—	.04	—	—	.04	.12	.18	.04	13
14	.14	—	.21	—	.01	.09	—	—	—	—	.02	.13	14
15	.16	.03	.10	—	.45	.09	—	—	—	.03	—	.17	15
16	.41	.02	.12	—	—	—	—	—	—	—	—	—	16
17	—	.10	.28	—	—	.30	.01	.28	—	.04	—	.19	17
18	.12	.05	—	—	—	—	.17	—	—	—	—	.02	Oct
19	.11	.39	.03	—	.03	—	.19	.12	—	~~.28~~	.02	—	19
20	.15	—	—	—	.71	.06	.11	.02	—	~~.28~~	—	—	.28 20
21	.03	—	.36	—	.13	—	—	—	—	~~.01~~	—	—	.01 21
22	—	.16	.03	—	.61	.40	—	.26	—	—	—	—	22
23	.03	—	.08	—	.05	—	.28	.44	—	.09	.05	—	23
24	.21	—	.01	—	.05	.08	.04	.10	—	—	.13	.23	24
25	.23	—	.01	—	—	.43	.07	1.07	—	—	.20	.02	25
26	.06	.15	.04	—	—	—	.29	.26	—	1.07	.18	.30	26
27	—	—	.03	—	—	.39	.53	.01	—	.15	.03	.26	27
28	—	.03	.04	.02	—	.04	.19	.50	—	.20	.21	—	28
29	.01	.03	.25	—	.02	.45	.09	.03	.79	.06	—	.07	29
30	.05		.08	—	.12	~~.05~~	.07	—	.49	.08	—	—	30
31	—		.11		.05	.08	.79	.13		.02		.03	31
Total	3.47	2.10	2.67 2.77	.07	2.67	5.04 5.94	3.43	5.12	2.22	2.24	1.73	1.94	TOTAL for year 33.70
No. of Rain Days	22	18	24	3	15	22	17	21	11	14	16	18	200

REGISTER OF RAINFALL IN 1913

cwd fm ante 13.IV.14

FORM A. BRITISH RAINFALL. 3 JAN 1914

Kept at Sedbury

in the County of York. N.R. 2

by G. Gilpin Brown.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Richmond Yks

Diameter of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.11	.16	—	—	.01	—	.02	.02	.07	—	1
2	—	.04	.32	.02	—	—	.02	—	—	.02	.04	—	2
3	.01	—	.03	—	.41	—	.21	—	.05	—	—	—	3
4	.21	.01	.03	—	.01	.05	.06	—	—	.18	.03	.38	4
5	.54	—	.14	—	—	.35	—	.17	—	.18	—	—	5
6	.02	—	.25	—	.31	.19	.52	.02	—	—	.07	—	6
7	—	.60	—	.03	.08	.05	—	—	—	1.59	.02	—	7
8	.02	.02	—	—	.78	.02	—	.04	—	.26	.12	—	8
9	—	.05	—	.06	.16	.13	—	.03	—	—	.07	—	9
10	—	—	.09	.01	.03	—	—	—	.02	.02	.19	—	10
11	1.33	—	—	.71	.15	.08	—	—	—	.03	.07	.03	11
12	.20	—	—	—	.01	.02	.03	.04	.32	.04	.05	—	12
13	—	—	.02	.03	—	—	—	.02	.20	.02	.03	—	13
14	.14	.05	.42	.08	—	—	.01	—	—	—	—	—	14
15	.13	.02	.17	.14	—	—	—	.07	—	—	.16	—	15
16	.01	—	—	.01	—	—	—	—	—	—	.03	—	16
17	—	—	.08	.02	—	.02	—	—	—	—	.09	.02	17
18	—	—	.30	.18	—	.02	.01	—	—	—	.11	.02	18
19	.21	—	.11	.02	.01	—	—	—	.12	.03	.06	—	19
20	.42	.01	.08	.08	—	—	—	.07	.07	.15	.30	—	20
21	.05	—	.08	.05	.03	—	.05	.08	—	—	—	—	21
22	.11	—	.78	—	.03	—	—	.35	.07	.02	—	—	22
23	.10	—	.02	—	—	.09	.02	.04	.15	—	.06	—	23
24	.19	—	—	.03	—	.11	—	—	—	—	.02	—	24
25	—	—	—	—	—	—	—	—	.82	.03	—	.02	25
26	—	.01	.06	.89	—	—	—	—	.35	.11	.04	.14	26
27	—	—	.02	.43	.03	.05	—	—	—	.05	.01	.25	27
28	.34	.03	.28	.44	—	—	—	.02	—	.04	—	.15	28
29	.03		.48	.41	.05	—	—	.22	—	.09	.03	.49	29
30	.28		.02	—	.17	.00	—	—	—	.14	—	.05	30
31	.09		.03		.01		—	—		—		—	31
Total	4.45	.87	3.92	3.80	2.27	1.18	.94	1.17	2.19	3.02	1.67	1.55 1.55	YEAR'S TOTAL ~~26.87~~ 27.03
Rain Days.	21	10	23	20	16	~~13~~ 14	10	13	11	19	22	10	189 189

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914.

Kept at Sedbury
in the County of York. N.R. 2
by

Lat. Long.
Time of Observation 9.30 am
Nearest Railway Station Richmond Yks
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.03	—	—	—	—	.37	.08	—	—	.02	.30	1
2	—	.04	—	.03	—	.01	.45	.69	—	—	.48	.16	2
3	—	.03	.04	—	.34	—	—	—	.01	.02	.14	.61	3
4	—	—	.02	.11	.17	.03	—	—	—	—	.20	.47	4
5	.06	.01	.08	.14	.04	.04	.04	.02	—	.04	.30	.09	5
6	—	—	.01	.21	.04	—	—	.04	—	—	.04	.11	6
7	—	.08	.15	.05	.06	.15	.05	—	—	—	.01	.12	7
8	.07	—	.07	.01	.14	.57	.27	.10	—	.03	—	.05	8
9	.41	.05	—	.07	.02	1.58	—	.02	—	—	.10	.09	9
10	.10	.16	.02	—	—	—	.02	—	.07	—	.15	.03	10
11	—	.08	.16	—	.09	.09	—	—	—	—	.20	.08	11
12	.02	.15	.06	—	.01	.04	.03	—	.04	—	.03	.37	12
13	.03	.08	.14	—	—	—	.03	—	.02	.01	.17	.30	13
14	.10	.57	.02	—	—	—	.08	—	.03	.01	.23x	.18	14
15	—	.11	.11	—	—	—	.11	—	.13	—	.44x	—	15
16	.10	—	.03	—	—	—	.88	—	.56	—	.03	—	16
17	.05	.12	.05	—	—	—	.03	—	.92	.01	—	.21	17
18	.03	.06	.02	—	—	.24	—	—	.04	—	—	.05	18
19	.01	.01	.02	—	—	—	.08	—	.02	—	.05	.05	19
20	—	.14	.11	—	—	.02	—	—	—	.02	—	—	20
21	—	.29	.02	—	—	.12	—	.12	.02	.07	.06	.06	21
22	—	.03	.05	—	.64	.03	—	.07	—	.04	.04	.19	22
23	—	.03	.04	.01	.25	.03	—	.01	—	—	—	.06	23
24	.04	—	.22	.02	.02	.01	.06	.13	—	—	.08	—	24
25	.02	—	.20	—	—	—	—	.15	—	.66	.03	.35	25
26	—	.03	.18	—	—	—	.06	.02	—	.15	.08	.35	26
27	.02	—	—	—	—	—	—	—	—	.09	.30	.41	27
28	—	—	.04	—	.04	—	.01	.07	—	.03	.06	.04	28
29	.05		.13	—	.03	—	—	.29	—	.54	.17	—	29
30	.12		.09	.05	—	—	—	.19	—	.10	.22	.37	30
31	.35		—		.04		.34	.02		.35		—	31
Total	1.58	2.04	2.08	.70	1.93	2.96	2.91	2.02	1.86	2.17	3.63	5.10	YEAR'S TOTAL 28.98
Rain Days.	17	20	26	10	15	14.	17	16	11	16	25	25	212

x. Snow.

W.7,000, XI. 13

3667

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Sedbury Park
in the County of York North Riding
by George Gilpin Brown

Lat. 54·30 W Long. 1·35 W
Time of Observation 9 am.
Nearest Railway Station Richmond - Yorks
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .41

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.32	.21	—	—	.05	—	.69	.21	.12	—	.05	.21	1
2	—	.19	.28	.16	—	—	.03	.55	.05	—	.03	—	2
3	.65	.03	.02	.09	—	—	.25	.03	—	—	.30	.83	3
4	.08	.04	—	.02	.09	.03	—	.29	—	—	.02	1.03	4
5	.09	.22	—	—	.07	—	—	.04	—	.05	.06	.89	5
6	.11	.32	.06	.07	.02	—	.81	.03	.13	.02	.02	.07	6
7	.13	.40	.06	.03	—	—	.07	.12	—	—	—	.03	7
8	.07	.18	.03	.02	—	—	.04	.03	—	—	.10	—	8
9	—	.03	—	—	—	—	—	.04	—	.02	.02	.51	9
10	.20	.03	.10	.04	~~.84~~	—	—	.12	—	—	—	.13	10
11	.03	.01	—	—	.84	—	—	.03	—	—	.06	.17	11
12	.08	.03	—	.09	.05	—	—	.05	—	—	.68	—	12
13	—	.14	—	—	—	—	.03	.06	.03	.04	—	.08	13
14	.12	.09	—	—	.24	—	.05	.04	—	—	—	.08	14
15	.41	—	—	.02	—	—	.06	.56	—	.56	.30	.13	15
16	—	.32	—	—	.03	—	.66	.20	—	.05	—	.01	16
17	—	.28	.03	—	—	—	—	—	.03	—	—	.10	17
18	—	.23	.19	—	—	—	—	—	.14	.11	—	—	18
19	—	—	.06	—	—	—	.17	—	.02	.27	—	—	19
20	.02	—	—	—	.46	—	.02	—	—	.10	—	.41	20
21	.08	—	—	.07	—	—	.03	—	—	.02	—	.11	21
22	06	—	.04	—	—	—	.09	—	—	—	.07	.20	22
23	.05	.14	.03	—	—	—	—	—	—	.08	—	.03	23
24	—	—	.21	.14	—	—	.03	—	.55	.03	—	.41	24
25	—	—	—	—	—	.06	—	—	~~.24~~	.05	.04	—	25
26	.02	.11	.03	—	—	.14	.05	—	—	—	.02	.44	26
27	—	.21	.02	—	—	—	.33	—	—	.42	—	.30	27
28	—	.03	.08	—	.28	—	—	.52	—	.03	—	.03	28
29	—	X	—	—	.19	.05	.02	—	—	—	.21	.71	29
30	.07	X	—	.05	—	—	.35	—	—	—	—	.03	30
31	.08	X	—	X	—	X	.02	.48	X	.03	X	.26	31
Total	2.67	3.24	1.24	.80	2.32	.28	3.80	3.40	1.11	1.88	1.98	7.15	YEAR'S TOTAL 29.87
Rain Days.	19	21	15	12	11	4	20	18	9	16	15	25	185

W. 8,000. X. 14.

[illegible] W. C 3 E

3600

FORM A.
BRITISH RAINFALL
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Sedbury Richmond Yks
in the County of York.
by G. Gilpin Brown.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Richmond Yks
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.41	—	.12	—	.03	.04	.18	—	—	—	.07	.05	1
2	.03	.07	.24	—	—	—	—	—	.21	.06	.03	.04	2
3	—	.21	.06	—	—	.08	.20	.02	1.50	.13	.37	—	3
4	.06	.09	.04	.08	.70	.16	.02	—	.07	.19	.33	—	4
5	.02	.17	.11	—	.45	.16	—	—	—	.55	.37	—	5
6	.08	.24	.26	.08	.61	—	.08	—	—	.04	.23	—	6
7	—	.03	.19	—	.28	.10	.44	—	—	.14	.05	.21	7
8	.02	.05	.25	.02	.07	—	—	—	—	.02	.02	.[illegible]	8
9	—	—	.10	—	.23	.30	—	—	—	—	—	.19	9
10	.05	.03	.05	—	.03	.34	—	—	—	.07	.03	.11	10
11	—	.28	.17	.06	—	.12	.05	—	.01	.04	—	.02	11
12	.02	.04	.33	—	.39	.03	.68	.04	—	—	—	.41	12
13	—	.19	.32	—	.06	—	.09	.32	—	.32	.05	.08	13
14	—	.15	.04	.11	.03	—	—	.14	—	.13	—	.10	14
15	—	.19	.77	—	—	—	.08	.45	—	—	—	—	15
16	—	.12	.24	.08	.02	—	.09	.02	—	.03	—	.09	16
17	.06	.03	.02	.10	.08	—	.04	—	.03	.12	.05	.03	17
18	.02	.32	.02	.12	—	.02	.04	.21	.11	.11	.21	.11	18
19	.13	—	.12	.32	.03	—	—	.02	.03	—	.68	.04	19
20	.05	—	.40	.12	—	—	.35	—	—	—	.13	.11	20
21	—	—	.13	.07	.08	—	.03	.09	.02	—	.02	—	21
22	.09	.19	.04	.05	—	.07	—	—	—	.12	.01	.20	22
23	.04	.02	.16	.09	—	—	—	—	—	.03	.05	—	23
24	—	.03	.10	6 —	—	.12	—	.21	—	—	—	.05	24
25	.06	.14	.13	—	.13	—	—	.54	—	.30	.09	.05	25
26	—	.09	.09	—	—	.03	—	—	—	.04	4 —	—	26
27	—	.33	.14.	—	—	—	.72	—	.06	.45	—	—	27
28	.03	.17	10 —	—	.11	—	—	.02	2 —	.05	—	.31	28
29	.02	46	—	—	.02	.13	—	3 —	—	.14	—	.03	29
30	—	11 ✕	—	—	.16	.03	.06	—	—	.45	—	.02	30
31	.02	✕	—	✕	.02	5 ✕	8 —	—	✕	.14	✕	.01	31
Total	1.26 1·21	3.64	4.47	1.30	3.53	1.73	3.15	2.08	2.04 2·04	3.67	2.79	2.26	YEAR'S TOTAL 32.26 32·67
Rain Days.	18	24	27	13	20	15	16	12	9	23	18	21	216

W. 8,000. X. 15.

3481

FORM A. BRITISH RAINFALL.

- 2. JAN

and [illegible]

REGISTER OF RAINFALL IN 1917

W 21

Kept at Sedbury

in the County of York. (North Riding

by G. Gilpin Brown.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.05	—	.05	—	.09	—	.12	.33	—	.14	.06	1
2	.10	—	—	.12	—	.06	—	.22	.01	—	.04	—	2
3	—	—	.01	.18	—	.02	.05	—	—	.07	.04	—	3
4	—	—	.13	.02	—	—	—	.08	—	—	.02	—	4
5	.26	.03	.12	.23	—	—	—	.04	—	.12	.07	.02	5
6	—	—	—	—	—	.13	—	.02	.04	.28	.09	—	6
7	1.08	—	.07	—	—	.27	—	.03	—	.05	—	.11	7
8	.30	—	—	.14	—	—	—	1.66	—	.31	.04	.11	8
9	.10	—	.03	.03	—	—	—	.69	—	.01	.07	.07	9
10	.26	—	.90	.20	.14	—	—	.16	—	.07	—	—	10
11	—	.04	—	.06	.06	—	—	.04	—	.08	.03	—	11
12	.03	.04	—	—	.19	—	—	[illegible]	—	.36	—	.09	12
13	.46	—	—	.13	.03	.18	—	.41	.11	.05	—	—	13
14	.61	—	—	.34	.22	—	—	.93	—	.01	—	.09	14
15	.05	—	—	.04	.03	—	.03	.77	—	—	—	.13	15
16	.07	—	.02	.22	—	.12	—	.08	.05	—	—	.47	16
17	—	.06	—	.15	.11	.05	.03	.31	.05	.04	—	.24	17
18	.05	.03	—	.03	.15	.07	.25	.07	—	—	—	—	18
19	.15	.19	.16	—	.17	.23	—	—	—	—	—	—	19
20	.08	.24	.06	.05	—	—	—	.04	.16	.01	.03	.19	20
21	.03	.12	.08	—	—	—	—	.07	—	.02	—	—	21
22	—	.02	.12	—	—	.08	—	—	.03	.01	—	—	22
23	—	.03	.02	—	.13	.03	—	.20	—	—	.05	—	23
24	.03	.02	—	—	—	—	.03	.08	—	.50	.30	—	24
25	—	—	.03	—	—	—	.01	.07	—	.14	—	—	25
26	—	—	.06	.02	—	.20	—	.61	.10	.19	.05	—	26
27	.04	—	.18	.03	—	.17	.70	.74	—	.04	—	.08	27
28	—	—	.20	—	—	.02	.05	.11	—	.02	.02	.08	28
29	.02	✕	.08	—	—	—	.20	.02	—	.26	—	.01	29
30	.05	✕	.02	—	—	—	—	.02	—	.07	.11	.08	30
31	.10	✕	.29	✕	—	✕	—	.08	✕	—	✕	.18	31
Total	3.57	.87	2.58	2.04	1.23	1.72	1.39 1.35	7.67	.88 .88	~~2.65~~ 2.71	~~1.00~~ 1.10	2.01	YEAR'S TOTAL 28.03
Rain Days.	20.	12	19	18	10	15	9	27	9	22	15	16	192

W. 8,000, VIII. 16

18

Cordh

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

R 11

Kept at Scampst

in the County of

by J. C.

mmonp

5 in.

ove Ground 1 ft. 6 in.

" Sea Level 102 ft.

9 am.

Name Rillington

Distance 1½ mile Direction SW

RILLINGTON

SCAMPSTON HALL

1911 – 1916, 1918-1920

IMPORTANT NO… …nd the result entered to the previous day. If an O… …niversal rule, he is earnestly requested to add the re… …year in the space provided for it at the end of th… …rement of rain, the selection and placi… …British Rainfall Organization are given i… …n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18						·21	·52				·03	1
2	·26	·03	·09		·08		·20					·10	2
3	·05				·20	·02		·08		·11	·05		3
4			·15	·06				·09	·05	·15	·35	·44	4
5	·04			·17	·03			·14		·19	·10		5
6	·18		·11	·03				·16		·04	·12	·60	6
7		·03	·04	·11							·06		7
8			·09			·10				·01	·08	·25	8
9										·01		·04	9
10	·24	·03	·02	·02						·01	·24	·80	10
11	·23			·02	·01						·31	·09	11
12	·28		·16		·06	·08			·49	·01	·19	·02	12
13	·03		·39			·24					·05	·39	13
14		·19	·21		·09	·02			·04		·05	·59	14
15		·05	·24							·06	·06	·23	15
16			·18			·05	·09				·10	·04	16
17			·06		·02	·16	·08				·25	·20	17
18			·08			·18					·35	·12	18
19		·04	·02	·09		·12	·06	·06	·04	·08	·60	·06	19
20				·06			·11	·86	·04		·08	·50	20
21		·24						·35		·21	·28	·02	21
22	·09			·01				·43		·04	·20		22
23		·21				·82			·55	·05	·01	·10	23
24	·04		·16	·04		1·08		·01		·09	·	·10	24
25		·08		·02		·48	·18		·22	·01	·10	·12	25
26				·09	·18		·54			·54	·38	·12	26
27		·04	·05	·03				·20		·09	·15	·04	27
28			·03	·05		·03		·04		·08	·05	·08	28
29			·02	·24 ·04		·04	·45		44	·26	·02	·05	29
30				·01	·26	·05			20	·10	·02		30
31			·02		·18					·25 ·35		·04	31
Total	1·71 ~~[illegible]~~	·94	2·15	1·05 ✓	1·11	3·50	1·92	2·94	2·10	2·42 ✓	4·25	5·23	TOTAL for year 29·35 ✓
No. of Rain Days.	11	10	19	16	10	15	9	12	9	21	26	26	184 184

W. 8,000, X. '11.

Cor[illegible]

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Scampston Hall Gardens

in the County of Yorkshire ER 2

by J. C. Puddle

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 102 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Rillington
Distance 1½ mile Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18						·21	·52				·03	1
2	·26	·03	·09		·08		·20					·10	2
3	·05				·20	·02		·08		·11	·05		3
4			·15	·06				·09	·05	·15	·35	·44	4
5	·04			·17	·03			·14		·19	·10		5
6	·18		·11	·03				·16		·04	·12	·60	6
7		·03	·04	·11							·06		7
8			·09			·10				·01	·08	·25	8
9										·01		·04	9
10	·27	·03	·02	·02						·01	·24	·80	10
11	·23			·02	·01						·31	·09	11
12	·28		·16		·06	·08			·49	·01	·19	·02	12
13	·03		·39			·24					·05	·39	13
14		·19	·21		·09	·02			·04		·05	·59	14
15		·05	·24							·06	·06	·23	15
16			·18			·05	·09				·10	·04	16
17			·06		·02	·16	·08				·25	·20	17
18			·08			·18					·35	·12	18
19		·04	·02	·09		·12	·06	·06	·04	·08	·60	·06	19
20				·06			·11	·86	·04		·08	·50	20
21		·24						·35		·21	·28	·02	21
22	·09			·01				·43		·04	·20		22
23		·21				·82			·55	·05	·01	·10	23
24	·04		·16	·04		1·08		·01		·09		·10	24
25		·08		·02		·48	·18		·22	·01	·10	·12	25
26				·09	·18		·54			·54	·38	·12	26
27		·04	·05	·03				·20		·09	·15	·04	27
28			·03	·05		·03		·04		·08	·05	·08	28
29			·02	·24 ·04		·04	·45		44	·26	·02	·05	29
30				·01	·26	·05			20	·10	·02		30
31			·02		·18					·25 ·35		·04	31
Total	1·71	·94	2·15	1·05	1·11	3·50	1·92	2·94	2·10	2·42	4·25	5·23	TOTAL for year. 29·35
No. of Rain Days.	11	10	19	16	10	15	9	12	9	21	26	26	184 184

W. 8,000, X. '11.

Ex DL

FORM A2.
BRITISH RAINFALL.
10 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Scampston Hall Gardens
in the County of York E2
by F. C. Puddle

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 102 ft.
Time of Observation 9 am
Nearest Railway Station
Name Rillington
Distance 1½ m Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·08	·10	·04	·02	·30	·09	·25	·10	·03	·03	·10	1
2		·09	·04		·07	·16	·26			·14			2
3	·15	·19	·08		·	·95	·	·23	·44	·03		·15	3
4	·34		·39			·56		·28	·03		·30		4
5	·02		·03		·24	·20		·04			·02	·01	5
6	·74	·05	·03		·01	·06	·04	·50	·01			·01	6
7	·08		·03		·04		·03	·25	·25				7
8	·33	·19	·18			·06	·03	·04	·27		·28		8
9		·03	·14	·08		·02			·34		·01	·02	9
10	·02	·01		·01	04	·10			·08		·10		10
11	·23					·02		·24			·33	·31	11
12	·04	·08	·08			·12	·98				1·30		12
13	·01	·05	·05			·09		·01		·12	·35		13
14	·10		·54			·20		·04	·02		·04	·05	14
15	·05	·02	·55		·63	·42				·04		·03	15
16	·39		·08		·06	·03				·05		·02	16
17			·18	·02		·35		·14		·02	·07	·04	17
18	·14	·05	·02			·04	·04			·05	·07	·02	18
19	·12	·15	·04				·20	·26			·04		19
20	·02	·10	·02		·24	·06	·15	·05		·15			20
21	· '	·01	·37		·17		·02			·13	·02		21
22		·10	·03		·92	·44		·17		·30	·02	·01	22
23	·03		·12		·02		·11	·47		·13	·10		23
24	·26		·01			·10	·28	·04		·09		·18	24
25	·12		·03			·30	·04	·22			·11	·06	25
26	·04		·04			·03		·90		·62	·10	·25	26
27		·06	·04			·42	·75	·01		·43	·02	·19	27
28					·09	·22	·25	·38	·02	·12	·34	·01	28
29			·04			·04	·04	·01	·40	·03	·05	·05	29
30	·10		·10	01		·14	·06	·03	·14	·16		·03	30
31			·18		·08		·86	·28		·08			31
Total	3·37	1·26	3·57	·16	2·63	5·43	4·26	4·84	2·10	2·45	3·58	1·57	TOTAL for year 35·55
No. of Rain Days.	22	16	28	5	14	26	18	23	12	19	21	19	223

W. 8,000, X. '11.

cor^d for arith 13.IV.14 Do

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 3 - JAN 1914

Kept at Scampston Hall
in the County of Yorkshire
by F. L. Puddle

Lat. 54° 10′ N Long. 0° 41′ W
Time of Observation 9 a.m.
Nearest Railway Station Rillington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·09	·34							·04		1
2	·01	·05	·05			·08					·10		2
3	·02		·04		·21				·02	·21			3
4	·40	·02	·06		·01		·02		·02	1·40	·23	·61	4
5	·14	·04	·02		·01	·29	·08	·02	·03	·01			5
6	·02	·11	·05		·21	·02	·13				·02		6
7		·24		·02	·06	·15	·03			·68			7
8		·03		·02	·68	·05				·21	·04		8
9	·01	·05	·02	·04	·15	·01		·14			·02		9
10		·06	·04	·03	·06		·55			·15	·46		10
11	·49		·01	·34		·02					·19		11
12	·14	·02				·06			·05		·02		12
13	·06						·01	·09	·03	·01	·14		13
14	·05	·02	·06	·04						·09			14
15	·19		·23	·34			·03				·21	·03	15
16				·03							·03		16
17	·05		·14	·73		·04			·32		·08		17
18	·01		·27	·08	·08	·04					·12	·05	18
19	·16	·01	·03		·04								19
20	·15	·08	·08	·02					·04	·05	·12		20
21	·08		·02		·25		·02	·13	·02		·04		21
22	·04		·24		·03	·02		·31	·08				22
23	·14		·03			·01		·04	·03	·05			23
24	·17			·03		·94		·23			·01	·08	24
25				·04					·10				25
26		·04	·04	·03		·01			·03	·41	·04	·33	26
27		·12	·01	·26	·02	·04				·10	·05	·08	27
28	·31	·08	·24	·30						·03		·16	28
29	·03		·36	·20	·04			·09		·04	·08	·52	29
30	·34		·01		·19		·01					·12	30
31	·04				·35								31
Total	3·45	·93 ·97	2·14	2·41	2·42	1·84	·88	1·08	·80	3·37 3·47	2·04	1·98	YEAR'S TOTAL 23·54 23·54
Rain Days.	24	15	23	18	16	15	9	8	12	14	20	9	183

W.7,000, XI. 13

W Ma

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
27 JAN 1915

Kept at Scampston Hall Gardens
in the County of Yorkshire ER 2
by J. C. Puddle

Lat. 54° 10' N Long. 0° 41' W
Time of Observation 9 a.m.
Nearest Railway Station Rillington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·78	·35			·02	·16	1
2							1·38	·13			·43	·06	2
3			·12		·10		·06	·01			·04	·31	3
4	·03		·01	·12	·15						·19	·68	4
5			·09	·11	·19		·02	·01			·21	·04	5
6		·10		·03	·10						·05	·06	6
7		·02	·18		·12	·16						·04	7
8	·41		·04	·05	·30	·39	·03	·02		·08			8
9	·30	·04		·06	·06	·50		·04	1·30			·06	9
10	·28	·15		·02					·03		·02		10
11		·04	·14	·01	·25				·03		·24	·20	11
12	·11						·01		·20		·10	·98	12
13	·04	·10	·32									·39	13
14	·03	·20	·12	·02			·06			·04	·10	·18	14
15	·03		·11				·77			·01	·52	·04	15
16	·14		·04				1·80		·45		·15		16
17	·04	·15	·03						·42		·01	·15	17
18	·04	·03	·20								·02	·43	18
19	·02		·09			·04			·10		·04	·02	19
20		·10				·16				·14			20
21	·02	·59	·14			·01		·03		·10	·14	·06	21
22	·05		·01	·03	·12	·16	·03	·09		·06	·04	·06	22
23		·01		·05	·56	·34						·04	23
24			·05	·15	·01			·54			·24		24
25		·05					·01	·05		·44	·05	·31	25
26			·08				·26	·04		·32	·17	·24	26
27											·16	·58	27
28		·04								·14	·03	·18	28
29			·10					·29		·45	·02	·01	29
30			·09					·02		·05	·06	·15	30
31	·10						·30			·32			31
Total	1·43	1·65	2·08	0·65	1·96	1·48	5·51	1·65	2·53	2·48	3·05	5·48	YEAR'S TOTAL 30·55
Rain Days.	15	14	19	11	11	8	13	13	7	12	24	25	172

W. 8,000. X. 14.

35972

FORM A.
BRITISH RAINFALL.

FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Scampston Hall Gardens
in the County of Yorkshire E R
by J. C. Puddle

Lat. 54° 10′ N Long. 0° 41′ W
Time of Observation 9 a.m.
Nearest Railway Station Rillington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·15	·02		·08		·12	·75	·31	·01	·04	·23	1
2	·25	·10	·13	·12		·02	·04	·18	·35		·03		2
3	·62		·05	·08			·40	·02	·05		·29	·52	3
4	·11						·44	·08		·03	·10	·88	4
5	·25	·04	·02		·04				[illegible]		·05	·51	5
6	·04	·38	·05	·15			·53	·04	·04			·05	6
7	·41	·51	·04	·09			·13	·19					7
8	·08	·05	·03				·01			·01	·03		8
9		·04					·05	·03		·02	·02	·36	9
10	·23							·08				·09	10
11	·06	·32		·03	·51		·01	·14			·08	·09	11
12	·14	·03		·14	·05		·10			·09	1·06	·04	12
13		·44						·01			·02	·03	13
14	·03	·19					·15	·01				·04	14
15	·25	·09					·31	·05			·02	·08	15
16	·05	·64			·02		1·29			·06		·01	16
17	·44	·19	·01				·32		·01	·01	·06	·03	17
18		·12	·21							·03	·02	·01	18
19			·04				·04			·03			19
20	·05									·12		·50	20
21	·05			·14	·11							·06	21
22	·03		·04				·11	·02				·14	22
23	·09	·11	·04	·04			·10		·08		·05	·03	23
24		·01	·14	·05		·03			·52	·05	·02	·14	24
25						·12			·02	·05	·22	·01	25
26	·02	·40				·06	·25		·01	·04		·25	26
27	·01	·03	·02				·42		·01	·14		·24	27
28		·04	·04		·12		·04	·20		·25		·01	28
29	·02				·23				·35	·02	·18	·30	29
30	·04	✕		·15			·28		·09			·01	30
31	·09	✕		✕		✕		·31	✕	·03	✕	·21	31
Total	3·45	3·94	0·94	1·05	1·16	0·23	5·50	2·11	1·84	1·02	2·32	4·93	YEAR'S TOTAL 28·52
Rain Days.	23	20	15	10	8	4	21	15	12	14	14	24	189

W. 8,000. X. 15.

3517

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
26. JAN. 1917

Kept at Scampston Hall Gardens

in the County of Yorkshire E R

by J. C. Puddle

Lat. 54° 10′ N Long. 0° 41′ W

Time of Observation 9 am

Nearest Railway Station Rillington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25		·03			·04	·15				·13		1
2	·03	·09	·15			·06			·19	·06	·01		2
3		·14	·06	·05		·01			·29	·09	·13	·02	3
4		·04	·16	·02	·44	·34			·29	·52	·36	·26	4
5	·04	·03	·24	·02	·01	·20				·35	·25	·05	5
6		·31	·23	·03	·18	·01	·04			·04	·39		6
7		·02	·06		·21	·04	·02			·03		·20	7
8			·42		·14	·01						·03	8
9			·08		·28	·41					·04	·52	9
10	·12	·03	·01	·05		·05	·06			·04	·01	·02	10
11		·46	·61	·19	·03	·14	·04		·04	·03		·20	11
12	·02		·32		·44	·11	·59	·08		·04		·18	12
13		·02	·15		·29		·59	·74	·03	·51		·10	13
14		·06	·03	·02	·13			·28				·35	14
15	·01	·23	·39				·03	·24	·02	·06	·01		15
16		·04	·05	·08			·14	·54		·03		·15	16
17	·01		·01	·10			·04	·82	·12	·04	·05		17
18		·14		·38		·03		·02	·12	·06	1·35	·02	18
19	·05		·02	·04	·44		·35	·02	·04	·03	·60	·13	19
20	·03		·15	·11				·24			·11	·04	20
21	·05	·34	·08	·10	·23		·06					·16	21
22		·11	·01			·01				·05		·08	22
23	·06	·03	·01	·04		·01				·12	·11	·35	23
24		·05	·04	·05		·14		·12		·10		·06	24
25		·09	·04		·01			·21		·15	·11	·06	25
26		·22	·02							·01	·03		26
27		·44						·08		·19			27
28		·32	·01					·08		·16		·20	28
29		·09			·04	·11				·14		·04	29
30		×			·10				·01	·26			30
31		×		×	·04	×			×	·02	×	·02	31
Total	0·70	3·39	3·41	1·31 ~~1·25~~	3·40	1·45	2·20	3·53	1·18 ~~1·14~~	3·19	3·69	3·24	YEAR'S TOTAL 31·02 ~~31·09~~
Rain Days.	11	22	26	15	16	14	12	13	10	25	16	23	206

W. 8,000, VIII. 16

W 08 [illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

31.1.19

Kept at Scampston Hall
in the County of Yorkshire
by J. C. Puddle

Lat. 54°10′ Long. 0·41′ W
Time of Observation 9 a.m
Nearest Railway Station Rillington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·03	·10	·02	·02				·40	·04	·09	·03	1
2	·11	·19		·20				·05	·19	·		·10	2
3	·01	·01	·05		·16			·11		(37)	·41	·01	3
4		·02	·06		·06	—		·10	·21	·01	·31	·31	4
5			·02	·04	·29	—		·63		·05			5
6	·07	·36		·55				·22	·04	·04		·03	6
7	·16	·06		·02		·18				·03	·19		7
8	·02	·22	·09				·34		·02	·03			8
9	·02	·30		·04		·09	·08		·56	·15	·03	·09	9
10	·02	·03					·03		·04		·03	·02	10
11	·20	·05	·01		·42		·06	·01	·05			·04	11
12		·13	·02	·04	·13		·44	·15	·14	·01		·02	12
13		·02		·06	·12				·34	·02			13
14	·10			·03			·02		·21	·04		·09	14
15	·02					·10	·20	·06	·83			·76	15
16						·08	·06	·12	·24			·24	16
17	·33				·35	·18	·86		·01	·09		·28	17
18	·33		·03	·39		·05	·44	·20	·55	·04		·06	18
19	·28		·05	·13			·14			·14			19
20	·10	·34		·03		[illegible]	·18		·13	·06			20
21	·04				·20	·11			·15	·14			21
22	·05			·01	·08		·03		·06	·02	·03	·26	22
23	·06				·20		·34		·01			·02	23
24		·05							·11	·05	·04	·01	24
25			·02			·05	·03	·15	·05			·04	25
26							·42	·12	·22	·01	·05	·05	26
27		·04	·03			·01	·01	·31	·15		·10	·13	27
28		·24	·43						·05		·06		28
29									·09		·04	·09	29
30		X	·12					·01	·10		·04	·55	30
31		X	·33	X		X		·10	X		X	·03	31
Total	1·93	2·12	1·36	1·59	2·03	·84	4·04	2·34	5·01	1·04	1·48	8·32	YEAR'S TOTAL 24·16
Rain Days.	18	16	14	13	11	10	14	15	26	19	13	23	195

W. 6,500, VII. 18. W W C

3200

12 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Scampston Hall
in the County of York
by J. C. Puddle

Lat. 54° 10′ N Long. 0 · 41′ W
Time of Observation 9 a.m.
Nearest Railway Station Rillington
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·08			·40		·42		·14	·01	·11	·08	1
2	·13		·08				·43		·10		·22		2
3	·66				·04	·10			·08		·31	·10	3
4	·02	·06	·41		·02	·04		·03	·08		·11	·04	4
5	·05	·03							·08		·04	·05	5
6	·10		·20		·08					·02	·16	·08	6
7	·02		·23		·28							·33	7
8	·14			·02				·02		·03	·10	·04	8
9			·01	·01						·14	·25		9
10			·06	·02						·05	·09	·21	10
11			·91		·05		·24			·03	·06	·01	11
12			·82	·09		·05				·28	·06	·07	12
13	·12	[illegible]	·01	·11		·12	·38	·05		·08		·01	13
14	·19			·38				·03		·04	·20	·01	14
15	·04	·04	·09	·08				·01		·03	·04	·60	15
16	·02	·24		·02						·10	·04		16
17		·08			·10			·04			·15		17
18							·01	·24	·01			·05	18
19	·01	·21	·61			·02	·42	·05	·09		·08	·04	19
20	·33	·15	·01			·04	·26	·05	·01			·35	20
21	·12	·15	·04			·05			·04		·03	·03	21
22		·08	·03			·02	·14		·11		·01	·05	22
23			·10	·03	·01	·16	·02	·03		·66	·03		23
24	·04	·02	·02	·03	·01	·01				·49	·05		24
25		·03		·03		·06		·46			·04	·04	25
26	·03	·12	·25	·09		·01		·45	·02	·29	·24	·49	26
27	·06	·03		·53		·03	·01		·01	·61	·10		27
28				·04			·01	·56		·27	·03	·25	28
29	·12		·04			·11				1·26		·10	29
30	·05		·05	·14		·32		·03		·19	·15	·22	30
31	·18		·13				·12			·16		·02	31
Total	2·63	1·35	4·10	1·66	1·02	1·14	2·46	2·11	·44	4·44	2·46	3·21	YEAR'S TOTAL 28·25
Days with ·01 in. or more	21	14	20	15	9	15	12	14	12	19	25	24	200

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 3083

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Scampston Hall Gardens

in the County of Yorkshire

by W. H. St Quintin Esqre

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Rillington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·06	·35	·27	·	·16	·	·	·45	·	·	1
2	·	·	·06	·25	·06	·	·58	·	·12	·22	·	·35	2
3	·	·	·	·05	·03	·	·18	·15	·15	·26	·	·38	3
4	·06	·	·	·	·08	·	·65	·58	·	·82	·	·19	4
5	·	·01	·03	·	·15	·	·15	·	·14	·	·	·09	5
6	·	·	·06	·10	·05	·	·26	·06	·	·	·	·13	6
7	·	·	·04	·08	·02	·	·28	·	·	·	·	·09	7
8	·01	·03	·	·28	·08	·	·10	·10	·	·	·	·	8
9	·13	·03	·01	·48	·	·	·05	·08	·	·	·	·	9
10	·54	·07	·02	·21	·	·	·21	·05	·	·	·	·09	10
11	·36	·02	·06	·10	·02	·	·	·	·	·	·	·19	11
12	·10	·	·	·21	·	·03	·04	·	·	·	·03	·27	12
13	·05	·02	·17	·05	·	·	·	·	·03	·	·07	·18	13
14	·	·04	·41	·15	·	·	·04	·	·27	·	·12	·04	14
15	·	·14	·15	·23	·	·	·03	·	·	·32	·03	·06	15
16	·	·	·	·03	·	·	1·04	·	·19	·	·09	·	16
17	·	·	·	·	·14	·	·06	·11	·21	·04	·	·	17
18	·22	·	·	·04	·09	·	·07	·	·25	·	·	·	18
19	·01	·23	·	·37	·	·	·	·09	·09	·	·	·	19
20	·14	·03	·	·15	·	·17	·03	·	·	·	·	·	20
21	·	·03	·	·10	·	·	·52	·23	·03	·	·	·	21
22	·06	·	·	·10	·	·	·06	·	·	·	·	·	22
23	·	·	·	·04	·	·	·54	·	·	·	·	·12	23
24	·	·	·32	·03	·	·	·	·	·	·	·	·04	24
25	·	·05	·08	·05	·	·	·60	·	·	·	·	·	25
26	·04	·06	·12	·06	·03	·	·07	·	·	·	·	·	26
27	·25	·	·	·12	·60	·55	·	·	·	·	·18	·09	27
28	1·02	·	·	·10	·	·02	·	·	·	·	·08	·08	28
29	·12	·	·11	·14	·31	·26	·03	·	·	·	·06	·42	29
30	·13	×	·05	·04	·	·	·	·	·26	·	·18	·10	30
31	·09	×	·	×	·08	×	·	·	×	·	×	·20	31
TOTAL	3·33	·76	1·75	3·91	2·01	1·03	5·75	1·45	1·74	2·11	·84	3·11	YEAR'S TOTAL 27·69
Days with ·01 in. or more	17	13	16	27	15	5	23	9	11	6	9	19	170
Days with ·04 in. or more	15	6	13	25	11	3	20	9	9	6	7	19	143

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S. made

FORM A2.
BRITISH RAINFALL.

·4 MAR 1912

RIPON.
STUDLEY. ROYAL GDNS
YORKS

1911 —

19*11*

Kept at *Stu*

in the County of

by *Oswald*

top in.

p above Ground ft. in.

„ Sea Level ft.

tion Name
Distance Direction

IMPORTANT … , and the result entered to the previous day. If … universal rule, he is earnestly requested to add th… ng year in the space provided for it at the end … surement of rain, the selection and … e British Rainfall Organization are gi… e on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·07		·03		·01	·07			·01		1
2	·27		—		·29		·15			·04	·04	·08	2
3			·03		·20			·03		·16	·06		3
4	·02		·14	·18	·02			·22	·03	·08	·45	·23	4
5	·08		·01	·12				·49		·07	·25		5
6	·32		·06					·29		·04	·16	·74	6
7	·02	·02	·02	·02							·03		7
8	·01		·14							·01	·06	·71	8
9	·01	·07		·02		·06						·15	9
10	·13											·50	10
11	·35	—	·02		·02						·38	·07	11
12	·14		·07		·14	·17			·85		·32	·03	12
13			·22								·11	·45	13
14		·01	·19		·44		·01				·02	·55	14
15		·13	·22	·02						·12	·30	·24	15
16			·14			·09	·04			·05	·21	·19	16
17		·01	·05	·01	·09	·19					·13	·13	17
18		·29	·07	·01		·04					·18	·16	18
19		·39	·02	·01			·06			·19	·85	·09	19
20		·05		·16			·05	·46	·01	·02	·03	·12	20
21		·30		·09				·40		·18	·05	·01	21
22	·16	·07		·01				·09		·13	·16		22
23		·39				·69			·16	·04		·30	23
24	·19	·02	·02	·01		1·08		·01		·13		·05	24
25	·03	·03		·01		·07	·01		·60			·28	25
26		·09		·01	·05			·04	·03	·83	·26	·16	26
27		·22	·01	·08				·23		·02	·02	·02	27
28		·08	·04	·21		·01			·09			·16	28
29			·02	·15		·06	·04	·02	·49	·68		·03	29
30			·02		·02				·05	·18			30
31					·10					·19	·02	·03	31
Total	1·73	2·15	1·58	1·12	1·40	2·46	·37	2·35	2·25	3·16	4·10	5·48	TOTAL for year 28·15
No. of Rain Days	13	16	21	17	11	10	8	12	9	19	23	25	184

9,000, IX. '10.

S. Wade

FORM A2.
BRITISH RAINFALL.
4 MAR 1912

REGISTER OF RAINFALL IN 1911

Kept at Studley Royal

in the County of York (West Riding) 12

by Oswald H. Wade

Rain Gauge
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·07		·03		·01	·07			·01		1
2	·27		—		·29		·15			·04	·04	·08	2
3			·03		·20			·03		·16	·06		3
4	·02		·14	·18	·02			·22	·03	·08	·45	·23	4
5	·08		·01	·12				·49		·07	·25		5
6	·32		·06					·29		·04	·16	·74	6
7	·02	·02	·02	·02							·03		7
8	·01		·14							·01	·06	·71	8
9	·01	·07		·02		·06						·15	9
10	·13											·50	10
11	·35		·02		·02						·38	·07	11
12	·14		·07		·14	·17			·85		·32	·03	12
13			·22								·11	·45	13
14		·01	·19		·44		·01				·02	·55	14
15		·13	·22	·02						·12	·30	·24	15
16			·14			·09	·04			·05	·21	·19	16
17		·01	·05	·01	·09	·19					·13	·13	17
18		·29	·07	·01		·04					·18	·16	18
19		·39	·02	·01			·06			·19	·85	·09	19
20		·05		·16			·05	·46	·01	·02	·03	·12	20
21		·30		·09				·40		·18	·05	·01	21
22	·16	·07		·01				·09		·13	·16		22
23		·39				·69			·16	·04		·30	23
24	·19	·02	·02	·01		1·08		·01		·13		·05	24
25	·03	·03		·01		·07	·01		·60			·28	25
26		·09		·01	·05			·04	·03	·83	·26	·16	26
27		·22	·01	·08				·23		·02	·02	·02	27
28		·08	·04	·21		·01			·09			·16	28
29			·02	·15		·06	·04	·02	·49	·68		·03	29
30			·02		·02				·05	·18			30
31					·10					·19	·02	·03	31
Total	1·73	2·15	1·58	1·12	1·40	2·46	·37	2·35	2·25	3·16	4·10	5·48	TOTAL for year 28·15
No. of Rain Days	13	16	21	17	11	10	8	12	9	19	23	25	184

9,000, IX. '10.

Cor. for auth 29. III. 13.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

29 MAR 1913

W. 12

Kept at Studley Royal

in the County of York (West Riding)

by Oswald H. Dade

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·18			·45	·43	·18	·08	·10		·36	1
2		·20	·20			·60	·63		·02	·02			2
3	·12	·08	·04			·92		·61	·24			·11	3
4	·23		·70		·05	·99		·43	·03				4
5	·02				·33	·07		·02			·03		5
6	·47	·18						·73					6
7		·10	·02		·01	·02		·03	·10		·02	·02	7
8	·39	·22	·16	·08		·08	·01		·28		·06	·01	8
9	·03	·06	·08	·10		·29					·05		9
10	·11	·02	·02	·01		·56		·06			·19		10
11	·19	·14					·38				·37	·33	11
12	·12	·11	·03			·12				·03	·26	·10	12
13	·01	·02				·02				·19	·14	·34	13
14	·13		·31		·03	·22			·01		·02	·14	14
15	·32	·02	·18		·52	·22						·26	15
16	·67		·14		·01	·07				·07		·10	16
17	·06	·05	·21			·22	·05	·20				·19	17
18	·30	·03	·07			·01				·03		·04	18
19		·33				·01	·13	·21		·07			19
20	·61	·02	·05		·44	·07	·03		·01	·20	·02		20
21			·20		·14		·02			·04	·01		21
22	·04	·18	·07		1·14	·75		·37					22
23			·42		·02		·29	·32			·08	·05	23
24	·27		·01		·01	·08	·11	·09			·16	·28	24
25			·11			·72	·70	·11			·25	·29	25
26	·02	·18	·02			·01	·09	·74		1·35	·17	·25	26
27			·03		·03	·45	·57	·01		·21		·04	27
28		·01		·01	·01	·35	·58	·76		·40	·25		28
29	~~·09~~	·01	·21				·17	·02	·74	·06		·15	29
30	·09		·18		·11		·01	·02	·70	·03			30
31			·11		·12		·62	·22		·05		·01	31
Total	4·20	1·96	3·75	·20	2·97	6·92	4·82	5·13	2·21	2·8~~6~~5	2·08	3·07	YEAR'S TOTAL 40·1~~7~~6
Rain Days.	20	19	25	4	15	24	17	19	10	15	16	19	203 ✓

40·16

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

7 JUL 1914

Kept at Studley Royal
in the County of York (West Riding)
~~by~~ J H Wade Esc. MG

Lat. Long.
Time of Observation
12
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		.17	.17							.08	.01	1
2	.01	.13	.34	.03		.09				.03	.07	.03	2
3	.07	.03	.09		.27		.04		.01	.21	–	.03	3
4	.35	.1	.15			.02	.09		.04	.77	.14	.39	4
5	.34	.05	.1			.09	.01	.08	.07	.25	.01		5
6	.03	.29	.26		.34	.05	.36			.03	.04		6
7		.46	.01	.01	.11	.13				.94			7
8	.01	.03			.54	.05				.31	.13	.02	8
9		.11	.05	.02	.15	.11		.3			.05		9
10		.07	.09		.01						.27		10
11	.67			.57	.07					.06	.12	.01	11
12	.03	.02							.04	.01	.28		12
13			.01	.02				.11	.18	.02	.05		13
14	.11	.04	.17	.07			.19			.12	.04		14
15	.25	.01	.58	.34							.34		15
16			.03				.03	.1			.03		16
17		.02	.08	.03					.37		.1		17
18	.04		.39	.21		.19					.26	.03	18
19	22		.35	.04			.01		.02	.07	.03		19
20	.33		.11	.05					.05	.12	.3		20
21	.05		.3		.09		.2	.25	.07				21
22	.13		.54		.01		.01	.33					22
23	11		.01			.11	.01	.12	.13	.01	.06		23
24	.23			.02		.16					.05		24
25	01	.03		.02					.51	.05		.08	25
26			.09	.41		.05			.09	.15	.09	.49	26
27		01	.03	.19		.15				.03	.01	.15	27
28	42		.27	.74						.02	.02	.42	28
29	06		34	47	.07			.18		.03		.39	29
30	44		01		.47					.33		.09	30
31	22		.02		.08								31
Total	4.16	1.40	4.32	3.41	2.21	1.20	.95	1.47	1.58	3.56	2.57	2.14	YEAR'S TOTAL 28.97
Rain Days.	23	15	26	18	12	12	10	8	12	20	23	13	192

W.7,000, XI. 13

Ex LMC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 MAR 1915

Kept at Studley Royal
in the County of York WR 12
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							2·09	·15		·03	·02	·29	1
2	·02						·74	·21		·03	·36	·12	2
3	·05		·01		·38						·07	·68	3
4	·12		·02	·21	·16						·12	·95	4
5	·04		·1	·16	·03		·02			·01	·22	·1	5
6		·05	·03	·13	·15	·04					·1	·12	6
7	·01	·04	·26	·11	·05	·35		·01			·08	·24	7
8	·03		·04		·07	·31	·17	·06	·02		·01	·06	8
9	·31	·07		·27		·93		·11	·02		·13	·11	9
10	·09	·15		·01					·07		·22	·03	10
11		·22	·19		·01						·36	·43	11
12		·06	·05				·08		·12		·09	·41	12
13	·01	·21	·19				·01		·02		·14	·25	13
14	·03	·34	·02				·06		·03	·03	·3	·35	14
15	·02	·02	·12						·09	·01	·26		15
16	·04		·04				·81		·37		·02		16
17	·03	·25	·11				·02		·54			·26	17
18	·01	·16	·01			·01			·02	·01		·03	18
19			·03		·01						·03	·08	19
20		·09	·06			·01	·03		·01	·03	·05		20
21		·51				·79		·01		·03		·03	21
22		·02	·01			·07	·02	·06		·06	·01	·09	22
23			·03	·01	·49	·11							23
24	·01	·02	·11		·16			·17			·08		24
25	·04		·02					·17		·84	·02	·57	25
26			·1				·11	·01		·18	·39	·42	26
27	·04									·07	·32	·74	27
28	·05	·02	·02		·02			·04		·08	·27	·12	28
29			·23					·13		·25	·09		29
30	·04	✕	·19	·03	·02			·04		·12	·11	·21	30
31	·29	✕		✕	·01	✕	·44	·02	✕	·35	✕		31
													YEAR'S TOTAL
Total	1·30	2·23	1·99	·93	1·56	2·62	4·60	1·19	1·31	2·13	3·87	6·69	30·42
Rain Days.	20	16	24	8	13	9	13	14	11	16	26	24	194

W. 8,000. X. 14.

Exe D.L.

3578

FORM A.
BRITISH RAINFALL
12 JAN 1916

REGISTER OF RAINFALL IN 1915

✓

Kept at Studley Royal

in the County of York 12

by T H Wade

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·39			·12			·02	·09		·05	·16	1
2		·12	·11			·04	·11	·34			·03	·01	2
3	1·19	·1		·29			·18	·17		·02	·07	·7	3
4	·12	·01		·15	·08		·35	·11		~~0~~	·02	1·23	4
5	·25	·18	·01		·09	·01		·02	·1	·01	·02	1·03	5
6	·19	·33	·14	·14			1·18	·02				·16	6
7	·21	·61	·04	·06			·32	·39				·12	7
8	·11	·05	·02				·24	·08			·15	·04	8
9	·03	·04						·05		·05	·08	·71	9
10	·31		·06	·08				·19		·17		·05	10
11	·02	·10	·03	·02	·9			·01			·07	·06	11
12	·07	·06		·18	·07		·2			·1	·83		12
13	·02	·16					·01	·02	·05			·07	13
14	·18	·04		·02	·09		·1					·1	14
15	·94	·02					·01	·09		·06	·2	·21	15
16		·43			·07		·94	·24	·01	·04		·02	16
17		·39										·1	17
18		·08	·3					·06	·06	·08		·02	18
19							·13			·05	·02		19
20	·04						·02			·16		·35	20
21	·25	·04		·01	·02		·01					·18	21
22	·02		·08				·11			·01		·1	22
23	·09	·14	·07				·03		·02	·04		·06	23
24	·01		·16	·08					·61			·35	24
25									·02			·1	25
26	·03	·22				·12	·24					·7	26
27		·18	·05				·07			·55		·12	27
28		·12	·03		·2			·41		·08		·05	28
29	·03				·31		·08	·04			·28	·56	29
30	·08	╳		·04		1·41	·06	·04			·02	·04	30
31	·08	╳		╳		╳	·05	·39	╳	·04	╳	·19	31
Total	4·59	3·81	1·10	1·07	1·95	1·58	4·44	2·69	·96	1·46	1·24	7·59	YEAR'S TOTAL 33·08
Rain Days.	23	22	13	11	10	4	21	19	8	15	13	29	188

W. 8,000. X. 15.

Used [illegible]

3502

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
8. MAR 1917

Kept at Studley Royal
in the County of York W R
by G. E. Thomas for the Marquess of Ripon

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge - in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·66	·03	·00	·00	·00	·08	·28	·00	·00	·01	·03	·00	1
2	·06	·03	·03	·00	·00	·00	·00	·00	·23	·14	·02	·01	2
3	·00	·16	·10	·04	·00	·01	·31	·00	1·14	·15	·27	·00	3
4	·09	·43	·03	·01	·66	·49	·05	·00	·13	·34	·40	·00	4
5	·01	·17	·05	·00	·27	·05	·00	·00	·00	·80	·25	·00	5
6	·02	·37	·06	·08	·52	·00	·19	·00	·00	·07	·27	·00	6
7	·00	·06	·05	·01	·15	·00	·00	·00	·00	·20	·02	·18	7
8	·00	·07	·09	·00	·00	·07	·44	·00	·00	·03	·02	·00	8
9	·00	·00	·04	·00	·34	·35	·00	·00	·00	·00	·04	·00	9
10	·02	·02	·00	·00	·00	·29	·00	·00	·09	·27	·03	·33	10
11	·00	·41	·16	·02	·00	·13	·02	·00	·00	·03	·01	·20	11
12	·00	·04	·42	·01	·23	·08	·27	·06	·00	·03	·00	·06	12
13	·00	·02	·30	·04	·03	·00	·13	·30	·00	·75	·06	·09	13
14	·02	·36	·04	·03	·02	·05	·00	·16	·03	·12	·02	·06	14
15	·00	·46	·89	·01	·00	·00	·19	·46	·00	·01	·00	·00	15
16	·00	·17	·21	·16	·00	·00	·06	·18	·00	·00	·00	·03	16
17	·00	·20	·00	·09	·00	·00	·02	·12	·04	·17	·02	·00	17
18	·00	·02	·00	·10	·00	·01	·01	·03	·24	·06	·66	·00	18
19	·31	·00	·26	·30	·00	·00	·00	·02	·02	·00	·36	·20	19
20	·28	·00	·52	·26	·00	·00	·12	·05	·00	·00	·03	·07	20
21	·17	·00	·02	·03	·00	·00	·02	·00	·00	·00	·00	·00	21
22	·00	·12	·00	·02	·00	·11	·00	·00	·00	·12	·07	·00	22
23	·00	·00	·17	·10	·00	·00	·00	·00	·00	·00	·18	20	23
24	·00	·02	·01	·06	·04	·10	·00	·28	·00	·07	·05	·08	24
25	·02	·03	·23	·00	·18	·00	·00	·48	·00	·12	·06	·06	25
26	·03	·07	·14	·00	·00	·03	·00	·01	·00	·02	·00	·02	26
27	·00	·22	·00	·00	·03	·00	·01	·06	·01	·67	·00	·00	27
28	·00	·12	·00	·00	·17	·00	·00	·00	·00	·27	·01	·29	28
29	·00	·25	·00	·00	·16	·13	·00	·00	·00	·23	·00	·09	29
30	·00	✕	·00	·00	·00	·03	·00	·00	·00	·58	·00	·02	30
31	·01	✕	·00	✕	00	✕	·07	·00	✕	·20	✕	·00	31
Total	1·70	3·85	3·82	1·37	2·80	2·01	2·19	2·21	1·93	546	2·88	1·99	YEAR'S TOTAL 32·21
Rain Days.	13	24	21	18	13	16	16	13	9	25	21	17	206

W. 8,000, VIII. 16

3359

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Studley Royal
in the County of York
by G. E. Thomas, (Gardener)

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·14		·47		·46	·38		·18	·11	1
2	·05			·03		·03		·14					2
3				·02		·06		·04		·07	·04		3
4			·12					·01		·06			4
5	·18		·14	·27						·07	·11		5
6						·03				·39	·18	·02	6
7	·51		·02	·02		·40		·03		·23	·01	·15	7
8	·83		·05	·15				1·68		·48	·10	·09	8
9			·02	·17				·19		·03	·08		9
10	·3		·87	·14	·07			·18		·06	·03		10
11		·01		·04	·01			·08		·18			11
12	·06			·03	·22			·13		·75		·12	12
13	·12			·19	·06	·39		·35	·20	·03	·01	·07	13
14	·09			·12	·19			·08				·17	14
15	·12			·03			·16	·02		·02	·01	·14	15
16	·09			·25				·10				·28	16
17	·07	·04		·11	·54		·07	·53		·09		·20	17
18	·01		·01	·05	·12		·30	·16	·05				18
19	·06	·26	·09		·36	·17	·05						19
20	·05	·31	·05			·17		·01	·04		·01		20
21	·13	·10	·16					·05		·03		·04	21
22	·01		·24			·14		·04	·02	·01			22
23					·23	·14		·15		·02	·02		23
24								·03		·61	·49		24
25		·02	·01					·07		·35			25
26						·16		·59	·07	·24	·04	·02	26
27			·13			·33	·38	·85		·02		·07	27
28			·17			·05	·07	·41		·05	·19		28
29			·08				·18			·41	·33	·04	29
30	·05	✕	·05	·07			·02	·02		·05	·17		30
31	·04	✕	·20	✕	·05	✕	·02	·03	✕		✕	·04	31
Total	2·77	·74	2·41	1·83	1·85	2·54	1·25	6·43	·76	4·25	2·00	1·56	YEAR'S TOTAL 28·39
Rain Days.	18	6	17	17	10	13	9	27	6	23	17	15	178.

W. 8,000, IX. 17.

2nd 646

333

FORM A.
BRITISH RAINFALL.

14. 1 19

REGISTER OF RAINFALL IN 1918

Kept at The Studley Royal Gardens.

in the County of York

by G. E. Thomas.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ripon
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. six in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·0	·08	·06		·01			·	·12	·09		·01	1
2	·03	·14		·02				·01	·09	·03	·14	·21	2
3	·0·	·	·03		·4			·02	·03	·04	·15	·02	3
4	·01	·03	·05		·34			·25	·42	·07	·36	·17	4
5	·0	·	·1	·05	·64			1·06		·19		·02	5
6	·0	·51	·02	·19		·07		·22		·19		·07	6
7	·03	·04		·31		·02		·	·21	·36	·35		7
8	·0	·15	·14				·24	·02	·16	·04	·03		8
9	·03	·83		·14		·06			·48	·05	·22	·06	9
10	·0·	·47		·05			·27		·2	·02	·11		10
11	·1	·03	·03	·01	·11			·03	·02	·02		·05	11
12	·0	·12	·03		·18		·63		·04	·01		·02	12
13	·0	·02		·14	·1	·02			·33	·15		·01	13
14	·25	·		·06		·03	·1		·83	·04		·17	14
15	·05	·		·02	·02				1·18			1·31	15
16	·04	·	·02			·22	·61	·09	·21	·08		·25	16
17	·24	·			·15	·21	·15	·05	·04	·29		·32	17
18	·91	·	·05				·14		·37	·01		·24	18
19	·28	·54	·13	·14		·08	·48	·1	·2	·17		·3	19
20	·17	·				·06	·18		·1	·06		·59	20
21	·23	·31			·34				·29	·09			21
22	·02	·				·02	·03		·01			·54	22
23	·03	·		·02	·67		·48		·02				23
24	·0	·				·01	·05		·23	·02	·1		24
25	·0	·			·02	·01	·24	·23	·05		·02		25
26	·0	·				·01	·09		·46	·01	·03	·16	26
27	·0	·	·05		·03		·01	·44	·29		·05	·17	27
28	·0	·18	·19						·05		·07	·41	28
29	·0	·							·22		·01	·29	29
30	·03	X	·23						·02			·23	30
31	·0	X	·16	X		X		·03	X		X	·07	31
Total	2·45	3·45	1·29	1·15	3·01	·82	3·70	2·55	6·94	2·03	1·64	5·69	YEAR'S TOTAL 34·75
Rain Days.	16.	14.	15	12	13	13	15	13	28	22	13	24.	198.

W. 8,000, IX. 17.

3184

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

6 FEB 20

Kept at Studley Royal Gardens Ripon
in the County of Yorks. W.R.
by Mr G E Thomas Gardener to The Marquis of Ripon

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Ripon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 ins
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·63	·01	·02		·13		·45		·27	·14	·02	·07	1
2	·19		·06				·25		·03				2
3	·61				·28	·12	·05				·11	·45	3
4	·35	·09	·35		·07	·02	·01	·07	·15		·10	·08	4
5	·06	·02			·13						·06	·07	5
6	·02		·12		·12					·03	·03	·02	6
7	·03		·08		·15								7
8	·16			·02	·12	·03		·03			·28		8
9	·26		·05			·05					·02		9
10	···		·11	·03	·04					·02	·05	·28	10
11	·03		1·19		·17		·14			·11	·15	·04	11
12	···		·26	·02		·13	·02		·12	·04	·07	·01	12
13	·20			·12			·15		·01	·17	·02	·05	13
14	·23			·32			·08	·14		·02	·03	·09	14
15	·06	·24	·06	·16							·03	·79	15
16	·04	·47	·01	·05				·02			·09		16
17	···			·02	·04			·06			·28	·01	17
18	···	·29			·01		·02	·31	·03			·17	18
19	·05	·17	1·12	·03		·03	·53	·05	·05		·34	·05	19
20	·63	·21				·04	·1	·01	·01		·01	·22	20
21	·16					·10		·01				·23	21
22	···		·03			·02		·07	·1		·02	·20	22
23	···			·04				·02		1·11	·07	·13	23
24	···			·09		·24			·04	·86	·12	·04	24
25	·07	·05		·05	·01	·05		·72			·18		25
26	···	·02	·38	·08		·02		·02	·02	·08	·16	·68	26
27	·22			·23						·14	·04	·35	27
28	·02			·12				·91		·33		·32	28
29	·11					·06		·01		·62		·19	29
30		X	·01	·14		·09				·06	·22		30
31	·02	X		X		X	·04		X	·06	X	·01	31
TOTAL	4·15	1·57	3·85	1·52	1·27	1·00	1·84	2·45	·83	3·79	2·50	4·55	YEAR'S TOTAL 29·32
Days with ·01 in. or more	22	10	15	16	12	14	12	15	11	15	24	24	190

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8L

431

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RIP~~ON~~
HIGH BANK
1911 - 1917

Kept at High B
in the County of W.
by Miss Ha

in.
round ft. in.
a Level ft.
me
stance Direction

IMPORTANT N he result entered to the previous day. If a prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04					.10			.03		1
2	.17				.30		.17			.08	.04	.16	2
3			.03		.29			.15		.10	.11		3
4	.02		.15	.23	.05			.16		.10	.48	.20	4
5	.20			.04				.47		.07	.18	.02	5
6	.45		.07	.02				.30		.05	.21	.59	6
7	.03		.02								.06		7
8			.11			.09			.03		.07	.82	8
9												.13	9
10	.11	.06										.62	10
11	.34	—	.03								.38		11
12	.07		.04		.23	.18			.81		.37	.03	12
13			.07								.08	.42	13
14			.32		.27		.02			.06	.02	.62	14
15		.08	.21							.05	.36	.20	15
16		.12	.22			.25	.02				.15	.14	16
17			.04		.08	.21					.22	.10	17
18		.33	.11	.02		.08					.16	.30	18
19			.03			.14	.20	.03	.10	.20	.63	.09	19
20		.04		.10			.05	.89	.03		.02	.10	20
21		.36		.07				.50	.02	.20	.07	.02	21
22	.17	.06		.03				.04			.03		22
23	.04	.54				.74			.13			.23	23
24	.14	.02	.06			1.00	.07			.15		.14	24
25		.15	.02			.08	.02		.53			.15	25
26				.04	.03			.03	.02	.91	.19	.17	26
27		.08		.08				.22	.05	.02			27
28		.13	.03	.16							.03	.15	28
29				.16		.02	.10		.47	.70		.04	29
30					.07				.02	.21	.04		30
31			.02							.18		.02	31
Total	1.74	1.97	1.62	.95	1.32	2.79	.65	2.89	2.21	3.08	3.93	5.46	TOTAL for year 28.61
No. of Rain Days	11	12	19	11	8	10	8	11	11	15	23	24	163

9,000, IX. '10.

8L

431

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at High Bank, Mickley, Ripon

in the County of W. R. York. Northern 12

by Miss Harrison

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·04					·10			·03		1
2	·17				·30		·17			·08	·04	·16	2
3			·03		·29			·15		·10	·11		3
4	·02		·15	·23	·05			·16		·10	·48	·20	4
5	·20			·04				·47		·07	·18	·02	5
6	·45		·07	·02				·30		·05	·21	·59	6
7	·03		·02								·06		7
8			·11			·09			·03		·07	·82	8
9												·13	9
10	·11	·06										·62	10
11	·34		·03								·38		11
12	·07		·04		·23	·18			·81		·37	·03	12
13			·07								·08	·42	13
14			·32		·27		·02			·06	·02	·62	14
15		·08	·21							·05	·36	·20	15
16		·12	·22			·25	·02				·15	·14	16
17			·04		·08	·21					·22	·10	17
18		·33	·11	·02		·08					·16	·30	18
19			·03			·14	·20	·03	·10	·20	·63	·09	19
20		·04		·10			·05	·89	·03		·02	·10	20
21		·36		·07				·50	·02	·20	·07	·02	21
22	·17	·06		·03				·04			·03		22
23	·04	·54				·74			·13			·23	23
24	·14	·02	·06			1·00	·07			·15		·14	24
25		·15	·02			·08	·02		·53			·15	25
26				·04	·03			·03	·02	·91	·19	·17	26
27		·08		·08				·22	·05	·02			27
28		·13	·03	·16							·03	·15	28
29				·16		·02	·10		·47	·70		·04	29
30					·07				·02	·21	·04		30
31			·02							·18		·02	31
Total	1·74	1·97	1·62	·95	1·32	2·79	·65	2·89	2·21	3·08	3·93	5·46	TOTAL for year 2861
No. of Rain Days	11	12	19	11	8	10	8	11	11	15	23	24	163

9,000, IX. '10.

82

429

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at High Bank, Mickley

in the County of West Riding, York

by E. G. Harrison

W. 12

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·12	·26			·40	·29	·23	·02	·10		·20	1
2		·03	·10			·44	·49		·02				2
3	·11	·11	·03			·83		·72	·42			·10	3
4	·17		·85	·04	·04	·86		·37	·04				4
5					·25	·29		·02					5
6	·97	·11				·03		·70		·02			6
7		·10	·02		·04	·13		·07	·08			·03	7
8	·50	·24	·17	·02		·13			·30		·21		8
9	·05	·11	·16	·07		·23					·03	·02	9
10	·08	·02			·02	·54		·12			·27		10
11	·16	·06						·02			·13	·22	11
12	·09	·13				·10	·35				·08	·15	12
13	·02	·03								·15	·21	·35	13
14	·13		·25			·18						·13	14
15	·34	·02	·06		·49	·12						·21	15
16	·87		·09			·12				·05		·12	16
17		·07	·28			·25	·03	·18				·15	17
18	·23	·03								·03		·05	18
19	·15	·33	·06			·02	·15	·20		·06			19
20	·28				·37	·06		·06		·19			20
21			·54		·07	—	·05			·03			21
22	·03	·15			·86	·70		·35					22
23			·14	—	·03		·23	·33			·07		23
24	·25					·04	·10	·10			·18	·22	24
25	·04		·05			·50	·29	·10			·41	·03	25
26	·06	·13	·02				·31	·48		1·37	·23	·31	26
27					·02	·40	·30			·18		·33	27
28		·02				·30	·40	·73	·03	·40	·15		28
29		·05	·22				·23	·04	·71	·06		·10	29
30	·09		·20		·16		·03		·52	·05			30
31			·14		·12		·63	·21		·04		·02	31
Total	4·62	1·86	3·64	·13	2·47	6·67	3·88	5·03	2·14	2·73	1·97	2·74	TOTAL for year 37·88
No. of Rain Days.	20	19	19	3	12	22	15	19	9	14	11	18	181

W. 8,000, X. '11.

SL ✓

442

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

31 JAN 1914

Kept at *High Bank, Mickley*
in the County of *W. R. York*
by *Miss Harrison*

W. 12

Lat.   Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge   in.
Height of top of Gauge above Ground   ft.   in.
" " " " Sea Level   ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·15	·18	·03						·10		1
2		·07	·30	·02		·07				·05	·10	·03	2
3	·10		·12		·29		·10		·04	·09			3
4	·30	·04	·07			·16	·05		·03	·23	·09	·35	4
5	·31		·17			·17		·06	·02	·15			5
6	·04	·36	·38		·38	·31	·46			·03	·03		6
7		·67			·14	·10				·82			7
8	·03	·04			·55	·04		·05		1·01	·17		8
9		·07	·06		·17	·22		·17			·06		9
10		·06	·08	·02	·06						·30		10
11	1·10			·50	·03					·05	·10		11
12	·10							·02	·07		·24		12
13			·03	·03				·05	·19	·02	·05		13
14	·15	·07	·13	·13			·21			·08			14
15	·18		·50	·42				·02			·25		15
16			·05				·04	·05			·02		16
17			·07	·04		·22			·20		·11		17
18	·04		·54	·20	·03	·03	·02				·19		18
19	·30		·13	·06	·03				·03	·08	·05		19
20	·20		·08	·07					·21	·09	·39		20
21	·04		·03	·02	·07		·16	·22					21
22	·13		·70					·30	·07				22
23	·09					·09		·13	·22		·08		23
24	·22					·28							24
25				·05					·41	·04	·04	·04	25
26			·09	·53		·04			·09	·14	·07	·57	26
27		·04	·04	·36		·11				·04		·21	27
28	·55		·25	·61						·03		·28	28
29	·05		·44	·46	·06			·16		·05	·02	·29	29
30	·77				·24					·28		·04	30
31	·18				·08								31
Total	4·91	1·42	4·41	3·70	2·16	1·84	1·04	1·23	1·58	3·28	2·46	1·81	YEAR'S TOTAL 2984
Rain Days.	21	9	22	17	14	13	7	11	12	18	20	8	142

W. 7,500, XI. ·12

DL 425

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at High Bank, Mickley

in the County of W. R. York 12

by Miss Harrison

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.04				.05	.81	.09		.02	.02	.30	1
2							.55	.47		.03	.48	.15	2
3					.27						.15	.84	3
4	.07		.02	.22	.19						.18	.96	4
5	.03		.05	.14		.06	.02				.35	.12	5
6		.03		.10	.10			.02			.03	.16	6
7		.04	.21	.07	.03	.10					.03	.33	7
8	.01		.03		.02	.24	.09	.10				.07	8
9	.31	.07		.16		1.03		.02			.11	.04	9
10	.10	.23							.06		.17		10
11		.09	.20		.03				.03		.40	.30	11
12		.11	.05				.05		.09		.07	.38	12
13	.03	.25	.18						.02		.18	.28	13
14	.04	.48					.09				.27	.34	14
15	.02	.08	.06						.12		.42		15
16	.04		.04				.82		.60		.02		16
17	.03	.32	.09				.07		.43			.22	17
18		.12				.05						.10	18
19			.05		.04		.04		.02		.06	.08	19
20		.11	.10							.03			20
21		.54				.47	.04			.05	.04		21
22		.05			.16	.08		.04		.08		.06	22
23			.03		.32	.03						.08	23
24	.03		.08		.16			.12			.09		24
25	.05	.02						.17		.71	.02	.70	25
26			.10				.08			.18	.22	.29	26
27	.02									.08	.32	.55	27
28	.05		.02							.06	.16		28
29	.02		.17		.02			.15		.19	.08		29
30	.08		.16	.05				.03		.13	.17	.14	30
31	.35				.02		.36			.30			31
Total	1.28	2.58	1.64	.74	1.36	2.11	3.02	1.21	1.37	1.86	4.04	6.49	YEAR'S TOTAL 27.70
Rain Days.	17	16	18	6	12	9	12	10	8	12	24	22	166

W.7,000, XI. 13

82

3585
408

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at High Bank, Mickley
in the County of W. R. York
by E. E. Harrison

12

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·45			·04			·02	·03		·06	·17	1
2		·15	·13	·21		·04	·07	·27			·03		2
3	·66	·02		·13			·22	·34				·63	3
4	·07	·06			·10		·19	·17				1·00	4
5	·24	·19	·02		·02							1·06	5
6	·20	·35	·07	·20			1·12	·02	·08	·03		·19	6
7	·12	·68	·05	·03			·32	·55				·12	7
8	·10	·08	·02	·10			·05	·05			·12		8
9	·02	·04						·06		·05	·08	·65	9
10	·27		·09	·02				·13		·07		·12	10
11	·02	·08	·02		·77			·03			·05	·10	11
12	·05			·13	·05		·04			·05	·78		12
13		·15			·02								13
14	·19	·05		·02	·05		·22	·02				·14	14
15	·86	·03						·06		·14	·21	·21	15
16		·56			·07		·80	·12		·03			16
17		·50	·03				·03					·05	17
18		·13	·23						·11	·09	·02	·08	18
19		·03					·25			·03			19
20	·05				·03					·05		·33	20
21	·10	·05										·16	21
22	·04		·08				·02					·12	22
23	·07	·16	·07				·05			·07		·05	23
24	·02		·19	·06					·54			·40	24
25						·02						·03	25
26		·23				·12	·17					·56	26
27		·28	·04				·07			·54		·25	27
28		·09	·03		·21			·36		·08		·07	28
29	·05				·30		·03	·06			·27	·58	29
30	·07	X		·02		·05	·06	·04				·04	30
31	·04	X		X		X	·05	·40	X	·02	X	·25	31
Total	3·59	4·36	1·07	·92	1·66	·23	3·76	2·70	·76	1·25	1·62	7·36	YEAR'S TOTAL 29·28
Rain Days.	21	22	14	10	11	4	18	17	4	13	9	25	168

W. 8,000. X. 14.

3509
~~369~~

FORM A.
BRITISH RAINFALL.
30. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Ripon, High Bank

in the County of W. R. Yorkshire

by Miss Harrison

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·75		·09			·07	·25				·02		1
2	·05	·05	·21						·24	·12		·02	2
3		·18					·31		1·95	·08	·39		3
4	·08	·35	·08		·67	·33	·09		·15	·32	·43		4
5		·21			·23	·10				·63	·30		5
6	·02	·37		·10	·60		·16			·06	·33		6
7		·17	·15		·16		·55			·11	·04	·16	7
8						·06				·04			8
9			·12		·19	·20			·06			·34	9
10		·07	·04			·08				·13	·02		10
11		·37	·10			·15				·02		·05	11
12		·04	·42		·29	·04	·50					·08	12
13		·05	·30				·03	·24		·72		·21	13
14		·21	·05		·03			·10	·03	·19	·08	·03	14
15		·34	·95	·05			·13	·17					15
16		·17	·26	·15			·07	·06					16
17	·05	·05		·03			·03	·09		·15	·03		17
18		·24		·10			·02	·06	·11		·71	·17	18
19	·25		·20	·32				·02			·47	·10	19
20	·21		·41	·13			·14	·05			·05		20
21	·16		·03	·14	·13								21
22		·09		·07		·10				·15			22
23			·24	·05							·23	·25	23
24		·04	·02	·10		·14		·30			·06		24
25			·22		·23			·40		·11	·06	·11	25
26	·05	·08	·19			·05							26
27		·16						·03		·88			27
28		·13		·02	·02					·11	·04	·24	28
29		·30	·03		·52	·12				·27		·08	29
30		╳				·02				·69			30
31		╳		╳		╳	·04		╳	·27	╳		31
Total	1·62	3·67	~~9·40~~ 4·11	1·26	3·07	1·46	2·32	1·52	2·54	5·05	3·26	1·84	YEAR'S TOTAL ~~27·01~~ 31·72
Rain Days.	9	21	20	12	11	13	13	11	6	19	16	13	164

W. 8,000. X. 15.

8L

Esc DL

2366
~~353~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at High Bank, Mickley, Ripon
in the County of W. R. York
by F. Harrison

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge — in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05		·30							1
2	·04			·14									2
3						·04							3
4			·17										4
5	·16		·16	·30		·03							5
6													6
7	·64					·47							7
8	·70		·06	·11									8
9	·04			·13									9
10	·19		94	·20	·07								10
11	·02			·05									11
12	·04			·02	·22								12
13	·23			·14		·21							13
14	·25			·10	·10								14
15				·04									15
16	·15	·07		·21									16
17	·08	·05		·14	·53								17
18				·03	·17								18
19	·04	·24	·09		·30	·08							19
20	·20	·35	·05			·23							20
21	·03	·10	·13										21
22			·10			·09							22
23					·15	·08							23
24		·04											24
25			·04										25
26			·02			·26							26
27			·10			·24							27
28			·10			·06							28
29			·07										29
30	·11	X	·02	·12									30
31		X	·25	X	·02	X			X		X		31
Total	2·92	·85	2·30	1·78	1·56	2·09							YEAR'S TOTAL
Rain Days.	16	6	15	15	8	12							

W. 8,000, VIII. 16

S. made

RIPON
THE RED HOUSE
YORKS

1911 - 1920

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

R

Kept at The Red
in the County of York
by F. D. M

5 in.
Ground 1 ft. in.
Sea Level 120 ft.
Name Ripon
Distance 1/2 mile Direction E

IMPORTANT NOT … the result entered to the
previous day. If an Ob… …rsal rule, he is earnestly
requested to add the read… …ar in the space provided
for it at the end of this … …ent of rain,
the selection and placing … …ish Rainfall
Organization are given in … sent post-free on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03		·02			·06			·02	·03	1
2	·31				·37		·20			·03			2
3			·02	·08	·18			·05		·13	·10	·02	3
4	·02		·18	·25	·04			·20	·02	·06	·33	·01	4
5	·10			·08				·50		·08	·15	·26	5
6	·03		·10	·03				·29		·04	·03	·65	6
7	·19		·02	·02							·02		7
8	·01					·09			·05			·57	8
9												·12	9
10	·12	·07										·46	10
11	·24		·12					·03			·30	·02	11
12	·18		·05		·10	·11			·75		·38	·03	12
13			·30			·03					·10	·45	13
14		·15	·27		·56						·02	·50	14
15		·09	·06								·23	·16	15
16		·07	·10	·02		·06	·04			·03	·12	·15	16
17		·14	·12	·03	·10	·12				·02	·18	·10	17
18			·05			·06				·03	·17	·02	18
19						·07	·08		·12	·17	·94	·20	19
20		·10		·13			·06	·44		·04		·20	20
21		·26		·06				·40	·05	·12	·15		21
22		·02		·04				·08		·03	·10		22
23	·13	·34				·80		·01	·11			·20	23
24	·09	·02				1·00				·72			24
25		·10				·10	·03		·52	·02	·05	·22	25
26				·03	·09				·02	·74	·20	·18	26
27		·06		·09				·22	·12			·03	27
28		·09		·20			·07	·03				·15	28
29				·20		·03		·04	·48	·58			29
30			·06		·09				·02	·12		·02	30
31			·02							·10		·05	31
Total	1·42	1·51	1·50	1·26	1·55	2·47	·48	2·35	2·26	2·46	3·59	4·80	TOTAL for year 25·65
No. of Rain Days.	11	13	15	14	9	11	6	13	11	18	19	25	165

W. 8,000, X. '11.

S. made

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at The Red House - Ripon

in the County of York (West Riding)

by F. D. Wise

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 120 ft.

Time of Observation 9. am

Nearest Railway Station
Name Ripon
Distance ½ mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03		·02			·06			·02	·03	1
2	·31				·37		·20			·03			2
3			·02	·08	·18			·05		·13	·10	·02	3
4	·02		·18	·25	·04			·20	·02	·06	·33	·01	4
5	·10			·08				·50		·08	·15	·26	5
6	·03		·10	·03				·29		·04	·03	·65	6
7	·19		·02	·02							·02		7
8	·01					·09			·05			·57	8
9												·12	9
10	·12	·07										·46	10
11	·24		·12					·03			·30	·02	11
12	·18		·05		·10	·11			·75		·38	·03	12
13			·30			·03					·10	·45	13
14		·15	·27		·56						·02	·50	14
15		·09	·06								·23	·16	15
16		·07	·10	·02		·06	·04			·03	·12	·15	16
17		·14	·12	·03	·10	·12				·02	·18	·10	17
18			·05			·06				·03	·17	·02	18
19						·07	·08		·12	·17	·94	·20	19
20		·10		·13			·06	·44		·04		·20	20
21		·26		·06				·40	·05	·12	·15		21
22		·02		·04				·08		·03	·10		22
23	·13	·34				·80		·01	·11			·20	23
24	·09	·02				1·00				·12			24
25		·10				·10	·03		·52	·02	·05	·22	25
26				·03	·09				·02	·74	·20	·18	26
27		·06		·09				·22	·12			·03	27
28		·09		·20			·07	·03				·15	28
29				·20		·03		·04	·48	·58			29
30			·06		·09				·02	·12		·02	30
31			·02							·10		·05	31
Total	1·42	1·51	1·50	1·26	1·55	2·47	·48	2·35	2·26	2·46	3·59	4·80	TOTAL for year 25·65
No. of Rain Days.	11	13	15	14	9	11	6	13	11	18	19	25	165

W. 8,000, X. '11.

Smadle

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

1 JAN 1913

Kept at The Red House, Ripon

in the County of York W. 12

by F. D. Wise.

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Ripon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·45	·18			·40	·20	·18	·08	·06		·26	1
2			·12			·46	·59						2
3	·12					·92		·48	·21			·14	3
4	·20		·68		·06	·85		·31	·03		·03		4
5					·32	·23		·02			·02		5
6	·63	·30	·05		·02			·60					6
7		·10				·04		·03	·10		·01		7
8	·65	·18	·11	·02		·09			·27		·14		8
9		·03	·06	·05		·25					·06		9
10	·11	·03		·02		·56		·20		·06	·29		10
11	·20	·08									·27	·25	11
12	·13	·08	·03			·13	·28			·14	·10	·07	12
13										·04	·19	·15	13
14	·12		·30			·21						·09	14
15	·23		·12		·57	·23				·05		·22	15
16	·80		·10			·11						·09	16
17		·09	·20			·20	·03	·17		·02	·03	·15	17
18	·21	·03	·04					·20				·04	18
19	·17	·27					·10			·06	·02		19
20	·12				·52	·05	·03						20
21			·50		·11					·19	·01		21
22		·18			1·17	·50		·33			·01		22
23			·19		·03		·38	·30			·07		23
24	·35		·02			·03	·07	·07			·10	·26	24
25	·03		·06			·65	·26	·10			·31	·03	25
26		·12			·02		·39	·73		1·23	·12	·29	26
27		·01			·03		·25			·20		·18	27
28					·02	·37	·42	·75		·36	·20		28
29			·20		·10	·04	·19	·02	·63	·05		·07	29
30			·10						·44	·05		·01	30
31			·11		·06		·58	·24					31
Total	4·07	1·95	3·17	·09	3·03	6·32	3·77	4·73	1·76	2·51	1·98	2·30	YEAR'S TOTAL 35·68
Rain Days.	15	14	19	3	13	20	14	17	7	13	18	16	169

W. 7,500, XI. ·12

S-made

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at The Red House - Ripon

in the County of York (West Riding. 12

by Francis Dickson Wise

Lat. Long.

Time of Observation 9. AM

Nearest Railway Station Ripon

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·20	·19							·08		1
2		·10	·25			·10					·05	·03	2
3	·10	·01	·05		·24		·10		·02				3
4	·39		·08				·03		·08	·22	·13	·38	4
5	·25	·12	·08			·06		·06	·02	·51	·03		5
6		·26	·25		·40	·48	·35			·23			6
7		·43			·09	·16				1·10	·02		7
8	·03	·03			·48	·04				·35	·18		8
9		·08	·02	·05	·10	·03		·18			·15		9
10		·06	·06		·06	·05					·16		10
11	1·45			·55	·07	·03				·06	·11		11
12								·10	·07		·25		12
13								·05	·22	·02	·05		13
14	·15		·15	·10			·14			·10			14
15	·05		·50	·35							·28		15
16	·20		·03					·12			·03		16
17			·08			·20			·31		·14		17
18	·04		·42	·20	·03						·12		18
19	·08		·15						·02	·02			19
20	·22		·25						·05	·18	·29		20
21	·05		·02		·06		·22	·23					21
22	·13		·45		·05		·01	·37	·07				22
23	·11					·06	·03	·06	·13		·05		23
24	·19					·08		·02					24
25				·08		·01			·33	·04		·10	25
26			·07	·40		·03			·10	·10	·12	·35	26
27		·03	·03	·21		·14				·05		·16	27
28	·30		·20	·85								·55	28
29	·16		·33	·46	·08			·16		·06		·33	29
30	·45		·02		·55					·04			30
31	·16		·02		·06								31
Total	4·51	1·12	3·71	3·44	2·27	1·47	·88	1·35	1·42	3·08	2·24	1·90	YEAR'S TOTAL 27·39
Rain Days.	19	9	23	11	13	14	7	10	12	15	18	7	158

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Red House, Ripon.

in the County of York. W R 12

by F. D. Wise.

Lat. ________ Long. ________

Time of Observation 9 a.m

Nearest Railway Station Ripon

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground one ft. ___ in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03				1·40	·14				·25	1
2							·80	·14			·34	·11	2
3					·30						·06	·63	3
4	·06		·03	·20	·11						·16	1·00	4
5	·05		·06	·11	·03	·04	·04				·19		5
6				·08	·13						·06	·11	6
7		·07	·30	·04	·06	·18					·10	·20	7
8			·02		·06	·18	·20	·11				·10	8
9	·35	·06		·23		·79					·09	·04	9
10	·10	·15							·10		·20		10
11		·19	·16								·25	·35	11
12		·05	·06				·16		·12		·07	·40	12
13		·17	·12						·02			·23	13
14	·01	·26	·06				·06				·50	·24	14
15		·05	·09				·01		·09		·18		15
16	·02		·05				·84		·58				16
17	·05	·25	·10				·05		·26			·17	17
18	·04	·10				·06						·05	18
19					·04		·03		·02	·02			19
20		·12	·10			·07				·03			20
21		·52				·90	·03			·05	·08		21
22		·02			·14	·06		·10		·10		·20	22
23			·02		·40	·22							23
24			·07		·18	·02		·14			·12		24
25			·02					·13		·84		·57	25
26	·05		·07				·12			·23	·27	·30	26
27										·09	·30	·58	27
28	·05		·04					·02		·08	·23		28
29		X	·16		·04			·15		·18	·08	·07	29
30	·05	X	·16					·05		·09	·11	·35	30
31	·25	X		X	·07	X	·42		X	·28	X	·03	31
Total	1·08	2·01	1·72	·66	1·56	2·52	4·16	·98	1·19	1·99	3·39	5·98	YEAR'S TOTAL 27·24
Rain Days.	12	13	20	5	12	10	13	9	7	11	19	21	152

W. 8,000. X. 14.

3579

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
6 - JAN 1916

Kept at The Red House, Ripon.
in the County of York 12
by J. D. Wise

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Ripon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·39			·10		·03	·12	·08		·09	·18	1
2		·11		·30		·05	·08	·19					2
3	1·05	·02		·11			·30	·12			·05	·65	3
4	·14	·01			·10		·27	·35				1·15	4
5	·21	·16			·05	·01	1·10					·97	5
6	·17	·28	·20	·12			·27		·10		·03	·10	6
7	·16	·57	·06	·03				·40					7
8	·05	·06	·02	·08			·09	·05			·10		8
9		·02						·10	·02	·05	·04	·72	9
10	·24		·08					·14		·10		·06	10
11					·84						·14		11
12	·06	·03		·21	·06		·12			·05	·58		12
13	·01	·30											13
14	·20	·05			·06		·14					·04	14
15	·72						·13	·20			·25	·35	15
16		·42			·08		·85	·23		·08		·03	16
17		·36						·07		·03		·02	17
18		·06	·35				·08		·04	·09			18
19							·06			·05			19
20	·03											·40	20
21	·26	·04										·15	21
22			·12				·17					·13	22
23		·18					·13			·06			23
24			·13	·10					·62	·03		·30	24
25						·03			·02			·10	25
26	·02	·22	·03			·13	·18					·58	26
27		·13	·05				·05			·48		·18	27
28	·04	·07			·28			·39		·10		·04	28
29	·08				·23	·02	·04	·04			·26	·54	29
30	·10	X			·03	1·17					·02	·03	30
31		X		X		X	·07	·38	X		X	·20	31
Total	3·84 ✓	3·48 ✓	1·04 ✓	·95 ✓	1·83	1·41 ✓	4·16 ✓	2·78	·88 ✓	1·12	1·56 ✓	6·92 ✓	YEAR'S TOTAL 29·97 ✓
Rain Days.	18 ✓	20 ✓	9 ✓	7 ✓	10 ✓	6 ✓	19	14 ✓	6 ✓	11 ✓	10 ✓	22 ✓	152 ✓

W. 8,000. X. 15.

S made

3,503

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at The Red House - Ripon
in the County of York (West Riding)
by F. D. Wise

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Ripon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·46		·15			·08	·28				·03		1
2	·06	·05	·29				·37		·25	·13			2
3		·10	·04	·08					1·20	·12	·02		3
4		·42			·75	·36	·05		·10	·15	·23		4
5	·04	·11	·04		·19	·10				·70			5
6		·23	·13	·10	·48		·20			·05	·21		6
7		·10			·18	·02	·33			·09	·26	·24	7
8			·15			·05					·02	·06	8
9	·02				·27	·14			·08		·02	·30	9
10						·40				·18			10
11		·43	·16		·02	·09	·03		·03	·07	·02	·16	11
12		·04	·37	·02	·20	·06	·40	·03			·04		12
13		·06	·25		·02	·01	·05	·34		·62		·13	13
14		·19	·05	·02	·03	·03		·18		·10	·02	·04	14
15		·35	·90				·19	·33					15
16		·10	·17	·12			·04	·13					16
17	·05			·11			·02	·09	·07	·15	·03		17
18		·27		·10				·02	·27		·70	·29	18
19	·19		·22	·26							·35		19
20	·20		·50	·25			·18	·12			·05		20
21	·09			·12								·04	21
22		·15		·02		·10				·17			22
23			·20	·08							·18	·10	23
24				·08		·48		·25				·20	24
25		·05	·22		·17			·45		·15		·06	25
26	·05	·08	·10			·07							26
27		·20	·02					·04		·31			27
28		·08			·13					·16		·24	28
29		·23			·08	·12				·22		·09	29
30		X								·43			30
31		X		X		X	·03		X	·23	X		31
Total	1·16	3·24	3·96	1·36	2·52	2·11	2·17	1·98	2·00	4·03	2·18	1·95	YEAR'S TOTAL 28.66
Rain Days.	9	19	18	13	12	15	13	11	7	18	15	13	163

W. 8,000, VIII. 16

3360

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at The Red House, Ripon.
in the County of York, West Riding.
by H. D. Wise

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Ripon.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 12 in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·26		·72		·48	·36		·15	·10	1
2	·02			·03		·05		·13			·01		2
3				·02		·03		·02			·02		3
4			·23					·04		·25			4
5	·15		·12	·25									5
6								·01			·23		6
7	·63		·10			·39		·05		·66		·10	7
8	·74			·13				1·55		·40	·07		8
9	·07		·03	·12				·20		·01	·07		9
10	·23		·77	·36	·20			·22		·09	·04		10
11				·06				·03		·16			11
12					·22			·12		·67		·15	12
13	·33			·14	·08	·18		·32	·13	·03		·06	13
14	·22			·08	·25			·11				·07	14
15	·10	·03		·18	·01		·17	·01		·03		·04	15
16	·07			·12				·08				·54	16
17	·01	·06		·06	·41		·03	·46		·06		·22	17
18	·01			·14	·12		·28	·11	·06				18
19	·11	·20	·02		·26	·15	·07						19
20	·02	·39				·33			·03		·03		20
21	·09	·10	·35					·05		·03			21
22			·20			·07		·07		·01			22
23		·03			·27	·11	·02	·28		·03	·03	·03	23
24					·01	·02		·01		·40	·27		24
25			·03					·07		·24			25
26			·03			·15		·57		·19	·03		26
27			·10			·31	·33	·66				·08	27
28			·07			·04	·06	·21			·03		28
29			·04				·17	·01		·28	·12		29
30	·07	✕					·02	·04		·04	·04	·03	30
31	·05	✕	·35	✕	·04	✕	·03	·02	✕		✕	·02	31
Total	2·92	·81	2·44	1·95	1·87	2·55	1·18	5·93	·58	3·58	1·14	1·44	YEAR'S TOTAL 26·39
Rain Days.	17 ✓	6	14 ✓	14	11 ✓	13 ✓	10	28	4 ✓	18	14	12 ✓	161 ✓

W. 8,000, IX. 17.

from P.T. 334

To be filled and returned
to THE DIRECTOR,
British Rainfall Organization,
62 Camden Square, London, N.W. 1.
Copies of this form will be supplied with pleasure.

20.6.19

FORM B.
BRITISH RAINFALL

RAINFALL IN 1918

At Ripon

In the County of Yorks. W.R.

Rain Gauge
Diameter of Funnel .... in.
Height of Top, *Above Ground* .... ft. .... in.
Height of Top, *Above Sea Level* .... ft.

PLEASE FILL IN

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
Jan.	2·49			
Feb.	2·71			
Mar.	1·06			
Apr.	1·10			
May	2·65			
June	·93			
July	3·83			
Aug.	2·41			
Sept.	6·25			
Oct.	2·05			
Nov.	1·44			
Dec.	4·21			
Total	31·13	191		

Edmund Jones
~~Signed F. D. Wood per~~
~~Yorkshire Fishery Dist.~~ Repas.

[Please fill in the other side also.

W. 13,000. vii.18. w w c

20x 1806

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at ~~[illegible]~~ Red House Ripon

in the County of Yorks W.R.

by F. D. Wise

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48				·12		·43		·22	·13			1
2	·29		·06				·29		·03		·04		2
3	·96				·20	·13	·03		·12			·32	3
4	·07	·20	·30		·15			·07			·09	·10	4
5	·08				·22						·06	·06	5
6	·02		·10		·06					·02	·03		6
7	·03		·09		·13						·01		7
8	·14				·11			·01			·37		8
9	·20					·05					·04		9
10	·01		·14		·10					·03	·14	·39	10
11			1·21		·21		·20			·02		·04	11
12			·08			·08	·02		·09	·17	·08	·01	12
13	·15						·05		·01	·22	·03	·05	13
14	·20			·38			·13	·14		·02	·06	·06	14
15	·06	·21	·10	·22				·01				·82	15
16	·03	·38		·02							·09	·01	16
17		·01		·06				·04			·15		17
18			·24			·03	·02	·33	·01			·15	18
19	·04	·22	·77				·55	·19	·05		·25	·06	19
20	·60	·16				·03	·13	·03	·01			·12	20
21	·20	·19	·04			·04		·03			·02	·18	21
22		·14						·05	·11			·24	22
23						·02				·91	·04	·09	23
24				·13		·16			·01	·84		·04	24
25	·02	·04		·02		·09		·61			·16		25
26		·02	·35			·04		·04		·12	·19	·61	26
27	·20			·29		·01				·21		·07	27
28				·14				·84		·28		·30	28
29	·11					·05		·02		·64			29
30				·19		·14				·04	·24	·31	30
31	·01						·04	·03		·06		·02	31
TOTAL	3·90	1·57	3·48	1·45	1·30	·87	1·89	2·44	·66	3·71	2·09	4·05	YEAR'S TOTAL 27·41
Days with ·01 in. or more	21	10	12	9	9	13	11	15	10	15	19	22	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3rd WRD

3070

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 192

Kept at The Red House. Ripon
in the County of York (West Riding)
by F. D. Wise.

Lat. .... Long. ....
Time of Observation 9. A.M.
Nearest Railway Station Ripon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·31	·57	·02	·35			·05		·02	1
2		·01	·16	·15			·19		·18			·47	2
3		·05		·12	·03		·20	·12	·23	·37		·18	3
4				·04			·35	·77	·22	·73		·33	4
5			·07		·04		·16	·06	·02	·12		·01	5
6			·29	·10	·07		·06					·09	6
7	·12		·05	·02			·77					·03	7
8	·03	·03		·30	·07		·22	·11		·08	·43		8
9	·25	·40		·48			·11	·16	·03	·02			9
10	·88	·17		·67	·16		·25	·06					10
11	·41	·02		·14	·01		·01						11
12	·16		·37	·23			·04				·03		12
13	·06		·05	·13		·17							13
14	·01	·10	·53	·18			·12		·21	·21	·41		14
15		·16	·04	·20			·01		·01	1·05			15
16	·05						·53		·16				16
17					·19			·06	·11				17
18				·03	·29	·01			·11			·16	18
19				·31			·03	·16				·16	19
20		·52		·39			·06		·02		·03	·16	20
21				·09			·34	·30					21
22	·10			·17			·06	·03	·02		·02	·08	22
23							·30		·01			·26	23
24	·02		·47	·02			·02					·08	24
25		·07	·05				·63						25
26	·04	·04	·28				·04					·04	26
27	·29				·36	·39					·29	·01	27
28	·67		·27	·23			·06					·07	28
29	·11		·13		1·00	·07	·07				·09	·65	29
30	·12	×	·08		·03	·02			·09		·16	·25	30
31	·10	×	·03	×	·17	×	·01		×	·27	×	·14	31
TOTAL	3·42	1·57	2·87	4·31	2·99	·68	4·99	1·83	1·42	2·90	1·46	3·19	YEAR'S TOTAL 31·63
Days with ·01 in. or more	17	11	15	21	13	6	26	10	14	9	8	19	169
Days with ·04 in. or more	14	8	14	18	10	3	21	9	8	8	5	15	133

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

REGIS

RISHWORTH

GT WALDEN EDGE NEW G

1911- 20

Kept at Great Walden
en

in the County of WR Yor

by Wakefield Corp

– ft. 10 in.

vel 1135 T ft.

e Direction

IMPORTANT NOTE.—Ra
previous day. If an Observer
requested to add the reading at
for it at the end of this parag
the selection and placing of
Organization are given in "*Rule*
Dr. H. R. Mill, 62, Camden Sc

esult entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
tion to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			90		·03		13	·04			34	·02	1
2	·06		·11		·39		·08	·03		·07	·10	·18	2
3	·01		·19		·52			·01		·01	·66	01	3
4	·04		23	04	·03			06	·11	10	·62	·12	4
5	·09		·03	·01				·75		·07	·28	·03	5
6	·63		·04	14				·59		·21	·55	·27	6
7	·09			·02						·07	·25		7
8	·30		·38						·05	·03	·04	·49	8
9	·06											·29	9
10	·24	04	·15						·03			43	10
11	·34		·01		·03				·03		·63	·57	11
12	·02	01	·22		·02				1·17		·88		12
13			·03		·41	·01					·20	·34	13
14	·07	·63	·04		·13						·09	·11	14
15		·31	·07	·03						·13	·23	·46	15
16		1·15	·05	·02		·20	04			·09	·16	·21	16
17	·06	07	·08		·03	22	·04				·36	·11	17
18		·45	·08	·02		18		·03		·07	·09	·27	18
19		·18	·03	·14		·13	·11		·22	·22	·13	·06	19
20		·15		·34		·04	·07	·68	·13	·07	·01	·41	20
21	·01	·92	·03	·02		·01	·02	·27	·02	·11		·33	21
22	·06	·06		06		·05	·05	·08		·30	·07	·05	22
23	·01	·56	·01	·02	·19	·41			·18	·17		·43	23
24	·23	·22	·01	·20	·01	1·26		·03		·30		·16	24
25	·09	·60		·30		·04	·10		·82	·09	·01	·33	25
26	01	·02		·29	·03	·03	·02	·08		·60	29	·34	26
27	·05	29	·04	·54	·01			·61	55		·03	·08	27
28		33	·01	·40		·31		·03	·04		·03	64	28
29			·03	·49		·60			·73	·63		·17	29
30			·01		·15	33			·01	·32	·02		30
31			·10		·02					·14		·04	31
Total	2·47	5·99	2·88	3·08	2·00	3·82	·66	3·29	4·09	3·80	6·07	6·95	TOTAL for year 45·10
No. of Rain Days.	20	17	25	18	15	15	10	14	14	21	24	28	221

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

REGISTER

Kept at Great Walden Edge (new)

in the County of WR York 8

by Wakefield Corporation

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground – ft. 10 in.
" " " Sea Level 1135 T ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			90		·03		·13	·04			·34	·02	1
2	·06		·11		·39		·08	·03		·07	·10	·18	2
3	·01		·19		·52			·01		·01	·66	01	3
4	·04		23	·04	·03			·06	·11	·10	·62	·12	4
5	·09		·03	·01				·75		·07	·28	·03	5
6	·63		·04	14				·59		·21	·55	·27	6
7	·09			·02						·07	·25		7
8	·30		·38						·05	·03	·04	·49	8
9	·06											·29	9
10	·24	04	·15						·03			43	10
11	·34		·01		·03				·03		·63	·57	11
12	·02	01	·22		·02				1·17		·88		12
13			·03		·41	·01					·20	·34	13
14	·07	·63	·04		·13						·09	·11	14
15		·31	·07	·03						·13	·23	·46	15
16		1·15	·05	·02		·20	·04			·09	·16	·21	16
17	·06	07	·08		·03	22	·04				·36	·11	17
18		·45	·08	·02		·18		·03		·07	·09	·27	18
19		·18	·03	·14		·13	·11		·22	·22	·13	·06	19
20		·15		·34		·04	·07	·68	·13	07	·01	·41	20
21	·01	92	·03	02		·01	·02	·27	·02	·11		·33	21
22	·06	·06		06		·05	·05	·08		·30	·07	·05	22
23	·01	·56	·01	·02	·19	·41			·18	·17		·43	23
24	·23	·22	·01	·20	·01	1·26		·03		·30		·16	24
25	·09	·60		·30		·04	·10		·82	·09	·01	·33	25
26	01	·02		·29	·03	·03	·02	·08		·60	·29	·34	26
27	·05	·29	·04	·54	·01			·61	·55		·03	·08	27
28		·33	·01	·40		·31		·03	·04		·03	·64	28
29			·03	49		·60			·73	·63		·17	29
30			·01		·15	·33			·01	·32	·02		30
31			·10		·02					·14		·04	31
Total	2·47	5·99	2·88	3·08	2·00	3·82	·66	3·29	4·09	3·80	6·07	6·95	TOTAL for year 45·10
No. of Rain Days.	20	17	25	18	15	15	10	14	14	21	24	28	221

W. 8,000, X. '11.

made

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
25 JAN 1913

Kept at Great Walden Edge (new)
in the County of York W. 8
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 1135 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01		34			·25	·15	·05	·22			·56	1
2	·03	02	·32	07	14	·10	·33		·06		·02	·22	2
3	·57	·02	·13		·03	·61	·01	·58	·83			·18	3
4	·40		·60	·62	·06	·49		1·44	·05		·55		4
5	·29	·01	·14	·03	·46	·22		·14	·27	·02	·04	·02	5
6	·54	·23		·02	·06	·05		·29		·02	·01		6
7		·09	·13	·04	·17	·04	·01	·38	·47		·06	01	7
8	·24	·25	20	·36	·04	·01	·12	·03	·21		·19	·01	8
9	·37	·05	13	·34	·01	·19	·01	·01			·08	·17	9
10	07	·07		·07		·17	·09	·10	·01		·83		10
11	·32	·08		·02		·01	·02	·02			·01	1·05	11
12	·10	·59	·25			·37	·33					·12	12
13	·01	·02	·04					·31		·27	05	1·04	13
14	·25		1·07		·05	·13		·30	·01			·73	14
15	·05	·12	·30		·48	·19		·09				·19	15
16	·79		·34		·16	·12		·16		·25	·04	·16	16
17	·03	·14	·16		·06	·99	01	·36		·02	·13	·57	17
18	·08	·05				·26		·03		·60	·02	·19	18
19	·19	·09	·14			·02	·24	·25		·40	·10		19
20	·35		·05		·28	·07	·05	·58		·40		·06	20
21	·01		·12		·18		·08	·13		·18		·30	21
22	·03	·27	·03		1·14	38	·06	·36			·01	·13	22
23		·04	·24		·02	·02	·40	1·22			·42	·08	23
24	·18	·01	·06		·03	·10	·03	30			·01	·15	24
25	·01	·04	·11			·46	·08	·03			·79	·14	25
26		·19	·16			·03	·24	·62		1·83	·19	·24	26
27		·11	·63			·38	·36			·64		·24	27
28		·04	·05			·45	·71	·66	·16	·42	·28	·01	28
29		·06	·04				·37	·05	·65	·14		·29	29
30	·03		·19		·07	·10	·12	·01	·02	·10			30
31			·26		·99		1·90	·39				·03	31
Total	4·95	2·59	6·23	1·57	4·43	6·21	5·72	8·89	2·96	5·29	3·83	6·89	YEAR'S TOTAL 59·56
Rain Days.	24	23	27	9	19	27	23	28	12	14	20	26	252

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
26 JAN 1914

Kept at Great Walden Edge (new)

in the County of York WR

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 1135 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·04	·34	·14						·02	·09		1
2	·01	·14	·50	·05		·24				·01	·13	·21	2
3	·03	·26	·20		·48				·03	·04	·06	·52	3
4	·80	·17	·07		·04	·02	·14		·03	·03	·19	·51	4
5	·15	·08	·26		·15	·27	·13		·15	·30		·03	5
6	·09	·22	·24		·66	·21	·39			·48		·01	6
7		·30	·07		·29	·25	·02			·52		·05	7
8		·18	·01		·13	·02		·15		·06	·17	·09	8
9		·24	·78	·02	·17	·97		·11			·20	·21	9
10		·05	·41	·07	·02		·14		·04		·18		10
11	·10		·02	·25		·09				·06	·13	·14	11
12	·05								·23		·41	·05	12
13			·64	·03			·10	·08	·20	·01	·31		13
14	·05		·22	·37			·02	·01	·01	·47	33	·09	14
15	·14	·02	·74	·92				·10	·01	·01	·37	·10	15
16	·02		·05	·03			·08	·11			·49	·02	16
17	·01	·02		·18	·17	·59	·23		·54		·19		17
18	·08		·34	·44	·19	·07	·09				·69	·01	18
19	·03		·04	·08	·05	·07	·01		·09	·13	·40		19
20	·28		·06	·08	·05				·03	·08	·79		20
21			·19		·30		·25	·38			·42		21
22	·33		·60		·20			·74	·12				22
23	·48		·04		·72	·35		·46	·14		·19	·09	23
24	·60	·05		·17	·14	·38		·08			·04	·06	24
25	·02			·10					·27	·02	·15	·53	25
26		·04	·12	·84					·06	·14		·80	26
27				·44		·01				·05	03	·23	27
28	·57		·19	·60		·01			·01	·01	·02	·02	28
29	·02		·31	·55	·08			·25		·02	·07	·04	29
30	·69		·06						·01	·32	·30		30
31	·06		·11		08								31
Total	4·74	1·81	6·61	5·36	3·92	3·55	1·60	2·47	1·97	2·78	6·35	3·81	YEAR'S TOTAL 44·97
Rain Days.	23	14	26	19	18	15	12	11	17	20	25	21	221

W.7,000, XI. 13

5 made

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
27 JAN 1915

Kept at Great Walden Edge (new)
in the County of York WR 8 1/4 R2
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Rishworth, L&Y.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 10 in.
" " " " Sea Level 1135 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06			·01	·88	·25		·03		·38	1
2	·02		·04				·23	·81		·08	·33	·25	2
3	·25		·38		·60		·07	·14		·11	·03	·62	3
4	1·03		·62	·29	·34						·17	·43	4
5	·10		·68	·24	·18	·15	·09	·01		·02	·25	·35	5
6		·03	·08	·18	·20	·01		·06			·11	·02	6
7	·05	·05	·18	·06	·48	·06					·05	·22	7
8	·97	·01	·04	·02	·24	·31		·44	·09	·03	·12	·10	8
9	·53	·12		·22	·07	1·11		·52	·02		·32		9
10	·08	·07	·01	·22	·05				·10		·20	·02	10
11		·36	·38	·04	·08	·04	·20		·27		1·34	·23	11
12		·13	·08		·11	·01	·43		·90		·68	·38	12
13		·28	·25	·07	·03		·05		·20		·84	·31	13
14	·05	·59	·33				·09		·32	·02	·28	·34	14
15		·03	·48						·14	·06	·21	·01	15
16	·02	·01	·09				·85		·65				16
17	·10	·73	·19			·04	·14		·47			1·01	17
18		·04	·09			·21	·02					·26	18
19		·06	·06				·13		·06		·03	·28	19
20	·01	·20	·11							·01			20
21		·32	·04			·08		·01		·09		·08	21
22		·45	·04	·03	·11	·46	·01	·08		·10		·02	22
23		·02	·13	·20	·29	·13	·15				·03	·03	23
24	·08		·58	·12	·24	·09	·32	·41		·02	·22		24
25	·12						·50	·28		·86	·17	·47	25
26	·06		·11				·04	·04		·35	·36	·29	26
27	·09	·02								·48	·25	·94	27
28	·10	·22	·04			·02	·43		·04	·03	·53	·01	28
29	·27		·24		·04			·07		·41	·21	·01	29
30	·04	X	·36	·01				·11		·14	·48	·33	30
31	·84	X	·63	X	·01	X	·50		X	·25	X		31
Total	4·81	3·74	6·32	1·70	3·07	2·73	5·13	3·23	3·26	3·09	7·21	7·39	YEAR'S TOTAL 51·68
Rain Days.	20	20	28	13	16	15	19	14	12	18	23	26	224

W. 8,000. X. 14.

33912

FORM A.
BRITISH RAINFALL.
29 JAN 1916

REGISTER OF RAINFALL IN 19*15*

Kept at Gt Walden Edge (New)
in the County of York W8
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 1135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·53	·01		·48		·06	·40	·24			·11	1
2		·42	·23	·38		·05	·64	·35	·03	·04			2
3	·78	·01	·15	·34			·20	·10		·02		·63	3
4	·02	·07	·01		·25		·56					·77	4
5	·19	·02	·31		·05	·05		·01		·03		·68	5
6	·41	·06	·04	·70			·66	·10		·06	·02	·86	6
7	·72	·59		·17	·35		·34	·77				·39	7
8	·47	·08		·14				·15			·40		8
9	·03	·02		·13			·02	·18		·11	·43	·44	9
10	·76		·08	·01			·05	·97		·01		·58	10
11	·20		·11		·80		·10	·25			·16	·34	11
12	·23			·12	·19		·06	·06		·42	·60		12
13	·43	·32	·01	·01			·03	·01		·02		·05	13
14	·29			·07			·08	·44	·09	·03		·36	14
15	1·40			·01			·11	·25	·08		·19	·39	15
16		·32		·05	·35		·86	·67				·04	16
17		·49	·04				·05					·01	17
18	·01	·47	·06						·03				18
19	·06	·19	·12	·09	·15		·29						19
20	·60	·04	·02	·03	·10		·19	·07				·34	20
21	·15	·10		·04			·16					·12	21
22	·04		·10	·01			·22					·24	22
23	·01		·11				·19			·25		·20	23
24	·02		·18	·03		·02			·28	·02		·49	24
25						·06			·05	·06		·30	25
26	·05	·65				·27	·42		·08			·46	26
27		·21				·03	·09			·53		·65	27
28		·21			·02	·03		·42		·16		·04	28
29	·01	X			·13	·07					·13	·40	29
30	·14	X		·05		·13							30
31	·28	X		X		X	·03	·49	X	·43	X	·31	31
Total	7·53	4·80	1·58	2·38	2·87	·71	5·41	5·69	·88	2·19	1·93	9·20	YEAR'S TOTAL 45·17
Rain Days.	25	19	16	18	11	9	23	18	8	15	7	25	194

W. 8,000. X. 15.

3316

FORM A.
BRITISH RAINFALL.

30 JAN 1917

Smade

REGISTER OF RAINFALL IN 1916.

Kept at Great Walden Edge

in the County of York WR

by Wakefield Corporation

Lat. ...... Long. ......

Time of Observation 9 a.m

Nearest Railway Station ......

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 10 in.

" " " " Sea Level 1135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50	·08	·31			·48	·55				·33		1
2	·31	·28	·02			·13			·35	·14	·06		2
3	·01	·19		·01		·05	·02		·69	·19	·13	·01	3
4	·25	·33			·58	·93			·08	1·14	·20		4
5	·30	·32			·10	·28				1·43	·31		5
6	1·09	·71	·01		·53	·15	·18			·39	·44	·04	6
7	·11	·09	·01		·25	·16	·16			·41	·10	·45	7
8	·02	·11	·09	·01	·02	·01	·02			·12	·48	·04	8
9	·17		·06		·24	·24	·09		·03		·49	·15	9
10	·06	·07		·18		·17	·15		·02	·34	03	·06	10
11	·10	·37	·13	·63	·01	·05	·11		·27		·01	·16	11
12	·27	·27	·21	·25	·31		1·36	·04	·05	·24	·02	·01	12
13		·18	·15	·28				·50	·03	1·83		·06	13
14	·04	·29	·04	·13	·70			·22	·07	·24			14
15	·06	·73	·52	·04			·07	·32	·17	·03			15
16		·15	·57	·38	·01		·29	·95	·02	·07			16
17	·20	·22		·62			·14		1·11	·17			17
18		·63	·02	·18			·02	·07	·32	·20	·20	·06	18
19	·37	·05	·27	·29				·17	·02		·24	·01	19
20	·44		·26	·27	·12			·04			·05	·04	20
21	·27		·04	·02	·34		·01						21
22				·03	·03	·08				·15		·07	22
23	03		·05	·14		·02		·08		·04	·43	·23	23
24		·04		·07		·07		·05				·07	24
25	·34	·05	·19		·12	·01		·18		·06	·50	·04	25
26	·19	·02	·15			·02		·03		·03	·07		26
27		·19	·02		·11			·16	·02	·43			27
28	·03	·04		·01	·12			·01		·60	·14	·58	28
29	·01	·27			–	·15				·49	·01	·95	29
30	·02	X			·01	·04				1·20	·06	·16	30
31		X		X	·10	X		·10	X	·27	X	·50	31
Total	5·19	5·68	3·12	3·54	3·70	3·04	3·17	2·92	3·25	10·21	4·30	3·69	YEAR'S TOTAL 51·81
Rain Days.	24	24	20	18	18	18	14	15	15	24	21	20	231

W. 8,000, VIII. 16

3168

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

5 FEB 1918

Kept at Great Walden Edge (new)

in the County of York

by Wakefield Corporation

Lat. ______ Long. ______

Time of Observation 9 a.m

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 1135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24					·76		·13	69		·21	·22	1
2	·87					·16		·02	·02	·03	·05		2
3	·27	·07				·29				·54	·16		3
4	·07	·01						·01		·72			4
5	·32		·03	·26				·14		·18	·30	·03	5
6	·04					·06				·41	·44	·25	6
7	·48					·31				·94	·05	·10	7
8	·11			·16				·66	·04	·93	·44	·16	8
9			·01	·05				·45		·18	·73		9
10	·21		·75	·03	·42			·07		·02			10
11	·12			·04				·09		·60			11
12					·54			·28		·45	·01	·08	12
13				·36	·09			·12	89	·06	·04	·68	13
14	·04			·16	·02			·51				·21	14
15	·04			·03			·63	·01	·16	·14		·21	15
16				·31			·02	·31	·01	·04	·02	·25	16
17		·15	·33	·21	·33		·25	1·88	·05	·17	·02		17
18			·07	·07	·09		1·15	·39	·30	·16			18
19	·02	·20	·40		·25	·12		·02			·10		19
20	·01	·27	·01		·10	·44		·04	·09		·34		20
21		·09	·08		·06			·24		·11	·04		21
22								·01	·40	·36	·15		22
23		·10			·13	·13		·41	·07	·11	·06	·06	23
24					·01	·17		·50		1·08	·37	·06	24
25		·08	·10					·15	·02	·27	·05		25
26						·17		·53	·39	·19	·90		26
27						·23	·24	·65		·09	·50	·03	27
28		·05	·50			·06	·01	·41		·05	·17	·06	28
29			·19	·01	·04		·02	·20		·44	·52	·24	29
30		X	·21					·12		·14	·10	·02	30
31		X	·30	X	·02	X		·09	X		X	·03	31
Total	2·84	1·02	2·98	1·69	2·10	2·90	2·32	8·44	3·13	8·41	5·77	2·69	YEAR'S TOTAL 44·29
Rain Days.	14	9	13	12	13	12	7	28	13	26	24	17	188

W. 8,000, IX. 17.

B. Made

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

Kept at Great Walden Edge (new)
in the County of York
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 1135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·12		·06	·09				·70	·22	·14	·46	1
2		·31		·15				·01	·23	·12		·78	2
3		·04	·01		·30			·15		·50	·04	·07	3
4	·02	·03	·05		·11			·10	·17	·32	·58	·40	4
5	·03		·06	·21	·18			·65	·14	·65	·12		5
6	·09	2·15	·02	·41		·22		·26	·06	·26		·02	6
7		·37		·27				·05	·39	·56	·32		7
8	·01	·17	·09				·36		·77	·28	·11	·09	8
9	·23	·94		·08		·34	·03	·01	1·24	·66	·15	·10	9
10	·05	·75	·03	·04			·04		·76	·17	·54	·03	10
11	·42	·22	·07	·01	·07				·72			·25	11
12	·04	·49		·11		·04	·52		·35	·01		·59	12
13	·02			·03	·23	·06	·01		·24	·14			13
14	·42				·02	·07	·20		1·14	·18		·33	14
15	·14					·06	1·12		2·17			·80	15
16						·19	·12	·10	·24			·46	16
17	·25				·45	·03	·08	·35	·36	·15		·57	17
18	·52		·14			·07	·40	·06	·49			·60	18
19	·35	·08	·16	·15			·36	·36	·77	·13		·57	19
20	·18	·59		·07		·25	1·27		·63	·03			20
21	·20	·83			·30	·26			·61	·06		·04	21
22	·08	·16			·58	·10	·34	·02	·06			·90	22
23	·09	·05			·40		·11		·16		·04	·09	23
24	·01	·09					·05	·12	·29	·02	·06	·12	24
25						·13	·09	·27	·09		·02		25
26		·31					·11	·16	·84	·09	·19	·38	26
27		·27	·26			·05		·50	·79	·06	·31	·89	27
28		·03	·85					·26	·10		·13	·65	28
29		×							·18	·01		·41	29
30		×	·29					·22		·07	·14	·45	30
31		×	·40	×		×		·16	×	·01	×		31
Total	3·21	8·00	2·43	1·59	2·73	1·87	5·21	3·81	14·69	4·70	2·89	10·05	YEAR'S TOTAL 61·18
Rain Days.	20	20	13	12	11	14	17	19	28	23	15	25	217

W. 6,500, VII. 18. W W C

~~Rox. Hob~~ 3006

FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Great Walden Edge (new)
in the County of York
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft 10 in.
" " " " Sea Level 1135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·76		·04		·94		·24	·12	·33	·49	·07	·23	1
2	·26		·50		·14		·19	·19	·07	·06	·04	·35	2
3	·40				·07	·18	·24		·06		·27	·34	3
4	·29	·06	·33		·03	·01	·13	·21	·33		·02	·21	4
5	·05			·04					·02		·07	·69	5
6	·05		·64		·62					·01		·18	6
7	·06		·60	·03	·02				·04		·26		7
8	·11		·05	·02	·03	·17					·01		8
9	·66		·13	·02							·04		9
10	·01		1·50	·21	·03							·43	10
11	·01		·50	·11	·10		·15			·06			11
12	·01		·30	·21	·01	·37	·09		·19	·09	·08		12
13	·47			·21		·04	·08	·04		·33		·12	13
14	·42	·01		·54				·02			·02	·01	14
15	·49	·05	·03	·05							·02	·43	15
16	·15	·29				·02					·13	·03	16
17	·06	·06		·14		·37		·48			1·27	·10	17
18			·13				·04	·45	·18		·02	·57	18
19	·04	·19	·35			·27	·57	·18	·08		·40	·06	19
20	·36	·18	·02			·18	·15	·10	·04		·18	1·26	20
21	·07	·53				·15	·23		·04		·06	·17	21
22		·14				·19		·17	·43		·14	·85	22
23						·16		·02		1·03	·29	·41	23
24	·01			·19	·03	·04			·72	·51	·37	·56	24
25	·25	·03		·33	·09	·10		·78			·41		25
26	·10	·01	·63	·11		·06	·03	·95	·29		·07	·72	26
27	·14		·03	·08		·04		·09			·01	·13	27
28				·04		·02		·78		·01		·47	28
29	·06							·08		·50		·13	29
30		✕	·04	·13		·09				·18	·38	·39	30
31		✕	·03	✕		✕	·55		✕	·03	✕	·05	31
TOTAL	5·29	1·55	5·85	2·46	2·11	2·46	2·69	4·66	2·82	3·30	4·63	8·89	YEAR'S TOTAL 46·71 ✓
Days with ·01 in. or more	25	11	18	17	12	18	13	16	14	12	24	25	205 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2392

2 FEB 1921

Form A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Great Walden Edge (new)
in the County of York
by Wakefield Corporation

Lat. Long.
Time of Observation 9 am. daily
Nearest Railway Station Rishworth L&YR.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 10 in.
" " " " Sea Level 1135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·08	·15	·72	·02	·82	·09	·11	·02	·36	·12	1
2			·02	·24	·05		·49	·10	·30	·12		·36	2
3		·11	·04	·02	·08	·09	1·47	·09	·17	·03		·23	3
4	·01			·21	·01		·21	1·25	·15	·54		·08	4
5			·12		·62		·20	·40	·30	·41		·05	5
6			·92	·35	·24		·12	·01	·02		·05	·24	6
7	·40	·03	·06	·13	·05		·73				·01		7
8	·21	·10		·33	·19		·26	·18		·01			8
9	·34	1·23	·01	·64			·56	·07	·02	·01	·06		9
10	·93	1·50	·16	·17			·62					·01	10
11	·46	·11		·17	·33	·19	·01					·09	11
12	·34	·37	·22	·32	·05	·17	·12	·04			·18	·07	12
13	·19	·15	·26	·19	·03	·63	·10				·11	·05	13
14	·08	·15	·11	·23		·70	·04		·68	·09	·80		14
15	·01	·24	·03	·75			·11		·10	·15	·07		15
16			·29	·26	·04		·72		·14	·08	·21		16
17	·22		·05		·24		·01	·28	·22	·13		·02	17
18	·29			·06	·68		·16	·02	·61				18
19	·12	·64		·13	·70	·14	·04	·44					19
20	·18		·01	·29		·10	·39					·13	20
21	·05						·70	·02				·28	21
22	·17			·49		·08	·50	·04				·09	22
23			·01	·03			·88	·02			·02	·38	23
24	·04		·77	·24			·02					·37	24
25		·09	·04	·12		·04	1·14						25
26	·19	·17	·43	·42	·44		·09				·04	·01	26
27	·20	·06	·02	·08	·84	·65	·01				·21	·10	27
28	·70	·06	·32	·36	·09	·06	·12				·05	·28	28
29	·59		·37	·08	·93	·16	·54		·01		·22	1·03	29
30	·33	×	·02	·15	·07	·08			·17		·09	·47	30
31	·48	×	·07	×	·24	×			×	·44	×	·23	31
Total	6·55	5·01	4·43	6·61	6·64	3·11	11·18	3·05	3·00	2·03	2·48	4·69	Year's Total 58·78
Days with ·01 in. or more	24	15	24	27	21	14	29	15	14	12	15	22	232
Days with ·04 in. or more	21	14	17	25	19	13	25	11	11	8	13	19	196

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

[illegible]

REGIS

Kept at Stott Hall

in the County of WR York

by Wakefield Co

FORM A2.
BRITISH RAINFALL.

1? JAN 1912

...en

in.

...nd 1 ft. 0 in.

...Level 935 T ft.

...e

...nce .... Direction ....

IMPORTANT NOTE.—I ... result entered to the previous day. If an Observe ... rule, he is earnestly requested to add the reading ... n the space provided for it at the end of this pa ... of rain, the selection and placing of ... Rainfall Organization are given in "*Ri* ... ication to Dr. H. R. Mill, 62, Camden

Jan. 1, following.

RISHWORTH

STOTT HALL

NEW GAUGE

1911 - 1920

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·75		·13		·10	·08			·33	·01	1
2	·04		·03		·20		·02	·01		·02	·05	·12	2
3			·09	·01	·45			·01	03	·02	·49	·03	3
4	·05		·14	·03	·03			·03	·07	·09	·48	·08	4
5	·32		·02	·04				·50		·09	·42	·01	5
6	× ·25		·01	·15				·37		·23	·43	·16	6
7	·03									·04	·23		7
8	·18		·30						·02	·01	·04	·40	8
9	·07											·19	9
10	·35		·12	·01					·01			·43	10
11	·19		·02		·03			·01	·04		·67	·46	11
12	·01		·17		·01				1·08	·01	88	·01	12
13		·01	·01		·11	·01					·14	·29	13
14	·03	·58	·04		·34				·01		03	·15	14
15		·26	·03	·01						·12	·24	·39	15
16		·90	·03			·14	·02			·07	·19	·16	16
17	·01	·05	·05			·26	·01			·01	·24	·10	17
18	·01	·44	·08			·13				·06	·06	·27	18
19		·03	·03	·15		·01	·05		·22	·15	·05	·08	19
20		·20		·24			·05	·53	·04	·04		·24	20
21		·67	·01				·02	·15		·09	·01	·30	21
22	·09	·07		·03		·01	·01	·02		·30	·03	·06	22
23	·01	·38		·04	·07	·50			·08	·08		·33	23
24	·16	·16	·01	·11		·93		·07		·32		·18	24
25	·08	·53		·22		·02	·07	·01	·69	·03	·01	·37	25
26	·01	·01		·26	·04	·01	·01	·03		·63	·26	·34	26
27	·03	·29	·07	·43				·44	·36		·04	·06	27
28		·33	·01	·27		·20		·02	·11		·02	·37	28
29			·01	·35		·41			·37	·59		·14	29
30			·02		·12	·31			·03	·35			30
31			·06		·01					·08		·01	31
Total	1·92	4·91	2·11	2·35	1·54	2·94	·36	2·28	3·16	3·43	5·34	5·74	TOTAL for year 36·08
No. of Rain Days.	19	16	24	16	12	13	10	15	15	23	23	29	215

W. 8,000, X. '11.

× The observer was [illegible] about this & stated that the amount entered was [illegible]

REGI

FORM A2.
BRITISH RAINFALL
19 JAN 1912

Kept at Stott Hall (new)

in the County of WR York 8

by Wakefield Corporation

RAIN GAUGE — Pattern	Snowden
Diameter of top	5 in.
Height of top above Ground	1 ft. 0 in.
" " " Sea Level	935 T ft.
Time of Observation	9 a m
Nearest Railway Station — Name	
Distance	Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·75		·13		·10	·08			·33	·01	1
2	·04		·03		·20		·02	·01		·02	·05	·12	2
3			·09	·01	·45			·01	03	·02	·49	·03	3
4	·05		·14	·03	·03			·03	·07	·09	·48	·08	4
5	·32		·02	·04				·50		·09	·42	·01	5
6	* ·25		·01	·15				·37		·23	·43	·16	6
7	·03									·04	·23		7
8	·18		·30						·02	·01	·04	·40	8
9	·07											·19	9
10	·35		·12	·01					·01			·43	10
11	·19	—	·02		·03			·01	·04		·67	·46	11
12	·01		·17		·01				1·08	·01	·88	·01	12
13		·01	·01		·11	·01					·14	·29	13
14	·03	·58	·04		·34				·01		·03	·15	14
15		·26	·03	·01						·12	·24	·39	15
16		·90	·03			·14	·02			·07	·19	·16	16
17	·01	·05	·05			·26	·01			·01	·24	·10	17
18	·01	·44	·08			·13				·06	·06	·27	18
19		·03	·03	·15		·01	·05		·22	·15	·05	·08	19
20		·20		·24			·05	·53	·04	·04		·24	20
21		·67	·01				·02	·15		·09	·01	·30	21
22	·09	·07		·03		·01	·01	·02		·30	·03	·06	22
23	·01	·38		·04	·07	·50			·08	·08		·33	23
24	·16	·16	·01	·11		·93		·07		·32		·18	24
25	·08	·53		·22		·02	·07	·01	·69	·03	·01	·37	25
26	·01	·01		·26	·04	·01	·01	·03		·63	·26	·34	26
27	·03	·29	·07	·43				·44	·36		·04	·06	27
28		·33	·01	·27		·20		·02	·11		·02	·37	28
29			·01	·35		·41			·37	·59		·14	29
30			·02		·12	·31			·03	·35			30
31			·06		·01					·08		·01	31
Total	1·92	4·91	2·11	2·35	1·54	2·94	·36	2·28	3·16	3·43	5·34	5·74	TOTAL for year 36·08
No. of Rain Days.	19	16	24	16	12	13	10	15	15	23	23	29	215

W. 8,000, X. '11.

* [illegible] was answered [illegible] states that the [illegible]

Ex 31

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
25 JAN 1913

Kept at Stott Hall (new)
in the County of York W. 8
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 935 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·24			·27	·10	·02	·22			·64	1
2	·03	·02	·20	·03	·09	·16	·24		·04			·18	2
3	·30	·01	·05		·05	·49	·01	·60	·63			·05	3
4	·35		·60	·40	·05	·67		1·23	·04		33		4
5	·09	·01	·09	·02	·45	·12		·03	·20	01	·02	·03	5
6	·45	·27	·04		·03	·01	·01	·24		·01			6
7		·05	·10	·04	·07	·03	·07	·23	·19		·04		7
8	·43	·27	·13	·24	·02		·03	·03	·09		·08		8
9	·26	·07	·10	·28		·15		·01			·06	·12	9
10	·34	·02		·08		·06	·05		·01		·60		10
11	·05	·06		·01		·01	·01				·03	1·08	11
12	·10	·57	·22			·32	1·06					·16	12
13	·01	·02						·29		14	·03	1·10	13
14	·17		·80		·01	·11		·10				·55	14
15	·06	·05	·16		·44	·23		·03		·01		·21	15
16	·72	·02	·27		·02	·15		·09		·13	·01	·12	16
17	·03	·08	·05		·04	·68	02	·18		·01	·07	·55	17
18	·10	·04				·06	·01	·01		·30	·04	·10	18
19	·28	·06	05			·02	·17	·28		·40	·02	·01	19
20	·26		·07		·31	·03	·07	·51		·33	·02	·05	20
21			·10		·35		·09	·02		·13		·25	21
22	·02	·19			1·15	·34	·08	·52		·01		·15	22
23			·21		·02	·01	·46	·71			·29	·04	23
24	·18	·01	·03		·01	·17	·07	·36			·16	·13	24
25		·01	·06			·35	·03	·05			·49	·25	25
26	·01	·20	·18			·01	·39	·58		1·66	·17	·10	26
27		·10	·43			·34	·36	·01		·60	·01	·22	27
28		·05				·27	·35	·57	15	·29	·16	·01	28
29		·07	·01				·28	·03	·49	·40		·09	29
30	·03		·25		·05	·11	·03		·01	·11		·01	30
31			·15		·80		1·81	·25				·06	31
													YEAR'S TOTAL
Total	4·27	2·25	4·59	1·10	3·96	5·17	5·80	6·98	2·07	4·54	2·63	6·26	49·62
Rain Days.	22	23	25	8	18	26	24	26	11	16	19	26	244

W. 7,500, XI. ·12

Written 14.4.14 S. made

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL

26 JAN 1914

Kept at Stott Hall (new) E.H.B.

in the County of York

by Wat

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway St

Di

written 14.4.14

Stott Hall Rain Gauge. You will note the query opposited the readings for November 13th to 20th. Although the readings for this period are about double the amount recorded at gauges fixed in the immediate neighbourhood the observer insists that they have been correctly taken.

26 JAN 1914

E.H.B.

I cannot understand the discrepancy, hence the query.

Yours faithfully,

C. Clemesha Smith.

Waterworks Engineer.

16	·02	·02	·05	·02			·03				·89		16
17	·03	·02		·18	·12	·01	·19		·68		·86		17
18	·08		·24	·31	·11	·02	·06				1·01		18
19	·06		·02	·05	·02	·03			·08	·04	1·00		19
20	·25		·08	·03	·01	·01			·12	·01	* ·98		20
21		·01	·25		·24		·19	·24			·08		21
22	·30		·68		·10			·72	·18				22
23	·21		·03		·47	·30		·39	·04	·01	·14	·04	23
24	·58	·04		·11	·01	·21		·03			·03	·07	24
25	·02			·10					·20	·03	·09	·60	25
26		·03	·16	·39					·04	·14	·01	1·08	26
27		·01	·02	·46						·05	·05	·09	27
28	·34		·19	·54					·01	·01		·03	28
29	·06		·37	·50	·04			·36		·03	·04	·10	29
30	·57		·02		·03					·35	·08		30
31	·04		·18		·05								31
Total	3·94	1·44	5·84	4·20	2·82	2·10	1·18	2·11	1·94	2·80	9·15?	3·30	YEAR'S TOTAL 40·82?
Rain Days.	26	18	27	18	19	14	11	10	16	20	27	20	226

W.7,000, XI. 13

* Questionable

Written 14.4.14 S. made

REGISTER OF RAINFALL IN 1913

Kept at Stott Hall (new)

in the County of York

by Wakd

Lat.

C. CLEMESHA SMITH,
M. INST. C.E.,
WATERWORKS ENGINEER.

Waterworks Engineer's Office.
Town Hall
Wakefield

17 APR 1914

(Thursday) 16th April 1914.

H. R. Mill Esq., D. Sc.,
62 Camden Square,
LONDON, N. W.

Dear Sir,

In reply to yours of the 14th instant re rainfall at Summit for week ending August 19th 1913. I quite agree with the interpolation of .20 in order to complete the record.

With regard to Stott Hall. I have a 5" and an 8" gauge at the same spot, and for the period in question the quantity recorded for both gauges is practically identical, the observer asserts stoutly that he has measured the rainfall correctly, and I have no other reason for disbelieving him than the fact that the observations are at variance with those at other points within two miles of these gauges. I think with you that the record should be printed with a query.

I do not think you will have much difficulty in estimating the amount from the Ringstone, Great Walden Edge, and Baitings Gate records.

Yours faithfully,
C. Clemesha Smith

														ate.
														1
														2
														3
														4
														5
														6
														7
														8
														9
														10
														11
														12
														13
														14
														15
														16
														17
														18
														19
														20
														21
														22
														23
														24
														25
		·03	10	59					·04	·14	01	1·08		26
27		01	·02	·46						·05	·05	·09		27
28	·34		·19	·54					·01	·01		·03		28
29	·06		·37	·50	·04			·36		03	·04	·10		29
30	·57		02		·03					·35	·08			30
31	·04		18		·05									31
Total	3·94	1·44	5·84	4·20	2·82	2·10	1·18	2·11	1·94	2·80	9·15?	3·30	YEAR'S TOTAL 40·82?	
Rain Days.	26	18	27	18	19	14	11	10	16	20	27	20	226	

W.7,000, XI. 13

× Questionable

Written 14.4.14 S. made

REGISTER OF RAINFALL IN 19/3

FORM A. BRITISH RAINFALL.
26 JAN 1914

Kept at Stott Hall (new) [illegible]

in the County of York

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 935T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·02	·21	·06					·02	·01	·09		1
2		·15	·42	·04		·19					·13	·08	2
3	·04	·16	·20		·33				·04	·15	·06	·34	3
4	·76	·11	·08		·02	·02			·04	·07	·14	·30	4
5	·07	·05	·28		·18	·20	·07		·12	·49	·01	·02	5
6	·04	·17	·22		·59	·12	·18			·46		·01	6
7		·24	·04		·23	·20	·30			·52	·07	·06	7
8	·01	·12	·04		·17	·01	·03	·11		·03	·08	·13	8
9	·01	·24	·51		·08	·68		·09			·24	·10	9
10	·01	·02	·29	·05			·02		·01		·04		10
11	·12		·02	·25		·10	·06	·01		·01	·13	·13	11
12	·01				·02				·14		·20	·02	12
13	·01		·55	·03			·05	·02	·20	·08	× ·69	·01	13
14	·13	·01	·16	·30						·30	·88	·04	14
15	·12	·02	·53	·78				·14	·02	·01	1·13	·05	15
16	·02	·02	·05	·02			·03				·89		16
17	·03	·02		·18	·12	·01	·19		·68		·86		17
18	·08		·24	·31	·11	·02	·06				1·01		18
19	·06		·02	·05	·02	·03			·08	·04	1·00		19
20	·25		·08	·03	·01	·01			·12	·01	× ·98		20
21		·01	·25		·24		·19	·24			·08		21
22	·30		·68		·10			·72	·18				22
23	·21		·03		·47	·30		·39	·04	·01	·14	·04	23
24	·58	·04		·11	·01	·21		·03			·03	·07	24
25	·02			·10					·20	·03	·09	·60	25
26		·03	·16	·39					·04	·14	·01	1·08	26
27		·01	·02	·46						·05	·05	·09	27
28	·34		·19	·54					·01	·01		·03	28
29	·06		·37	·50	·04			·36		·03	·04	·10	29
30	·57		·02		·03					·35	·08		30
31	·04		·18		·05								31
Total	3·94	1·44	5·84	4·20	2·82	2·10	1·18	2·11	1·94	2·80	9·15?	3·30	YEAR'S TOTAL 40·82?
Rain Days.	26	18	27	18	19	14	11	10	16	20	27	20	226

W.7,000, XI. 13

× Questionable

R made

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL
27 JAN 1915

Kept at Stott Hall (new)

in the County of York WR 8/4 R

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Rishworth, L.&Y.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 935 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05		·01		1·26	·23		·01	·04	·50	1
2	·02		·03				·19	·73		·10	·23	·28	2
3	·41		·28		·44		·03	·12			·03	·84	3
4	1·07		·38	·34	·29			·01			·32	·60	4
5	·02		·54	·26	·17	·11	·02			·02	·13	·32	5
6		·05	·03	·21	·23	·02		·02			·08	·12	6
7	·04	·02	·21	·02	·24	·01		·02			·02	·16	7
8	·73	·02		·01	·23	·31		·32	·10	·01	·06	·12	8
9	·40	·09	·01	·30	·04	·93		·34	·01		·24	·01	9
10	·05	·06		·25	·03	·05			·12		·10	·02	10
11		·36	·27	·02	·03		·16		·18		1·17	·16	11
12		·13	·09		·10	·02	·40		·63		·64	·30	12
13		·19	·31	·03			·05		·11		·34	·33	13
14	·04	·44	·20				·09		·23	·04	·15	·21	14
15	·01	·03	·51						·11	·02	·15	·01	15
16	·05	·02	·05				·56		·60			·02	16
17	·06	·71	·09			·30	·06		·24			·96	17
18		·08	·03			·12	·01					·12	18
19		·04	·02				·18		·05		·03	·24	19
20	·01	·20	·03			·01				·05		·04	20
21		·38	·05			·07		·02		·08	·01	·04	21
22		·39	·06	·02	·13	·45		·03		·07	·01	·05	22
23			·05	·08	·19	·01	·06			·01	·02	·04	23
24	·03		·71	·03	·14	·03	·28	·34		·01	·20		24
25	·09		·01				·23	·15		·64	·07	·55	25
26	·06		·11				·05	·03		·24	·40	·18	26
27	·04	·01								·29	·31	1·00	27
28	·10	·22	·07			·01	·22		·01	·02	·35	·10	28
29	·28		·08		·02			·03		·44	·22	·01	29
30	·03	X	·33					·04		·07	·46	·23	30
31	·70	X	·50	X		X	·38		X	·20	X	·01	31
Total	4·24 ✓	3·44 ✓	5·10 ✓	1·57 ✓	2·29 ✓	2·45 ✓	4·23 ✓	2·43 ✓	2·39 ✓	2·32 ✓	5·78 ✓	7·57 ✓	YEAR'S TOTAL 43·81 ✓
Rain Days.	21	19	28	12	15	15	18	15	12	18	26	30	229 ✓

W. 8,000. X. 14.

A

To be filled and returned
to Dr. H. R. MILL, *Director*,
British Rainfall Organization,
62 Camden Square, London, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

16 APR 1915

RAINFALL IN 1914

At Stott Hall New

In the County of W R Yorks 8

Rain Gauge
Diameter of Funnel 5 in.
Height of Top — *Above Ground* 1 ft. – in.
Height of Top — *Above Sea Level* 935 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
Jan.	4·24	1·07	4	21
Feb.	3·44	·71	17	19
Mar.	5·10	·71	24	28
Apr.	1·57	·34	4	12
May	2·29	·44	3	15
June	2·45	·93	9	15
July	4·23	1·26	1	18
Aug.	2·43	·73	2	15
Sept.	2·39	·63	12	12
Oct.	2·32	·64	25	18
Nov.	5·78	1·17	11	26
Dec.	7·57	1·00	27	30
Total x	43·81	1113		229

Signed Wakefield Corporation

[Please fill in the other side also.

W. 17,000. X.14.

3393

FORM A.
BRITISH RAINFALL.
29 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Stott Hall (New) 9
in the County of York W 8
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 935 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·34	·02		·29		·14	·23	·13		·01	·10	1
2	·01	·46	·16	·48		·01	·26	·31	·01	·03			2
3	·72	·02	·08	·16			·24	·41		·02		·61	3
4	·03	·02		·01	·10		·42					·75	4
5	·25	·15	·22			·01		·02		·05	·01	·66	5
6	·43	·03	·01	·44			·65	·09		·02	·01	·85	6
7	·59	·50		·18	·18		·30	·63				·38	7
8	·40	·08		·09				·15			·53		8
9	·01	·03		·10			·02	·13		·07	·29	·36	9
10	·88		·01	·01			·01	1·40		·03		·54	10
11	·08	·01	·04		·87		·11	·15		·01	·20	·20	11
12	·17			·10	·10		·02	·06		·24	·70	·01	12
13	·28	·38	·01				·02	·06	·01	·01		·19	13
14	·29	·01	·01	·03	·01		·05	·51	·03			·35	14
15	·61			·01			·18	·44	·03		·20	·15	15
16		·47		·02	·29		·68	·40				·04	16
17	·01	·44	·02								·01		17
18	·03	·37	·10				·01		·03		·01		18
19	·01	·14	·08	·12	·14		·27			·01			19
20	·46	·02	·01		·02		·19	·01				·18	20
21	·10	·10		·01			·14					·10	21
22	·02		·14	·01			·20			·01		·13	22
23	·01	·01	·06	·02		·01	·04			·18		·28	23
24	·01		·17	·02					·25	·02		·47	24
25						·20			·03	·02		·30	25
26	·03	·80				·15	·46		·03			·53	26
27		·15	·01			·27	·09			·44		·62	27
28		·16	·01		·02	·06	·05	·43		·16		·08	28
29	·03	X			·10	·10					·08	·39	29
30	·06	X		·07		·44		·01			·01	·05	30
31	·26	X		X		X	·03	·48	X	·30	X	·44	31
Total	6·08	4·69	1·16	1·88	2·12	1·25	4·58	5·92	·55	1·62	2·06	8·76	YEAR'S TOTAL 40·67
Rain Days.	27	22	18	18	11	9	24	19	9	17	12	26	212

W. 8,000. X. 15.

Shade 3317

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. JAN 1917

Kept at Stott Hall (new gauge)
in the County of York W.R
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 935 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·63	·13	·30			·41	·54				·32	·02	1
2	·25	·27	·05			·06	·02		·34	·21	·05		2
3	·03	·28	·02	·01		·03	·09		·69	·19	·10	·01	3
4	·32	·27			·51	·80	·02		·03	·73	·29		4
5	·19	·38	·01		·10	·20				1·18	·34		5
6	1·00	·67	·01		·44	·08	·30			·55	·35	·05	6
7	·09	·06	·01		·18	·07	·15			·25	·15	·45	7
8		·03	·21	·01	·01	·03	·06			·10	·39	·03	8
9	·12	·10	·03		·44	·24	·07		·06	·05	·41	·15	9
10	·08		·02	·18	·01	·18	·05		·02	·32	·02	·05	10
11	·02	·44	·17	·74	·01	·06	·06		·15	·02	·02	·14	11
12	·25	·25	·30	·20	·28		·88	·04	·05	·20		·02	12
13		·32	·25	·21			·01	·39	·03	1·28		·07	13
14	·08	·05	·08	·09	·63			·15	·04	·31	·01		14
15	·02	·94	·60	·04			·03	·26	·08	·10			15
16	·01	·04	·55	·26	·01		·23	1·14	·02	·04			16
17	·12	·18	·02	·73			·10	·02	·78	·06	·01		17
18	·02	·44	·01	·08			·02	·52	·45	·33	·39	·12	18
19	·42	·02	·35	·29				·15	·02		·38	·03	19
20	·36		·25	·14	·07	·01	·02	·07	·01	·01	·05	·05	20
21	·34		·04	·03	·30	·02					·02		21
22		·02		·01	·02	·05		·02		·04		·05	22
23		·01	·03	·11		·16		·05			·39	·20	23
24	·01	·10		·03		·35		·04		·06		·05	24
25	·20	·05	·25	·01	·10	·02		·12	·01	·07	·50	·03	25
26	·10	·03	·19			·01			·01	·07	·05		26
27		·22	·02		·15			·09	·04	·74			27
28	·01	·16	·03		·10	·04			·01	·68	·10	·63	28
29	·01	·33	·01			·15			·01	·45	·01	·69	29
30	·01	X			·03	·02	·01			1·20	·03	·18	30
31		X		X	·09	X		·10	X	·42	X	·48	31
Total	4·69	5·79	3·81	3·17	3·48	2·99	2·66	3·16	2·85	9·66	4·38	3·50	YEAR'S TOTAL 50·14
Rain Days.	25	26	26	18	19	21	18	15	20	27	23	21	259

W. 8,000, VIII. 16

3169

FORM A.
BRITISH RAINFALL.

5 FEB 1919

REGISTER OF RAINFALL IN 1917.

Kept at Stott Hall (new)

in the County of York

by Wakefield Corporation.

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 935 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25			·10		·92		·10	·27		02	·22	1
2	·69			·08		·20		02	·03		·02		2
3	24			·02		·20		·02			·10		3
4	·06		·06	·02							·06		4
5	·18		·04	·23				·18			·20	·01	5
6	·10	·01	·01	02		·42					50	·11	6
7	·16	01	·03	·02		·20			·01		·08	·05	7
8	·35			·21				·73	·04		·18	·09	8
9			·06	·02	01			·35			·56		9
10	·25	·06	·60	·05	48			·07					10
11	·08		·01	·10		·01		21			·01		11
12	·02			·01	·24	·04		·10	·01			·04	12
13	02			·29	·07	·02		·48	68		02	·32	13
14	·05		·01	·21	02			·79				·08	14
15	·03	·02		·03			·58	·03	·07			·20	15
16	·02	·10	·01	·24			·02	30	·01		·04	·27	16
17			26	01	·10	·02	·29	1·40	·02		·01	·04	17
18			·34		·03		·33	·26	·37				18
19	01	·29	33		·15	10		·05	·01		·04		19
20	·02	·11			·05	·24		·10	·06		·15		20
21		·04	·08		·03			·07	·03		·04		21
22		·02	·02					·08	·24		·19		22
23		·04	·03		·06	·15		·28	·02		·07	·05	23
24		02	·03			·18		·33			·20	·01	24
25		02	·06			·02		·10			·11		25
26		01				·20		·31	·30		·30		26
27		·02	·04		·01	·15	38	·65			·31	·02	27
28		·02	·46			·02	·03	·31			·27	·09	28
29			·26		·05		04	·19			·21	·31	29
30	·01	X	·16					·05			06	·03	30
31	·01	X	·24	X	·02	X	·01	·24	X		X	·05	31
Total	2·58	·79	3·14	1·66	1·32	3·09	1·68	7·80	2·17	7·48	3·75	1·99	YEAR'S TOTAL 37·45
Rain Days.	19	15	22	17	14	17	8	28	16	26	25	18	225

Daily rainfalls obviously incorrect - Totals possibly correct.

W. 8,000, IX. 17.

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at Stott Hall (weekly)

in the County of York W

by Wakefield Corporation

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 935 ft.

Time of Observation 9 a.m. weekly

Nearest Railway Station
Name –
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–								·12			1
2				·08			–·–						2
3									·62			·94	3
4						–·–							4
5		·51	·15								·86		5
6								·88					6
7					·93								7
8	·15									2·54			8
9				·78			·37						9
10									3·62			·71	10
11						·49							11
12		4·94	·23								·92		12
13								·04					13
14					·20								14
15	1·50									·57			15
16				·17			2·05						16
17									4·75			2·52	17
18						·36							18
19		·07	·22								–·–		19
20								·40					20
21					·45								21
22	1·72									·31			22
23				·18			1·75						23
24									2·45			2·31	24
25						·53							25
26		1·99	–·–								·19		26
27								·73					27
28		·23			·69								28
29	·06									·04			29
30				–·–		·01	·33		1·73		·42		30
31	–·–		1·62		–·–		–·–	·69		·05		2·06	31
Total	3·48	7·74	2·22	1·21	2·27	1·39	4·50	2·74	13·17	3·63	2·39	8·54	TOTAL for year 53·28
No. of Rain Days													

3007

8 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Stott Hall (new)

in the County of York

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m. weekly

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 935 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				—			·20						1
2									·22			·49	2
3						·10							3
4		·06	·75								·42		4
5								·20					5
6					1·70								6
7	1·68									·39			7
8				·04			·57						8
9									·43			1·09	9
10						·09							10
11		—	3·30								·25		11
12								—					12
13					·29								13
14	1·87									·36			14
15				1·12			·17						15
16									·24			1·10	16
17						·44							17
18		·71	·43								1·34		18
19								1·07					19
20					—								20
21	1·06									·02			21
22				·06			1·17						22
23									·64			2·46	23
24						·70							24
25		·98	·62								1·62		25
26								1·41					26
27					·08								27
28	·42	—								1·55			28
29				·55			·01						29
30				·06		·19			·73		·47	1·92	30
31	·14		·65		—		·38	·94		·68		·01	31
TOTAL	5·17	1·75	5·75	1·83	2·07	1·52	2·50	3·62	2·26	3·00	4·10	7·07	YEAR'S TOTAL 40·64
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2883

2 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Stott Hall (new).

in the County of York

by Wakefield Corporation

Lat. Long.

Time of Observation 9 am weekly

Nearest Railway Station Rishworth L & YR.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 935 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						—							1
2			·05								·30		2
3		·08						·18					3
4					73								4
5										·97			5
6	·02			1·05			3·41						6
7									·56			·91	7
8						·07							8
9			·70								·11		9
10		2·41						1·64					10
11					1·20								11
12										·01			12
13	2·44			1·97			1·72						13
14									·61			·24	14
15						2·39							15
16			·97								1·20		16
17		·76						·30					17
18					1·32								18
19										·69			19
20	·65			1·70			1·31						20
21									·74			·53	21
22						·22							22
23			·02								·02		23
24		·98						·13					24
25					·44								25
26										—			26
27	46			1·10			3·23						27
28									—			1·20	28
29		·15				·90							29
30		X	1·86	·45		·13			·16		·53		30
31	1·23	X	·10	X	2·34	X	·35	—	X	·50	X	2·04	31
TOTAL	4·80	4·38	3·70	6·27	6·03	3·71	10·02	2·25	2·07	2·17	2·16	4·92	YEAR'S TOTAL 52·48
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

—

RISHWORTH

RINGSTONE RES No 1

YORKSHIRE

1911 - 1920

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

REG

Kept at Ringstone … rden

… in.

… round 1 ft. 0 in.

in the County of WR York … a Level 990 T ft.

by Wakefield Co

… me

… stance … Direction

IMPORTANT NOTE.— … e result entered to the previous day. If an Observ… al rule, he is earnestly requested to add the reading … in the space provided for it at the end of this p… t of rain, the selection and placing o… h Rainfall Organization are given in "… lication to Dr. H. R. Mill, 62, Camden …

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·70		·04		·09	05			34	·02	1
2	·05		·01		39		·05			·05	·10	·17	2
3			·08		·63			·01		·01	·66		3
4	·03		·14	·05	·02			·03	·09	·09	·57	·14	4
5	·24			·04	·03			·49		·09	·36	·02	5
6	·73		·01	·12				·47		·25	·42	·27	6
7	·06			·02						·03	39		7
8	·16		·29						·03	·01	·05	·50	8
9	·03											·40	9
10	·28	·01	·13	·01					·01			·41	10
11	·27		·02		·02			·01	·01		·73	·48	11
12	·01	·01	·15		·02				1·17		·81	·01	12
13		·01			·06						·19	·34	13
14	·03	·49	·05		·13						·05	·18	14
15		·34	·04	·03						·20	·20	43	15
16		·81	·01			·17	·02			·12	·07	·20	16
17	·01	·03	·04		·01	·18	·01				·45	·15	17
18		·49	·06			·12				·07	·03	·38	18
19		·09	·06	·14		·01	·07		17	·21	·07	·08	19
20		·14		·28		·01	·04	·54	·06	·03		·26	20
21		·85	·03	·01			·01	·22		12		·32	21
22	·11	·08		·03		·02	·01	04		·46	·05	·04	22
23	·01	·60		·01	·07	·37			·08	·08		·33	23
24	·18	·15	·01	·17		1·10		·05		·34		·29	24
25	·03	·65		·19		·01	·08		·79		·01	·34	25
26	·01			·18	·05	·01		·05		·77	·18	·31	26
27	·04	·25	·07	·50	·01			·43	·36		·08	·03	27
28		·47	·01	·28		·17		·02	·07		·01	·31	28
29			·01	·37		·40	·01		·37	·58		·15	29
30			·02	·01	12	·25			·01	·36	·01		30
31			·10							·11			31
Total	2·28	5·47	2·04	2·44	1·60	2·82	·39	2·41	3·22	3·98	5·83	6·56	TOTAL for year 39·04
No. of Rain Days.	18	17	22	18	14	13	10	13	13	20	23	27	208

W. 8,000, X. '11.

REG

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

Kept at Ringstone (new)
in the County of WR York 8
by Wakefield Corporation

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 990 T ft.
Time of Observation 9 a.m.
Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·70		·04		·09	05			34	·02	1
2	·05		·01		·39		·05			·05	·10	·17	2
3			·08		·63			·01		·01	·66		3
4	·03		·14	·05	02			·03	09	·09	·57	14	4
5	·24			·04	·03			·49		·09	·36	·02	5
6	·73		·01	·12				·47		·25	·42	·27	6
7	·06			·02						·03	·39		7
8	·16		·29						·03	·01	·05	·50	8
9	·03											·40	9
10	·28	·01	·13	·01					·01			·41	10
11	·27		·02		·02			·01	·01		·73	·48	11
12	·01	·01	·15		·02				1·17		·81	·01	12
13		·01			·06						·19	·34	13
14	·03	·49	·05		·13						·05	·18	14
15		·34	·04	·03						·20	·20	43	15
16		·81	·01			·17	·02			·12	·07	·20	16
17	·01	·03	·04		·01	·18	·01				·45	·15	17
18		·49	·06			·12				·07	03	·38	18
19		·09	·06	·14		·01	·07		17	·21	·07	·08	19
20		·14		·28		·01	·04	·54	·06	·03		·26	20
21		·85	·03	·01			·01	·22		·12		·32	21
22	·11	·08		·03		·02	·01	04		·46	·05	·04	22
23	·01	·60		·01	·07	·37			·08	·08		·33	23
24	·18	·15	·01	·17		1·10		·05		·34		·29	24
25	·03	·65		·19		·01	·08		·79		·01	·34	25
26	·01			·18	·05	·01		·05		·77	·18	·31	26
27	·04	·25	·07	·50	·01			·43	·36		·08	·03	27
28		·47	·01	·28		·17		·02	·07		·01	·31	28
29			·01	·37		·40	·01		·37	·58		·15	29
30			·02	·01	·12	·25			·01	·36	·01		30
31			·10							·11			31
Total	2·28	5·47	2·04	2·44	1·60	2·82	·39	2·41	3·22	3·98	5·83	6·56	TOTAL for year 39·04
No. of Rain Days.	18	17	22	18	14	13	10	13	13	20	23	27	208

W. 8,000, X. '11.

made

REGISTER ~~OF~~ Ex RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
25 JAN 1913

Kept at Ringstone (new)

in the County of York W. 8

by Wakefield Corporation

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 990 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·33			·36	·10	·03	·22			·64	1
2	·01	·02	·21	·02	·06	·15	·27		·10			·14	2
3	·23	·02	·11		·03	·54	·01	·84	·68			·05	3
4	·34		·64	·45	·08	·60		1·19	·05		·35		4
5	·19		·06	·01	·46	·13		·12	·26		·01	·03	5
6	·62	·20	·02	·01	·04	·04		·33		·01			6
7		·10	·04	·01	·06	·06	·01	·21	·12		·03		7
8	·39	·27	·14	·39	·02		·16	·02	·11		·06		8
9	·25	·05	·10	·22		·14		·01			·05	·19	9
10	·14	·03		·05		·09	·04		·01		·70		10
11	·32	·08		·01		·01	·01	·01				·99	11
12	·12	·68	·22			·40	·65					·21	12
13		·03	·02			·02		·24		·22	·05	·96	13
14	·20		·75			·13		·14		·01		·58	14
15	·08	·06	·08		·44	·15		·02				·24	15
16	1·38		·23		·03	·30		·08		·17	·01	·11	16
17	·03	·09	·03		·06	·74	·03	·13			·04	·57	17
18	·14	·03				·10				·29	·02	·12	18
19	·28	·10	·09			·01	·17	·24		·76	·07	·01	19
20	·38		·04		·36	·06	·08	·37		·45		·04	20
21	·01		·16		·18		·07	·03		·11		·16	21
22	·02	·25	·01		1·52	·40	·10	·38				·13	22
23		·03	·24		·01		·49	·80			·32	·05	23
24	·27	·01	·02		·03	·10	·17	·45		·01	·06	·20	24
25	·02	·01	·08			·31	·04	·06			·92	·16	25
26		·24	·19			·01	·25	·65		1·63	·37	·34	26
27		·10	·36			·35	·48			·63	·01	·33	27
28		·06				·17	·31	·67	·11	·31	·35	·02	28
29		·09	·05				·31	·03	·90	·14		·26	29
30	·06		·20		·05	·08	·06	·01	·02	·14		·01	30
31			·14		·82		1·70	·26				·02	31
Total	5·48	2·55	4·56	1·17	4·25	5·45	5·51	7·32	2·58	4·88	3·42	6·56	YEAR'S TOTAL 53·73
Rain Days.	22	22	27	9	17	26	22	26	11	14	17	26	239

W. 7,500, XI. 12

S. made

REGISTER OF RAINFALL IN 19/3.

FORM A. BRITISH RAINFALL. 26 JAN 1914

Kept at Ringstone Reservoir (new)

in the County of York W8

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 990 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·01	·44	·15					·04		·10		1
2	01	·19	·56	·06		·22					·19	·14	2
3	·03	·19	·26		34				·03	·18	·05	·47	3
4	·55	09	·06		·02	·02	·09		·04	·07	·15	·33	4
5	·12	·09	·34		·06	·23	·15		·22	·29		·03	5
6	07	·26	·33		·75	·14	·32			·49			6
7		·41	·03		·30	·20	·02			·56		·04	7
8	·01	·14	·01		·21			·07		·03	·20	·03	8
9		·26	·48		·13	·71		·10			·17	·13	9
10	·03	·03	·31	·04			12				·15		10
11	·16		·01	·34		·13					·11	·06	11
12	·07				·01				·13		·22	·02	12
13			·48	·03			·05	·03	·24		·29		13
14	·05		·11	·31						·32	·20	·02	14
15	·11	·01	·77	1·34				·04	·05		·58	·06	15
16	·02	·01	·11	·02			·02				·37		16
17		·02		·10	·13	·04	·10		·74		·22		17
18	·08		·51	·46	·09	·04	·05				·54	·01	18
19	·09		·06	·07	·03	·01			·07	·05	·26		19
20	·33		·09	·04	·01	·02			·09	·03	·70		20
21			·28	·01	·26		·23	·20			·22		21
22	·27		·73		·06			·44	·17				22
23	·20		·01		·26	26		·32	·10	01	·12	·02	23
24	·61	07		·07	·04	·14		·02			·05	·04	24
25	·03			·09					·23	·03	·06	·45	25
26		·01	·17	·44					·05	·13		·89	26
27		·04	·01	·48						·05	01	·13	27
28	·45		·27	55					01	·01		·04	28
29	·03		·42	54	·02			35		·04	04	·09	29
30	·80		·03		·15					·43	·09		30
31	·02		09		·03								31
Total	4·19	1·83	6·97	5·14	2·90	2·16	1·15	1·57	2·21	2·72	5·09	3·00	YEAR'S TOTAL 38·93
Rain Days.	24	16	27	19	19	13	10	9	15	16	24	19	211

W.7,000, XI. 13

S/made

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
27 JAN 1915

Kept at Ringstone (new)
in the County of York WR8
by Wakefield Corporation

Lat. ________ Long. ________
Time of Observation 9 a.m.
Nearest Railway Station Ripponden L&YR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 990 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·01	·04				1·49	·15		·01		·42	1
2	·01		·03				·14	·85		·06	·44	·44	2
3	·17		·15		·53		·03	·14		·02	·05	·73	3
4	·89		·32	·31	·25						·20	·68	4
5	·03		·48	·31	·17	·09	·01	·02		·01	·33	·28	5
6		·05	·04	·29	·18			·02			·05	·04	6
7	·06	·05	·10	·06	·21	·02		·01	·01		·02	·31	7
8	·55	·02	·03	·01	·20	·42		·37	·20		·05	·11	8
9	·40	·10		·40	·01	1·21		·38			·17		9
10	·11	·05		·23	·01				·04		·27	·03	10
11		·41	·33	·04	·13	·05			·18		1·02	·41	11
12		·15	·05		·04	·02	·28		·92		·50	·60	12
13		·34	·28	·04			·04		·10		·60	·34	13
14	·06	·65	·21				·06		·26		·26	·41	14
15		·04	·40						·09	·05	·13	·02	15
16	·02	·01	·04				·52		·62				16
17	·12	·74	·09			·07	·07		·42			1·07	17
18	·01	·02	·04			·07				·03		·15	18
19		·04	·01				·21				·03	·22	19
20	·01	·22	·03							·02			20
21		·42				·15		·09		·26		·14	21
22		·40	·02	·02	·10	·35		·03		·11	·02	·02	22
23		·01	·06	·08	·28		·03				·02	·04	23
24	·07		·85	·05	·09	·03	·45	·34			·08		24
25	·10						·36	·15		·81	·10	·62	25
26	·05		·15				·01	·04		·25	·36	·32	26
27	·03	·02								·31	·45	·82	27
28	·08	·18	·06				·02		·01	·02	·37	·01	28
29	·20		·15		·02			·04		·47	·28	·06	29
30	·05	×	·37	·02				·07		·39	·63	·28	30
31	·77	×	·59	×		×	·34		×	·30	×		31
Total	3·81 ✓	3·93 ✓	4·92 ✓	1·86 ✓	2·22 ✓	2·48 ✓	4·06 ✓	2·70 ✓	2·85 ✓	3·12 ✓	6·43 ✓	8·57 ✓	YEAR'S TOTAL 46·95 ✓
Rain Days.	22	21	26	13	14	11	16	15	11	16	24	26	215 ✓

W. 8,000. X. 14.

A

FORM B.
BRITISH RAINFALL

16 [illegible] 1915

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1914

At Ringstone Hew

In the County of W R Yorks 8

Rain Gauge
Diameter of Funnel 5 in.
Height of Top *Above Ground* 1 ft. – in.
Height of Top *Above Sea Level* 990 T ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	3·81	.89	4	22
FEB.	3·93	.74	17	21
MAR.	4·92	.85	24	26
APR.	1·86	.40	7	13
MAY	2·22	.53	3	14
JUNE	2·48	1·21	9	11
JULY	4·06	1·49	1	16
AUG.	2·70	.85	2	15
SEPT.	2·85	.92	12	11
OCT.	3·12	.81	25	16
NOV.	6·43	1·02	11	24
DEC.	8·57	1·07	17	26
Total	46·95	1192		215

Signed Wakefield Corporation

[*Please fill in the other side also.*

W. 17,000. X.14.

3394

FORM A.
BRITISH RAINFALL.
29 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Ringstone (New)
in the County of York W8
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 990 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·49	·03		·21		·08	·41	·19			·10	1
2		·49	·17	·43		·01	·30	·36		·02			2
3	·76	·01	·06	·15			·12	·51	—			·55	3
4	·04	·05			·09		·62					1·18	4
5	·17	·10	·19		·01	·01		·01		·04		·64	5
6	·32	·18		·53			·74	·07		·07	·01	·83	6
7	·40	·54		·15	·20		·25	·96				·37	7
8	·35	·07		·08				·14			·37		8
9	·01	·04		·02			·01	·15		·07	·42	·30	9
10	·78		·03	·01			·01	·92		·01	·01	·48	10
11	·08		·05		1·02		·09	·14			·26	·28	11
12	·09			·08	·20		·02	·07		·22	1·09		12
13	·18	·50					·02	·02	·01			·05	13
14	·20	·01		·02			·04	·42	·05	·01		·42	14
15	1·43						·12	·53	·03		·31	·25	15
16		·46		·02	·29		·87	·37			—	·03	16
17		·57	·06									·01	17
18		·30	·10						·05				18
19	·03	·18	·06	·09	·05		·21						19
20	·41				·09		·17	·02				·15	20
21	·06	·08					·10					·05	21
22	·02		·16				·15					·15	22
23			·06				·09			·26		·14	23
24	·01		·23	·02					·20	·05		·45	24
25						·10			·02	·04		·16	25
26	·05	·76				·24	·47		·03			·68	26
27		·19				·10	·08			·57		·63	27
28		·13				·03		·49		·19		·09	28
29	·01	X			·11	·12					·11	·51	29
30	·12	X		·04		·90		·01					30
31	·20	X		X		X	·01	·34	X	·46	X	·48	31
Total	6·10	5·15	1·20	1·64	2·27	1·51	4·57	5·94	·58	2·01	2·58	8·98	YEAR'S TOTAL 42·53
Rain Days.	23	19	12	13	10	8	22	19	8	13	8	25	180

W. 8,000. X. 15.

Swade

3718

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Ringstone Reservoir (new)

in the County of York W.R.

by Wakefield Corporation

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Ripponden

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 990 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·69	·07	·38			·45	·41				·25		1
2	·32	·25	·23			·02	·01		·40	·13	·05	·01	2
3	·01	·23				·03	·38		·63	·13	·11	·01	3
4	·27	·36			·67	·87	·44		·01	1·08	·37		4
5	·15	·32			·15	·09				1·07	·38		5
6	·79	·70	·03	·01	·46	·04	·25			·34	·37	·03	6
7	·14	·04	·02		·08	·02	·30			·18	·09	·16	7
8	·01	·07	·22	·01						·07	·31	·05	8
9	·07		·10		·21	·17	·14		·07		·36	·25	9
10	·02	·03	·01	·14		·29	·05		·02	·30	·01	·07	10
11	·02	·37	·17	·56		·10	·05		·10		·01	·11	11
12	·16	·33	·31	·21	·20		·83	·01	·01	·15	·01	·04	12
13		·17	·47	·18				·34	·01	1·07		·05	13
14	·01	·28	·08	·05	·40			·09	·02	·21		·02	14
15	·01	·74	·78				·02	·24	·04	·04			15
16		·06	·71	·34	·01		·19	1·57		·02			16
17	·11	·12	·01	·56			·12	·01	·58	·15		·01	17
18		·42	·02	·07			·02	·18	·25	·16	·56	·25	18
19	·30	·07	·29	·30				·12	·02		·49		19
20	·30		·27	·13	·03		·03	·05			·05	·08	20
21	·36		·10	·04	·39						·01		21
22					·01	·06				·10	·01	·12	22
23	·03	·01	·01	·19		·16		·05		·01	·48	·19	23
24		·12		·07		·05		·01		·02		·08	24
25	·12	·07	·24		·21	·01		·09	·01	·10	·50	·05	25
26	·08	·05	·07						·01	·05	·02		26
27		·27			·56			·09	·02	·55			27
28	·01	·08			·12	·04			·01	·71	·05	·43	28
29	·02	·43	·02			·15				·49		·75	29
30		X			·20	·03				1·11	·02	·09	30
31		X		X	·05	X		·03	X	·44	X	·22	31
Total	4·00	5·66	4·54	2·86	3·75	2·58	3·24	2·88	2·21	8·68	4·51	3·07	YEAR'S TOTAL 47·98
Rain Days.	23	25	22	15	16	17	15	14	17	25	22	22	233

W. 8,000, VIII. 16

3170

FORM A.
BRITISH RAINFALL.

5 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Ringstone Reservoir

in the County of York

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 990 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06					·76		·10	·54		·23	·30	1
2	·42		—	·06		·10		·02	·01	·03	·06		2
3	·14	·06				·17		·02		·45	·22		3
4	·02	·01	·02				·01			·35			4
5	·21		·06	·26				·29	·02	·14	·23	·01	5
6	·06					·20				·50	·55	·12	6
7	·36					·23				·63	·04	·05	7
8	·30			·14				·94	·02	·78	·23	·09	8
9	·05		·03	·04				·15		·13	·75		9
10	·11		1·06	·06	·25			·09		·02			10
11	·04			·15				·10		·53			11
12	·01	·06			·36			·49		·37		·04	12
13	·09			·30	·15	·05		·11	·60	·03	·07	·30	13
14	·10			·10	·03			·84				·09	14
15	·06			·10			·45	·03	·08	·14		·21	15
16	·02		·01	·22			·01	·29	·01	·02	·01	·26	16
17		·13	·18	·09	·51		·18	1·49	·03	·12		·05	17
18	·02		·13	·04	·10		·82	·24	·33	·09			18
19	·01	·21	·38		·23	·12		·01			·07		19
20	·04	·40	·02		·28	·20		·01	·09		·25		20
21		·05	·28		·05			·21		·05	·02		21
22			·03					·01	·19	·15	·04		22
23		·05			·10	·12		·34	·02	·08	·06	·05	23
24		·01			·01	·13		·49		·85	·31	·01	24
25		·04	·08					·06	·01	·40	·02		25
26						·35		·30	·23	·16	·39		26
27			·01			·34	·22	·81		·02	·15	·02	27
28		·02	·45			·07		·41		·03	·11	·10	28
29		X	·08		·04		·03	·03		·49	·50	·33	29
30		X	·12					·07		·21	·11	·03	30
31	·01	X	·30	X	·02	X		·09	X		X	·06	31
Total	2.13	1.04	3.24	1.56	2.13	2.84	1.72	8.04	2.18	6.77	4.36	2.12	YEAR'S TOTAL 38.13
Rain Days.	20	11	17	12	13	13	7	28	14	26	22	18	201

W. 8,000, IX. 17.

B. Made

Ese 52

151

FORM A. BRITISH RAINFALL
5 . 2 . 19

REGISTER OF RAINFALL IN 1918.

Kept at Ringstone (new)
in the County of York W
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 990 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·19		·04	·10				·51	·12	·22	·16	1
2		·16		·04				·03	·16	·07		·52	2
3		·04	·04		·64			·20		·48	·04	·04	3
4	·02	·04	·06		·02			·09	·23	·24	·62	·38	4
5	·01		·06	·20	·27			·48	·09	·48	·08		5
6	·03	1·95	·05	·20		·12		·28	·15	·38		·01	6
7		·26		·13				·02	·43	·66	·39		7
8	·01	·15	·13				·43	·01	1·12	·24	·06	·08	8
9	·21	·89		·18		·25			1·35	·34	·13	·09	9
10	·04	·61	·01	·03			·30		·86	·10	·27	·03	10
11	·30	·15	·02	·06	·07				·39			·13	11
12		·29		·16		·02	·49		·17	·01		·28	12
13	·01		·01	·05	·15	·02			·26	·07			13
14	·65				·01	·02	·21		1·19	·03		·33	14
15	·16					·08	·99		2·43			·80	15
16						·10	·11	·05	·15			·38	16
17	·31				·31	·03	·18	·18	·23	·15		·53	17
18	·59		·13			·10	·35	·01	·50			·45	18
19	·34	·04	·09	·04		·03	·37	·18	·90	·16		·50	19
20	·18	·60		·10		·13	·25		·55	·04			20
21	·16	·91			·22	·11			·46	·06		·04	21
22	·09	·09			·22	·07	·09		·04			1·02	22
23	·06	·02			·42		·30		·10		·06	·06	23
24	·01	·09					·05	·10	·16	·01	·05	·05	24
25						·28	·10	·19	·15		·01		25
26		·18					·21	·04	·65	·02	·10	·29	26
27		·25	·31			·02		·24	·88	·02	·17	·66	27
28		·05	·67					·15	·06		·13	·57	28
29									·15	·01		·32	29
30			·27					·11		·04	·04	·45	30
31			·25					·16		·01			31
Total	3·26	6·96	2·10	1·23	2·43	1·38	4·43	2·52	14·32	3·74	2·37	8·17	YEAR'S TOTAL 52·91
Rain Days.	19	20	14	12	11	15	15	18	28	23	15	25	215

W, 6,500, VII 18. w w c

Box. K56

3008

B made

3 FEB 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ringstone (New)

in the County of York

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 990 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·86		·04		·80		·17	·04	·17	·29	·07	·23	1
2	·29		·31		·09		·13	·02	·04	·04	·05	·15	2
3	·31		·01		·12	·13	·37		·03		·31	·43	3
4	·30	·06	·27		·01	·01	·11	·12	·21		·06	·26	4
5	·10			·02					·11		·08	·51	5
6	·06		·72		·84					·01		·15	6
7	·08		·42	·03	·09		·01				·11		7
8	·12		·02	·02	·06	·09					·03		8
9	·70		·10	·01							·03		9
10	·01		1·08	·06	·05							·48	10
11	·01		·83	·12	·11		·11			·01			11
12	·01		·35	·23		·17	·11		·26	·04	·14		12
13	·38			·16		·04	·05	·03		·14		·15	13
14	·31	·01		·45				·01			·08	·01	14
15	·45	·09	·02	·04						·03	·02	·28	15
16	·14	·50				·01					·06	·01	16
17	·03	·14		·04		·17		·34			1·12	·04	17
18			·19				·02	·47	·14		·03	·39	18
19	·01	·24	·72			·13	·45	·12	·04		·33	·02	19
20	·30	·12	·03			·13	·27	·07	·02		·09	·88	20
21	·13	·56	·07			·08	·21		·04		·02	·09	21
22		·08				·10		·14	·32		·04	·68	22
23						·10		·01		1·25	·28	·33	23
24	·02			·23	·03	·05			·51	·51	·35	·53	24
25	·13	·05		·18	·03	·12		·74	·01		·32		25
26	·06		·84	·08		·02	·03	·89	·08		·04	·71	26
27	·16		·02	·04		·01		·02			·02	·08	27
28				·06				1·15		·03		·47	28
29	·12							·11		·70		·09	29
30		✕	·02	·06		·10				·15	·53	·29	30
31		✕	·02	✕		✕	·29		✕	·03	✕	·01	31
Total	5·09	1·85	6·08	1·83	2·23	1·46	2·33	4·28	1·98	3·23	4·21	7·27	Year's Total 41·84
Days with ·01 in. or more	25	10	20	17	11	17	14	16	14	13	24	25	206

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

exp 8

2 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ringstone (new).
in the County of York
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m. daily
Nearest Railway Station Ripponden L & Y.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 990 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05	·18	·76	·01	·97	·04	·26	·04	·38	·14	1
2			·01	·24	·04		·77	·05	·31	·17		·35	2
3		·08	·01	·05	·09	·09	1·43	·08	·08	·06		·28	3
4	·04			·07	·01		·27	·92	·05	·58		·05	4
5			·12		·35		·13	·21	·07	·17		·04	5
6			·53	·61	·28		·13	·01			·01	·29	6
7	·31	·05	·03	·11	·03		·69				·01		7
8	·10	·04		·44	·12		·21	·18		·02			8
9	·42	1·04	·01	·71			·37	·06	·02	·01	·04		9
10	·84	1·42	·09	·27			·50						10
11	·66	·08		·31	·32	·15	·01					·09	11
12	·34	·34	·32	·35	·04	·22	·05	·02			·12	·09	12
13	·19	·07	·23	·22		1·03	·05				·09	·06	13
14	·04	·10	·11	·18		·97	·02		·42	·08	·74		14
15		·28	·02	·90			·05		·03	·48	·09		15
16			·16	·24	·02		·78		·13		·24		16
17	·17		·04	·05	·27			·31	·26	·15		·01	17
18	·18			·08	·83		·06	·01	·36				18
19	·09	·64		·21	·83	·08	·01	·05	·02				19
20	·14			·20		·04	·25					·17	20
21	·03			·02			·63	·01				·30	21
22	·18	·02		·35		·04	·49	·02				·13	22
23			·01	·03			·09	·02				·34	23
24			·93	·24			·03	·01				·34	24
25		·05	·08	·13		·01	1·10	·01					25
26	·19	·14	·51	·49	·14		·10				·02	·01	26
27	·14	·01	·08	·06	1·08	·47	·01				·22	·09	27
28	·40	·02	·22	·14	·20	·13	·03				·04	·29	28
29	·18		·24	·08	·82	·13	·26				·19	1·09	29
30	·43	╳	·02	·06	·08	·12			·19		·14	·49	30
31	·51	╳	·13	╳	·10	╳	·02		╳	·58	╳	·19	31
													YEAR'S TOTAL
TOTAL	5·56	4·38	3·95	7·02	6·41	3·49	9·51	2·01	2·20	2·34	2·33	4·84	54·04
Days with ·01 in. or more	21	16	23	29	20	14	29	17	13	11	14	21	228
Days with ·04 in. or more	20	13	16	27	17	12	22	9	10	9	11	19	185

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RISHWORTH MOOR
GREYSTONES
YORKSHIRE

1911 - 1920

FORM A2.

BRITISH RAINFALL.
26 JAN 1912

REG

Kept at Grey St ... den

in the County of WR Yor

by Wakefield

in.

round 1 ft. 0 in.

ea Level 1175 T ft.

weekly

ame

istance Direction

IMPORTANT NOTE.- ... he result entered to the previous day. If an Obser ... sal rule, he is earnestly requested to add the readin ... r in the space provided for it at the end of this ... nt of rain, the selection and placing ... sh Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.05					1
2					.84								2
3	.05									.08			3
4				.02			.21		.08				4
5									.08			.46	5
6						-·-							6
7		.02	1.55								3.08		7
8								1.38					8
9					.67								9
10	1.70									.45			10
11				.14			-·-						11
12									1.28			2.24	12
13						.02							13
14		.87	.86								1.85		14
15								-·-					15
16					.61								16
17	.53									.22			17
18				.05			.06						18
19									.23			1.85	19
20						.65							20
21		3.42	.16								.95		21
22								.96					22
23					.24								23
24	.48									1.23			24
25				.98			.23						25
26									1.43			2.08	26
27						1.77							27
28		2.38	.05								.26		28
29								.73					29
30				1.28	.17	1.24			1.16		.03		30
31	.10		.10		-·-		-·-	-·-		1.90		.85	31
Total	2.86	6.69	2.72	2.47	2.53	3.68	.50	3.12	4.18	3.88	6.17	7.48	TOTAL for year 46.28
No. of Rain Days.													

W. 8,000, X. '11.

S. made

FORM A2.

BRITISH RAINFALL 26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Grey Stones

in the County of WR York 8

by Wakefield Corporation

RAIN GAUGE
- Pattern Snowden
- Diameter of top 5 in.
- Height of top above Ground 1 ft. 0 in.
- " " " Sea Level 1175 T ft.

Time of Observation 9 a.m. weekly

Nearest Railway Station
- Name
- Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.05					1
2					.84								2
3	.05									.08			3
4				.02			.21		.08				4
5									.08			.46	5
6						-.-							6
7		.02	1.55								3.08		7
8								1.38					8
9					.67								9
10	1.70									.45			10
11				.14			-.-						11
12									1.28			2.24	12
13						.02							13
14		.87	.86								1.85		14
15								-.-					15
16					.61								16
17	.53									.22			17
18				.05			.06						18
19									.23			1.85	19
20						.65							20
21		3.42	.16								.95		21
22								.96					22
23					.24								23
24	.48									1.23			24
25				.98			.23						25
26									1.43			2.08	26
27						1.77							27
28		2.38	.05								.26		28
29								.73					29
30				1.28	.17	1.24			1.16		.03		30
31	.10		.10		-.-		-.-	-.-		1.90		.85	31
Total	2.86	6.69	2.72	2.47	2.53	3.68	.50	3.12	4.18	3.88	6.17	7.48	TOTAL for year 46.28
No. of Rain Days.													

W. 8,000, X. '11.

made

See IC

REGISTER OF RAINFALL IN 19 12

FORM A.
BRITISH RAINFALL.
25 JAN 1913

Kept at Grey Stones (weekly)

in the County of York W. 8

by Wakefield Corporation

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 1175 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										-·-			1
2	·06			-·-			·32						2
3									1·06			1·24	3
4						1·66							4
5			1·73								·57		5
6		·32						2·35					6
7					95								7
8										·05			8
9	·43			1·55			·15						9
10									·86			·24	10
11						·69							11
12			·80								1·24		12
13		1·12						·71					13
14					·06								14
15										·32			15
16	1·95			·08			·58						16
17									-·-			4·40	17
18						2·51							18
19			1·93								·32		19
20		·41						1·57					20
21					1·12								21
22										2·35			22
23	·81			-·-			·82						23
24									-·-			·95	24
25						1·05							25
26			·75								1·47		26
27		·73						2·48					27
28					·88								28
29		·13								3·40			29
30	·10			-·-		1·10	2·13		·71		·08		30
31	-·-		1·37		·91		1·46	1·11		·11		1·09	31
Total	3·35	2·71	6·58	1·63	3·92	7·01	5·46	8·22	2·63	6·23	3·68	7·92	YEAR'S TOTAL 59·34
Rain Days.													

W. 7,500, XI. '12

S. made ✓

FORM A.
BRITISH RAINFALL.
26 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Greystones Gy R.

in the County of York W R

by Wakefield Corporation

Lat. Long.

Time of Observation

Nearest Railway Station 9 a.m. weekly

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1175 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·05			·05						1
2									-·-			·27	2
3						·20							3
4		·80	1·30								·58		4
5								-·-					5
6					1·24								6
7	1·18									1·20			7
8				-·-			·50						8
9									·24			1·30	9
10						1·80							10
11		1·34	1·95								·80		11
12								·45					12
13					·56								13
14	·19									·55			14
15				1·93			·17						15
16									·49			·41	16
17						·95							17
18		·03	2·10								2·95		18
19								·20					19
20					·48								20
21	·52									·24			21
22				·87			·54						22
23									·82			·03	23
24						·90							24
25		·08	·87								2·21		25
26								1·50					26
27					1·32								27
28	2·18	-·-								·23			28
29				3·03			-·-						29
30				-·-		·05			·35		·32	1·24	30
31	·75		·92		·09		-·-	·29		·34		-·-	31
Total	4·82	2·25	7·14	5·88	3·69	3·90	1·26	2·44	1·90	2·56	6·86	3·25	YEAR'S TOTAL 45·95
Rain Days.	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓		✓

W.7,000, XI. 13

S/made

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
27 JAN 1915

Kept at Greystones (weekly)
in the County of York WR 8/4 RR
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m. weekly
Nearest Railway Station Rishworth L&YR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1175 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									-·-			·35	1
2						-·-							2
3		·05	·97								·48		3
4								1·07					4
5					·99								5
6	1·65									·24			6
7				1·09			1·21						7
8									·10			2·43	8
9						1·34							9
10		·34	1·56								1·18		10
11								1·06					11
12					·94								12
13	1·50									-·-			13
14				·44			·69						14
15									2·15			1·22	15
16						·06							16
17		2·21	1·88								3·26		17
18								-·-					18
19					·02								19
20	·23									·09			20
21				-·-			1·03						21
22									1·19			1·74	22
23						·81							23
24		1·03	·48								·32		24
25								·90					25
26					·46								26
27	·35									2·03			27
28		·32		·33			1·17						28
29									·04			1·92	29
30		×		·02		·11			-·-		2·00		30
31	1·45	×	1·48	×	·05	×	·53	·22	×	·77	×	·39	31
Total	5·18	3·95	6·37	1·88	2·46	2·32	4·63	3·25	3·48	3·13	7·24	8·05	YEAR'S TOTAL 51·94 ✓
Rain Days.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

W. 8,000. X. 14.

A

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

16 APR 1915

RAINFALL IN 1914

At Greystones

In the County of W R Yorks 8

Rain Gauge
Diameter of Funnel 5 in.
Height of Top: *Above Ground* 1 ft. — in.
Height of Top: *Above Sea Level* 1175 T ft.

Weekly

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	5·18			
FEB.	3.95			
MAR.	6.37			
APR.	1.88			
MAY	2·46			
JUNE	2.32			
JULY	4.63			
AUG.	3·25			
SEPT.	3·48			
OCT.	3·13			
NOV.	7.24			
DEC.	8·05			
Total X	51·94	1319		

Signed Wakefield Corporation

[*Please fill in the other side also.*

W. 17,000. X.14.

3395

FORM A.
BRITISH RAINFALL.

29 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Grey Stones (Weekly)
in the County of York W8
by Wakefield Corporation

Lat. ______ Long. ______
Time of Observation 9 a. m
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						—							1
2		1·09	·34								—		2
3								·63					3
4					·56								4
5	·98									·09			5
6				1·49			2·16						6
7									·28			3·31	7
8						·09							8
9		1·05	·54								·96		9
10								2·08					10
11					1·60								11
12	3·02									·52			12
13				·53			·63						13
14									·13			1·79	14
15						—							15
16		·63	·19								·76		16
17								1·73					17
18					·48								18
19	2·45									·08			19
20				·30			1·49						20
21									·08			·81	21
22						—							22
23		1·19	·41								·09		23
24								·07					24
25					·21								25
26	·90									·37			26
27				·07			·92						27
28		1·10							·35			2·63	28
29		X				·54							29
30		X	·19	·09		·11			—		·18		30
31	·48	X	—	X	·12	X	·03	·93	X	1·10	X	·82	31
Total	7·83	5·06	1·67	2·48	2·97	·74	5·23	5·44	·84	2·16	1·99	9·36	YEAR'S TOTAL 45·77
Rain Days.													

W. 8,000. X. 15.

3319

FORM A.
BRITISH RAINFALL.

30. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Greystones (weekly)
in the County of York WR
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·10						–·–					1
2					–·–								2
3										·45			3
4	1·17			–·–			·52						4
5									1·05			·07	5
6						2·02							6
7			·09								1·75		7
8		2·05						–·–					8
9					1·64								9
10										4·05			10
11	2·08			·95			·69						11
12									·31			·73	12
13						·64							13
14			·57								1·02		14
15		2·22						1·27					15
16					·98								16
17										2·65			17
18	·57			1·79			1·19						18
19									1·63			·23	19
20						–·–							20
21			1·59								·47		21
22		1·05						1·10					22
23					·35								23
24										·47			24
25	1·94			·73			·02						25
26									·02			·49	26
27						·16							27
28			·28								1·27		28
29		·57						·76					29
30		X		–·–	·33	·17			·01		·07		30
31	·26	X	·09	X	·08	X	–·–	·09	X	3·57	X	2·38	31
Total	6·02	5·99	2·62	3·47	3·38	2·99	2·42	3·22	3·02	11·19	4·58	3·90	YEAR'S TOTAL 52·80
Rain Days													

W. 8,000, VIII. 16

3171

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
5. FEB. 1918

Kept at Grey Stones (weekly)
in the County of York
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					- - -								1
2	·96									·05			2
3				·30			- · -						3
4									·22			26	4
5						1·09							5
6		·10	·07								1·28		6
7								·40					7
8					- · -								8
9	·97									3·98			9
10				·60			- · -						10
11									·05			·59	11
12						·38							12
13		- · -	·75								1·29		13
14								2·49					14
15					1·08								15
16	·42									1·22			16
17				1·20			1·15						17
18									1·46			1·05	18
19						·11							19
20		·68	95								·48		20
21								2·90					21
22					·83								22
23	·04									1·05			23
24				·03			1·11						24
25									1·65			·14	25
26						1-16							26
27		·25	·20								1·96		27
28		·07						2·78					28
29		×			·38								29
30	·03	×		- · -		·29			·36	2·78	1·04		30
31	- · -	×	1·11	×	·05	×	·32	·71	×	·04	×	·26	31
Total	2·42	1·10	3·08	2·13	2·34	3·03	2·58	9·28	3·74	9·12	6·05	2·30	YEAR'S TOTAL 47·17
Rain Days.													

W. 8,000, IX. 17.

B. made

6 X 042

152

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

5. 2. 19

Kept at Greystones (weekly)
in the County of York W
by Wakefield Corporation

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06									·20			1
2				·08			- -						2
3									·80			1·25	3
4						- -							4
5		·67	·11								1·08		5
6								1·03					6
7					·76								7
8	·06									2·83			8
9				·87			·27						9
10									4·11			·97	10
11						·49							11
12		5·78	·21								1·30		12
13								·09					13
14					·42								14
15	·51									1·09			15
16				·11			2·04						16
17									4·85			2·82	17
18						·41							18
19		·14	·30								·02		19
20								·77					20
21					1·02								21
22	2·74									·36			22
23				·18			2·38						23
24									3·06			2·26	24
25						·74							25
26		2·29	- -								·45		26
27								·92					27
28		·36			·94								28
29	·11	X								·16			29
30		X		- - -		·06	·31		2·14		·51		30
31		X	1·95	X	- -	X	- -	·92	X	·10	X	3·09	31
Total	3·48	9·24	2·57	1·24	3·14	1·70	5·00	3·73	14·96	4·74	3·36	10·39	YEAR'S TOTAL 63·55
Rain Days.													

W. 6,500. VII. 18. w w c

Ext 3009

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 FEB 20

Kept at Greystones
in the County of York
by Wakefield Corporation

Lat. Long.
Time of Observation 9 a.m. weekly
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
„ „ „ „ Sea Level 1175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				—			·15						1
2									34			·70	2
3						·13							3
4		·08	·75								32		4
5								·46					5
6					1·85								6
7	1·80									·52			7
8				·10			·56						8
9									·44			1·54	9
10						·15							10
11		—	3·28								·12		11
12								—					12
13					·24								13
14	2·00									·38			14
15				1·25			·27						15
16									·20			1·18	16
17						·78							17
18		·28	·48								1·79		18
19								1·22					19
20					—								20
21	1·06									·05			21
22				·15			·77						22
23									·78			3·24	23
24						1·03							24
25		1·19	·49								2·04		25
26								1·96					26
27					·07								27
28	·54	·05								1·37			28
29				·72			·03						29
30		✕		·06		·23			1·10		·61	2·62	30
31	·01	✕	·97	✕	—	✕	·49	·85	✕	·56	✕	·07	31
TOTAL	5·41	1·60	5·97	2·28	2·16	2·32	2·27	4·49	2·86	2·88	4·91	9·35	YEAR'S TOTAL 46·50
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

7895

2 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Greystones

in the County of York

by Wakefield Corporation

Lat. .... Long. ....

Time of Observation 9 am weekly

Nearest Railway Station Rishworth L&YR.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 1175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·03							1
2			·09								·27		2
3		·08						·40					3
4					·93								4
5										1·23			5
6	—			98			2·56						6
7									1·05			1·08	7
8						·06							8
9			1·00								·20		9
10		3·15						1·88					10
11					1·45								11
12										·05			12
13	3·30			1·90			1·96						13
14									·73			·10	14
15						1·98							15
16			1·17								1·50		16
17		1·05						·25					17
18					1·41								18
19										·39			19
20	·86			1·93			1·39						20
21									1·10			·78	21
22						·35							22
23			·05								·06		23
24		·64						·32					24
25					·45								25
26										·06			26
27	·50			1·44			3·40						27
28									·05			1·36	28
29		·32				1·08							29
30			2·24	·66		12			·21		·70		30
31	1·16		·07		3·06		·54	·02		·64		2·00	31
TOTAL	5·82	5·24	4·62	6·91	7·30	3·62	9·85	2·87	3·14	2·37	2·73	5·32	YEAR'S TOTAL 59·79
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ROSEDALE ABBEY

VICARAGE

1917 - 1920

REG

FORM A.
BRITISH RAINFALL.
8 FEB 1918

Kept at Rosedale Abbe 5

in the County of Yorks kering. 5 in.

by Revd William d 1 ft. in.

evel 542 ft.

IMPORTANT NOT esult entered to the previous day. If an O rule, he is earnestly requested to add the rea the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·02.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·1	
2												–	
3												–	3
4												–	4
5												·01	5
6												·08	6
7												–	7
8												–	8
9												·21	9
10												–	10
11												–	11
12												–	12
13												–	13
14												·04	14
15												·36	15
16												·44	16
17												·24	17
18											–	·01	18
19											–	–	19
20											·43	·11	20
21											–	–	21
22											–	–	22
23											–	·01	23
24											·19	·09	24
25											–	·28	25
26											·39	·04	26
27											–	·04	27
28											·02	–	28
29											·02	–	29
30		X									·01	·03	30
31		X		X		X			X		X	·18	31
Total												2·39	YEAR'S TOTAL
Rain Days.												14	

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL
8 FEB 1918

REG

Kept at Rosedale Abbey Vicarage, 5

in the County of Yorkshire.

by Revd William Dainman.

Time of Observation 9 a.m.

Nearest Railway Station Pickering.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 542 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·02.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·1	
2												–	
3												–	3
4												–	4
5												·01	5
6												·08	6
7												–	7
8												–	8
9												·21	9
10												–	10
11												–	11
12												–	12
13												–	13
14												·04	14
15												·36	15
16												·44	16
17												·24	17
18											–	·01	18
19											–	–	19
20											·43	·11	20
21											–	–	21
22											–	–	22
23											–	·01	23
24											·19	·09	24
25											–	·28	25
26											·39	·04	26
27											–	·04	27
28											·02	–	28
29											·02	–	29
30		×									·01	·03	30
31		×		×		×			×		×	·18	31
Total												2·39	YEAR'S TOTAL
Rain Days.												14	

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

Ex & l

FORM A.
BRITISH RAINFALL.
24 1 19

Kept at The Vicarage, Rosedale Abbey, Pickering.
in the County of Yorkshire. N
by Rev. W. Dainman.

Lat. 54·21 Long. 0'. 536. W.
Time of Observation 9 a.m.
Nearest Railway Station Pickering.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·32"

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·02	·11	·02	–	–	–	[illegible]	·31	·03	·29	·04	1
2	·14	·20	·01	·26	–	–	–	·03	·09	·01	–	·22	2
3	–	·03	·05	–	·06	–	–	·04	–	·14	·34	·01	3
4	–	·05	·03	–	·15	–	–	·01	·04	·03	·24	·32	4
5	–	–	·02	·03	·22	–	–	1·02	–	·10	·01	·02	5
6	·07	·29	–	·44	–	·20	–	·31	·04	·15	–	·06	6
7	·09	·02	–	·02	–	·04	–	·01	–	·08	·21	–	7
8	·03	·03	·04	–	–	–	·45	–	·29	·05	–	–	8
9	·06	·36	·02	·03	–	·09	·24	–	·44	·33	·04	·04	9
10	·09	·04	–	·02	–	–	·20	–	·04	–	·05	·01	10
11	·24	·05	–	–	·30	–	·08	·01	–	–	·01	·16	11
12	–	·26	·04	–	·01	–	·25	–	·03	·14	–	·05	12
13	–	–	–	·08	·10	–	–	–	·31	·12	–	·01	13
14	·11	·01	–	·11	–	·01	·04	–	·42	·04	–	·03	14
15	·09	·01	–	·02	–	·21	·31	–	·89	–	–	·89	15
16	·01	–	–	–	–	·10	·40	·12	·20	–	–	·34	16
17	·25	–	–	·02	·28	·08	·35	·03	·01	·19	–	·44	17
18	·44	–	·04	·42	–	·06	·21	–	·46	·06	–	·19	18
19	·33	–	·04	·24	–	–	·26	·26	·02	·21	–	·05	19
20	·24	·64	–	·09	–	·03	·24	–	·25	·15	–	–	20
21	·16	·03	–	–	·42	·03	·04	–	·18	·28	·01	–	21
22	·03	–	–	–	·06	·06	·11	–	–	–	·01	·44	22
23	·15	–	–	–	·44	–	·32	–	·14	–	·03	·02	23
24	–	·14	·01	–	–	–	·03	·06	·13	·03	·04	·02	24
25	–	–	·03	–	–	·08	·26	·25	·08	–	·01	·12	25
26	–	–	–	–	–	–	·08	·15	·44	·03	·08	·13	26
27	–	·03	·05	–	–	·01	–	·40	·12	–	·10	·24	27
28	–	·36	·85	–	–	–	–	·01	·01	–	·04	·44	28
29	–		·04	–	–	–	–	–	·24	–	·04	·15	29
30	–		·28	·01	–	–	–	–	·34	–	·13	1·15	30
31	–		·39		–		–	·02		–		·10	31
Total	2·64	2·57	2·11	1·81	2·34	1·00	3·93	2·43	5·88	2·23	1·46	5·48	YEAR'S TOTAL 34·46
Rain Days.	18	18	14	15	10	13	18	16	25	19	18	24	214

W. 8,000, IX. 17.

32918

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

5 FEB 20

Kept at Rosedale Abbey
in the County of Yorkshire.
by Revd Wm Wainman.

Lat. 54°21. Long 0°536. W.
Time of Observation 9. a. m.
Nearest Railway Station Pickering.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	·05	·01	·01	·28	–	·66	–	·23	·05	·12	·10	1
2	·15	·02	·05	–	·01	–	·99	–	·01	–	·26	–	2
3	·77	–	–	·04	·14	·03	·23	–	·03	–	·37	·16	3
4	·48	·11	·45	–	·15	·02	–	·39	·15	–	·24	·13	4
5	·44	·03	·01	–	–	·02	–	–	·09	·01	·08	·10	5
6	·03	·02	·27	–	·02	–	–	–	·01	·01	·10	·52	6
7	·03	–	·24	–	·10	–	–	–	–	–	–	·55	7
8	·22	–	–	·06	·09	–	–	·03	–	·09	·18	·16	8
9	·03	–	·05	·04	–	·02	–	–	–	·39	·39	·01	9
10	–	–	·07	·05	–	–	–	–	–	·31	·47	·36	10
11	–	–	·85	–	·23	–	·19	–	–	·09	·12	·01	11
12	–	·01	1·18	·13	–	·04	–	–	·07	·28	–	–	12
13	·28	–	·20	·05	–	·17	·13	·02	–	·14	–	·02	13
14	·22	–	·04	·54	–	–	–	·03	–	·04	·18	·03	14
15	·08	·19	·16	·17	–	–	–	–	–	–	·03	1·24	15
16	·06	·08	–	·11	–	–	–	–	–	·05	·04	–	16
17	–	·12	–	·01	·12	·04	–	·12	–	–	·26	·01	17
18	–	–	–	–	–	–	·03	·26	·01	–	–	·10	18
19	·07	·23	·28	·03	–	·01	·56	·19	·29	–	·21	·62	19
20	·92	·20	·02	–	–	·07	·02	·03	·14	–	–	·15	20
21	·20	·19	·15	–	–	·06	–	·04	·05	–	·03	·10	21
22	–	·12	·07	–	–	–	·42	·12	·12	–	·03	·11	22
23	–	–	·09	–	–	·33	·12	–	–	·60	·06	·06	23
24	·01	·02	·01	·03	–	·05	·02	–	·01	·66	·11	–	24
25	·05	·05	–	·08	–	·35	–	·84	–	·02	·05	–	25
26	–	·12	·32	·20	–	·02	–	·44	·02	·45	·29	·47	26
27	·15	·04	–	·44	–	·03	·02	·01	–	1·46	·23	·03	27
28	·13	–	–	·34	–	–	·03	·58	·01	·62	·05	·38	28
29	·22		·08	·08	–	·25	·01	–	–	2·11	·01	·15	29
30	·07	✗	·09	·21	–	·38	–	·02	–	·36	·22	·33	30
31	·09	✗	·30	✗	–	✗	·17	–	✗	·25	✗	·10	31
TOTAL	5·02	1·60	4·99	2·65	1·14	1·89	3·60	3·12	1·24	7·99	4·13	5·40	YEAR'S TOTAL 42·44
Days with ·01 in. or more	23	17	23	19	9	17	15	15	15	20	25	26	224

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3178

17 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rosedale Abbey Vicarage
in the County of Yorkshire
by Rev: W. Wairman.

Lat. 54.21 Long. 0°·536. W.
Time of Observation 9. A.M.
Nearest Railway Station Pickering.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·01	·07	·30	·46	–	·99	–	–	·40	–	·26	1
2	–	–	·02	·15	·01	–	·05	–	·23	·16	–	·62	2
3	–	·02	–	·10	·01	·03	·57	·12	·13	·04	–	·50	3
4	·14	–	–	·02	·08	–	·83	1·27	·03	1·26	–	·06	4
5	–	–	·07	–	·17	–	·22	·08	·08	·01	–	·13	5
6	–	–	·16	·13	·05	–	·05	·03	·02	–	–	·11	6
7	·15	–	·05	·07	·01	–	·15	–	–	–	–	–	7
8	–	–	–	·19	–	–	·16	·20	–	–	·05	–	8
9	·15	·09	·02	·34	·07	–	·10	–	–	–	–	·02	9
10	·68	·18	·22	·20	–	–	·16	–	–	–	·02	·16	10
11	·32	·09	·03	·12	·05	–	–	–	–	–	·02	·26	11
12	·15	–	·09	·23	·04	–	–	–	–	–	·36	·35	12
13	·09	–	·20	·13	·03	–	·03	–	·04	–	·02	·09	13
14	–	·15	·56	·33	·12	–	·11	–	·27	–	–	–	14
15	–	·16	·83	·49	–	–	·03	–	–	·15	–	–	15
16	–	–	–	·16	–	–	·81	–	·21	–	–	·02	16
17	–	–	–	–	–	–	·01	·33	·14	·04	–	–	17
18	·19	·01	–	·05	–	–	·10	·21	·15	–	–	–	18
19	–	·33	–	·42	–	·01	–	·21	–	·05	–	–	19
20	·16	·05	–	·10	–	·17	–	·01	–	–	–	–	20
21	–	·01	–	·15	–	–	·34	·57	·02	–	–	–	21
22	·10	–	–	·26	–	–	·07	·08	–	–	–	–	22
23	·01	–	·01	·06	–	–	·48	·03	–	–	–	·30	23
24	–	–	·84	·14	–	–	·02	–	–	–	–	·05	24
25	·04	·04	·04	·07	–	–	·47	–	–	–	·52	–	25
26	–	·05	·21	·06	–	–	·12	–	–	–	·04	–	26
27	·25	–	·02	·01	·15	·45	·01	–	–	–	–	–	27
28	·46	–	·08	·11	·02	·04	·01	–	–	–	·19	·27	28
29	·88	–	·07	–	·92	·13	·12	–	–	–	–	–	29
30	·12		–	·04	·13	–	–	–	·28	–	–	·41	30
31	·24		·01		·02		–	–		·03		–	31
													YEAR'S TOTAL
TOTAL	4·13	1·19	3·60	4·43	2·34	·83	6·01	3·14	1·60	2·14	1·22	3·91	34·54
Days with ·01 in. or more	17	13	20	27	14	6	25	12	12	9	8	16	182
Days with ·04 in. or more	16	9	14	25	11	4	19	9	9	4	5	14	[illegible]

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ROTHERHAM
MOORGATE GRANGE
YORKSHIRE
1911 - 1920

✓

RE

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Moorgate G
in the County of WR
by C. E. Ch

1 ft. – in.
262 ft.
Rotherham
1 mile Direction S.E.

IMPORTANT NOTE. ... should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								0.01			0.01		1
2	0.25				0.05		0.01					0.05	2
3					0.15				0.03	0.03	0.07		3
4	0.03			Snow 0.20				0.04	0.14	0.11	0.28	0.25	4
5	0.05		0.03	Snow 0.05				0.03		0.20			5
6	0.20		0.05					0.05		0.03	0.36	0.55	6
7											0.10		7
8	0.10		0.06						0.01		0.05	0.17	8
9						0.06						0.05	9
10												0.49	10
11	0.20							0.03			0.46		11
Snow 12	0.05		0.06		0.67				0.57		0.14		12
13			0.06								0.03	0.50	13
14		0.08	0.04		0.20		0.06					0.58	14
15		0.09	0.06		0.11					0.09		0.08	15
16		0.03	0.06	0.01		0.06	0.01			0.04	0.20	0.03	16
17		0.03	0.03			0.25					0.08	0.20	17
18		0.22	0.03			0.09				0.01	0.18	0.05	18
19		0.05		0.01		0.11			0.21	0.05	0.40	0.05	19
20		0.05		0.15				0.62	0.09			0.16	20
21		0.17	0.03	0.01				0.08		0.20	0.03		21
22		0.08						0.03		0.15	0.03	0.19	22
23		0.27				0.55			0.22			0.18	23
24		0.05	0.06			1.10				0.06		0.12	24
25		0.13		0.03		0.03			0.11	0.01	0.05	0.08	25
26				0.06	0.18					0.25	0.36	0.26	26
27		0.10	0.11	0.15				0.73	0.30			0.05	27
28		0.05	0.03	0.11				0.03	0.02		0.05	0.05	28
29				0.04			0.01		0.11	0.22			29
30					0.30	0.20			0.03	0.16			30
31			0.10							0.07			31
Total	0.88	1.40	0.81	0.82	1.06	2.45	0.09	1.65	1.84	1.68	2.88	4.14	TOTAL for year ✓ 19.70
No. of Rain Days.	7	14	15	11	7	9	4	10	12	16	18	21	144

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 191

Kept at Moorgate Grange, Rotherham

in the County of W.R. York 7

by C. E. Chrimes

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. – in.
	" " " Sea Level	262 ft.

Time of Observation 9-0 am

Nearest Railway Station	Name	Rotherham
	Distance	1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								0.01			0.01		1
2	0.25				0.05		0.01					0.05	2
3					0.15				0.03	0.03	0.07		3
4	0.03			Snow 0.20				0.04	0.14	0.11	0.28	0.25	4
5	0.05		0.03	Snow 0.05				0.03		0.20			5
6	0.20		0.05					0.06		0.03	0.36	0.55	6
7											0.10		7
8	0.10		0.06						0.01		0.05	0.17	8
9						0.06						0.05	9
10												0.49	10
11	0.20							0.03			0.46		11
Snow 12	0.05		0.06		0.67				0.57		0.14		12
13			0.06								0.03	0.50	13
14		0.08	0.04		0.20		0.06					0.58	14
15		0.09	0.06		0.11					0.09		0.08	15
16		0.03	0.06	0.01		0.06	0.01			0.04	0.20	0.03	16
17		0.03	0.03			0.25					0.08	0.20	17
18		0.22	0.03			0.09				0.01	0.18	0.05	18
19		0.05		0.01		0.11			0.21	0.05	0.40	0.05	19
20		0.05		0.15				0.62	0.09			0.16	20
21		0.17	0.03	0.01				0.08		0.20	0.03		21
22		0.08						0.03		0.15	0.03	0.19	22
23		0.27				0.55			0.22			0.18	23
24		0.05	0.06			1.10				0.06		0.12	24
25		0.13		0.03		0.03			0.11	0.01	0.05	0.08	25
26				0.06	0.18					0.25	0.36	0.26	26
27		0.10	0.11	0.15				0.73	0.30			0.05	27
28		0.05	0.03	0.11				0.03	0.02		0.05	0.05	28
29				0.04			0.01		0.11	0.22			29
30					0.30	0.20			0.03	0.16			30
31			0.10							0.07			31
Total	0.88	1.40	0.81	0.82	1.06	2.45	0.09	1.65	1.84	1.68	2.88	4.14	TOTAL for year ✓ 19.70
No. of Rain Days.	7	14	15	11	7	9	4	10	12	16	18	21	144

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Moorgate Grange, Rotherham
in the County of York W 7
by Mr. W Dyson Grove House Moorgate
for Mr. Charles E. Chrimes

Lat. Long.
Time of Observation 9. 0 am
Nearest Railway Station Rotherham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 262 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.08			0.30			0.10			Snow 0.45	1
2			0.03		0.02	0.28	0.63		0.03			0.40	2
3	0.08	Snow 0.22			0.09	0.40		0.55	0.21			0.08	3
4	0.05		0.52	0.01	0.09	0.75		0.45			0.11		4
5	0.16	Snow 0.01			0.03	0.11		0.06			0.01		5
Snow 6	0.15	0.20			0.02	0.06		0.48					6
7		0.05				0.07		0.07					7
Snow 8	0.30 0.25	0.45	0.11	0.03				0.03	0.20			0.05	8
9		0.08	0.19	0.09		0.05		0.07			0.03	0.08	9
10						0.08		0.10			0.33		10
11	0.15					0.03					0.07	0.48	11
12	0.05	0.35	0.03			0.07	0.73				0.05		12
13		0.03							0.03	0.05	0.13		13
14	0.07		0.20			0.06		0.01				0.01	14
15	0.11	0.05	0.10		0.40	0.08						0.06	15
Snow 16	0.51 0.03		0.06		0.08	0.20		0.02				0.03	16
Snow 17	0.25		0.15			0.20	0.06	0.24				0.29	17
Snow 18	0.22		0.11				0.06	0.03				0.03	18
19	0.44	0.18	0.05				0.76	0.55					19
20	0.17		0.06		0.15	0.03	0.05			0.15			20
Snow 21	0.28 0.01		0.31		0.57		1.20					0.03	21
22		0.05	0.03		0.89	0.85	0.11	0.56				0.05	22
23			0.23		0.03		0.27	0.22				0.01	23
24					0.03	0.03	0.73	0.09					24
25			0.03			0.25		0.22			0.28	0.40	25
Snow 26	0.02	0.11	0.03				0.20	0.73		0.91	0.28	0.03	26
27						0.19	0.30			0.66		0.07	27
28		0.03	0.05			0.03	0.11	0.27	0.05	0.20	Snow 0.15 0.05		28
29			0.05			0.04	0.05	0.03	0.38	0.05		0.10	29
Snow 30	0.05		0.03		0.76				0.16	0.04			30
31			0.10		0.28		0.32	0.36		0.05			31
Total	3.35	1.81	2.55	0.13	3.44	4.16	5.58	5.14	1.16	2.11	1.49	2.65	YEAR'S TOTAL 33.57
Rain Days.	17	13	22	3	14	22	15	21	8	8	10	18	171

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6-JAN 1914

Kept at Moorgate Grange Rotherham
in the County of York W 7
by W Dyson Esq

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Rotherham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 262 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.10	0.08					0.12		0.10		1
2		0.07	0.09								0.09		2
3	0.07	0.05	0.10		0.32		0.11			0.62		0.30	3
4	0.55	0.12			0.08		0.14		0.05	0.10	0.15	0.25	4
5	0.03		0.03			0.05	0.11		0.06	0.81			5
6		0.05	0.13		0.53		0.62			0.85			6
7		0.26			0.07	0.30				0.53	0.03		7
8		0.01			0.35			0.12		0.05	0.10		8
9		0.20			0.28	0.10	0.15		0.01		0.11		9
Snow 10	0.02						0.05			0.05	0.20		10
Snow 11	1.26			0.46 Snow 0.30		0.01		0.20			0.18		11
12											0.30		12
Snow 13	0.15		0.07	0.05				0.05	0.08		0.06		13
14	0.20	0.14	0.33							0.06	0.07		14
15	0.09	0.03	0.25	0.33							0.33		15
16		0.03	0.03 S 0.15	0.03				0.13	0.61				16
17	0.05	0.05	S 0.10	0.03					1.35		0.05		17
18			0.32	0.13			0.10				0.08	0.05	18
19	0.11		0.03	0.05					0.16				19
20	0.17		0.05	0.09						0.06	0.06		20
21					0.08		0.16				0.32		21
22 Snow	0.20 0.02		0.42					0.75	0.21				22
23	0.03							0.18	0.08				23
24	0.12			0.05									24
25									0.05			0.01	25
26			0.15	0.19					0.01	0.14		0.35	26
27		0.03		0.45								0.11	27
28	0.22		0.18	0.68								Snow 0.30	28
29			0.25	0.49	0.01			0.30		0.03		Snow 0.75	29
Snow 30	0.02				0.03			0.22		0.44			30
31	0.21		0.05										31
Total	3.52	1.04	2.83	3.41	1.75	0.46	1.44	1.95	2.79	3.74	2.23	2.12	YEAR'S TOTAL 27·28
Rain Days.	17	12	18	14	9	4	8	8	12	12	16	8	138

W.7,000, XI. 13

Gee 551

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Moorgate Grange
in the County of York WR 7
by W Dyson Esq.

Lat. Long.
Time of Observation 9.0 am
Nearest Railway Station Rotherham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 262 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							0.75	0.16		0.01		0.18	1
2							0.92	0.16			0.42	0.10	2
3	0.01				0.06		0.10					0.52	3
4	0.12		0.07	0.13	0.27						0.41	0.25	4
5	0.05 Snow 0.05		0.09	0.32	0.12		0.05				0.01	0.08	5
6		0.03		0.26	0.11		0.75					0.12	6
7		0.01	0.22	0.13	0.03			0.05			0.07	0.05	7
8	0.07				0.06	0.58	0.04	0.07	0.58			0.03	8
9	0.32			0.07		0.90		0.10					9
10	0.20	0.15		0.12	0.03				0.03		0.05		10
11		0.05	0.30	0.06		0.32			0.06		0.51	0.41	11
12		0.03	0.12			0.05			0.28		0.05	0.49	12
13		0.05	0.20							0.05	0.17	0.19	13
14	0.05	0.17	0.05				0.05		0.06	0.40	Snow 0.42	0.20	14
15			0.10							0.03	0.20	0.04	15
16	0.07		0.03				0.25		0.12				16
17	0.05	0.15	0.06				0.05		0.16			0.27	17
18												0.21	18
19			0.13				0.03				0.08	0.15	19
20		0.10	0.10					0.12		0.06			20
21		0.44				0.56		0.08		0.07	0.03	0.07	21
22					0.15	0.05		0.06		0.07		0.03	22
23		0.05	0.05		0.37		0.07						23
24			0.29		0.43		0.06	0.16			0.18		24
25		0.01						0.12		0.65		0.33	25
26			0.09					0.50		0.14	0.06	0.20	26
27	0.07										0.05	0.69	27
28	0.04	0.06								0.07	0.03	0.30	28
29	0.01		0.13							0.52	0.05		29
30		✕								0.09	0.20	0.20	30
31	0.05	✕	0.03	✕		✕	0.29		✕	0.13	✕		31
Total	1.16	1.30	2.06	1.09	1.63	2.46	3.41	1.58	1.29	2.29	2.99	5.11	YEAR'S TOTAL 26.37
Rain Days.	13	13	17	7	10	6	13	11	7	13	18	23	151

W. 8,000. X. 14.

5309

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Moorgate Grange Rotherham

in the County of York

by W Dyson Esq for F Mackman Watson Esq Selwood Rotherham

Lat. Long.

Time of Observation 9-0 am

Nearest Railway Station Rotherham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground One ft. - in.

" " " " Sea Level 262 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.16	0.22			0.51		0.04	0.05	0.12		0.03	0.09	1
2	0.08	0.07	0.11	0.20		0.03		0.13		0.11			2
3	0.56			0.09			0.50	0.28	0.05		0.03	0.48	3
4	0.12				0.03		0.73					1.02	4
5	0.05	0.38			0.32			0.05		0.03	0.06	0.56	5
6	0.04	0.18		0.10			0.45	0.03				0.10	6
7	0.22	0.21	0.05	0.06			0.11	0.45				0.11	7
8	0.20	0.12		0.16			0.05	0.12			0.10		8
9	0.05							0.10			0.11	0.49 0.30 Snow	9
10	0.34		0.08							0.03	[illegible]	0.05	10
11	0.07			0.03	0.51		0.21				0.45	0.09 0.35 Snow	11
12	0.06			0.15	0.12						1.46		12
13	0.01	0.82								0.05			13
14								0.05	0.05			0.30	14
15	0.51							0.40			Snow 0.15	0.12	15
16		0.26			0.16		1.51	0.06		0.08		0.03	16
17		0.18					0.08						17
18		0.12	Snow 0.50								0.10		18
19							0.07						19
20	0.03						0.03					0.25	20
21	0.05			0.11			0.07	0.01				0.09	21
22			0.20				0.23					0.03	22
23	0.05	Snow 0.10	0.09				0.20		0.03	0.17		0.07	23
24			0.16	0.05					0.57			0.20	24
25						0.20	0.01						25
26		0.26				0.10	0.07					0.53	26
27		0.14 Snow 0.10					0.03			0.48		0.53	27
28		0.25 Snow 0.05	0.05			0.32		0.45		0.10		0.05	28
29					0.05	0.15		0.11			0.20	0.55	29
30	0.06	X		0.01		1.30						0.03	30
31	0.05	X		X		X			X	0.48	X	0.25	31
Total	2.71	3.46	1.24	0.96	1.70	2.10	4.39	2.29	0.82	1.53	2.69	6.67	YEAR'S TOTAL 30.56
Rain Days.	19	14	8	10	7	6	17	14	5	9	10	23	142

W. 8,000. X. 15.

3236

FORM A.
BRITISH RAINFALL.

12. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Moorgate Grange Rotherham
in the County of York WR
by W Dyson Esq J P

Lat. .... Long. ....
Time of Observation 9.0 am
Nearest Railway Station Rotherham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground One ft. – in.
" " " " Sea Level 262 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.30		0.40			0.03	0.13				0.15		1
2	0.20	0.07	0.27			0.12			0.18	0.15	0.05		2
3		0.36		0.04			0.12		0.18	0.23	0.11		3
4		0.11		0.01	0.66				0.18	0.06	0.29		4
5					0.10	0.07				0.26	0.22		5
6		0.49	S 0.35	0.01	0.32		0.16			0.05	0.41		6
7	0.10		S 0.25		0.06		0.21			0.08	0.06	0.30	7
8			S 0.22 0.30							0.05		0.20	8
9			0.06		0.48	0.09			0.18		0.05	0.07	9
10		0.06	S 0.10	0.10		0.05	0.05		0.03			0.13	10
11		0.25	0.32	0.05		0.10			0.02			0.11	11
12		Snow 0.10 0.06	0.55		0.54	0.05	0.08						12
13		0.05	0.25					0.16		0.10	0.04	0.05	13
14		0.15	0.03	0.10	0.05			0.20		0.07	0.05		14
15		0.28	0.65				0.14	0.16		0.03			15
16		0.33	0.38	0.10			0.05	0.28		0.02			16
17		0.15		0.06			0.10		0.16	0.17			17
18		0.26				0.05		0.06	0.23	0.05	S 0.25 1.34	S 0.15	18
19	0.06		0.29	0.20				0.15	0.05		0.38	S 0.50	19
20	0.08		0.21	0.05	0.18		0.08					0.06	20
21	0.06		0.15	0.05			0.32					0.25	21
22		Snow 0.05	~~S0.02~~	0.03		0.05				0.10		S 0.30	22
23		0.10	S 0.02	0.05				0.06		0.02	0.18	S 0.35 0.21	23
24		Snow 0.95				0.09		0.17		0.05		0.12	24
25		S 0.10	0.41		0.04					0.04	0.15	0.07	25
26		S 0.05	0.03					0.22		0.11	0.05		26
27		S 0.02 0.22						0.07		0.12			27
28		0.33	0.06							0.05		0.10	28
29		0.25				0.41		0.05		0.28		0.25	29
30		✕			0.05	0.05				0.14			30
31		✕		✕		✕			✕	0.11	✕		31
Total	0.80	4.79	5.30	0.85	2.48	1.16	1.44	1.58	1.21	2.34	3.78	3.22	YEAR'S TOTAL 28.95
Rain Days.	6	21	20	13	10	12	11	11	9	23	15	16	167

W. 8,000, VIII. 16

7058

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Moorgate Grange, Rotherham

in the County of Yorks WR

by F Mackman Watson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.07			S 0.65		0.03		0.42	0.16		0.13		1
2	0.03					0.07		0.12			0.03		2
3	0.31							0.21		0.25	0.06		3
4			S 0.42					0.15		0.13			4
5			0.07	S 0.10				0.03			0.07		5
6						0.13				0.56	0.03	0.05	6
7	0.36		S 0.02			0.21				0.11			7
8	S 0.05 0.53			S 0.30 0.49				0.92		0.43	0.12	0.08	8
9	S 0.05 0.15		S 0.15	S 0.25	0.01					0.10	0.22		9
10	S 0.35		0.61	S 0.45	0.20			0.13		0.03	0.03		10
11	0.07			S 0.55				0.20		0.25			11
12	S 0.02 0.06				0.35			0.35		0.05			12
13	0.03			0.20				0.22	0.08	0.05			13
14	S 0.55			0.03				0.19				0.15	14
15	S 0.05						0.01					0.03	15
16	S 0.02	0.11		0.05		0.06		0.06				S 0.25	16
17	0.10	0.03		0.12	0.53	0.03	0.12	0.12	0.06	0.05		S 0.10	17
18				0.05	0.05		0.34	0.03	0.32				18
19	0.03	0.15	0.18		0.17	0.62			0.03				19
20	S 0.02	0.13			0.32	0.32		0.03	0.05		0.02		20
21		0.03	S 0.05		0.08			0.03		0.07			21
22		0.03	S 0.05					0.10					22
23					0.11	0.03		0.06		0.05			23
24		0.08				0.11		0.03		0.43	0.36		24
25			0.15							0.05	0.03		25
26			S 0.02			0.10		0.32		0.04	0.10		26
27			0.05			0.21	0.13	0.48				0.06	27
28			0.11			0.06		0.14				0.15	28
29	S 0.05		0.05		0.03		0.03			0.22		0.20	29
30		X	S 0.02 0.16				0.07	0.12					30
31	S 0.15	X	0.70	X		X		0.06	X	0.05	X		31
Total	3.05	0.56	2.81	3.24	1.85	1.98	0.70	4.52	0.70	2.92	1.20	1.07	YEAR'S TOTAL 24.60
Rain Days.	18	7	15	11	10	13	6	24	6	18	12	9	149

W. 8,000, IX. 17.

Recd 776

70

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
24 [illegible] 19

Kept at Moorgate Grange Rotherham

in the County of York. W.R.

by the occupier for Mr F Mackinnon Watson Selwood Rotherham

Lat. ...... Long. Same position

Time of Observation & conditions as

Nearest Railway Station

Diameter of Funnel of Rain Gauge previously in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0.05		0.03					0.12	0.09	0.21	0.03	1
2		0.15						0.13	0.06			0.32	2
3			0.06		0.57			0.26	0.02		0.23		3
4			0.05					0.05	0.40	0.10	0.25	0.27	4
5					0.21			0.17	0.16	0.14			5
6		0.25	0.03	0.39		0.09		0.03	0.03	0.11			6
7	S 0.45	0.07	0.13	0.18					0.13	0.04	0.15		7
8		0.58		0.10			0.06		0.25	0.03			8
9	0.05			0.25		0.05	0.10		0.47	0.05			9
10	0.03	0.03					0.13				0.07	0.05	10
11	0.13	0.05		0.03	0.12		0.10					0.03	11
12	S 0.05 0.02	0.10		0.08			0.76		0.05			0.05	12
13	0.28			0.05	0.25				0.30	0.09		0.05	13
14				0.03		0.03	0.07		0.78	0.04		0.25	14
15	S 0.55						0.22		0.64			0.05	15
16	S 0.25 0.21						0.12		0.26	0.03		0.10	16
17						0.05	1.01		0.10	0.08		0.15	17
18	0.22					0.05	0.10		1.12			0.06	18
19	0.10		0.22	0.06			0.07		0.03	0.07		0.22	19
20	0.06	0.11		0.02		0.15	0.03		0.06				20
21	0.16	0.10			0.62	0.03			0.16	0.12			21
22	0.05				0.15		0.07		0.21	0.03		0.26	22
23	0.06				0.42		0.11						23
24							0.07		0.13	0.03	0.10		24
25		0.05				0.15	0.05	0.25	0.01				25
26							0.15	0.03	0.06		0.08	0.10	26
27		0.05						0.35	0.38		0.05	0.05	27
28		0.10	0.20					0.25	0.05		0.11	0.23	28
29									0.02			0.05	29
30		X	0.35					0.03	0.02		0.06	0.26	30
31		X	0.04	X		X			X		X		31
Total	2.67	1.69	1.08	1.22	2.34	0.69	3.22	1.55	6.02	1.05	1.31	2.58	YEAR'S TOTAL 25.42
Rain Days.	14	13	8	11	7	8	17	10	27	15	10	19	159

W. 6,500, VII. 18. W W C

2932

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

25 JAN 20

Kept at Moorgate Grange Rotherham
in the County of York
by

Lat. Long.
Time of Observation
Nearest Railway Station Rotherham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 262 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.05			0.17		0.26		0.10	0.09	0.07	0.12	1
2							0.20		0.37		0.08		2
3 S	1.35				0.05	0.15	0.65		0.10		0.21	0.06	3
4	0.15		x			0.05	0.08	0.18	0.09		0.06	0.12	4
5	0.07							0.01	0.11		0.03	0.22	5
6	0.01				0.38					0.03	0.03	0.05	6
7	0.03		x										7
8	0.10					0.01					0.04		8
9	0.03			0.03							0.03 S 0.02		9
10	0.01		x	0.03	0.01					0.02		0.11	10
11			x	0.03	0.05		0.11					0.03	11
12			x			0.03	0.10		0.12				12
13	0.23		1.78	0.22					1.05	0.07	S 0.15	0.03	13
14	0.21		0.01	0.16					0.05		S 0.25		14
15	0.23	0.15		0.05								0.65	15
16	0.13	0.62		0.03		0.02					0.18		16
17	0.06	S 0.30 0.40	0.22	0.05	0.03	0.07	0.03	0.06			0.11		17
18			0.76		0.03			0.05				0.12	18
19	0.05	0.26				0.05	1.53	0.71	0.05		0.20		19
20	0.37	0.06	0.06				0.25	0.11			0.12	0.08	20
21	0.11	0.25	S. 0.05			0.20	0.23				0.01	0.11	21
22		0.05				0.03			0.21		0.03	0.31	22
23				0.02		0.03				0.85		0.03	23
24				0.12	0.09		0.05	0.01		0.38	0.05	0.13	24
25	0.03			0.10	0.12			0.57			0.06		25
26			0.17	0.05		0.06		0.11	0.03	0.01	0.03	0.51	26
27 S	0.25		S	0.02 0.12						0.03	0.03	0.05	27
28 S	0.05		S	0.02 0.11				0.85		0.05		0.42	28
29	0.11			0.03				0.05		0.90		0.08	29
30 S	0.20	✕		0.08		0.07				0.03	0.12	0.16	30
31 S	0.20	✕		✕		✕	0.03		✕	0.10	✕	0.02	31
TOTAL	3.98	2.14	3.05	1.27	0.93	0.77	3.52	2.69	2.28	2.56	1.91	3.41	YEAR'S TOTAL 28·51
Days with ·01 in. or more	22	8	(17)	16	9	12	12	11	11	12	21	21	(16[illegible])

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 2815

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

15 JAN 1921

Kept at Moorgate Grange Rotherham

in the County of York

by

Lat. Long.

Time of Observation -

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 262 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

* Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.20	0.20	0.01	0.25	0.03	0.01	0.14	0.11	0.06	1
2			0.03	0.24			0.10		0.20	0.21		0.15	2
3				0.36	0.11	0.05	0.93		0.21	0.28		0.11	3
4				0.05	0.01		0.11		0.03	0.56		0.05	4
5			0.05		0.05		0.05	0.26				~~0.06~~	5
6			0.11	0.06			0.10	0.10		0.03		0.06	6
7	0.05		S 0.10	0.03	0.03		0.35						7
8	0.08	0.05		0.47			0.15	0.05					8
9	0.18	0.15		0.50			0.03			0.03			9
10	0.23	0.20	0.05	0.25	0.18		0.03	0.03				S 0.03	10
11	0.37	0.05	0.03	0.11	0.01	0.35						S 0.10	11
12	0.06		0.03	0.20		0.26		0.13		0.01	0.03		12
13	0.07	0.05	0.02	0.42		0.88						S 0.15	13
14	0.05		S 0.25 0.20	0.11		0.38	0.03		0.23	0.03		0.13	14
15	0.02	0.06	0.23	0.15			0.01		0.10	0.06	0.22	S 0.10	15
16			0.03	0.01			0.55			0.03	0.03		16
17	0.01		0.03		0.11		0.05		0.23	0.04		0.03	17
18	0.05			0.05				0.5					18
19	0.03	S 1.15 0.48		0.25	0.05	0.23							19
20				0.12		0.21	0.07						20
21	0.05						0.30	0.10				0.03	21
22				0.25			0.13						22
23	0.03						0.09					0.33	23
24			0.22									0.06	24
25		0.10	0.06	0.05		0.05	0.45						25
26	0.08		0.11	0.05	0.25		0.06					0.03	26
27	0.25		0.01	0.07	0.71	0.15	0.01				0.28	0.17	27
28	~~S [illegible]~~ S{0.22 0.60		0.15	0.05	0.24	0.03	0.03				0.03	0.11	28
29	0.07		0.05		1.20	0.01	0.05		0.03		0.06	0.53	29
30	0.15	X	0.01	0.10	0.03		0.05		0.15		0.16	0.33	30
31	0.06	X	0.07	X	0.04	X			X	0.35	X	0.07	31
Total	2.71	2.29	1.84	4.13	2.22	2.61	3.98	0.75	1.19	1.77	0.92	2.63	Year's Total 27.04
Days with ·01 in. or more	20	8	20	24	15	12	24	8	9	12	8	20	180
Days with ·04 in. or more	16	8	12	21	11	9	18	6	6	7	5	16	135

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ROTH~~ERH~~AM
ULLEY RES No 1
YORKSHIRE
1911 - 1920

✓

REG 19 11

FORM A2.
BRITISH RAINFALL.
5 FEB 1912

Kept at Ulley Reser

of top 5 in.

in the County of WR Y

top above Ground 1 ft. 0 in.

" " Sea Level 184 ft.

by E B Mart

on 10 a.m

Station { Name Treeton
Distance 1½ mls Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·180									1
2	·187				·070							·027	2
3					·168			·039			·078		3
4	·023		·048						·101	·196	·270	·162	4
5				·156				·040		·164			5
6	·248							·058		·163	·340	·556	6
7											·118		7
8	·133		·070						·037		·043	·273	8
9						·057							9
10												·349	10
11	·155										·358		11
12	·037		·059						·280		·175		12
13			·048									·393	13
14			·034		·219		·052				·026	·553	14
15			·057							·065		·050	15
16		·158	·068			·091					·171	·037	16
17				·024		·179	·022				·071	·164	17
18		·187	·030							·044	·048	·040	18
19						·032			·246	·060	·288		19
20		·060		·075				·590	·150			·186	20
21		·188						·041		·189			21
22										·155	·052	·240	22
23		·239				·500			·224			·133	23
24			·058			1·099				·096		·067	24
25	·020	·114		·056					·091			·133	25
26				·061	·206					·240	·443	·341	26
27		·110	·127	·040				·640	·267			·028	27
28				·118							·039	·051	28
29			·028	·037					·112	·176			29
30					·164	·135				·133			30
31										·029			31
Total	·803	1·056	·627	·747	·827	2·093	·074	1·408	1·508	1·710	2·520	3·783	TOTAL for year 17·156
No. of Rain Days.	7	7	11	9	5	7	2	6	9	13	15	19	110

W. 8,000, X. '11.

√

REGISTER OF RAINFALL IN 19 11

FORM A2.
BRITISH RAINFALL.
5 FEB 1912

Kept at Ulley Reservoir, Rotherham

in the County of WR York 7

by E.B. Martin, A.M.I.C.E.

RAIN GAUGE:
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 184 ft.

Time of Observation 10 a.m.

Nearest Railway Station:
Name Treeton
Distance 1½ m. Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·180									1
2	·187				·070							·027	2
3					·168			·039			·078		3
4	·023		·048						·101	·196	·270	·162	4
5				·156				·040		·164			5
6	·248							·058		·163	·340	·556	6
7											·118		7
8	·133		·070						·037		·043	·273	8
9						·057							9
10												·349	10
11	·155										·358		11
12	·037		·059						·280		·175		12
13			·048									·393	13
14			·034		·219		·052				·026	·553	14
15			·057							·065		·050	15
16		·158	·068			·091					·171	·037	16
17				·024		·179	·022				·071	·164	17
18		·187	·030							·044	·048	·040	18
19						·032			·246	·060	·288		19
20		·060		·075				·590	·150			·186	20
21		·188						·041		·189			21
22										·155	·052	·240	22
23		·239				·500			·224			·133	23
24			·058			1·099				·096		·067	24
25	·020	·114		·056					·091			·133	25
26				·061	·206					·240	·443	·341	26
27		·110	·127	·040				·640	·267			·028	27
28				·118							·039	·051	28
29			·028	·037					·112	·176			29
30					·164	·135				·133			30
31										·029			31
Total	·803	1·056	·627	·747	·827	2·093	·074	1·408	1·508	1·710	2·520	3·783	TOTAL for year 17·156
No. of Rain Days.	7	7	11	9	5	7	2	6	9	13	15	19	110

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
1·6 JAN 1913

Kept at Ulley Reservoir, Rotherham
in the County of York W.7
by E. B. Martin, A.M.I.C.E.

Lat. 53° - 23 N Long. 1° - 19 W
Time of Observation 10 - 0 a m
Nearest Railway Station Treeton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. in.
" " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·12						·10			·30	1
2						·04	·39					·10	2
3	·074					·48	·08	·44	·22				3
4	·052		·50			·55		·45			·10		4
5	·097				·07	·12							5
6	·769	·11				·04		·61					6
7		·40			·10		·09						7
8	·242	·30	·11			·13			·13				8
9		·24		·12				·07				·07	9
10			·12			·74					·29		10
11	·142		·30					·21			·04	·60	11
12	·057	·37					·81						12
13		·40									·08		13
14	·085					·09							14
15		·10	·39		·31							·04	15
16	·058		·08		·11	·16				·07			16
17			·11			·15		·44				·33	17
18	·178		·13										18
19	·373	·15					·70	·28					19
20	·211				·23	·05	·06			·08			20
21			·46		·45		·82						21
22		·40	·06		·62	·90	·06						22
23			·18				·26	·66				·06	23
24	·270				·07		·86	·28			·13		24
25						·13					·15		25
26		·80					·40	·77		·72	·09	·35	26
27						·13	·32			·75	·31	·05	27
28		·20				·10	·23	·31		·29			28
29			·06			·05				·04		·06	29
30			·11		·48				·44				30
31	·073				·25		·19			·09			31
													YEAR'S TOTAL
Total	2·681	3·47	2·73	·12	2·69	3·26	5·27	4·52	·89	2·04	1·19	1·96	30·821
Rain Days.	14	11	14	1	10	16	14	11	4	7	8	10	~~120~~

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 19 13

FORM A. BRITISH RAINFALL. 17 JAN 1914

Kept at Ulley Reservoir, Rotherham

in the County of York W7

by Ernest B Martin M Inst C E

Lat. 53° 23 N Long. 1° 19 W

Time of Observation 10. 0. a m

Nearest Railway Station Treeton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·07	·10					·25				1
2		·04	·08								·05		2
3			·09		·30					·62		·15	3
4	·61	·09			·04		·15			·06	·16	·16	4
5						·08	·11		·07	·80			5
6		·03	·07		·62		·73			·62			6
7		·23			·15					·45			7
8					·33	·31					·09		8
9		·26			·14		·11						9
10						·08	·06				·27		10
11	·38			·43		·03		·43			·20		11
12											·32		12
13								·04	·09		·05		13
14	·12		·45							·04	·08		14
15	·05	·14	·37	·32							·18		15
16								·12					16
17		·04	·24						1·50				17
18			·21	·16									18
19	·08						·06		·22				19
20	·13									·06			20
21				·05	·07		·13				·21		21
22	·08		·38			·07		·97	·20				22
23									·06				23
24	·15							·06					24
25				·04					·07				25
26				·06						·14		·30	26
27		·03	·15	·47								·08	27
28	·16		·16	·61									28
29			·27	·47	·04			·41					29
30	·20				·20			·02		·40			30
31					·09								31
Total	1·96	·86	2·54	2·71	1·98	·57	1·35	2·05	2·46	3·19	1·61	·69	YEAR'S TOTAL 21·97
Rain Days.	10	8	12	10	10	5	7	7	8	9	10	4	100

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 JAN 1915

Kept at Ulley Reservoir, Rotherham

in the County of York WR 7

by E B Martin M.Inst.C.E.

Lat. 53°23N Long. 1°19W

Time of Observation 10 - 0 a m

Nearest Railway Station Treeton M.R.

Diameter of Rain Gauge 5 - in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·87	·46				·10	1
2							1·32	·05			·44	·11	2
3							·10	·05				·45	3
4	·10		·03	·13	·17			·03			·40	·17	4
5	·04		·05	·20	·12						·01	·04	5
6		·05		·14	·07		·47					·12	6
7			·22	·06							·05		7
8						·51	·10	·07	·53			·08	8
9	·27			·04		·70		·15					9
10	·18												10
11		·18	·24	·15	·04	·24			·04		·30	·28	11
12		·05							·15			·38	12
13			·28								·12	·15	13
14	·05	·15					·04			·42		·18	14
15			·10								·20		15
16							·22						16
17	·08	·12					·08		·22			·26	17
18			·04										18
19			·13								·03	·20	19
20		·05	·04						·03	·08			20
21		·34				·97						·23	21
22					·53			·03		·15			22
23							·05					·03	23
24			·18		·18			·13			·14		24
25										·57			25
26			·05					·45		·14		·39	26
27	·04											·55	27
28		·05									·06	·31	28
29										·55			29
30		×						·05		·07	·13	·11	30
31	·05	×		×		×			×	·13	×	·04	31
													YEAR'S TOTAL
Total	·81	·99	1·36	·72	1·11	2·42	3·25	1·47	·97	2·11	1·88	4·18	21·27
Rain Days.	8	8	11	6	6	4	9	10	5	8	11	20	~~106~~

W. 8,000. X. 14.

3302

FORM A.
BRITISH RAINFALL.

8. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ulley Reservoir, Rotherham
in the County of York
by J. P. Collinge assoc. M. Inst. C.E.

Lat. 53° 23 mins N Long. 1° 19 mins W
Time of Observation 10 a.m.
Nearest Railway Station Treeton M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·19						·04	·20		·05	·11	1
2	·50	·03	·06	·23	·32	·04	·03	·11		·06			2
3	·59			·09			·46	·32				·38	3
4	·09						·78					·92	4
5		·26			·37			·04		·04	·06	·48	5
6		·15		·05			·42					·06	6
7	·17	·15	·03				·10	·33			·02	·08	7
8	·11	·04		·07				·17			·04		8
9								·13		·04		·47	9
10	·33							·08				·09	10
11	·14		·06		·46		·15				·53	·08	11
12				·14	·24						1·30		12
13	·20	·69											13
14								·10	·05			·37	14
15	·38						·02	·12			·14	·06	15
16		·20			·14		1·12						16
17		·16											17
18		·19											18
19		·02	·08				·07						19
20												·24	20
21							·05					·11	21
22	·18		·14	·09			·10						22
23			·07				·16			·10			23
24			·14	·04					·45			·28	24
25						·18						·05	25
26		·26				·18	·06					·39	26
27		·09					·03			·44		·51	27
28		·31				·65		·52		·04			28
29					·05	·16					·11	·44	29
30		✕	·05			·05							30
31	·08	✕		✕		✕		·11	✕	·24	✕	·31	31
Total	2·87	2·74	·63	·71	1·58	1·26	3·55	2·07	·70	·96	2·25	5·43	YEAR'S TOTAL 24·75
Rain Days.	12	14	8	7	6	6	14	12	3	7	8	19	116

W. 8,000. X. 15.

Exc DL

3282

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

16. JAN 1917

Kept at Ulley Reservoir, Rotherham
in the County of Yorkshire WR
by Mr T. P. Collinge. A.M.I.C.E.

Lat. 53° 23m. N Long. 1° 19m. W.
Time of Observation 10 a.m
Nearest Railway Station Treeton M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24		·36			·06	·10				·14		1
2	·18	·05	·31						·05	·05			2
3		·40					·10		·24		·06		3
4					·61	·12			·15	·25	·22		4
5	·04				·07	·03				·25	·14		5
6		·39	·19		·34		·13				·30		6
7					·04		·14				·05	·27	7
8			·44							·03		·23	8
9			·06		·40	·25							9
10			·03	·05		·06			·10			·19	10
11		·35	·32	·05		·06						·05	11
12			·53		·55		·10						12
13		·05	·24					·26		·05			13
14				·02				·15			·03	·03	14
15		·30	·61				·07	·36					15
16		·14	·32	·08			·08	·28					16
17		·03		·04				·04	·11	·12			17
18		·19						·08	·15		1·17		18
19			·23	·06				·08	·05		·37		19
20	·08		·20	·05								·43	20
21	·05		·15				·25						21
22						·02				·05		·42	22
23		·15									·14		23
24								·13					24
25		·30	·32		·03			·09		·07	·14	·16	25
26								·12					26
27		·32						·10		·15			27
28		·37	·14		·06				·03			·07	28
29		·26				·40		·07		·28		·21	29
30		X								·09			30
31		X		X		X			X	·05	X	·03	31
Total	·59	3·30	4·45	·35	2·10	1·00	·97	1·76	·88	1·44	2·76	2·09	YEAR'S TOTAL 21·69
Rain Days.	5	14	16	7	8	8	8	12	8	12	11	11	120

W. 8,000, VIII. 16

3084

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Ulley Reservoir, Rotherham

in the County of York

by J. P. Collinge, Boro' Engineer

~~Lat.~~ 53°23N Long. 1°19 W.

Time of Observation 10 a.m.

Nearest Railway Station Treeton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ „ „ „ Sea Level 184. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·40	·02				1
2								·10	·12		·10		2
3				·10				·18					3
4								·08		·11	·08		4
5	·30							·02		·09			5
6				·09		·09				·08	·03		6
7	·41					·25				·40	·02		7
8	·51			·17				1·03		·05			8
9	·14									·41	·13	·08	9
10			·48		·21					·05	·25		10
11	12			·16				·10					11
12					·26			·09		·30			12
13				20				·21		·04			13
14								·07					14
15													15
16		·20				·04		·07					16
17	·32		·04		·48	·06		·09				39	17
18				·15			·30			·01		·13	18
19		·12	·08		·23	·40			30				19
20	·04				·31	·11			·02				20
21		·15			·06			·03					21
22			·14					·12					22
23		·05			·14			·03					23
24						·15							24
25							·03			·39	·06		25
26						·06		·31					26
27			·10			·16	·15	·27	·06				27
28			·10			·07		·40				·08	28
29								·17				·18	29
30		X	·42				·15			·20		·20	30
31		X		X		X		·13	X		X		31
Total	1·84	·52	1·36	·87	1·69	1·39	·63	3·90	·52	2·13	·67	1·06	YEAR'S TOTAL 16·58
Rain Days.	7	4	7	6	7	10	4	20	5	12	7	6	~~95~~

W. 8,000, IX. 17.

Yrk. 86b

61

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

9 . 1 . 19

Kept at Ulley Reservoir Rotherham
in the County of Yorkshire W
by J. P. Collinge M. Inst. C. E.

Lat. 53° 23 N Long. 1° 19 W.
Time of Observation 10 a.m.
Nearest Railway Station Treeton M. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·10						·05	·08	·10		1
2		·10							·06			·32	2
3								·53			·08		3
4		·09	·05		·56				·40	·08	·24	·31	4
5			·03		·45			·19	·15	·06			5
6				·46									6
7		·21		·16					·07	·13	·10		7
8				·06					·22				8
9		·27	·12	·22		·10			·38	·05			9
10		·38					·34				·05		10
11							·30					·05	11
12	·10	·04		·21			·70		·05			·03	12
13		·09			·17				·18	·07		·10	13
14				·05			·05		·60	·05		·21	14
15	·20						·27		·63			·05	15
16							·25		·20			·05	16
17							·90		·05	·10		·10	17
18	·16					·05	·08		·74			·08	18
19	·21			·05								·28	19
20	·05		·13		·34	·13	·11			·12			20
21	·06	·08							·20	·07	·05		21
22	·12	·10			·35		·08		·06			·33	22
23	·04				·35		·12						23
24							·12		·11				24
25		·04				·22	·10	·33					25
26							·20		·07			·11	26
27								·30	·30		·04	·06	27
28								·11	·05		·10	·24	28
29			·15										29
30		X	·36						·05		·05	·35	30
31		X	·04	X		X			X		X		31
Total	·94 ✓	1·40 ✓	·98 ✓	1·21 ✓	2·22 ✓	·50 ✓	3·62 ✓	1·46 ✓	4·62	·81 ✓	·81	2·67	YEAR'S TOTAL 21·24 ✓
Rain Days.	8 ✓	10 ✓	8 ✓	7 ✓	6 ✓	4 ✓	14 ✓	5 ✓	21	10 ✓	9 ✓	16 ✓	~~118~~ ✓

W. 6,500. VII. 18. W W C

2928

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

ULLEY

Kept at Ulley Reservoir, Rotherham

in the County of Yorkshire

by J P Collings A.M.I.C.E.

Lat. 50° 23 min N Long. 1° 19 W

Time of Observation 10 a.m

Nearest Railway Station Treeton M.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	·06	·04		·14	·01	·29		05		·08	·12	1
2	·12						·16		·46	·04	·05	·04	2
3					·02	·21	·45		·07		·29		3
4			·27				·03	·14	·06		·02	·15	4
5	·75								·13			·25	5
6			·03		·46								6
7			·18										7
8	·08										·05		8
9											·08		9
10			·18							·05		·12	10
11			·73	·06	·07		·12						11
12			·90				·08						12
13				·15					·65	·05			13
14	·36			·20					·05				14
15	·18	·10										·47	15
16		·80		·03							·22		16
17	·19	·82				·07					·12		17
18			·17										18
19		·19	·80			·03	1·05	·73			·14		19
20	·40	·14	·14				·40	·06			·04		20
21	·08	·26					·20					·10	21
22						·07			·33		·02	·34	22
23				·05	·08					·87	·03	·05	23
24				·12	·11	·03	·05			·33		·10	24
25				·09	·18			·78			·03		25
26			·20					·09			·04	·48	26
27	·06			·22						·03	·02		27
28	·11			·11				·78		·10		·30	28
29	·11									1·00		·05	29
30				·10						·04	·10	·24	30
31							·03			·09			31
TOTAL	2·84	2·37	3·64	1·13	1·06	·42	2·86	2·58	1·80	2·60	1·33	2·81	YEAR'S TOTAL 25·44
Days with ·01 in. or more	12	7	11	10	7	6	11	6	8	10	16	14	118

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

2811

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

15 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Ulley Reservoir, Rotherham
in the County of York
by J. P. Collinge M.I.C.E.

Lat. 53° 23 N. Long. 1° 19 W.
Time of Observation 10 a.m.
Nearest Railway Station Treeton M. Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07		·08			·27			·15	·09	·04	1
2				·23	·18		·03		·21	·46		·12	2
3				·14		·05	·31		·15	·13			3
4				·33			·15	·30		·60		·08	4
5				·04	·03		·07	·07					5
6							·08					·08	6
7			·12	·05			·24						7
8				·03			·07						8
9	·03			·49	·04		·05	·03					9
10	·18	·15		·50			·06	·03					10
11	·14	·20		·25		·29							11
12	·28		·05	·15	·20	·26		·05			·05		12
13	·08			·28		·71						·30	13
14				·31		·39			·36				14
15				·08									15
16		·09	·55	·34			·58						16
17							·04		·33	·05			17
18					·07								18
19	·05							·09					19
20		·50		·23		·35	·07						20
21		·58		·16			·28	·09				·03	21
22							·13						22
23				·22			·04					·31	23
24												·10	24
25			·20			·05	·51						25
26			·09		·46		·04						26
27					·92	·09					·25	·18	27
28	·49			·05	·28						·03	·07	28
29	·67		·10	·03	1·38						·05	·51	29
30	·10		·04			·04			·15		·13	·33	30
31	·12				·10		·03			·30			31
													YEAR'S TOTAL
TOTAL	2·14	1·59	1·15	3·99	3·66	2·23	3·05	·66	1·20	1·69	·60	2·15	24·11
Days with ·01 in. or more	10	6	7	20	10	9	19	7	5	6	6	13	~~117~~
Days with ·04 in. or more	9	6	7	18	9	9	17	5	5	6	5	11	~~107~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGI 3133

ROTHERHAM ~~CORPORATION~~ S.W.
ALDWARKE S.W.
1914 – 20

FORM A.
BRITISH RAINFALL.

8 - JAN 1915

Kept at Sewage Works, (... 9·45′ W.

in the County of York ... gate & Aldwarke (G. C. Ry)

... 5 in.

by James H Kershaw ... Ground 1 ft. 4 in.

... Sea Level 7[illegible]′-6″ ft.

IMPORTANT NOT ... he result entered to the previous day. If an Ob ... sal rule, he is earnestly requested to add the read ... in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							1·15	·05				·18	1
2							·55				·42	·08	2
3							·09	·11			·14	·50	3
4	·08			·12	·14						·37	·24	4
5	·13		·03	·18	·05		·04	·01			·06	·10	5
6			·09	·16	·12		·45					·08	6
7		·01	·22				·02				·05	·08	7
8		·02			·05	·57	·07	·12	·53			·05	8
9	·30			·05	·16	·75		·09	·05				9
10	·36	·10	·31	·10									10
11		·05		·15		·40			·07		·45	·14	11
12		·03	·09						·22		·01		12
13	·03	·04								·43	·15	·16	13
14	·04	·15					·02				·26	·20	14
15			·08						·07		·22	·03	15
16	·03						·25		·13				16
17	·03		·06				·02					·23	17
18		·12									·01		18
19			·17				·03				·07	·18	19
20									·02				20
21	·01	·49	·09			·56				·22	·04	·19	21
22					·20	·05		·15		·13		·01	22
23		·02	·26		·20		·05						23
24					·55		·05	·27			·22	·14	24
25			·08					·26		·57		·25	25
26								·37			·04	·20	26
27												·60	27
28		·06								·07	·03	·37	28
29			·10							·47	·05		29
30	·08	X								·05	·21	·12	30
31	·14	X		X		X	·35		X	·14	X	·04	31
Total	1·23	1·09	1·58	·76	1·47	2·33	3·14	1·43	1·09	2·08	2·80	4·17	YEAR'S TOTAL 23·17 in. ✓
Rain Days.	11	11	12	6	8	5	14	9	7	8	18	23	~~132~~ ✓

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

8 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Sewage Works. Aldwarke. Rotherham.

in the County of Yorkshire

by James H Kershaw F.C.S Manager.

Lat. 53° 26' 36" N Long. 1° 19' 45" W.

Time of Observation 9 a.m.

Nearest Railway Station Parkgate & Aldwarke (G. C. Ry)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 74'-6" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							1·15	·05				·18	1
2							·55				·42	·08	2
3							·09	·11			·14	·50	3
4	·08			·12	·14						·37	·24	4
5	·13		·03	·18	·05		·04	·01			·06	·10	5
6			·09	·16	·12		·45					·08	6
7		·01	·22				·02				·05	·08	7
8		·02			·05	·57	·07	·12	·53			·05	8
9	·30			·05	·16	·75		·09	·05				9
10	·36	·10	·31	·10									10
11		·05		·15		·40			·07		·45	·14	11
12		·03	·09						·22		·01		12
13	·03	·04								·43	·15	·16	13
14	·04	·15					·02				·26	·20	14
15			·08						·07		·22	·03	15
16	·03						·25		·13				16
17	·03		·06				·02					·23	17
18		·12									·01		18
19			·17				·03				·07	·18	19
20									·02				20
21	·01	·49	·09			·56				·22	·04	·19	21
22					·20	·05		·15		·13		·01	22
23		·02	·26		·20		·05						23
24					·55		·05	·27			·22	·14	24
25			·08					·26		·57		·25	25
26								·37			·04	·20	26
27												·60	27
28		·06								·07	·03	·37	28
29			·10							·47	·05		29
30	·08	✗								·05	·21	·12	30
31	·14	✗		✗		✗	·35		✗	·14	✗	·04	31
Total	1·23	1·09	1·58	·76	1·47	2·33	3·14	1·43	1·09	2·08	2·80	4·17	YEAR'S TOTAL 23·17 ins. ✓
Rain Days.	11	11	12	6	8	5	14	9	7	8	18	23	~~132~~ ✓

W. 8,000. X. 14.

Cnd JWS. 27.IV.16

3310

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915.

Kept at Corporation Sewage Works. Rotherham

in the County of Yorks

by James. H Kershaw. Manager.

Lat. 53°-26′-36″ N. Long. 1°-19′-45″ W.

Time of Observation 9 AM.

Nearest Railway Station Parkgate & Aldwarke (G C Ry)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 70′-6″ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·15	—	—	·42	—	·04	—	·09	—	—	·04	1
2	·03	·07	·11	·13	—	·02	—	·10	—	·09	—	—	2
3	·62	—	—	·08	—	—	—	·41	—	—	—	·48	3
4	·16	—	—	—	·02	—	1·10	·05	—	—	—	1·10	4
5	·02	·36	—	—	·20	—	—	·04	—	—	—	·52	5
6	·03	·15	·40	·06	—	—	·50	—	—	—	—	·07	6
7	·25	·14	—	·10	—	—	·12	·39	—	—	·10	·12	7
8	·20	·12	—	·14	—	—	·02	·13	—	—	·10	—	8
9	—	—	—	—	—	—	—	·14	—	—	·07	Some Snow ·90	9
10	·33	—	·06	·08	—	—	—	—	—	—	—	~~·04~~	10
11	·07	—	—	—	·21	—	—	—	—	—	·47	·30	11
12	·02	—	—	·16	·40	—	—	—	—	—	1·61	—	12
13	—	·85	·02	—	—	—	—	·17	—	—	·08	—	13
14	—	·02	—	—	—	—	—	—	·01	—	—	·07	14
15	·42	—	—	—	—	—	—	—	—	—	—	·25	15
16	—	·20	—	—	·18	—	1·13	—	—	—	·11	—	16
17	—	·18	—	—	—	—	·08	·06	—	—	—	—	17
18	—	·10	(Snow) 2·45	—	—	—	—	—	—	—	—	—	18
19	—	·02	—	—	—	—	·04	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	·02	·25	20
21	·03	—	—	—	—	—	·09	—	—	—	—	·04	21
22	—	—	·17	—	—	—	·18	—	—	—	—	·05	22
23	—	·04	·07	—	—	—	·25	—	·02	·17	—	·04	23
24	—	—	·16	·07	—	—	—	—	·58	·02	—	·26	24
25	·03	—	—	—	—	~~·20~~	—	—	—	·03	—	—	25
26	—	·26	—	—	—	·09	·17	—	—	—	—	·41	26
27	—	·12	—	—	—	—	—	—	—	—	—	·42	27
28	—	·22	—	—	—	·23	—	—	—	·47	—	·04	28
29	—	✕	—	—	—	·13	—	·33	—	—	·17	·53	29
30	·06	✕	—	—	—	·52	—	—	—	—	—	—	30
31	·04	✕	—	✕	—	✕	—	·14	✕	·43	✕	·06	31
Total	2·46	3·00	1·24 ~~·99~~	·82	1·43	1·21	3·72	1·96	·70	1·21	2·73	5·99	YEAR'S TOTAL 26·47 ~~26·22~~ +
Rain Days.	16	16	8	8	6	6	12	11	4	6	9	21	123.

W. 8,000. X. 15.

Encd 3237

FORM A.
BRITISH RAINFALL.
3 JAN 19

REGISTER OF RAINFALL IN 1916

Kept at The Corporation Sewage Works Rotherham
in the County of Yorks W R
by James H Kirshaw. Manager

Lat. 53·26·36 N Long. 1·19·45 W.
Time of Observation 9 AM
Nearest Railway Station Parkgate & Aldwarke G.C.Ry
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 70·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	—	·28	—	—	—	·09	—	—	—	·12	—	1
2	·15	·06	·34	—	—	—	·03	—	—	—	·02	—	2
3	—	·35	·18	—	—	—	·10	—	·40	—	—	—	3
4	—	—	—	·04	·69	·15	—	—	·25	·18	·35	—	4
5	·02	—	—	·02	·07	·07	—	—	—	·05	·18	—	5
6	—	·43	·14	—	·32	—	—	—	—	·25	·32	—	6
7	—	·02	·09	—	·03	—	—	—	—	·16	·05	·38	7
8	—	—	·35	—	—	—	·13	—	—	·06	—	·21	8
9	—	—	·10	—	—	·03	—	—	·14	—	—	·08	9
10	·04	·09	·03	—	—	—	·07	—	—	—	—	·26	10
11	—	·43	·37	—	—	·08	—	—	·04	—	—	·04	11
12	—	—	·57	·11	·69	·04	·14	—	—	—	—	—	12
13	—	·08	·10	—	—	—	—	·13	—	·09	·03	·03	13
14	—	·15	·02	—	·04	—	·04	—	—	—	—	—	14
15	—	·31	·65	—	—	—	·15	·12	—	·06	—	—	15
16	—	·33	·30	·10	—	—	·03	·31	—	—	—	—	16
17	—	·17	—	·06	—	—	—	·06	·15	—	—	—	17
18	—	·08	—	—	—	—	—	—	·18	·04	Rain and Snow. 1·39	—	18
19	·05	—	·25	·16	—	·04	—	·15	·04	—	·37	Snow. ·38	19
20	·09	—	·26	·07	·60	—	·15	—	—	—	—	·01	20
21	·05	—	·04	·05	·02	—	·31	—	—	~~·06~~	—	·26	21
22	—	—	—	·04	—	—	—	—	—	·06	—	—	22
23	—	·04	—	·14	—	—	—	·05	—	—	·17	·28	23
24	—	Snow ·92	—	—	—	·15	—	·15	—	—	—	·21	24
25	—	·05	·47	—	—	—	—	—	—	—	·19	·14	25
26	—	·09	·05	—	—	—	—	·15	—	·07	—	—	26
27	—	·04	—	—	—	—	—	·03	—	·12	—	—	27
28	—	·58	·08	—	—	·05	—	—	—	—	—	·07	28
29	—	·24	—	—	—	·44	—	—	—	·37	—	·28	29
30	—	✕	—	—	—	·04	—	—	—	·07	—	—	30
31	—	✕	—	✕	—	✕	—	—	✕	·19	✕	·07	31
Total	·77	4·46	4·61	·79	2·46	1·09	1·24	1·15	1·20	1·77	3·19	2·70	YEAR'S TOTAL 25·43
Rain Days.	7	19	20	10	8	10	11	9	7	14	11	15	141

W. 8,000, VIII. 16

[illegible] 7089

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Corporation Sewage Works. Rotherham

in the County of Yorks.

by James H Kershaw. Manager.

Lat. 53·26·36 Long. 1°19′45″ W

Time of Observation 9 A.M.

Nearest Railway Station Parkgate & Aldwarke G.C.Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 70·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·24	–	·02	–	·4	·15	–	·04	·03	1
2	–	–	–	·08	–	–	–	·11	–	–	–	–	2
3	–	–	–	–	–	–	–	·18	–	·06	·05	–	3
4	–	–	·13	–	–	–	–	–	–	·17	–	–	4
5	·35"	–	·05	–	–	–	–	·03	–	·06	·1	–	5
6	–	–	–	–	–	–	–	–	–	·16	·03	–	6
7	·36	–	–	–	–	·35	–	–	–	·51	·27	–	7
8	·71	–	–	·18	–	–	–	1·09	–	·08	·05	–	8
9	·21	–	–	·05	–	–	–	–	–	·26	–	–	9
10	·16	–	·63	·07	·21	–	–	·12	–	·14	–	–	10
11	–	–	–	·58	–	–	–	·18	–	·23	–	–	11
12	·16	–	–	–	·28	–	–	·34	–	·12	–	·03	12
13	·07	–	–	·05	–	–	–	·22	·04	·1	·02	–	13
14	·18	–	–	–	–	–	–	·12	–	·03	–	·07	14
15	·05	–	–	–	–	–	·07	1·4	–	·04	–	·12	15
16	·08	–	–	·5	–	·04	–	·08	–	–	–	·55	16
17	·02	·12	·02	–	·6	·03	·1	·1	–	·02	–	·26 ~~2·6~~	17
18	·14	–	–	–	–	–	·37	–	·35	–	–	·08	18
19	·03	·13	·11	–	·17	–	–	·04	·03	–	–	–	19
20	–	·14	–	–	·07	·14	–	·28	–	–	–	–	20
21	–	–	·03	–	·33	–	–	·03	–	–	–	–	21
22	–	–	·6	–	·03	–	–	·04	–	·06	–	–	22
23	–	–	–	–	·01	–	–	·02	·05	–	–	–	23
24	–	·11	–	–	·18	–	–	·07	–	·37	·22	·07	24
25	–	–	·07	–	–	–	–	–	–	·06	·06	–	25
26	–	–	–	–	–	·08	–	·31	–	·04	·02	–	26
27	–	–	·06	–	–	·17	·12	·47	–	–	–	·08	27
28	–	–	·1	–	–	·06	–	·12	·06	–	–	·14	28
29	–		·03	–	·17	–	–	–	–	·25	–	·21	29
30	–	×	·23	–	–	–	–	·1	–	·08	–	–	30
31	·09	×	·32	×	–	×	–	·04	×	·02	×	–	31
Total	2·61 ins	·50 ins.	2·38 ins	1·75 ins	2·05 ins	·89 ins	·66 ins	5·89	·67 ins	2·86 ins	·86 ins	1·64 ~~3·98 ins~~	YEAR'S TOTAL 22·76 ~~25·10~~
Rain Days.	14	4	13	8	10	8	4	24	6	21	10	11	123

W. 8,000, IX. 17.

3089

County Borough of Rotherham.

SIC VIRESCIT INDUSTRIA

JAMES H. KERSHAW, F.C.S.

MANAGER AND CHEMIST.

Corporation Sewage Works,
Dalton,
Rotherham,

Feb 22nd 1918

Dear Sir

Re Rainfall.

I regret very much to find that a very serious error was made in my rainfall return for Dec/17. The max fall was given as 2·6 ins on Dec 17th.
This 2·6 should have been ·26.
The correct record is:
Total fall for the month 1.64 ins
No of Wet days 11
Max fall ·55 ins Sunday Dec 16th

Dr Mill
62 Camden Square
London

Yours Faithfully
James H Kershaw
Manager

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Corporation Sewage Works, Dalton
in the County of Yorkshire
by James H Kinton. Manager

Lat. 53°26′36″N Long. 1°19′45″W
Time of Observation 9am
Nearest Railway Station Parkgate & Aldwarke G.C.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 16 in.
" " " " Sea Level 40′6″ ft.

IMPORTANT ~~NOTE~~.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·47″

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·15	·05	–	–	–	·13	·06	·07	·18	–	1
2	–	·11	·03	·03	–	–	–	–	·33	·09	–	·31	2
3	–	–	·05	–	·64	–	–	·24	·04	·04	·18	–	3
4	–	–	·07	–	–	–	–	·04	·38	·13	·22	·27	4
5	–	–	·03	·02	·25	–	–	·15	·19	·20	–	–	5
6	–	·09	–	·43	–	·11	–	·03	–	·11	–	–	6
7	Snow ·04	–	·02	·19	–	·14	–	–	·17	·08	·43	–	7
8	·16	–	·18	·07	–	–	·06	–	·33	·82	·02		8
9	–	·36	–	·33	–	·02	·12	–	·45	·03	–	–	9
10	·04	·11	–	–	–	–	·10	–	·16		·02	·02	10
11	·09	·17	–	·04	–	–	·05	·02	–	–	–	–	11
12	–	·13	–	·03	·13	–	·58	–	·03	–		·03	12
13	–	–	–	·10	·16	–	·06	–	·23	·15		–	13
14	·25	–	–	·06	–	–	·25	–	·55	–		·27	14
15	·31	–	–	–	–	–	·06	–	·89			·05	15
16	–	–	–	–	–	–	·15	–	·25	·09		·08	16
17	·28	–	–	–	–	–	1·15	–	·39 ·89	·10		·15	17
18	·25	–	–	–	–	·05	·09	–	·95	–		·05	18
19	·04	–	·21	–	–	·07	·07	·03	·03	·06		·47	19
20	·09	·28	–	–	–	·06	·06	–	·04	·04		–	20
21	·04	·12	–	–	·62	–	·02	–	·20	·10		–	21
22	–	–	–	–	·17	–	·09	–	·25	–		·25	22
23	·03	·05	–	–	·44	–	·17	–	–	–		–	23
24	·04	–	–	–		–	·05	–	·12				24
25	–	–	–	–	–	·52	·10	·33	·03	–		–	25
26	–	–	–	–	–	–	·02	·03	·10	–		·07	26
27	–	·02	–	–	–	–	–	·38	·32	–	·10	·04	27
28	–	–	·19	–		–	–	·17	–	–	·14	·22	28
29	–		–	–	–	–	–	–	·05	–	–	·06	29
30	–	✕	·32	–	–	–	–	–	·04		·07	–	30
31	–	✕	·04	✕	–	✕	–	·09	✕		✕	–	31
Total	1·66	1·44	1·26	1·35	2·41	·97	3·25	1·64	6·58	1·28	1·06	2·34	YEAR'S TOTAL 25·24″
Rain Days.	13	10	11	11	7	7	19	12	26	15	9	15	155

H' 9 J. and [illegible]

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919..

Kept at Corporation Sewage Works Dalton Rotherham
in the County of Yorkshire
by James H Kershaw Manager

Lat 53°-26'-36" N Long 1°-19'-45" W.
Time of Observation 9 a.m.
Nearest Railway Station Parkgate & Aldwarke G.C Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 70·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47				·16		·30		~~·47~~		·67	·12	1
2	·17	·05					·20		·47		·12		2
3	Snow 1·15					·10	·94		·08		·37	·04	3
4	·18		·33		·02	·07	·02	·34	·07		·04	·15	4
5	·08								·10			·06	5
6	·01				·29							·09	6
7	·02		·27		·23							·04	7
8	·07				·03								8
9	·03		·03										9
10			·22		·02						~~Snow~~ ·10	·07	10
11			1·13	·06	·05		·12			·09	~~Snow~~ ~~·04~~		11
12			·88			·02	·14		·11				12
13	·19			·18					1·14	·08	Snow ·10	·05	13
14	·24			·28					·07		Snow ·08		14
15	·20	·15	·04	·05								·63	15
16	·13	1·15		·03							·18		16
17	·03	·53	·03			·10			·13		·11		17
18			·14										18
19	·05	·25	1·10			·07	1·63	·87			·20	·14	19
20	·35	·1	·10				·65	·08				·08	20
21		·26	Snow ·03			·21	·26				·22		21
22		·06										·33	22
23	·09			·03				·40		·97			23
24				·18		·04	·04			·48	·21	·03	24
25				·10	·17			·53		·07	·02	·09	25
26			·20	·13		·03		·15		·03	·10	·41	26
27	·17			Snow ·16						·39		·11	27
28	·10			·24				·97		·51		·52	28
29	·07			·08						·76		·06	29
30	·03			·04		·08			·10	·07	·13	·15	30
31	·05						·03			·23		·07	31
Total	3·90"	2·55	4·50	1·56 4·76	·97	·72	4·33	3·34	2·27	3·68	2·65	3·24	Year's Total 33·71 ~~33·91~~
Days with ·01 in. or more	22	8	13	13	8	9	11	7	9	11	15	20	146

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 MAR 192

Kept at Rotherham Corp. Sewage Works

in the County of Yorkshire

by James H Kershaw. Manager.

Lat. 53° 26′ 36″ Long. 1° 19′ 45″ W.

Time of Observation 9 a.m.

Nearest Railway Station Parkgate & Aldwarke (G.C.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 70·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·25	·20	·02	·22	–	–	·20	·15	·06	1
2	·04	–	–	·28	–	–	·05	–	·02	·25	–	·12	2
3	–	–	–	·23	·68	·10	1·06	·03	·20	·23	–	·09	3
4	–	–	–	·08	–	–	·13	·25	·18	·60	–	·08	4
5	–	–	·03	·03	·04	–	·04	·12	·02	·03	–	–	5
6	–	–	·13	·05	·07	–	·07	–	–	–	–	–	6
7	–	–	·15	–	–	–	·25	–	–	–	–	–	7
8	–	·03	–	·45	–	–	·04	·05	–	–	–	–	8
9	·20	·07	–	·55	–	–	·03	·02	–	–	–	–	9
10	·45	·20	–	·27	–	–	·08	–	–	·04	–	–	10
11	·20	·10	·06	·25	·18	·26	·06	–	–	–	–	·24	11
12	·09	–	–	·28	–	·21	–	·11	–	–	–	·26	12
13	·13	·07	·02	·33	–	·70	–	–	–	–	–	·12	13
14	–	·05	·63	·16	–	·35	–	–	·30	–	·23	·03	14
15	–	·03	·47	·10	–	–	–	–	·07	·04	·06	–	15
16	–	–	–	–	–	–	·60	–	·03	·06	–	–	16
17	–	–	–	–	·09	–	·03	–	–	–	–	–	17
18	·04	–	–	·03	·04	–	–	·06	·08	–	–	–	18
19	–	2·74	–	·25	–	·18	–	–	–	–	–	·04	19
20	–	·04	–	·15	–	·26	·04	–	–	–	–	–	20
21	–	–	–	–	–	–	·43	–	–	–	–	·04	21
22	–	·02	–	·21	–	–	·12	·10	–	–	–	–	22
23	–	–	–	·08	–	–	·14	–	–	–	–	·38	23
24	–	–	·16	–	–	–	·06	–	–	–	–	–	24
25	–	–	·05	·03	–	–	·43	–	–	–	–	–	25
26	·13	·08	·17	–	·15	–	–	–	–	–	–	–	26
27	·20	–	–	·08	·72	·22	·04	–	–	–	·25	·05	27
28	1·17	–	·18	·05	·34	·02	·02	–	–	–	·06	·04	28
29	·13	–	·06	·06	1·06	–	·06	–	–	–	·05	·22	29
30	·12	╳	–	·09	·04	·14	–	–	·21	–	·15	·78	30
31	·08	╳	·08	╳	·05	╳	–	–	╳	·43	╳	·15.	31
TOTAL	2·98	3·43	2·19	4·34	3·06	2·46	4·00	·74	1·11	1·88	·95	2·70	YEAR'S TOTAL 29·84
Days with ·01 in. or more	–13	3 11	~~12~~ 13	3 24	–13	2 11	3 22	2 8	3 9	X 9	7	X 16	~~30~~ 156
Days with ·04 in. or more	13	8	11	21	13	9	19	6	6	8	7	15	136

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Cor by mm. stats

REGIS

ROTHERHAM
SITWELL VALE
YORKSHIRE
1911-20

11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Sitwell V

owdon

5 in.

in the County of W.R. York

ve Ground 1 ft. in.

Sea Level 300 ft.

by George Hou

2-30

Name Midland

Distance 1¼ Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08		·01				·01	·02			·01		1
2	·25				·08			·02				·04	2
3	·02				·17				·10	·08	·10	·02	3
4	·02		·03	·11				·03	·04	·10	·33	·29	4
5	·20		·02	·03				·04		·22		·01	5
6	·07			·01				·06		·02	·42	·65	6
7		·02	·02								·10		7
8	·12		·05						·02		·04	·33	8
9						·09						·21	9
10	·01		·01									·42	10
11	·24							·02			·56	·01	11
12	·02		·08		·06				·61		·16		12
13			·09							·04	·03	·46	13
14		·02	·06		·24		·08					·68	14
15		·10	·08	·01	(·10) [illegible]	·08				·09		·07	15
16	·02	·03	·09	·01		·34	·02			·05	·22	·06	16
17		·01	·03	·01							·08	·22	17
18		·34	·02							·02	·20	·07	18
19				·02		·11		·01	·31	·07	·45	·19	19
20		·08		·16			·01	·61	·01			·04	20
21	·04	·23	·02				·01	·11		·21	·04		21
22	·01	·11						·04		·17	·03	·21	22
23		·19	·01			·92			·25	·02		·20	23
24		·03	·04	·01		·89		·02		·07		·05	24
25	·02	·16		·04		·01			·13	·04	·05	·16	25
26		·02		·13	·20					·26	·44	·37	26
27		·11	·15	·13				·97	·33	·02		·03	27
28		·02	·02	·14				·04	·02		·04	·06	28
29			·02	·03			·02	·01	·13	·25	·01	·01	29
30				·01	·33	·23			·01	·20		·01	30
31			·12							·08			31
Total	1·12	1·47	·97	·85	1·18	2·64	·15	2·00	1·96	2·01	3·31	4·87	TOTAL for year 22·56
No. of Rain Days.	14	15	20	15	7	8	6	14	12	19	19	26	175

W. 8,000, X. '11.

Cor by mm - stat

REGIS 11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Sitwell Vale

in the County of W.R. York 7

by George Howard

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 300 ft.

Time of Observation 12-30

Nearest Railway Station
Name Midland
Distance 1/4 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·01				·01	·02			·01		1
2	·25				·08			·02				·04	2
3	·02				·17				·10	·08	·10	·02	3
4	·02		·03	·11				·03	·04	·10	·33	·29	4
5	·20		·02	·03				·04		·22		·01	5
6	·07			·01				·06		·02	·42	·65	6
7		·02	·02								·10		7
8	·12		·05						·02		·04	·33	8
9						·09						·21	9
10	·01		·01									·42	10
11	·24							·02			·56	·01	11
12	·02		·08		·06				·61		·16		12
13			·09							·04	·03	·46	13
14		·02	·06		·24		·08					·68	14
15		·10	·08	·01	(·10) ·06	·08				·09		·07	15
16	·02	·03	·09	·01		·34	·02			·05	·22	·06	16
17		·01	·03	·01							·08	·22	17
18		·34	·02							·02	·20	·07	18
19				·02		·11		·01	·31	·07	·45	·19	19
20		·08		·16			·01	·61	·01			·04	20
21	·04	·23	·02				·01	·11		·21	·04		21
22	·01	·11						·04		·17	·03	·21	22
23		·19	·01			·92			·25	·02		·20	23
24		·03	·04	·01		·89		·02		·07		·05	24
25	·02	·16		·04		·01			·13	·04	·05	·16	25
26		·02		·13	·20					·26	·44	·37	26
27		·11	·15	·13				·97	·33	·02		·03	27
28		·02	·02	·14				·04	·02		·04	·06	28
29			·02	·03			·02	·01	·13	·25	·01	·01	29
30				·01	·33	·23			·01	·20		·01	30
31			·12							·08			31
Total	1·12	1·47	·97	·85	1·18	2·67	·15	2·00	1·96	2·01	3·31	4·87	TOTAL for year 22·56
No. of Rain Days.	14	15	20	15	7	8	6	14	12	19	19	26	175

W. 8,000, X. '11.

EX

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Sitwell Vale,
in the County of York.
by George Howard.

W.7

Rain Gauge:
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 300 ft.
Time of Observation 12-15
Nearest Railway Station: Name Midland (Westgate)
Distance 1¼ Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ——

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·01	·11		·01	·37	·22		·12			·44	1
2			·03			·32	·46		·14			·14	2
3	·07	·06	·14		·05	·43		·67	·13			·10	3
4	·19		·50		·09	·93		·47	·03		·12		4
5	·27	·05			·09	·20		·07			·02		5
6	·76	·07			·03			·53				·02	6
7		·06	·08			·08	·03	·04	·01			·03	7
8	·35	·63	·07	·02				·01	·22			·02	8
9	·02		·21	·09		·12		·11			·05	·07	9
10	·15	·03		·01		·04		·09			·32		10
11	·01	·05	·01			·05					·09	·58	11
12	·06	·35	·02			·03	·77	·01			·04		12
13		·03						·01	·02	·11	·10		13
14	·12		·36			·08				·01			14
15	·15	·04	·03		·44	·18						·08	15
16	·95		·10		·06	·11		·04		·04		·04	16
17	·22	·01	·14			·21	·05	·27				·35	17
18	·15		·13				·19	·05		·02	·01	·02	18
19	·44	·20	·06		·14	·01	·70	·50					19
20	·16		·25		·02		·10			·15			20
21	·03		·20		·88		1·23			·01		·02	21
22		·07	·01		·88	1·02	·12	·75				·05	22
23	·24		·27		·02	·02	·30	·15			·03	·13	23
24	·09		·02		·04	·08	·80	·10			·15	·09	24
25			·02			·11		·68			·13	·33	25
26		·12	·03				·21	·47		1·18	·34	·02	26
27			·01			·19	·33		·03	·84		·08	27
28		·02	·03			·04	·17	·34	·05	·15	·68	·03	28
29			·03			·03	·04		·64	·06		·06	29
30	·09		·03		·69	·02	·01		·01	·10			30
31			·10		·30		·33	·42		·02			31
Total	4·53	1·80	2·99	·12	3·74	4·67	6·06	5·78	1·40	2·69	2·08	2·70	TOTAL for year 38·56 √
No. of Rain Days.	21	16	27	3	15	23	18	21	11	12	13	21	201 √

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 19 13

FORM A.
BRITISH RAINFALL.
2 JAN 191

Kept at Sitwell Vale.
in the County of York.
by George Howard.

W7

Lat. 53° 26ᵃ Long. 1° 21ᵃ
Time of Observation 12·15 P.M.
Nearest Railway Station Midland (Westgate)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. None.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·10	·01					·11	·03	·05	·01	1
2		·10	·10								·09	·02	2
3	·03		·11	·01	·35		·15		·01	·68		·30	3
4	·59	·11			·05		·08		·04	·49	·15	·17	4
5			·05			·04	·12		·03	·75			5
6		·07	·12	·01	·56		·64			·70			6
7		·24			·15	·33				·51	·12		7
8		·02	·01		·47			·14	·01	·02	·03		8
9		·20		·02	·15	·09	·15				·14		9
10	·14	·01		·13			·04				·17		10
11	·77			·38		·01		·55		·02	·18		11
12					·01	·01		·04			·30		12
13	·07		·14	·04					·08	·05	·05		13
14	·10	·14	·29	·01						·02	·11		14
15	·05		·27	·32							·28		15
16		·02	·22					·11	1·08				16
17		·04	·07	·01					1·07		·02		17
18	·02		·20	·14			·10				·08	·01	18
19	·11		·02	·04					·17				19
20	·19		·02	·09		·01				·09	·35		20
21					·08		·15						21
22	·19		·41			·04		·81	·22				22
23	·05							·17	·07	·03			23
24	·11			·04									24
25				·05					·07			·04	25
26		·01	·16	·13						·15		·30	26
27		·01	·05	·51		·01						·10	27
28	·23		·14	·69						·01		·09	28
29	·01		·26	·49	·02			·29				·32	29
30	·22				·05			·32		·42			30
31			·11					·02					31
Total	2·91	·97	2·85	3·12	1·89	·54	1·43	2·45	2·96	3·97	2·12	1·36	YEAR'S TOTAL 26·57
Rain Days.	17	12	20	19	10	8	8	9	12	15	15	10	155

W.7,000, XI. 13

Ex IVC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
5 -JAN 1915

Kept at Sitwell Vale
in the County of York. WR 7
by George Howard.

Lat. 53° 26" Long. 1° 21"
Time of Observation 12-15 P.M.
Nearest Railway Station Westgate (Midland)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02						·73	·21				·16	1
2							·95	·10			·45	·10	2
3	·02				·06		·01	·01				·52	3
4	·11		·08	·13	·27			·02			·41	·22	4
5	·11		·06	·26	·06	·02	·08					·06	5
6		·02		·25	·12		·47	·01			·01	·13	6
7		·03	·20	·12	·02	·04	·01	·09			·06	·07	7
8	·01				·05	·58	·02		·61			·01	8
9	·45			·08	·02	·90		·10				·01	9
10	·09	·14		·15					·03		·15		10
11		·05	·26	·01		·35			·07		·30	·40	11
12		·02	·18			·02			·29		·11	·43	12
13	·03	·04	·13				·01		·02	·05	·07	·27	13
14	·02	·18	·02				·03		·03	·44	·33	·10	14
15			·11						·01		·08	·01	15
16	·06						·26		·28		·01		16
17	·04	·16	·05				·03		·06			·29	17
18						·02	·03					·17	18
19			·20							·04	·06	·17	19
20	·01	·09	·05					·29	·03	·05			20
21		·42				·55	·03			·13	·02	·06	21
22					·54	·05		·05		·02		·01	22
23		·02	·03				·06					·01	23
24			·26	·01	·40		·07	·18		·02	·16		24
25								·16		·60		·32	25
26			·07					·41		·12	·07	·17	26
27	·05										·07	·65	27
28	·06	·06	·09							·07	·02	·28	28
29	·02		·05							·58	·03		29
30		×						·01		·11	·15	·18	30
31	·05	×		×		×	·29		×	·12	×		31
Total	1·15	1·23	1·84	1·01	1·54	2·53	3·08	1·64	1·43	2·35	2·56	4·80	YEAR'S TOTAL 25·16 ✓
Rain Days.	16	12	16	8	9	9	16	13	10	13	19	25	166 ✓

W. 8,000. X. 14.

✓ Ed L N 3308

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
12 JAN 1916

Kept at Sitwell Vale.

in the County of York. WR

by George Howard

Lat. 53°26" Long. 1°21"

Time of Observation 12·15

Nearest Railway Station Westgate Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·21

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	·19			·49		·06	·05	·09		·02	·10	1
2	·09	·05	·09	·23		·04		·15		·09		·03	2
3	·59			·04			·68	·29	·05		·02	·45	3
4	·12				·02		·49				·05	1·05	4
5	·02	·45		·04	·24			·06		·04	·02	·55	5
6	·04	·09	·03	·04			·51	·02				·07	6
7	·22	·20	·03	·06			·07	·45			·01	·10	7
8	·18	·13		·13			·01	·20			·10		8
9	·01							·02	·01	·03	·09	·69	9
10	·39		·06									·01	10
11	·02			·02	·67		·18				·61	·30	11
12	·04			·14	·10					·04	1·49		12
13		·78			·02					·01		·03	13
14	·05				·02			·08	·04	·02		·25	14
15	·42							·33		·08	·20	·11	15
16		·34			·15		1·68	·06				·02	16
17		·08					·01						17
18		·13	·18								·02		18
19		·01		·01			·08			·02			19
20							·03					·24	20
21	·04			·10			·10	·01				·10	21
22			·18				·24				·01	·03	22
23	·03	·03	·07	·03			·11		·02	·15		·15	23
24			·18	·02					·38	·01		·14	24
25				·01		·20	·01			·02		·06	25
26		·22					·07					·44	26
27		·13				·40	·01			·44		·52	27
28		·25	·06			11		·38		·07		·05	28
29					·07	1·25					·17	·50	29
30	·05	×		·03		·07	·01					·04	30
31	·06	×		×		×	·01	·14	×	·42	×	·21	31
Total	2·52	3·08	·88	·90	1·78	2·07	4·36	2·24	·79	1·44	2·81	6·24	YEAR'S TOTAL 29·11
Rain Days.	18	15	9	14	9	6	19	14	6	14	13	26	163.

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

3 JAN 191

REGISTER OF RAINFALL IN 1916

Kept at Sitwell Vale
in the County of York WR
by George Howard

Lat. 53° 26" Long. 1° 21
Time of Observation 12·15
Nearest Railway Station Westgate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300· ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	·01	·52			·04	·08				·09		1
2	·16	·05	·23						·19	·09	·03		2
3		·42		·03	·12	·08	·16		·17	·25	·09		3
4	·01	·02			·60	·08			·18		·38		4
5	·01	·25			·06	·05				·37	·10		5
6	·05	·22	·20	·03	·32		·19			·02	·39	·05	6
7	·01		·14		·05		·22			·06	·06	·26	7
8			·33		·02					(·06)	·02	·26	8
9			·05		·45	·18			·20			·01	9
10		·16	·06	·05		·04	·03		·01			·14	10
11		·32	·35	·06	·02	·11			·02			·10	11
12	·02	·03	·50	·01	·57	·01	·09						12
13		·09	·26					·21		·08	·03		13
14		·11	·05	·05	·04			·17		·10		·01	14
15		·26	·73				·15	·18		·01			15
16		·29	·31	·09			·04	·45	·01	·01			16
17		·17		·04			·09	·01	·14	·17	·01		17
18		·22	·12	·03		·05		·08	·23	·04	1·55	·19	18
19	·04		·27	·16				·10	·03		·22		19
20	·08		·36	·03	·12		·11					·28	20
21	·06		·03	·04			·32				·01	·06	21
22		·05	·01	·04		·03				·09		·38	22
23	·01	·05	·02	·06				·05		·02	·16	·04	23
24		·40				·09		·19		·07		·14	24
25		·11	·33		·04			·10			·15	·04	25
26		·09	·03					·13		·18	·03		26
27		·25	·04					·07					27
28		·40	·03						·02	·09		·33	28
29		·25				·40		·05		·24		·02	29
30		✕			·02	·07				·13			30
31		✕		✕		✕			✕	·17	✕	·08	31
Total	·78	4·22	4·97	·72	2·43	1·23	1·48	1·79	1·20	2·26	3·32	2·39	YEAR'S TOTAL 26·79
Rain Days.	11	23	23	14	13	13	11	13	11	20	16	17	185

W. 8,000, VIII. 16

cnd for auth 3087

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Sitwell Vale
in the County of York
by George Howard.

Lat. 53' 26" Long. 1° 21
Time of Observation 12·15
Nearest Railway Station Westgate (Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·24		·01		·45	·06		·10	·02	1
2	·03					·08		·12			·01		2
3				·01		·03		·30		·17	·07		3
4			·14							·08			4
5	·28		·06	·11				·03		·10	·05		5
6						·33				·47	·03		6
7	·61					·02		·90		·07			7
8	·44			·23						·42	·11	·08	8
9	·06		·06	·07	·03					·08	·22		9
10	·18		·58	·15	·20			·13		·02	·01		10
11	·05			·55				·21		·26			11
12	·07				·33			·27		·06		·03	12
13	·08			·06				·24	·06	·03			13
14	·27	·02		·04				·17				·08	14
15	·04			·01	·02		·02					·09	15
16	·02	·14		·02				·10				·18	16
17		·01	·02	·15	·56	·08	·30	·09	·08	·02		·30	17
18	·02			·02	·04	·02	·15	·01	·32				18
19	·03	·20	·15		·17	·56			·01				19
20	·07	·11	·01		·31	·28			·05		·02	·19	20
21		·03	·06		·08			·04		·04			21
22	·02		·04					·10		·01			22
23		·09			·11	·08		·05	·03	·01			23
24						·07		·02		·40	·27		24
25			·04							·04			25
26						·08		·31	·08	·04	·01		26
27			·04			·23	·12	·50				·07	27
28			·09			·05		·10				·24	28
29			·03		·03		·04			·24		·14	29
30		×	·22				·07	·12		·02	·02		30
31	·05	×	·31	×		×	·06	·17	×	·03	×		31
Total	2·32	·60	1·85	1·66	1·88 1·88	1·92	·76	4·43	·69	2·61	·92	1·42	21·06 YEAR'S TOTAL 20·36
Rain Days.	17	7	15	13	11	14	7	22	8	21	12	11	158

W. 8,000, IX. 17.

W. 91 L 69

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Sitwell Vale,
in the County of York, W.R.
by George Howard.

Lat. 53° 26′ Long. 1° 21′
Time of Observation 12·15 noon 1.
Nearest Railway Station Westgate (Midland)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. =

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·10	—	·03					·11	·10	·20	·06	1
2		·08		·02				·27	·06			·33	2
3		·01	·06		·60			·20	·09		·20		3
4			·06						·46	·12	·26	·29	4
5				·41	·24			·20	·12	·15			5
6		·23	·02	·01		·09				·13			6
7	·03		·01	·27			·03		·13	·04	·16		7
8		·25	·13	·11			·03		·26	·05	·03		8
9	·01	·36		·27		·04	·11		·45	·03			9
10	·05	·04		·02			·17				·05	·01	10
11	·09	·02		·07	·16		·18					·02	11
12	·02	·09	·01	·05	·04		·60		·02			·03	12
13				·06	·17				·44	·12		·05	13
14	·32			·05		·02	·08		·77			·26	14
15	·23		·01				·26		·57		·02	·06	15
16							·09		·25	·03		·08	16
17	·22					·04	1·02		·10	·08		·14	17
18	·27		·11			·05	·10		1·13			·07	18
19	·08		·10	·07			·08	·01	·01	·09		·31	19
20	·04	·11				·16	·04		·06	·04			20
21	·15	·10			·58	·03			·18	·13		·08	21
22	·05				·37		·06		·23	·01		·21	22
23	·03				·18		·11				·01		23
24		·06					·05		·15	·01	·07		24
25						·15	·25	·32	·05				25
26							·12	·06	·04		·07	·10	26
27		·03	·01					·31	·39		·04	·06	27
28		·15	·19					·23	·04		·11	·26	28
29			·14						·06			·02	29
30		X	·27					·02				·31	30
31		X		X		X			X		X		31
Total	1·59	1·63	1·12	1·44 ~~1·37~~	2·34	·58	3·38	1·62	6·17	1·13	1·22	2·75	YEAR'S TOTAL 24·97 ~~24·90~~
Rain Days.	14	14	13	13	8	8	18	9	25	15	12	20	169 ✓

W. 8,000, IX. 17.

5931

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Sitwell Vale

in the County of York

by George Howard

Lat. 53° 26" Long. 1° 21"

Time of Observation 12·15.

Nearest Railway Station R'ham Midland

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·53	·05	·02		·17		·20		·09	·09	·04	·13	1
2	·13				·03		·34		·40		·12		2
3	1·00					·21	·61		·10		·29	·06	3
4			·30				·08	·18	·10		·01	·16	4
5	·24								·11			·27	5
6	·01	·02	·06		·44					·08	·01	·02	6
7			·16										7
8	·12		·02								·05		8
9	·02		·04	·03							·05		9
10			·11	·02						·02	·05	·08	10
11			1·36	·04	·08		·11						11
12	·02		·49	·03		·04	·10		·23				12
13	·19			·24				·03	1·06	·07	·05	·03	13
14	·20			·10					·07		·12		14
15	·24	·12	·01	·04								·65	15
16	·10	1·42		·02		·06					·15		16
17	·11	·30		·05	·03	·05		·04			·08		17
18			·24		·02		·01	·59	·03			·10	18
19	·15	·29	·80			·05	1·82	·28	·04		·21	·09	19
20	·35	·04	·15				·10				·10		20
21	·05	·26	·03			·20	·23					·11	21
22		·03							·24		·02	·30	22
23				·09						1·11		·03	23
24				·08	·23	·05	·04	·05		·25	·03	·14	24
25	·03			·13		·02		·55			·05		25
26			·18	·16				·10			·05	·50	26
27	·11			·14				·14		·03		·03	27
28	·08			·22				·83		·21		·38	28
29	·12									1·05		·10	29
30	·05			·11		·15				·08	·13	·15	30
31	·02						·03			·09			31
TOTAL	3·87	2·53	3·97	1·50	1·00	·83	3·67	2·79	2·47	3·08	1·61	3·33	YEAR'S TOTAL 30·65
Days with ·01 in. or more	22	9	15	16	7	9	12	10	11	11	19	19	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2814

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sitwell Vale

in the County of York

by George Howard

Lat. 53°26′ Long. 1°21′

Time of Observation ¼ Past 12

Nearest Railway Station Westgate, Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·01

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·24	·18		·22		·02	·24		·08	1
2				·26			·07		·21	·19		·15	2
3				·39	·08	·07	·84		·21	·35		·14	3
4				·03			·12	·29	·03	·52		·05	4
5			·02		·02		·10	·09		·02			5
6		·02	·10	·05	·03		·05					·05	6
7	·06		·13	·02			·35						7
8	·07	·04		·56	·02		·15	·03		·03			8
9	·20	·14		·55						·02			9
10	·36	·28		·25			·09	·04				·01	10
11	·20	·02	·06	·13	·18	·34						·13	11
12	·06			·30		·27		·12			·02	·07	12
13	·07	·03	·03	·43		·88						·03	13
14	·02		·66	·11		·25	·03		·35	·05	·24	·06	14
15		·06	·20	·17					·01	·07	·02	·03	15
16			·02				·61		·02	·03			16
17					·12				·22	·04		·01	17
18	·03			·02	·06								18
19	·02	1·90		·25	·02	·35		·06					19
20	·01	·02		·17		·12	·17					·03	20
21							·25	·11				·03	21
22	·02			·24			·18						22
23			·02				·05					·33	23
24			·20			·03						·07	24
25		·09	·06			·01	·46						25
26	·09		·08	·09	·43		·05				·08	·03	26
27	·23				·61	·14	·01				·22	·20	27
28	1·01		·19	·05	·33	·02			·02		·01	·09	28
29	·32		·06		1·03		·01		·01		·07	·57	29
30	·15	╳		·12	·01	·11			·15		(·15)	·40	30
31	·06	╳	·07	╳	·05	╳	·02		╳	·46	╳	·01	31
TOTAL	2·98	2·60	1·91	4·43	3·17	2·59	3·83	·74	1·25	2·02	·81	2·57	YEAR'S TOTAL 28·90
Days with ·01 in. or more	18	10	16	21	15	12	20	7	11	12	8	22	172
Days with ·04 in. or more	13	6	11	18	10	9	16	6	5	8	5	14	~~119~~ 121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.
13 JAN 1912

REGIST

ROTH~~ERHAM~~
THRYBERG RES
YORKSHIRE

1911 - 1915, 1917 - 1920

Kept at Thrybergh Kilnhurst.
in the County of York W ·A·M.
by Henry Hens 8. in.
bove Ground 1 ft. 0. in.
Sea Level 186 ft.

NOTE.—Rain should be measured daily Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·04	·02			·01		1
2	·31				·05		·01					·03	2
3		·02			·11			·04			·06		3
4	·03		·07	snow ·10				·04	·16	16		·12	4
5	·01			snow ·07						·25		·01	5
6	·16		·03	snow ·02						13	·21	·30	6
7	·01		·01								·06	·12	7
8	·09		·06						·05		·10	·30	8
9						·07					·02	·01	9
10					·02							·32	10
11	·18							·04			·48	·01	11
12			·08		·13				·58		·14		12
13			·12							·01		·38	13
14	·03		·04		·11		·01				·01	·49	14
15		·07	·08		·18					·09		·12	15
16		·01	·05			·08				·06	·07	·03	16
17			·14			·31					·19	·15	17
18		·14	·03			·10				·01	·21	·05	18
19		·07	·01						·16		·43	·01	19
20		·03		·04			·02	·30	·15	·11	·01	·23	20
21		·10		·07				·19	·01	·17	·08		21
22		·04	·02					·02		·18	·05	·16	22
23		·14	·08			·33		·02	·28		·01	·15	23
24		·07	snow ·01			1·50		·02	·02	·08		·07	24
25		·12	snow ·01	·07		·02			·12		·03	·08	25
26		·02	snow ·02	·05	·19					·28	·43	·32	26
27		·06	·14	·17				·93	·45	·01		·02	27
28		·03	·03	·18				·02			·03	·07	28
29			·02	·03			·04	·03	·05	·14	·01	·02	29
30			·01	·01	·24	·11			·07	·19	·01		30
31			·10		·01					·06		·02	31
Total	·82	·92	1·16	·81	1·04	2·52	·12	1·67	2·10	1·91	2·65	3·59	TOTAL for year 19·31
No. of Rain Days	8	14	22	11	9	8	5	12	12	16	22	26	165

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGIST

Kept at Thrybergh

in the County of York WR 7

by Henry Henson

Lat. Long.

Nearest Railway Station Kilnhurst

Time of Observation 6 A.M.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 186 ft.

FORM A.
BRITISH RAINFALL.
13 JAN 1912

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·04	·02			·01		1
2	·31				·05		·01					·03	2
3		·02			·11			·04			·06		3
4	·03		·07	snow ·10				·04	16	16		·12	4
5	·01			snow ·07						·23		·01	5
6	·16		·03	snow ·02						13	·21	·30	6
7	·01		·01								·06	·12	7
8	·09		·06						·05		·10	·30	8
9						·07					·02	·01	9
10					·02							·32	10
11	·18							·04			·48	·01	11
12			·08		·13				·58		·14		12
13			·12							·01		·38	13
14	·03		·04		·11		·01				·01	·49	14
15		·07	·08		·18					·09		·12	15
16		·01	·05			·08				·06	·07	·03	16
17			·14			·31					·19	·15	17
18		·14	·03			·10				·01	·21	·05	18
19		·07	·01						·16		·43	·01	19
20		·03		·04			·02	·30	·15	·11	·01	·23	20
21		·10		·07				·19	·01	·17	·08		21
22		·04	·02					·02		·18	·05	·16	22
23		·14	·08			·33		·02	·28		·01	·15	23
24		·07	snow ·01			1·50		·02	·02	·08		·07	24
25		·12	snow ·01	·07		·02			·12		·03	·08	25
26		·02	snow ·02	·05	·19					·28	·43	·32	26
27		·06	·14	·17				·93	·45	·01		·02	27
28		·03	·03	·18				·02			·03	·07	28
29			·02	·03			·04	·03	·05	·14	·01	·02	29
30			·01	·01	·24	·11			·07	·19	·01		30
31			·10		·01					·06		·02	31
Total	·82	·92	1·16	·81	1·04	2·52	·12	1·67	2·10	1·91	2·65	3·59	TOTAL for year 19·31
No. of Rain Days	8	14	22	11	9	8	5	12	12	16	22	26	165

1,000, IX, '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

W. 7

Kept at Thrybergh
in the County of York
by H. Henson

Lat. Long.
Nearest Railway Station Kilnhurst
Time of Observation 6 A.M.
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground one ft. — in.
" " " Sea Level 184 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·06			·32	·01	·01	·15			·32	1
2	·01	snow ·06				·29	·63		·03			·12	2
3	·07	snow ·09			·05	·39	·10	·58	·22			·05	3
4	·10		·42		·11	·42		·42	·01		·20		4
5	·13	snow ·05	·01		·07	·21		·01	·02		·02		5
6	·90	·05			·13	·08		·62				·02	6
7	·04	·03			·01	·04		·25				·02	7
8	snow ·31	·20	·12	·02		·04			·17				8
9	·04	·34	·13	·11		·01		·01			·01	·03	9
10	·01	·01	·06			·67		·30			·43		10
11	·13	·03	·01			·01					·06	·64	11
12	·05	·27	·01			·04	·53				·05		12
13		·08				·01		·01		·09	·13	·01	13
14	·04	·01	·26			·07		·05					14
15	·07	·04	·19		·51	·07						·04	15
16	·60	·01	·10		·15	·19		·01		·03			16
17	snow ·05		·10			·20	·01	·24				·30	17
18	snow ·36	·01	·12			·01		·01		·01		·01	18
19	·22	·16	·01	·01			·90	·27			·04		19
20	·20	·03	·02		·20	·04	·06	·05		·17	·02		20
21	·01	·01	·40		·32		·70						21
22	·01	·04	·15		1·53	·70	·13	·26				·07	22
23		·02	·26		·04	·01	·27	·40		·01		·02	23
24	snow ·34				·05	·01	·52	·10			·04	·15	24
25	·01		·01			·13	·08			·01	·15	·04	25
26	·02	·07	·04			·01	·10	·91		·83	·17	·27	26
27		·02	·01			·20	·45	·01		·70		·04	27
28		·02	·01			·15	·08	·25		·23	snow ·48	·06	28
29			·08			·05	·05	·05	·48	·06	snow ·20	·04	29
30	snow ·05		·02		·64		·01		·13	·04		·01	30
31			·05		·40		·28	·34		·01			31
Total	3·77	1·65	2·65	·14	4·21	4·37	4·91	5·16	1·21	2·19	2·00	2·26	TOTAL for year 34·52
No. of Rain Days	24	23	25	3	14	27	18	23	8	12	14	20	211
TOTALS		5·42	8·07	8·21	12·42	16·79	21·70	26·86	28·07	30·26	32·26	34·52	Total

1,000, IX. '10.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
13 JAN 1914

Kept at Thrybergh

in the County of York W7

by Henry Henson

Lat. .... Long. ....
Nearest Railway Station Kilnhurst
Time of Observation 6 AM.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. — in.
" " " Sea Level 184 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0·01	0·05						0·09	0·01	0·03		1
2		0·07	0·07						0·05		0·06	0·03	2
3	0·04	0·06	0·06		0·39				0·01	0·68		0·16	3
4	0·60	0·03	0·01		0·09	0·01	0·12		0·07	0·03	0·14	0·15	4
5	0·07	0·01			0·05	0·04	0·21		0·07	1·10		0·06	5
6	0·01	0·02	0·11		0·72		0·99		0·01	1·30			6
7		0·22			0·11	0·05				0·54			7
8		0·02	0·05	0·01	0·30	0·30		0·02	0·03	0·01	0·07		8
9		0·09			0·15	0·03	0·08	0·10			0·04		9
10		0·11		0·02		0·01	0·06				0·25		10
11	snow 0·95	0·01		snow 0·61				0·01			0·17		11
12		0·02			0·02	0·01					0·28		12
13	snow 0·01	0·01	0·04					0·02	0·14		0·10		13
14	0·12	0·04	0·30	0·01						0·05	0·10		14
15	0·08	0·09	0·23	0·20					0·03		0·20		15
16	0·03	0·05	snow 0·08	0·08		0·02		0·42			0·04		16
17	0·01		0·20	0·02			0·01		2·43		0·03		17
18			0·10	0·09			0·03				0·04		18
19	0·17		0·12	0·06		0·02	0·03		0·21		0·01		19
20	0·16		0·07	0·05						0·03	0·01		20
21	0·06		0·01	0·04	0·13		0·19		0·01		0·42		21
22	snow 0·10		0·37					0·79					22
23	0·02					0·05		0·08	0·15	0·05			23
24	0·15			0·03				0·07					24
25	0·04								0·06		0·02		25
26			0·14	0·15					0·06	0·20		0·14	26
27		0·03	0·06	0·48		0·03				0·01		0·23	27
28	0·22		0·18	0·57						0·01		snow 0·04	28
29	0·01		0·28	0·40	0·09			0·48		0·01	0·01	snow 0·18	29
30	0·26		0·02		0·06					0·43		snow 0·19	30
31	0·03				0·04								31
Total	3·14	0·89	2·55	2·82	2·15	0·57	1·72	1·99	3·42	4·46	2·02	1·18	TOTAL for year 26·91
No. of Rain Days	21	17	21	16	12	11	9	9	15	15	19	9	174
		4·03	6·58	9·40	11·55	12·12	13·84	15·83	19·25	23·41	25·43	26·91	

1,000, IX. '10.
EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Thrybergh

in the County of York, W. R.

by Henry Henson

7

Lat. 53° 27′ Long. 1° - 17′

Time of Observation 6 A.M.

Nearest Railway Station Kilnhurst, G. C. Rly.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·01					1·04	0·36			0·01	0·18	1
2							0·85	0·10			0·39	0·08	2
3			0·01		0·05		0·12	0·02			0·13	0·57	3
4	0·10		0·06	0·13	0·14			0·01			0·25	0·31	4
5	0·06		0·13	0·09	0·03	0·01		0·02			0·27	0·20	5
6				0·25	0·08		0·45				0·02	0·10	6
7	0·04	0·03	0·20	0·04	0·07						0·05	0·06	7
8	0·02		0·02		0·07	0·48	0·08	0·04	0·15			0·06	8
9	0·24		0·01	0·05		0·98		0·13	0·01			0·01	9
10	0·30	0·11	SNOW 0·12	0·03								0·02	10
11		0·05	0·27	0·15	0·01	0·40			0·11		0·35	0·41	11
12		0·03				0·15					0·14	0·34	12
13			0·21								0·18	0·28	13
14	0·04	0·12	0·10				0·05		0·04	0·52	SNOW 0·24	0·23	14
15			0·08						0·02	0·04	0·17	0·03	15
16			0·05				0·27		0·07				16
17	0·08	0·10	0·06			0·01	0·03		0·29			0·05	17
18			0·05									0·37	18
19		0·03	0·05								0·07	0·18	19
20	0·01	0·07	0·03					0·28	0·04	0·04			20
21		0·28	0·05			0·69		0·09		0·02	0·03	0·07	21
22		0·16			0·07	0·06		0·05		0·13		0·03	22
23			0·02		0·39	0·08	0·06					0·01	23
24			0·28	0·01	0·57		0·04	0·16			0·30		24
25		0·03					0·02	0·05		0·60	0·02	0·07	25
26			0·04					0·49		0·04	0·04	0·25	26
27	0·04	0·01	0·05							0·06		0·76	27
28	0·05	0·08								0·08	0·05	0·30	28
29	0·01		0·09		0·01					0·70	0·01		29
30		X	0·03					0·04		0·07	0·22	0·09	30
31	0·03	X	0·01	X		X	0·14		X	0·22	X	0·04	31
Total	1·02	1·11	2·02	0·75	1·49	2·86	3·15	1·84	0·73	2·52	2·94	5·10	YEAR'S TOTAL 25·53
Rain Days.	13	14	24	8	11	9	12	14	8	12	20	27	172

W. 8,000: X. 14.

3311

FORM A.
BRITISH RAINFALL.

22 JAN 1916

REGISTER OF RAINFALL IN 1915

End L N

Kept at Thrybergh.
in the County of York: 7
by H. Henson

Lat. 53° 27′ Long. 1° 17″
Time of Observation 6. a. m.
Nearest Railway Station Kilnhurst. G. C.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 184. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13.	·17.			·39.			·03	·23.		·05	·04	1
2	·03	·06	·15	·09.		·02.	·03	·20		·07.			2
3	·83		·02.	·13			·24	·69			·04	·51	3
4					·01		1·15	·12			·01	1·04	4
5	·04.	·28			·32.	·02.		·04		·01	·06	·40	5
6	·02.	·37.	·12.	·06.			·44			·02		·05	6
7	·27	·20	·02	·10			·18	·36			·02	·10	7
8	·04	·13		·10			·07.	·14			·12		8
9	·20	·01						·16		·02	·05	Snow ·57.	9
10	·23							·02.		·01		·04	10
11	·25		·06.		·48		·10				·30	Snow ·30	11
12	·02			·18	·23			·03			1·65		12
13	·02,	·60			·01					·02			13
14		·16			·01		·01	·01	·01	·01		·23	14
15	·46.				·15			·04		·01	Snow. ·24	·10	15
16	—	·12.			·01		·97.	·03		·01		·01	16
17		·19					·43	·01					17
18		·13	Snow ·25								·02.		18
19		·03					·05						19
20	·01				·01		·01					·28	20
21	Snow. ·04				·01			·01				·03	21
22	·05		·13	·09.			·22					·10	22
23	·03.	Snow. ·03.	·06.				·42.		·02	·11	·01	·05	23
24			·23						·59.	·01		·19	24
25			·03							·02		·02	25
26	·01	·32.				·22.	·06.					·34	26
27		Snow. ·11	·02.				·03.		·01	·32		·36	27
28		·16.	Snow. ·08			·14.		·30		·12		·02	28
29					·11	·15		·10			·12.	·49	29
30	·06.	X		·04		·02.				·01		·02	30
31	·05	X		X		X		·11	X	·35	X	·19.	31
													YEAR'S TOTAL
Total	2·79.	3·07.	1·17.	·79.	1·74.	·57.	4·41	2.40	·86	1·12	2.69.	5·48	27·09.
Rain Days.	20	17	12.	8	12	6.	16.	18	5	16.	13.	24.	167.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

9 JAN 18

Kept at Thrybergh.
in the County of York.
by H. Henson.

Lat. Long.
Time of Observation 6. A.M.
Nearest Railway Station Kilnhurst G. C.
Diameter of Funnel of Rain Gauge 8. in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 184. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02.			SNOW. ·35.		·01.		·40.	·10.		·09.	·04.	1
2	·02.			SNOW. ·16.		·13		·08.			·03.		2
3				SNOW. ·03.		·03.		·16.			·03.		3
4		SNOW. ·04.	SNOW ·08.	SNOW. ·04.				·17.		·38.			4
5	·31.		SNOW. ·05.	SNOW. ·12.						·09.	·10.		5
6						·01			·01.		·02.		6
7	·25.		SNOW ·01.			·14.				·55.	·01.		7
8	·58.			SNOW. ·16.				1·20		·35.	·05.	·10.	8
9	·16.		SNOW. ·05.	SNOW. ·08.				·01.			·26.		9
10	SNOW. ·18.		·52.	SNOW. ·07.	·24.			·17.		·02.	·06.		10
11	SNOW. ·04.			SNOW. ·59.				·18.		·34.			11
12	SNOW ·05.							·19.		·12.		·01	12
13	SNOW ·06.			·01.				·22.	·01.	·02.	·01.		13
14	SNOW ·17.	·01.						·09				·04.	14
15	SNOW. ·18			·04.			·10.	·01.				·17.	15
16	SNOW. ·06.	·07.		·02.		·06.	·02.			·01		SNOW. ·46	16
17	SNOW. ·01.	·07.	·03.	·04.	·66.	·03.	·10	·15.	·01.	·02.			17
18	SNOW ·02			·15.	·05.		·40.	·05.	·33.				18
19	·03.		·07.		·25	·39.			·01				19
20	SNOW. ·06.		SNOW. ·01.		·44	·18.		·27.	·03.		·04.		20
21	SNOW ·01.		SNOW. ·01.		·08.			·08.		·01			21
22	SNOW ·01.	·03	SNOW. ·11.					·05.		·12.			22
23		·05.			·12.			·18.		·01.			23
24			SNOW. ·02.		·01.	·11		·06		·27.	·21		24
25		·02.	SNOW. ·05.			·07.				·08.	·04.		25
26								·25.	·13.	·05.			26
27			SNOW. ·03.			·20	·16	·45.			·02.	·04.	27
28			SNOW. ·10.			·07.		·19.		·01.		·15.	28
29			SNOW. ·04.		·01.					·12.		·22.	29
30	SNOW. ·01.	X	SNOW. ·13.				·08.	·09.		·01.			30
31	SNOW. ·02	X	SNOW. ·07	X		X	·02.	·03.	X		X		31
Total	2·25	·29	1·38	1·86.	1·86	1·43	·88	4·73	·63	2·58	·97	1·23	YEAR'S TOTAL 20·09.
Rain Days.	21.	7.	17	14	9	13.	7.	24.	8.	19.	14	9.	162.

W. 8,000, VIII. 16

72

FORM A.
BRITISH RAINFALL.

17. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Thrybergh.
in the County of York. W
by H. Henson.

Lat. 53°·27′ Long. 1°·17′
Time of Observation 6 a.m.
Nearest Railway Station Kilnhurst.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. – in.
" " " " Sea Level 184. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·31.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·05	·03	·14.		1
2		·18.						·10	·14.	·08		·21	2
3		·01.	·08.	·03.	·18			·34			·22	·01	3
4			·02.		·42			·06	·30	·02	·14	·27	4
5					·25			·06	·24.	·20			5
6		·18		·10.				·22	·04	·01			6
7	Snow. ·10			·40		·11		·02	·10	·10	·06		7
8		·04.	snow. ·17.	·27.			·07		·28		·04		8
9	·03.	·29.		·19		·04	·17.		·40	·14.	·01		9
10	·01	·02.		·37					·02			·01	10
11	·07	·03.		·02	·17.		·10		·04			·02	11
12	·01			·07.			·42		·01				12
13	·01			·07	·11				·03	·01		·02	13
14	Snow. ·40.			·03		·01	·03		·70	·14		·12	14
15	snow. ·23.			·04			·26		·77			·19	15
16				·01			·15		·05	·01		·01	16
17	Snow. ·18.					·03.	·75		·30	·11		·17	17
18	·20.		·04.				·05		·99.			·04	18
19	·12		·12.	·02			·07	·06	·03	·12		·40	19
20	·05.	·11				·15.	·05		·04	·02			20
21	·13.	·06		·01	·62	·06			·14	·13			21
22	·04				·40		·07		·15			·39	22
23	·04.				·32		·11		·01				23
24		·04.					·08		·18		·04		24
25					·01	·95.	·09	·38.	·02				25
26							·13.	·05	·04	·02	·05	·04	26
27								·28	·28		·07	·04	27
28		·14.	·24.					·19.	·03			·24	28
29									·03		·01	·03	29
30		X	·30.						·03		·05	·25	30
31		X	·04.	X		X			X		X		31
Total	1·62	1·10.	1·01.	1·63.	2·48	1·35	2·60	1·76	5·44	1·14.	·83	2·46.	YEAR'S TOTAL 23·42.
Rain Days.	15.	11.	8.	14.	9	7.	16.	11.	29.	15	11.	18.	164.

W. 8,000, VIII. 16

-934-

FORM A.
BRITISH RAINFALL.

2 FEB 20

REGISTER OF RAINFALL IN 1919

Kept at Thrybergh Reservoir
in the County of York
by Henry Henson

Lat. 53° 27' Long. 1° 17'
Time of Observation 7 am.
Nearest Railway Station Kilnhurst
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	Snow ·05	·02		·15	—			·07		·07	·02	1
2	·17	Snow ·02	·07		·04		·20		·44	·10	·05	·11	2
3	Snow ·55	Snow ·04			·04		·86		·09		·34	·02	3
4	Snow ·54		·28			·15	·02	·20	·06		Snow ·07	·04	4
5	·02	Snow ·02						·02	·09		·07	·12	5
6			·07		·26		—			·03	·07	·12	6
7	·03		·20		·03	—				—			7
8	·07				·07				—		·04		8
9			·07								·08		9
10			·20	·02	·07					·07	·07	·06	10
11			·75	·02	·04		·18						11
12			·95			·02	·10		·17		Snow ·01		12
13	·06								·98	·10	Snow ·01	·03	13
14	·32			·28				·07	·08	·03	Snow ·11		14
15	·18	·12		·09				—			Snow ·08	·70	15
16	·11	1·04	·10	·03						·07	·08	—	16
17		·59	·07	·05	—	·05	~~·07~~				·11		17
18			·07				·01 ~~1·30~~	·04				·10	18
19	·03	·20	·78			·07	1·30 ~~·58~~	·61	·04		·15	·02	19
20	·29	·15	·08				·58 ~~·24~~	·26	·03		·05	·06	20
21	·21	·28	Snow ·06			·31	·24		·07			·14	21
22		·19	·07			—		·01	·17			·28	22
23		—	·07							·60		·02	23
24			—	·17		·10	·02			·63	·03	·02	24
25	·03			·07			—	·54		·07		·16	25
26			·18	·08		—		·18	·07			·35	26
27	Snow ·11	·04		Snow ·33						·08	·02	·05	27
28	Snow ·10			·21				·84		·07		·39	28
29	·14	—		·02		·04		·04		1·19		·07	29
30	Snow ·03		·07	·05		·09		—		·07	·12	·16	30
31	Snow ·01						·11			·17		·05	31
Total	3·31	2·74	3·68	1·42	·58	·77	3·62	2·81	2·24	2·98	1·51	3·09	YEAR'S TOTAL 28·75
Rain Days.	20	12	19	13	8	8	11	11	13	14	20	23	172

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

2817

FORM A.
BRITISH RAINFALL.

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Thrybergh Reservoir near Rotherham

in the County of York

by F. O. Kirby, Borough Surveyor & Water Engineer Doncaster

Lat. 53° 27′ Long. 1° 17′
Time of Observation 7 a.m.
Nearest Railway Station Kilnhurst G.C.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 184 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.40

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.30	0.23		0.24	0.02	0.04	0.20	0.22	0.02	1
2				0.26			0.05		0.19	0.26		0.12	2
3	0.02			0.26	0.04	0.04	1.06	0.30	0.17	0.15		0.07	3
4				0.14	0.07		0.26			0.75		0.13	4
5			0.07				0.06	0.18	0.03			0.07	5
6					0.06		0.04	0.02					6
7			Snow 0.13	0.03	0.07		0.40						7
8	0.07	0.02		0.51			0.04	0.07		0.07			8
9	0.05	0.13	0.01	0.50	0.07		0.17	0.04					9
10	0.35	0.12		0.29			0.03			0.07			10
11	0.46	0.02	0.07	0.15	0.16	0.18						0.19	11
12	0.04		0.06	0.36	0.02	0.07		0.10				Snow 0.10	12
13	0.04	0.07	0.06	0.15		0.74	0.01				0.02	Snow 0.11	13
14			Snow 0.41	0.08		0.20	0.04		0.25	0.06	0.16	Snow 0.01	14
15		0.05	0.48	0.12					0.15	0.10	0.03	Snow 0.01	15
16							0.52		0.03				16
17					0.03		0.10		0.23	0.05		0.07	17
18	0.03			0.07	0.05			0.05	0.07				18
19	0.02	Snow ~~1.75~~		0.17	0.07			0.08	0.02				19
20		Snow 0.35		0.20		0.44							20
21				0.21			0.49	0.07				0.02	21
22				0.10			0.04	0.02		0.07			22
23				0.07			0.20					0.37	23
24			0.13							0.07		0.05	24
25		0.10	0.07	0.02		0.02	0.37						25
26	0.02		0.08	0.06	0.30		0.10			0.07			26
27	0.18	0.02		0.12	0.78	0.17					0.26	0.17	27
28	Snow 0.98		0.13	0.03	0.11	0.02	0.06		0.03		0.12	0.16	28
29			0.04	0.05	0.67		0.03			0.07	0.05	0.42	29
30	0.05		0.05	0.02	0.15				0.17		0.12	0.17	30
31	0.20		0.02		0.03		0.03			0.24		0.15	31
													YEAR'S TOTAL
Total	2.50	2.47	1.63	4.15	2.67	1.88	4.34	0.89	1.32	1.87	0.98	2.29	26.99
Rain Days.	14	10	15	25	17	9	22	11	12	14	8	19	176
	10	6	10	19	10	7	18	7	7	8	6	13	121

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S. made

Cor^d. by RMS

REG

—

ROUGHTON GRANGE

YORKSHIRE

1911 — 1920

FORM A2.
BRITISH RAINFALL.
8 FEB 1912

Kept at Rounton Grang

in the County of York

by J. Hanagan. (for S

a

in.

round 1 ft. in.

ea Level 249 ft.

m

Jame Trenholme Bar

Distance 2 miles Direction N E

IMPORTANT NOTE / the result entered to the previous day. If an Obse / rsal rule, he is earnestly requested to add the readi / ear in the space provided for it at the end of this / nent of rain, the selection and placing / itish Rainfall Organization are given in / application to Dr. H. R. Mill, 62, Camden Square,

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	·05	·03	—	—	·02	—	1
2	·29	·01	—	—	·09	—	·14	—	—	·11	·04	·06	2
3	·03	—	·03	·04	·18	—	—	—	—	·46	·03	—	3
4	—	—	·15	·16	·01	—	—	·14	—	·14	·15	·25	4
5	·07	—	·02	·06	·01	—	—	·49	—	·01	—	—	5
6	·22	—	·08	·05	—	—	—	·14	—	·03	·10	·46	6
7	·01	—	·01	·01	—	—	—	—	—	—	·03	—	7
8	—	—	·29	·02	—	·02	—	—	—	·02	·02	·26	8
9	—	—	·01	·02	—	—	—	—	—	—	—	·08	9
10	—	·04	—	·01	—	—	—	—	—	—	·01	·53	10
11	·25	—	·01	—	—	—	—	—	—	—	·15	~~11~~	11
12	·12	·01	·07	·02	·14	·16	—	—	·69	—	·33	—	12
13	—	·07	·15	—	·01	·02	—	—	—	·01	·05	·44	13
14	—	·12	·24	—	·94	—	·02	—	—	—	·01	·41	14
15	—	—	·22	·02	—	—	—	—	—	·01	·10	·23	15
16	·01	—	·20	·05	—	·02	·10	—	—	—	·02	·06	16
17	—	—	·01	—	—	·25	·04	—	—	—	·19	·07	17
18	—	·02	·05	—	—	·02	·03	—	—	—	·40	·17	18
19	—	—	·01	·01	·01	·17	·02	·06	·11	·20	·85	·07	19
20	—	·09	—	·01	—	·02	·11	·49	·01	·02	·02	·20	20
21	·03	·18	—	·01	—	·01	—	1·22	—	·11	·22	·04	21
22	·07	·03	—	·01	—	—	—	·23	—	·01	·11	—	22
23	·03	·13	—	—	·01	1·21	—	—	·15	·01	—	·10	23
24	—	·03	·01	—	—	1·27	·01	—	—	·10	—	·04	24
25	—	10	—	·09	—	·38	—	—	·31	·13	·03	·17	25
26	—	—	—	·03	·37	—	—	·05	·01	·83	·35	·13	26
27	—	·02	·02	·05	—	—	—	·23	·09	·04	·02	·03	27
28	—	·04	·01	·20	—	·02	—	—	—	·06	·01	·10	28
29	—		·01	·09	—	—	·07	·06	·43	·32	·02	·02	29
30	—		·01	·01	·05	—	—	—	·09	·05	—	·01	30
31	—		·01		·11		—	—		·04		·03	31
Total	1·13	0·89	1·62	0·97	1·93	3·57	0·59	3·14	1·89	2·41	3·28	3·96	TOTAL for year 25·38
No. of Rain Days.	11	14	22	21	12	13	10	11	9	21	25	24	25·38 193

W. 8,000, X. '11.

S. made

Cor. by Rms

REG

FORM A2.
BRITISH RAINFALL.
8 FEB 1912

Kept at Rounton Grange

in the County of York 2

by J. Hanagan. (for Sir Hugh Bell Bart.)

RAIN GAUGE
Pattern [illegible]
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 249 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Trenholme Bar
Distance 2 miles Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	·05	·03	—	—	·02	—	1
2	·29	·01	—	—	·09	—	·14	—	—	·11	·04	·06	2
3	·03	—	·03	·04	·18	—	—	—	—	·46	·03	—	3
4	—	—	·15	·16	·01	—	—	·14	—	·14	·15	·25	4
5	·07	—	·02	·06	·01	—	—	·49	—	·01	—	—	5
6	·22	—	·08	·05	—	—	—	·14	—	·03	·10	·46	6
7	·01	—	·01	·01	—	—	—	—	—	—	·03	—	7
8	—	—	·29	·02	—	·02	—	—	—	·02	·02	·26	8
9	—	—	·01	·02	—	—	—	—	—	—	—	·08	9
10	—	·04	—	·01	—	—	—	—	—	—	·01	·53	10
11	·25	—	·01	—	—	—	—	—	—	—	·15	~~·11~~	11
12	·12	·01	·07	·02	·14	·16	—	—	·69	—	·33	—	12
13	—	·07	·15	—	·01	·02	—	—	—	·01	·05	·44	13
14	—	·12	·24	—	·94	—	·02	—	—	—	·01	·41	14
15	—	—	·22	·02	—	—	—	—	—	·01	·10	·23	15
16	·01	—	·20	·05	—	·02	·10	—	—	—	·02	·06	16
17	—	—	·01	—	—	·25	·04	—	—	—	·19	·07	17
18	—	·02	·05	—	—	·02	·03	—	—	—	·40	·17	18
19	—	—	·01	·01	·01	·17	·02	·06	·11	·20	·85	·07	19
20	—	·09	—	·01	—	·02	·11	·49	·01	·02	·02	·20	20
21	·03	·18	—	·01	—	·01	—	1·22	—	·11	·22	·04	21
22	·07	·03	—	·01	—	—	—	·23	—	·01	·11	—	22
23	·03	·13	—	—	·01	1·21	—	—	·15	·01	—	·10	23
24	—	·03	·01	—	—	1·27	·01	—	—	·10	—	·04	24
25	—	·10	—	·09	—	·38	—	—	·31	·13	·03	·17	25
26	—	—	—	·03	·37	—	—	·05	·01	·83	·35	·13	26
27	—	·02	·02	·05	—	—	—	·23	·09	·04	·02	·03	27
28	—	·04	·01	·20	—	·02	—	—	—	·06	·01	·10	28
29	—		·01	·09	—	—	·07	·06	·43	·32	·02	·02	29
30	—		·01	·01	·05	—	—	—	·09	·05	—	·01	30
31	—		·01		·11		—	—		·04		·03	31
Total	1·13	0·89	1·62	0·97	1·93	3·57	0·59	3·14	1·89	2·61	3·28	3·96	TOTAL for year 25·38
No. of Rain Days.	11	14	22	21	12	13	10	11	9	21	25	24	25·38 193

W. 8,000, X. '11.

S. made ✓

cd for auth 18·III·13

W J.C.

FORM A2.
BRITISH RAINFALL.
15 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Rounton Grange

in the County of Yorkshire. (N.R) 2

by J. Hanagan.

RAIN GAUGE
Pattern L. Casella. London Cylindrical
Diameter of top 8" in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 249. ft.

Time of Observation 9·0. a.m.

Nearest Railway Station
Name Trenholme Bar.
Distance 2 mls Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·11	·14.	—	·01	·18	·19	·47	·08	·03	—	·05	1
2	—	·02	·10	·02	—	·14.	·59	·07	—	·15	·01	—	2
3	·18	·06	—	—	—	·61	·01	·16	·22	·01	—	·20	3
4	·25	—	·50	—	·01	·63	—	·19	·01	·01.	·35	—	4
5	—	—	·01	—	·22	·19	—	·01	—	—	·01	—	5
6	·38	·29	—	—	—	·08	—	·07	·01	—	—	·01	6
7	·01	·04.	·04	—	·09.	—	—	·02	·25	—	·03	·01	7
8	·13	·10	·06	—	—	—	—	—	·20	—	·22	·01	8
9	·02	·02	·04.	·02	—	·43	—	—	—	—	·03	—	9
10	·02	·01	—	·01	—	1·32	—	—	·02	—	·10	·01	10
11	·12	·01	·01	—	·02	·01	·01	·21	·03	—	·26	·05	11
12	·04	·02	·14.	—	—	·02	·52	—	—	—	·42	·05	12
13	—	·01	—	—	—	·69	—	·01	—	·07	·20	·03	13
14	·09	—	·44.	—	—	·07	—	·05	—	—	·01	·06	14
15	·01	·02	·29	—	·59	·03	—	—	—	—	—	·10	15
16	·10	—	·05	—	·06	—	·01	—	—	·14	—	—	16
17	—	·08	·17	—	—	·29	·04	·17	—	·01	—	·04	17
18	·05	·01	—	—	—	·02	·01	·07	—	·04	·01	—	18
19	·05	·23.	·02	—	—	·22	·43	·60	—	·01	·01	—	19
20	·17	·08	—	—	·81	·07	·28	·02	—	·11	—	·02	20
21	·01	—	·12	—	·03	—	·09	—	—	·02	·05	—	21
22	·02	·05	·04	—	·48	·52	—	·11	—	·01	—	·01	22
23	·02	—	·03.	—	·04	·03	·14	·28	—	·17	·12	—	23
24	·19	—	·02	—	—	·02	·02	·05	—	—	·01	·17	24
25	·36	—	—	—	—	·63	·01	·36	—	·01	·10	—	25
26	·08	·07	·03	—	—	·02	—	·06	—	·55	·10	·31	26
27	—	—	·05	—	·03	·18	·33	·01	—	·19	·04	·08	27
28	—	—	·01	·02	·08	·27	·28	·43	—	·27	·11	—	28
29	·08	·01	·15	—	—	·05	·18	·01	·44.	·01	—	·05	29
30	·04		·05	—	·02	·06	·07	—	·13	·16	—	·01	30
31	—		·16		·06		·89	·23		·04		·01	31
Total	2·42	1·24	2·67	·07	2·55	6·78	4·10	3·66	1·39	2·01	2·19	1·28	TOTAL for year 30·36
No. of Rain Days.	23	19	24	4	15	26	19	23	10	20	20	20	30·36 223

W. 8,000, X. '11.

FORM C.
BRITISH RAINFALL,
W., 10,000. XI. 18.

PLEASE fill in spaces.

RAINFALL at Rowton Grange in the Month of March 1913

Copy

2 JUN 1914

DATE	Inches	REMARKS ON THE DAYS.
1	·03	
2	·05	
3	·01	
4	·03	
5	·04	
6	·18	
7	-	
8	·03	
9	·02	
10	·02	
11	-	
12	-	
13	·01	
14	·24	
15	·22	
16	-	
17	·70	·07 Meterrological Office
18	·42	Correct
19	·02	
20	·08	
21	·01	
22	·33	
23	-	
24	·	
25	-	
26	·02	
27	·03	
28	·21	
29	·19	
30	·01	
31	·01	~~2·28~~
TOTAL	2·91	No. of Days with Rain

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

30th May 1914

POST CARD.

ADDITIONAL REMARKS.

On referring to the Original register I find the correct reading is ·07 on March 17th 1913.

J. H.

Rounton Northallerton

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the
Min. ,, ,, ,, ° on the
Temp. in shade, at or below 32° on days.
,, on grass, ,, ,, 32° on days.

SIGNED

No writing on this side of the line.

½ POSTAGE REVENUE ½
HALFPENNY

NORTHALLERT
7 PM

Dr. H. R. MILL,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.

7 mar 17 ·07 [illegible] 29·VI·14

and for anth 13.IV.14 [illegible] by dor. 2.VI.14.

3446

FORM A. BRITISH RAINFALL. 26 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Rounton Grange.

in the County of Yorkshire. N. Riding

by J. Hanagan.

Lat. 54°24′ Long. 1°18′.

Time of Observation 9.a.m.

Nearest Railway Station Trenholme Bar.

Diameter of Rain Gauge 8″ in.

Height of top of Gauge above Ground 1 ft. - 0 in.

" " " " Sea Level 249. ft.

2

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	·04	·03	·33	·01	—	—	—	·04	—	·01	—	1
2	·01	·05	·05	·04	·—	·07	—	—	—	—	·02	—	2
3	·02	—	·01	—	·19	—	·11	—	·02	—	—	—	3
4	·28	—	·03	—	—	—	·01	·02	—	·08	·06	·32	4
5	·46	·04	·04	—	—	·02	·03	·12	—	·09	—	—	5
6	·01	·28	·18	·01	·30	·06	·23	—	—	—	·08	—	6
7	—	·19	—	·01	·03	·12	·01	—	—	1·50	·01	·01	7
8	—	·01	·03	—	·41	·06	—	·02	·08	·40	·01	—	8
9	—	·05	·02	·08	·23	·03	—	·52	—	—	·01	—	9
10	—	·04	·02	·02	·18	—	·14	—	·01	·03	·18	—	10
11	·29	·01	—	·30	·01	·03	—	—	—	—	·08	·01	11
12	·16	—	—	—	—	—	·01	·01	·24	—	·18	—	12
13	—	·01	·01	·03	—	—	·01	·04	·08	·03	·13	—	13
14	·04	·09	·24	·02	—	—	1·12	—	—	·08	—	—	14
15	·18	—	·22	·13	—	—	·01	—	—	—	·10	·02	15
16	·01	—	—	—	—	—	—	—	—	—	·01	·—	16
17	—	·01	·07 ·70	·04	—	·14	·01	—	·02	—	·06	·01	17
18	·01	—	·42	·14	—	·02	—	—	·19	—	·03	·01	18
19	·11	—	·02	—	·03	—	—	—	·86	·03	—	·—	19
20	·15	·03	·08	·01	—	—	—	—	·43	·10	·69	—	20
21	·09	—	·01	—	·05	—	·01	·39	·01	—	—	—	21
22	·10	—	·33	—	·04	·05	·01	·41	·05	·08	—	—	22
23	·14	—	—	—	·—	·08	·04	·01	·03	·01	·04	—	23
24	·16	—	—	·02	—	·18	—	·01	—	—	—	·01	24
25	—	—	—	·03	—	·01	—	—	·33	·02	·02	—	25
26	—	—	·02	·41	—	—	—	—	·20	·19	·17	·15	26
27	—	·03	·03	·28	·03	·13	—	—	—	—	·03	·02	27
28	·10	—	·21	·92	·01	—	—	—	—	·01	—	·42	28
29	—		·19	·31	·04	—	—	·39	—	—	·04	·65	29
30	·24		·01	—	·14	—	—	—	—	·41	—	·18	30
31	·03		·01		·16		—	·02		—		—	31
Total	~~2·50~~ 2·70	0·91	~~2·91~~ 2·28	3·19	1·92	1·00	1·45	1·99	2·59	2·56	1·99	1·46	YEAR'S TOTAL ~~25·29~~ ~~25·27~~
Rain Days.	21	14.	24.	19	16	14.	14.	12.	15.	15.	21.	12.	197.

24·64

W.7,000, XI. 13

exLMc

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

16 JAN 1915

Kept at Rounton
in the County of North Riding Yorkshire 2
by J. Hanagan.

Lat. 54.24 N Long. 1·18 W
Time of Observation 9·0 a.m.
Nearest Railway Station Trenholme Bar. N.E.R.
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. - 0 in.
" " " " Sea Level 249. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	·01	·54.	·13.	—	·01.	—	·14.	1
2	·01	—	—	—	—	—	1·00.	·35.	—	·04.	·16.	·07.	2
3	·04	—	·05	—	·19.	—	·02	—	—	—	·15.	·36.	3
4	—	—	—	·11	·15.	·01.	—	—	—	—	·06.	·47.	4
5	·01	—	·04.	·12.	·04.	·04.	—	·01.	—	·02.	·09.	·02.	5
6	—	·06.	—	·15.	·06.	—	—	·02.	—	—	·01.	·07.	6
7	—	·05.	·08.	—	·15.	·67.	—	—	—	—	·08.	·22.	7
8	·36.	—	·03.	·01.	·12.	·57	·09.	·02.	—	·07.	—	·02.	8
9	·36.	·04.	—	·09.	—	·93.	—	·01.	·07.	·01.	·11.	·04.	9
10	·12.	·17.	—	·01	—	—	—	—	·19.	—	·05.	·02.	10
11	—	·14.	·11.	—	·12.	·02.	—	—	·02.	—	·14.	·11.	11
12	·01.	·05.	·01.	—	—	·02.	—	—	·06.	—	—	·21.	12
13	·04.	·05.	·13.	—	—	—	—	—	—	·02.	·07.	·16.	13
14	·10.	·13.	·01.	·02.	—	—	·03.	—	·06.	—	·05.	·16.	14
15	·03.	·02.	·12.	—	—	—	·14.	—	·04	—	·31	·12	15
16	·15.	—	·06.	—	—	—	1·46.	—	·26.	—	·16	—	16
17	·05	·05.	·01.	—	—	—	·02.	—	·79.	—	·01.	·08.	17
18	·03	·03.	·06.	—	—	·69.	—	—	·10	—	·01.	·16.	18
19	—	—	—	—	—	—	·17.	—	·14	—	·10.	·03.	19
20	—	·13.	·12.	—	—	·31.	·01.	—	·02.	·03.	—	—	20
21	—	·49.	·02	—	—	—	·03.	—	—	—	·05.	·09.	21
22	·02	·02.	—	—	·23.	·10	—	·07	—	·01.	·08.	·19.	22
23	—	·01.	·07	·01.	·41.	·38.	—	—	—	—	—	·10.	23
24	—	—	·24.	·15	—	—	—	·08.	—	—	·38.	—	24
25	—	·09.	·01.	—	—	—	—	·04	—	·40.	·05.	·37.	25
26	—	—	·06.	—	—	—	·14	·01.	—	·36.	·08.	·26.	26
27	·04.	—	—	—	—	—	·01.	—	—	·02.	·12.	·31.	27
28	—	·03	·01.	—	—	—	—	·01.	—	·01.	·06.	·10	28
29	·01.		·03	—	·02.	—	—	·16	—	·46.	·04	—	29
30	—	X	·05	·03	·01.	—	—	·04	—	·06.	·15	·25.	30
31	·18.	X	—	X	·01.	X	·23.	—	X	·12	X	—	31
Total	1·56	1·56	1·32	·70	1·51	3·75	3·89	·95.	1·75	1·64	2·57.	4·13	YEAR'S TOTAL 25·33
Rain Days.	17.	17.	21.	10.	12.	12.	14.	13.	11.	15	25	26.	193

W. 8,000. X. 14.

3666

and [illegible] 29.IV.16

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

15 FEB 1916

Kept at Rounton Grange Northallerton

in the County of York N 2

by I. Hannagan

Lat. 54 24 Long. 1 18 W

Time of Observation 9 am. + 9 p.m

Nearest Railway Station 2 miles

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 249 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. mm 3.4

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
							mm	mm	mm	mm	mm	mm	
1	.50	.17	—	—	.14	—	3.3	5.0	8.2	—	3.5	4.1	1
2	.62	.19	.20	.09	—	mm 1.7	1.1	1.9	1.2	—	1.9	1.0	2
3	.38	—	.08	.12	—	—	8.0	0.6	—	—	2.5	13.0	3
4	.15	.01	.01	—	.04	0.4	1.5	4.8	—	—	1.5	12.3	4
5	.07	.09	.01	—	.01	—	—	0.1	—	1.6	1.0	13.4	5
6	.05	.23	.07	.08	.02	—	14.3	0.1	2.5	0.9	—	2.0	6
7	.24	.26	.03	.01	—	—	0.6	1.0	—	—	—	—	7
8	.07	.11	.06	—	—	3.5	0.5	0.8	—	—	1.5	—	8
9	—	.03	—	—	—	—	0.2	—	—	0.1	0.2	8.0	9
10	.17	—	.11	—	—	—	0.2	28.2	—	—	—	2.4	10
11	—	.22	.01	—	.60	—	—	0.1	—	0.2	0.3	3.5	11
12	.11	.08	—	.26	.04	—	19.0	—	—	2.7	16.2	0.2	12
13	—	.15	.01	—	.03	—	0.8	0.3	0.3	—	—	1.3	13
14	.04	.07	—	—	.07	—	1.6	1.1	—	—	—	0.7	14
15	.20	.02	—	—	—	—	14.5	3.7	—	6.3	—	1.9	15
16	.03	.39	—	—	.01	—	22.1	5.7	—	9.9	1.5	—	16
17	.43	.29	.03	—	—	—	2.4	0.2	—	—	0.3	1.9	17
18	—	.05	.91	—	—	—	—	—	—	1.7	1.4	3.8	18
19	—	.01	.08	—	—	—	6.9	—	0.7	0.9	—	0.4	19
20	.01	—	—	—	—	—	0.2	—	—	—	—	9.4	20
21	.30	.04	—	.07	.02	—	—	0.2	—	0.1	—	1.3	21
22	.04	—	.01	.01	—	—	0.3	0.2	—	—	—	4.6	22
23	.15	.17	.02	.02	—	—	6.0	—	—	—	—	1.0	23
24	—	—	.16	.07	—	—	—	—	5.7	0.9	—	3.4	24
25	.01	—	—	—	—	1.5	0.2	—	1.7	1.3	1.8	1.2	25
26	—	.09	.02	—	—	3.8	4.2	—	0.2	0.4	0.6	5.5	26
27	.01	.04	.17	—	—	1.8	1.8	—	—	3.5	—	5.1	27
28	—	.01	.05	—	.18	—	—	10.7	—	2.9	—	0.9	28
29	.03		.09	—	.29	—	—	0.6	2.1	0.2	2.0	6.2	29
30	.07	✕	—	.16	—	—	4.3	0.1	0.2	—	0.2	0.8	30
31	.07	✕	—	✕	—	✕	—	7.4	✕	0.5	✕	3.4	31
Total	3·15	2·72	2·13	0·89	1·45	12·7	114·0	72·8	23·0	34·1	36·4	113·0 113·0	YEAR'S TOTAL
Rain Days.	23	22	20	10	12	·50 6	4·49 23	2·87 ~~21~~ 17	·91 10	1·34 ~~17~~ 15	1·43 16	4·45 28	26·33 202

W. 8,000. X. 15.

Dec. pt. est.

Entd 19.V.17

3594

FORM A. BRITISH RAINFALL. 22 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Rounton Grange

in the County of York NR

by I. Hanagan for Sir Hugh Bell Bart.

Lat. 54°24 Long. 1°18

Time of Observation 9 a.m

Nearest Railway Station Trenholme Bar 1¾ miles N.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 249 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan. mm	Feb. mm	March. mm	April. mm	May. mm	June. mm	July. mm	Aug. mm	Sept. mm	Oct. mm	Nov. mm	Dec. mm	Date.
1	3.4	1.1	3.5	—	—	1.1	3.6	0.3	—	—	0.9	—	1
2	0.3	1.0	9.3	—	—	1.0	0.2	—	5.4	1.0	0.2	0.6	2
3	—	3.6	3.2	2.8	0.2	1.0	3.0	(0.2)	39.2	1.3	3.2	—	3
4	0.2	6.9	0.3	1.7	14.6	9.1	—	—	0.4	6.1	3.6	—	4
5	0.5	6.5	2.1	—	16.3	5.8	—	—	—	11.0	7.5	—	5
6	0.1	2.8	3.8	0.4	10.5	—	3.7	—	—	1.1	4.7	—	6
7	—	0.3	3.0	0.1	1.9	2.4	1.4	—	—	2.9	0.2	5.3	7
8	—	0.1	7.8	—	11.9	0.9	—	—	—	—	—	0.5	8
9	—	—	1.2	—	4.5	1.1	—	—	0.3	—	0.1	4.0	9
10	0.5	—	0.7	—	—	5.7	2.5	—	—	—	0.3	3.3	10
11	—	8.6	4.0	4.1	—	3.6	4.1	—	1.7	1.9	—	4.7	11
12	0.2	1.4	5.0	0.2	12.9	0.8	18.6	0.1	—	—	—	4.4	12
13	—	0.5	5.7	—	4.0	0.2	4.6	12.3	1.4	12.1	0.8	—	13
14	—	4.7	0.5	0.5	1.9	0.6	—	3.1	—	5.5	0.9	No readings taken owing to sickness (15.0)	14
15	—	2.2	3.3	—	—	—	1.5	2.2	—	—	—		15
16	—	2.2	3.7	2.1	—	—	2.0	—	—	0.3	—		16
17	1.0	0.2	0.1	3.7	0.8	—	0.4	4.0	4.0	2.7	0.8		17
18	—	4.6	0.1	6.7	—	0.6	0.5	0.6	5.9	4.9	8.6		18
19	1.0	—	0.9	5.8	—	—	—	1.2	1.3	0.2	7.5		19
20	0.4	—	4.8	1.8	—	0.3	4.5	—	—	—	2.2		20
21	0.3	0.9	3.0	4.0	2.2	—	—	—	—	—	—		21
22	—	1.9	0.3	2.2	—	1.6	—	—	—	1.5	0.5		22
23	—	0.3	2.2	0.2	—	0.2	—	0.3	—	—	1.8		23
24	—	0.2	1.8	1.4	0.2	26.8	—	4.0	—	0.6	0.2	3.5	24
25	—	1.4	3.4	—	0.2	—	—	5.9	—	3.1	0.6	0.8	25
26	2.1	3.0	1.3	—	2.5	1.7	—	—	—	0.8	—	—	26
27	—	5.5	0.7	—	—	0.3	8.6	0.3	—	7.8	—	—	27
28	0.2	2.0	0.5	—	—	—	—	—	0.5	1.1	0.3	4.0	28
29	—	4.8	—	—	0.2	0.9	—	—	—	0.6	—	1.2	29
30	—	X			—	1.2	1.3	—	0.2	6.1	0.1	0.2	30
31	0.2	X	—	X	0.2	X	—	—	X	6.3	X		31
Total	10.4 ~~32.5~~	66.7 ~~45.0~~	76.2 ~~78.9~~	37.7 ~~60.3~~	85.0 ~~34.5~~	66.9 ~~60.5~~	60.5 ~~66.9~~	34.5 ~~85.0~~	60.3 ~~37.7~~	78.9 ~~76.2~~	45.0 ~~66.7~~	(47.5) ~~32.5~~ ~~10.4~~	YEAR'S TOTAL 669.6
Rain Days.	13 ~~14~~	24 ~~25~~	26 ~~28~~	15 ~~16~~	17	22	16	12 ~~13~~	11	22	19 ~~21~~	(17)	~~(227)~~ (214)

W. 8,000, VIII. 16

ans'd 19-V-17

ALL GOODS TO BE SENT CARRIAGE PAID TO TRENHOLME BAR, N.E.R.

THE GARDENS,
ROUNTON GRANGE,
NORTHALLERTON,

TELEGRAMS:
C/O HUBEL, ROUNTON.

8th May 1917

Mr Carle Salter

Dear Sir

Oweing to my absence during Dec. 1916 going thro an operation. My Deputy was laid up and when he got about again, instead of measuring the accumulated Water in gauge He throw it away. Therfore I have no Record I am very sorry this account as I have now kept the Rainfall for 36 years and this is the first break.

I am Sir
Yours faithfully
J. Hanagan

3450

FORM A.
BRITISH RAINFALL.
11 FEB 1918

cnd for anth sly no

REGISTER OF RAINFALL IN 1917

Kept at Rounton Grange

in the County of York

by Jas Hanagan

Lat. 54° 24′ Long. 1° 18

Time of Observation 9 a.m

Nearest Railway Station Trenholme Bar 1½ miles

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 249 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
mm
0·4

Date 1917	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
1	—	—	—	1.5	—	13.2	—	14.9	2.3	—	2.6	1.5	1
2	1.0	—	—	2.8	—	1.6	—	7.3	5.2	—	0.3	—	2
3	—	—	—	1.7	—	0.2	0.6	2.4	0.2	0.3	0.3	—	3
4	—	—	2.2	0.8	—	—	—	0.1	—	1.1	0.9	—	4
5	1.6	—	0.9	8.0	—	—	—	0.4	—	1.0	1.1	—	5
6	—	—	—	0.3	—	0.4	—	0.3	—	4.2	2.5	—	6
7	16.0	—	0.4	—	—	1.0	—	18.1	—	5.1	0.1	2.3	7
8	15.5	—	1.3	3.4	—	—	—	16.3	—	6.9	0.8	0.3	8
9	1.8	—	0.2	—	—	—	—	3.8	—	1.4	6.4	1.4	9
10	2.1	—	11.6	3.8	1.8	—	—	1.2	—	4.5	2.8	—	10
11	1.7	—	—	0.9	0.5	—	—	1.3	—	4.9	0.2	—	11
12	8.6	1.2	0.4	0.8	2.2	—	—	7.2	—	14.8	—	1.2	12
13	3.7	0.5	—	2.3	0.3	3.5	—	11.2	2.7	1.2	—	1.3	13
14	10.0	—	0.4	4.6	3.7	—	—	2.2	—	0.4	0.3	1.3	14
15	1.0	—	0.7	3.5	—	—	1.2	2.0	—	0.1	0.3	2.2	15
16	5.8	—	—	7.3	—	7.1	—	1.4	—	—	0.1	8.1	16
17	2.3	0.5	0.2	2.9	0.9	3.8	0.4	12.1	0.3	—	—	10.1	17
18	1.1	—	—	1.2	1.9	—	4.2	2.4	0.4	—	—	0.7	18
19	2.6	1.4	3.0	—	2.8	2.5	—	—	—	—	—	—	19
20	1.8	3.5	1.1	0.8	0.2	8.8	—	0.8	3.2	—	6.6	1.8	20
21	0.4	3.7	4.3	0.2	—	—	—	4.4	—	0.7	—	—	21
22	—	0.1	2.5	—	—	0.2	—	4.5	—	0.2	0.3	—	22
23	—	0.3	—	—	1.8	0.4	—	1.6	0.1	0.3	0.4	—	23
24	—	0.2	—	—	—	—	1.7	1.0	—	6.9	3.9	—	24
25	—	1.2	0.6	—	—	4.2	0.6	1.5	—	1.8	—	2.1	25
26	—	—	3.2	—	—	3.1	—	14.2	2.8	2.6	1.9	1.6	26
27	—	—	2.2	—	—	5.5	8.5	11.9	—	1.2	—	5.1	27
28	0.3	—	2.5	—	—	0.2	1.2	7.3	—	2.7	—	—	28
29	4.2		1.6	—	—	—	3.8	—	—	9.8	—	—	29
30	2.0		0.6	0.3	—	—	0.3	—	—	1.1	0.5	0.4	30
31	0.9		6.6		0.2		1.7	2.6		—		2.2	31
Total	84.4	12.6	46.5	47.9	16.3	55.7	24.2	154.4	17.2	73.2 ~~1~~73.2	39.3	43.6	YEAR'S TOTAL 607.5
Rain Days.	21	~~10~~ 9	21	19	11	16	11	~~22~~ 27	~~9~~ 8	~~23~~ 22	~~20~~ 18	17	200

W. 8,000, IX. 17.

906 51

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

21 2.

Kept at Rounton Grange
in the County of York N.R.
by Jas. Hanagan for Sir Hugh Bell Bart.

Lat. 54° 24′ Long. 1° 18′
Time of Observation 9 a.m.
Nearest Railway Station Trenholme Bar N.E.R.
Diameter of Funnel of Rain Gauge 8 in in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 249 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
mm
[illegible].7

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
1	0.4	0.9	2.2	0.3	0.3	—	—	—	8.6	2.6	5.0	1-7	1
2	1.5	1.9	0.5	1.5	—	—	—	—	4.1	0.4	—	3.2	2
3	0.6	0.5	0.9	—	0.9	—	—	1.5	—	1.0	4.5	0.1	3
4	—	0.4	0.8	—	3.0	—	—	1.8	0.3	4.6	5.9	2 4	4
5	—	0.2	0.4	0.5	4.9	5.6	0.3	31.3	—	1.6	0.4	—	5
6	1.2	4.5	—	13.2	—	—	—	3.4	0.3	2.6	0.2	0.4	6
7	—	0.3	—	1.9	—	—	1.5	—	2.9	1.7	6.0	—	7
8	—	0.3	0.8	—	—	—	9.3	0.2	0.2	1.8	0.5	—	8
9	—	9.6	—	1.7	—	0.6	0.3	—	13.8	2.2	—	0.7	9
10	0.7	0.3	0.2	1.2	—	—	5.4	—	2.1	0.1	1-8	0.5	10
11	4.4	1.0	1.7	0.4	5.4	—	2.8	0.8	—	—	—	0.9	11
12	—	5.1	1.2	0.3	0.9	—	3.1	—	5.1	2.9	—	—	12
13	—	0.2	—	1.9	1.4	—	—	—	7.6	3.0	—	—	13
14	1.8	—	—	3.8	—	—	1.1	—	8.8	0.4	0.3	0.4	14
15	0.9	—	—	0.7	0.3	1.6	9.5	—	25.5	—	0.2	17.5	15
16	—	—	0.2	—	2.7	1.1	5.2	2.0	4.1	—	—	5.3	16
17	4.3	—	—	0.5	6.7	0.2	8.8	0.6	0.2	15.0	—	5.5	17
18	16.3	—	1.9	—	—	0.2	4.4	—	12.6	2.5	—	1.1	18
19	5 8	—	2.4	4.9	—	—	9.3	3.4	0.2	5.7	—	—	19
20	2.8	11.5	—	4.4	—	1.5	27.1	—	1.1	2.6	0.5	—	20
21	4.9	0.3	—	—	4.1	2.2	0.2	—	2.4	2.7	0.2	—	21
22	0.5	—	—	0.8	0.3	0.5	0.9	—	1.5	—	0.3	7.1	22
23	2.2	—	—	—	12.4	0.2	12.4	—	3.2	—	0.6	0.2	23
24	0.1	1.4	—	0.2	—	0.3	0.3	0.6	4.3	0.5	0.8	0.3	24
25	—	—	—	—	0.6	0.3	3.1	4.3	0.7	—	—	1.2	25
26	—	—	—	—	—	—	3.7	2.1	7.1	—	2.1	0.7	26
27	—	—	2.3	—	—	0.6	0.5	7.8	3.7	—	2.8	1.4	27
28	—	3.9	7.1	—	—	—	—	—	—	0.2	0.9	11.9	28
29	—		0.1	—	—	—	—	0.5	7.4	—	0.3	2.1	29
30	0.2	×	1.0	—	—	—	—	—	2.2	—	1.6	14.0	30
31		×	3.6	×	—	×	0.1	0.8	×	—	×	3.1	31
Total	48.6	42.3	27.3	38.2	43.9	14.9	109.3	61.1	130.0	54.1	34.9	81.7	YEAR'S TOTAL 686.3
Rain Days.	16	17	16	17	14	13	21	15	26	19	22	22	218

W. 8,000, IX. 17.

3278

9 FEB 20

FORM A. 2. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rounton Grange

in the County of York

by James Hanagan

Lat. 54° 24' Long. 1° 18'
Time of Observation 9 a.m
Nearest Railway Station 2 miles
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 249 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.7	1.1	0.[illegible]	—	5.4	—	11.5	—	6.4	1.5	4.5	0.7	1
2	2.1	0.5	0.3	—	0.2	—	9.3	—	0.9	0.1	3.2	—	2
3	14.1 mm	—	—	0.2	4.1	5.2	7.7	—	—	—	3.8	3.0	3
4	5.4	1.8	9.7	—	0.2	0.5	0.4	2.0	2.3	0.3	2.2	4.8	4
5	(3.1) 0.1	0.8	—	—	—	0.6	0.2	—	—	—	0.8	1.1	5
6	0.5	—	3.1	—	1.4	—	—	—	—	0.3	3.1	1.4	6
7	0.3	—	2.8	0.3	2.3	—	—	—	—	—	—	2.4	7
8	~~0.3~~	—	0.2	1.2	1.1	—	—	0.5	—	0.9	1.2	1.5	8
9	3.4	—	0.9	0.3	—	0.7	—	—	—	0.3	5.3	0.5	9
10	1.0	—	2.4	0.6	—	—	—	—	—	0.2	6.4	2.9	10
11	—	—	16.2	—	4.0	—	6.2	—	1.9	1.1	2.7	0.4	11
12	—	—	8.3	1.5	—	1.9	1.5	—	0.7	8.5	0.6	0.4	12
13	2.0	0.3	0.3	2.1	—	0.7	2.3	4.5	0.2	2.8	1.1	0.2	13
14	4.7	—	—	8.3	—	—	—	—	—	0.5	3.4	0.5	14
15	1.1	2.0	1.7	5.6	—	—	—	0.4	—	—	1.0	17.5	15
16	0.2	0.7	0.4	1.6	0.4	—	—	—	—	—	1.4	0.4	16
17	—	0.3	—	0.9	—	—	—	0.8	—	0.2	2.7	—	17
18	—	—	0.4	—	0.2	—	0.4	9.8	0.4	—	—	1.4	18
19	1.1	2.8	9.0	0.8	—	0.5	9.8	0.9	2.4	—	3.8	0.4	19
20	4.8	5.5	0.4	—	—	1.5	1.7	0.4	—	—	—	2.2	20
21	2.8	2.3	1.7	—	—	3.0	—	0.9	1.7	—	1.1	1.4	21
22	—	3.5	1.3	—	—	0.3	2.6	0.1	1.2	0.2	—	1.8	22
23	—	—	1.5	1.1	—	4.5	—	—	—	18.4	0.4	—	23
24	—	0.4	0.7	0.6	1.6	2.0	0.6	—	—	12.2	2.4	—	24
25	1.5	3.0	—	1.2	—	0.6	—	9.6	1.6	0.4	5.9	—	25
26	—	6.3	4.7	0.3	—	0.3	—	12.4	1.7	5.1	9.4	11.2	26
27	3.5	0.2	—	8.3	—	0.5	—	—	0.4	26.4	4.3	0.4	27
28	1.2	—	—	2.8	—	—	0.2	23.9	—	13.1	0.5	5.1	28
29	3.7		0.2	0.2	—	0.7	—	—	—	33.4	—	3.7	29
30	0.3	✕	0.8	6.7	—	8.5	—	0.4	—	3.1	1.6	4.7	30
31	1.2	✕	0.3	✕	—	✕	2.1	—	✕	4.6	✕	1.7	31
TOTAL	~~58.6~~ 60.7	33.5	67.8 +	44.6	20.9	32.0	56.5	66.6	21.8	134.6	72.8	71.7	YEAR'S TOTAL 685.5 ~~[illegible]~~ m.m.
Days with 0·2 mm. or more	22	16	24	20	11	14	15	~~14~~ 13	13	~~22~~ 21	25	26	

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

64

Ex. Cab. 4/2/20

3278

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rountov [M.O.]

in the County of Yorkshire

by J. Hanagan.

Lat. 54° 24′ N Long. 1° 18′ W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 249 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2·7	1·1	0·5	-	5·4	-	11·5	-	6·4	1·5	4·5	0·7	1
2	2·1	0·5	0·3	-	0·2	-	9·3	-	0·9	0·1	3·2	-	2
3	14·1	-	-	0·2	4·1	5·2	7·7	-	-	-	3·8	3·0	3
4	5·4	1·8	9·7	-	0·2	0·5	0·4	2·0	2·3	0·3	2·2	4·8	4
5	3·1	0·8	-	-	-	0·6	0·2	-	-	-	0·8	1·1	5
6	0·5	-	3·1	-	1·4	-	-	-	-	1·3	3·1	1·4	6
7	0·3	-	2·8	0·3	2·3	-	-	-	-	-	-	2·4	7
8	3·4	-	0·2	1·2	1·1	-	-	0·5	-	0·9	1·2	1·5	8
9	1·0	-	0·9	0·3	-	0·7	-	-	-	0·3	5·3	0·5	9
10	-	-	2·4	0·6	-	-	-	-	-	0·2	6.4	2·9	10
11	-	-	16·2	-	4·0	-	6·2	-	1·9	1·1	2·7	0·4	11
12	-	-	8·3	1·5	-	1·9	1·5	-	0·7	8·5	0·6	0·4	12
13	2·0	0·3	0·3	2·1	-	0·7	2·3	4·5	0·2	2·8	1·1	0·2	13
14	4·7	-	-	8·3	-	-	-	-	-	0·5	3·4	0·5	14
15	1·1	2·0	1·7	5·6	-	-	-	0·4	-	-	1·0	17·5	15
16	0·2	0·7	0·4	1·6	0·4	-	-	-	-	-	1·4	0·4	16
17	-	2·3	-	0·9	-	-	-	0·8	-	0·2	2·7	-	17
18	-	-	0·4	-	0·2	-	0·4	9·8	0·4	-	-	1·4	18
19	1·1	2·8	9·0	0·8	-	0·5	9·8	0·9	2·4	-	3·8	0·4	19
20	4·8	5·5	0·4	-	-	1·5	1·7	0·4	-	-	-	2·2	20
21	2·8	2·3	1·7	-	-	3·0	-	0·9	1·7	-	1·1	1·4	21
22	-	3·5	1·3	-	-	0·3	2·6	0·1	1·2	0·2	-	1·8	22
23	-	-	1·5	1·1	-	4·5	-	-	-	18·4	0·4	-	23
24	-	0·4	0·7	0·6	1·6	2·0	0·6	-	-	12·2	2·4	-	24
25	1·5	3·0	-	1·2	-	0·6	-	9·6	1·6	0·4	5·9	-	25
26	-	6·3	4·7	0·3	-	0·3	-	12·4	1·7	5·1	9·4	11·2	26
27	3·5	0·2	-	8·3	-	0·5	-	-	0·4	26·4	4·3	0·4	27
28	1·2	-	-	2·8	-	-	0·2	23·9	-	13·1	0·5	5·1	28
29	3·7		0·2	0·2	-	0·7	-	-	-	33·4	-	3·7	29
30	0·3		0·8	6·7	-	8·5	-	0·4	-	3·1	1·6	4·7	30
31	1·2		0·3		-		2·1	-		4·6		1·7	31
TOTAL	60·7	33·5	67·8	44·6	20·9	32·0	56·5	66·6	21·8	134·6	72·8	71·7	YEAR'S TOTAL 683·5 ✓
Days with 0·2 mm. or more	22	16	24	20	11	17	15	13	13	21	25	26	223 ✓

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3202

687

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

1/-

Kept at Rounton.
in the County of Yorkshire. N. Riding.
by James Hanagan.

Lat. 54° 24' Long. 1° 18'
Time of Observation 9.0 a.m.
Nearest Railway Station Trenholme Bar. N.E.R.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 0. in.
" " " Sea Level 249 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	—	2·4	7·2	7·2	—	6·4	—	0·9	3·1	—	0·3	1
2	—	0·3	2·4	6·8	2·3	—	2·2	—	5·5	3·4	—	6·7	2
3	—	0·6	—	3·5	1·0	1·8	17·4	1·3	2·9	10·4	—	5·5	3
4	1·6.	—	—	1·4	1·6	—	12·2	13·9	0·6	20·5	—	15·4	4
5	0·5	0·4	1·0	—	2·7	—	5·8	2·1	0·4	0·3	—	0·8	5
6	—	~~[illegible]~~	11·9	4·9	0·6	—	2·0	—	—	—	—	1·0	6
7	0·6	0·2	—	0·3	0·2	—	4·5	—	—	—	—	0·4	7
8	—	—	—	5·0	2·1	—	1·1	1·6	—	0·2	2·0	—	8
9	2·4	0·4	0·2	7·1	—	—	5·3	3·4	0·6	—	—	—	9
10	20·0	1·5	0·5	6·0	—	—	3·9	0·5	—	—	—	—	10
11	5·8	1·2	0·8	0·4	3·2	—	—	1·2	—	—	—	8·3	11
12	4·0	—	0·7	2·4	—	1·7	1·3	—	—	—	1·1	5·0	12
13	3·4	0·3	1·3	1·5	—	—	—	—	—	0·3	1·0	1·1	13
14	0·2	2·3	10·9	2·3	—	—	3·3	—	3·7	—	4·0	2·4	14
15	—	2·2	2·0	4·1	—	—	—	—	0·5	0·4	1·5	—	15
16	—	—	—	2·2	0·6	—	11·6	—	5·7	—	0·3	—	16
17	10·3	—	—	—	3·9	—	—	3·5	1·4	—	—	0·6	17
18	—	1·0	—	0·1	3·7	13·0	2·2	0·5	7·5	—	—	—	18
19	0·3	7·8	—	4·0	—	0·8	0·5	2·8	—	—	—	—	19
20	2·5	0·9	—	3·9	—	0·8	0·3	—	—	—	—	—	20
21	—	—	—	4·7	—	—	8·4	8·9	3·0	—	—	—	21
22	2·2	—	—	2·8.	—	—	1·9	—	—	—	—	—	22
23	—	—	1·8	2·8	—	—	8·7	—	—	0·3	0·6	2·1	23
24	2·5.	0·6	9·9	0·8	—	—	0·5	—	0·3	—	—	0·8	24
25	0·2	2·2	1·5	0·2	—	1·9	13·1	—	0·2	—	0·1	—	25
26	0·7	0·8	13·1	0·3	—	0·3	0·4	—	—	0·3	—	—	26
27	6·8	—	0·2	2·1	7·2	9·0	—	—	0·3	—	8·5	0·9	27
28	12·1	—	6·7	2·7	0·2	0·3	0·9	—	—	—	1·0	3·6	28
29	3·5	—	2·2	0·2	18·8	1·4	2·2	—	—	—	1·1	6·8	29
30	1·7	✕	0·5	1·4	0·3	1·7	—	—	1·6	—	4·5	2·2	30
31	2·8.	✕	0·2	✕	1·5	✕	0·6	—	✕	—	✕	1·1	31
TOTAL	84·1.	22·7	70·2	80·6	57·1	32·7	116·7	39·7	35·1	39·2	25·7	65·0	YEAR'S TOTAL 668·8
Days with 0·2 mm. or more	21	16	20	27	17	11	25	11	16	10	12	19	205
Days with 1·0 mm. or more	15	7	13	21	12	7.	19	9	8	4	9	13	137

3154

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rounton.

in the County of Yorkshire

by J. Hanagan, for Sir Hugh Bell, Bart

(M)

Lat. 54°24'N Long. 1° 18'W

Time of Observation 9h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 249 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	2·4	7·2	7·2	-	6·4	-	0·9	3·1	-	0·3	1
2	-	0·3	2·4	6·8	2·3	-	2·2	-	5·5	3·4	-	6·7	2
3	-	0·6	-	3·5	1·0	1·8	17·4	1·3	2·9	10·4	-	5·5	3
4	1·6	-	-	1·4	1·6	-	12·2	13·9	0·6	20·5	-	15·4	4
5	0·5	0·4	1·0	-	2·7	-	5·8	2·1	0·4	0·3	-	0·8	5
6	-	-	11·9	4·9	0·6	-	2·0	-	-	-	-	1·0	6
7	0·6	0·2	-	0·3	0·2	-	4·5	-	-	-	-	0·4	7
8	-	-	-	5·0	2·1	-	1·1	1·6	-	0·2	2·0	-	8
9	2·4	0·4	0·2	7·1	-	-	5·3	3·4	0·6	-	-	-	9
10	20·0	1·5	0·5	6·0	-	-	3·9	0·5	-	-	-	-	10
11	5·8	1·2	0·8	0·4	3·2	-	-	1·2	-	-	-	8·3	11
12	4·0	-	0·7	2·4	-	1·7	1·3	-	-	-	1·1	5·0	12
13	3·4	0·3	1·3	1·5	-	-	-	-	-	0·3	1·0	1·1	13
14	0·2	2·3	10·9	2·3	-	-	3·3	-	3·7	-	4·0	2·4	14
15	-	2·2	2·0	4·1	-	-	-	-	0·5	0·4	1·5	-	15
16	-	-	-	2·2	0·6	-	11·6	-	5·7	-	0·3	-	16
17	-	-	-	-	3·9	-	-	3·5	1·4	-	-	0·6	17
18	10·3	1·0	-	0·1	3·7	13·0	2·2	0·5	7·5	-	-	-	18
19	0·3	7·8	-	4·0	-	0·8	0·5	2·8	-	-	-	-	19
20	2·5	0·9	-	3·9	-	0·8	0·3	-	-	-	-	-	20
21	-	-	-	4·7	-	-	8·4	8·9	3·0	-	-	-	21
22	2·2	-	-	2·8	-	-	1·9	-	-	-	-	-	22
23	-	-	1·8	2·8	-	-	8·7	-	-	0·3	0·6	2·1	23
24	2·5	0·6	9·9	0·3	-	-	0·5	-	0·3	-	-	0·8	24
25	0·2	2·2	1·5	0·2	-	1·9	13·1	-	0·2	-	0·1	-	25
26	0·7	0·8	13·1	0·3	-	0·3	0·4	-	-	0·3	-	-	26
27	6·8	-	0·2	2·1	7·2	9·0	-	-	0·3	-	8·5	0·9	27
28	12·1	-	6·7	2·7	0·2	0·3	0·9	-	-	-	1·0	3·6	28
29	3·5	-	2·2	0·2	18·8	1·4	2·2	-	-	-	1·1	6·8	29
30	1·7	✕	0·5	1·4	0·3	1·7	-	-	1·6	-	4·5	2·2	30
31	2·8	✕	0·2	✕	1·5	✕	0·6	-	✕	-	✕	1·1	31
TOTAL	84·1 ✓	22·7 ✓	70·2 ✓	80·6 ✓	~~56·5~~ 57·1	32·7 ✓	116·7 ✓	39·7 ✓	35·1 ✓	39·2 ✓	25·7 ✓	65·0 ✓	YEAR'S TOTAL ~~668·2~~ 668·8
Days with 0·2 mm. or more	21 ✓	16 ✓	20 ✓	27 ✓	17 ✓	11 ✓	25	11 ✓	16 ✓	10 ✓	11 ✓	19 ✓	204.
	15	7	13	21	12	7	19	9	8	4	9	13	137

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

✓

REGIS

Kept at Skelton Castle, S

in the County of NR York.

by W.H.A.Wharton Esq.

SALTBURN

SKELTON CASTLE

1911 - 1920

FORM A2.
BRITISH RAINFALL.

3 - FEB 1912

- ft. 9 in.

vel 272.16 ft.

North Skelton

ce Direction

IMPORTANT NOTE.—R
previous day. If an Observer
requested to add the reading a
for it at the end of this par
the selection and placing of
Organization are given in "*Ru*
Dr. H. R. Mill, 62, Camden Square, London, N.W.

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11	-	.02	-	-	-	.06	.32	-	.01	.05	-	1
2	.20	-	.03	-	.04	-	.38	.02	-	.04	.02	-	2
3	.03	.02	-	.12	.13	-	.02	-	-	.11	.03	.04	3
4	.13	-	.26	.15	.02	-	-	.12	-	.07	.02	-	4
5	.06	-	.02	.04	-	-	-	.36	-	.05	.11	.33	5
6	.12	-	.12	.03	-	-	-	.08	-	.01	-	-	6
7	.03	-	.04	.04	-	-	-	-	-	.02	-	.55	7
8	-	.03	.18	.04	-	.09	-	-	-	-	.02	-	8
9	-	-	-	.02	-	.02	-	-	-	.02	.04	.21	9
10	-	.05	-	.02	-	.06	-	.01	-	-	.02	.07	10
11	.38	-	-	.02	.05	-	-	.03	-	-	.04	.53	11
12	.34	-	.12	-	.08	.12	-	.04	.73	-	.21	.10	12
13	.02	.04	.24	-	.08	-	-	.05	.09	-	.28	.02	13
14	-	.12	.15	-	-	.03	.06	-	.11	-	.06	.38	14
15	-	.03	.25	.05	-	-	.02	.02	.05	-	.04	.48	15
16	-	.02	.34	.07	-	.02	.10	-	-	-	.16	.23	16
17	-	-	.09	.05	-	.25	.03	-	-	.02	.03	.02	17
18	-	.13	.24	-	-	.20	.02	-	-	-	.16	.06	18
19	-	.04	.04	.01	.02	.08	.02	.22	.06	-	.85	.10	19
20	-	.05	-	.02	-	.02	.16	.48	.06	.11	.60	.02	20
21	-	.26	-	-	-	.03	.03	.76	-	-	.14	.23	21
22	.13	-	-	.05	-	-	-	.22	-	.34	.28	.05	22
23	.04	.24	.02	.01	-	1.26	.02	.02	.24	.03	.09	-	23
24	-	.04	.04	-	-	1.45	-	-	.01	.03	.02	.04	24
25	-	.13	.03	.13	-	1.05	-	-	.21	.05	-	.04	25
26	-	-	-	.06	.04	.03	.02	.01	-	.35	.08	.11	26
27	-	.04	.05	.13	-	.10	-	.17	.10	.40	.48	.05	27
28	-	.10	.05	.14	-	.05	-	.02	-	.10	.06	.05	28
29	-		.03	.07	-	.10	.36	.03	.42	.03	-	.07	29
30	-		.04	-	.17	.04	-	-	.17	.25	-	.04	30
31	-		.02		.18		-	-		.07		-	31
Total	1.59	1.34	2.42	1.27	.81	5.00	1.30	2.98	2.25	2.11	3.89	3.82	TOTAL for year 28.78
No. of Rain Days.	12	16	23	21	10	19	14	19	12	20	25	24	215

W. 8,000, X. '11.

REGIS

FORM A2. BRITISH RAINFALL
3 - FEB 1912

Kept at Skelton Castle, Skelton-in-Cleveland

in the County of NR York. 5

by W. H. A. Wharton Esq.

RAIN GAUGE
Pattern
Diameter of top five in.
Height of top above Ground - ft. 9 in.
" " " Sea Level 272.16 ft.

Time of Observation

Nearest Railway Station: Name North Skelton
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11	-	.02	-	-	-	.06	.32	-	.01	.05	-	1
2	.20	-	.03	-	.04	-	.38	.02	-	.04	.02	-	2
3	.03	.02	-	.12	.13	-	.02	-	-	.11	.03	.04	3
4	.13	-	.26	.15	.02	-	-	.12	-	.07	.02	-	4
5	.06	-	.02	.04	-	-	-	.36	-	.05	.11	.33	5
6	.12	-	.12	.03	-	-	-	.08	-	.01	-	-	6
7	.03	-	.04	.04	-	-	-	-	-	.02	-	.55	7
8	-	.03	.18	.04	-	.09	-	-	-	-	.02	-	8
9	-	-	-	.02	-	.02	-	-	-	.02	.04	.21	9
10	-	.05	-	.02	-	.06	-	.01	-	-	.02	.07	10
11	.38	-	-	.02	.05	-	-	.03	-	-	.04	.53	11
12	.34	-	.12	-	.08	.12	-	.04	.73	-	.21	.10	12
13	.02	.04	.24	-	.08	-	-	.05	.09	-	.28	.02	13
14	-	.12	.15	-	-	.03	.06	-	.11	-	.06	.38	14
15	-	.03	.25	.05	-	-	.02	.02	.05	-	.04	.48	15
16	-	.02	.34	.07	-	.02	.10	-	-	-	.16	.23	16
17	-	-	.09	.05	-	.25	.03	-	-	.02	.03	.02	17
18	-	.13	.24	-	-	.20	.02	-	-	-	.16	.06	18
19	-	.04	.04	.01	.02	.08	.02	.22	.06	-	.85	.10	19
20	-	.05	-	.02	-	.02	.16	.48	.06	.11	.60	.02	20
21	-	.26	-	-	-	.03	.03	.76	-	-	.14	.23	21
22	.13	-	-	.05	-	-	-	.22	-	.34	.28	.05	22
23	.04	.24	.02	.01	-	1.26	.02	.02	.24	.03	.09	-	23
24	-	.04	.04	-	-	1.45	-	-	.01	.03	.02	.04	24
25	-	.13	.03	.13	-	1.05	-	-	.21	.05	-	.04	25
26	-	-	-	.06	.04	.03	.02	.01	-	.35	.08	.11	26
27	-	.04	.05	.13	-	.10	-	.17	.10	.40	.48	.05	27
28	-	.10	.05	.14	-	.05	-	.02	-	.10	.06	.05	28
29	-		.03	.07	-	.10	.36	.03	.42	.03	-	.07	29
30	-		.04	-	.17	.04	-	-	.17	.25	-	.04	30
31	-		.02		.18		-	-		.07		-	31
Total	1.59	1.34	2.42	1.27	.81	5.00	1.30	2.98	2.25	2.11	3.89	3.82	TOTAL for year
No. of Rain Days.	12	16	23	21	10	19	14	19	12	20	25	24	28.78 215

W. 8,000, X. '11.

cowf. W.D. 18·11·13

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL.

8 - JAN 1913

Kept at Skelton Castle, Skelton-in-Cleveland,

in the County of York. N5

by W.H.A.Wharton Esq.

Lat. Long.

Time of Observation

Nearest Railway Station North Skelton.

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 272.16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.04	–	–	.20	–	.04	.06	1.08	.21	.06	.14	–	1
2	–	.32	.05	.03	.04	.11	.23	1.06	.04	.16	–	.03	2
3	–	.30	.03	.04	.02	.12	.68	.14	–	.21	.02	–	3
4	.07	.04	–	.02	–	.69	.07	.20	.15	.06	–	.20	4
5	.14	–	.48	–	–	.62	.03	.25	–	–	.27	.02	5
6	–	–	.03	–	.20	.17	.02	.02	–	–	.03	–	6
7	.61	.14	.02	–	.01	.08	–	.06	–	–	–	–	7
8	–	.03	.02	–	.11	–	–	.03	.34	–	.02	–	8
9	.18	.07	.03	.03	–	–	.02	–	.20	–	.16	–	9
10	.03	.02	.10	–	–	–	–	–	.27	–	.04	–	10
11	–	–	–	.04	–	.05	–	–	.07	–	.03	.02	11
12	.06	.06	–	–	–	–	–	–	.17	–	.17	.06	12
13	.06	.15	.05	–	–	–	.42	–	.02	–	.58	.02	13
14	.16	.02	.02	–	–	.58	.03	.07	–	.04	.41	.04	14
15	.15	–	.25	.02	–	.05	.02	.11	–	–	.09	.08	15
16	.03	.02	.30	–	.60	.10	.02	.01	–	–	.02	.23	16
17	.04	–	.05	–	.20	–	.07	–	–	–	–	.03	17
18	.06	.04	.12	–	.02	.32	.08	.05	–	–	–	.03	18
19	.03	.03	.02	–	–	.04	.11	.07	–	–	.02	.02	19
20	.06	.13	.03	–	–	.03	.33	.13	–	.12	.03	–	20
21	.02	.13	.03	–	.24	.05	.41	.04	–	.26	.02	–	21
22	.03	.02	.17	–	.13	–	.54	.01	–	.03	.03	–	22
23	.07	.05	.11	–	1.03	.60	–	.05	–	.06	–	–	23
24	.07	–	.02	–	.05	–	.04	.70	–	.44	.08	–	24
25	.48	–	–	–	–	–	.25	.10	–	.12	.02	–	25
26	.36	–	–	–	–	.15	.02	.44	–	.02	.09	.10	26
27	.09	.04	.03	–	–	.18	–	.26	–	.51	–	.22	27
28	–	–	.06	–	–	.20	.60	.02	–	.27	.27	.13	28
29	–	–	–	.02	–	.07	.08	.22	–	.16	.13	–	29
30	–		.15	.03	–	.03	.22	.03	.60	.02	–	.02	30
31	.07		.04		–		.03	.05		.10		–	31
Total	– ~~2.91~~ 2.87	– 1.61 1.61	.20 2.21 2.41	– .43 .23	.04 2.65 2.69	.06 4.28 4.30	1.08 4.38 5.40	.21 5.20 4.33	.06 2.07 1.92	.14 2.64 2.72	– 2.67 2.53	(–) 1.25 1.25	YEAR'S TOTAL ~~32.30~~ 32.26
Rain Days.	~~23~~ 22	18	~~24~~ 25	~~9~~ 8	~~12~~ 13	21	24	25	10	17	~~22~~ 21	16	220

W. 7,500, XI. 12

cnd for W.D. 13.IV.14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
27 JAN 1914

Kept at Skelton Castle, Skelton-in-Cleveland,
in the County of York. N 5
by W.H.A.Wharton Esq.

Lat. Long.
Time of Observation
Nearest Railway Station North Skelton.
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground - ft. 9 in.
" " " " Sea Level 272.16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (-)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.05	.06	-	-	.10	-	-	.08	-	-	-	1
2	.05	-	.07	.44	-	-	-	-	.25	-	.05	-	2
3	.02	.03	.04	-	-	.15	-	-	-	.07	-	-	3
4	.02	-	.13	-	-	-	-	-	.05	-	-	-	4
5	.21	-	.14	-	-	-	.20	-	-	.95	.05	-	5
6	.63	.04	.09	-	-	.07	.20	.05	-	.10	-	-	6
7	.03	.14	-	-	.26	.48	.08	-	-	-	.09	-	7
8	-	.13	.09	.05	.04	.12	.10	-	-	.75	-	-	8
9	-	.03	-	-	.75	-	-	-	.15	.22	.04	-	9
10	-	.05	.07	.08	.17	-	-	-	-	-	.02	-	10
11	-	.07	.06	.05	-	-	-	-	-	-	.25	-	11
12	.32	.02	-	.28	-	.12	-	-	-	-	.03	-	12
13	.32	.02	-	-	-	-	-	-	.15	-	.15	-	13
14	-	-	-	-	-	-	-	.12	.03	-	.20	-	14
15	.08	.09	-	.04	-	-	.30	-	-	.12	-	.18	15
16	.12	.02	.28	.25	-	-	-	-	-	-	-	.05	16
17	.02	-	.03	-	-	-	-	-	-	-	.07	-	17
18	-	-	.09	.08	-	-	-	.05	-	-	-	-	18
19	-	-	.35	.17	-	.90	-	-	.08	-	.05	-	19
20	.13	-	.08	.03	-	.06	-	-	-	-	-	-	20
21	.68	-	.06	-	-	-	-	-	.13	.10	.25	-	21
22	-	-	.04	-	-	-	-	.10	-	-	-	-	22
23	.10	-	-	-	.13	-	.07	.25	-	.15	-	-	23
24	.08	-	.39	-	-	.08	.25	-	-	.08	-	-	24
25	.33	-	-	-	-	.25	-	.07	-	-	-	-	25
26	-	-	-	.04	-	.02	-	-	.25	-	-	.15	26
27	-	.03	.02	.31	-	-	-	-	.15	.37	.10	.30	27
28	-	.12	.02	.35	.25	.15	-	-	-	-	.05	.10	28
29	.06		.15	.31	.04	-	-	-	-	-	-	-	29
30	.02		.30	.18	.05	-	-	.12	-	.06	-	.70	30
31	.22		.05		-		-	-		.47		-	31
Total	.05 ~~3.44~~ 3.49	06 ~~.84~~ .85	~~2.61~~ 2.55	2.66 2.66	.10 ~~1.69~~ 1.79	~~2.50~~ 2.40	1.20 1.20	.08 ~~.76~~ .84	~~1.32~~ 1.24	3.44	1.40	(-) 1.48	YEAR'S TOTAL 23.34
Rain Days.	~~19~~ 20	14	~~22~~ 21	15	~~8~~ 9	~~12~~ 11	7	~~7~~ 8	~~10~~ 9	12	14	6	146

W.7,000, XI. 13

cnd for W.D. 12.IV.15 6X M2

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 25 JAN 1915

Kept at Skelton Castle, Skelton-in-Cleveland.

in the County of York. NR 5

by W.H.A.Wharton Esq.

Lat. Long.

Time of Observation

Nearest Railway Station North Skelton.

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 272.16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	.10	.02	–	.04	–	–	.10	.09	–	.36	.15	1
2	–	–	–	–	–	–	1.47	.50	–	.06	.21	.10	2
3	–	–	–	–	–	–	1.01	.20	–	–	.35	.23	3
4	–	–	.08	–	.10	–	.09	–	–	–	.26	.40	4
5	–	–	–	.04	–	.03	–	–	–	–	.09	–	5
6	–	–	.10	.04	.02	.05	–	–	–	.04	.24	–	6
7	–	.04	–	.11	–	–	.06	.07	–	–	.02	.12	7
8	–	.02	.03	–	.16	.08	–	–	–	–	–	.10	8
9	.80	–	.13	–	.40	.50	.02	.04	–	.11	–	.04	9
10	.33	.03	–	.10	–	1.44	–	–	.55	.03	.14	.07	10
11	.15	.10	–	–	–	–	–	–	.04	–	–	.10	11
12	–	.15	.07	–	.20	.21	–	–	.08	–	.17	.40	12
13	.05	.06	–	–	–	.09	–	–	.14	–	–	1.03	13
14	.04	.04	.17	–	–	–	–	–	–	–	.13	.37	14
15	.10	.17	–	–	–	–	.12	–	.05	.17	–	.21	15
16	.04	.02	.26	–	–	.05	.57	–	–	–	.66	.04	16
17	.04	–	.08	–	–	–	2.35	–	.12	.03	.23	–	17
18	.10	.09	.12	–	–	–	–	–	1.07	–	.05	.07	18
19	.04	.10	–	–	–	.35	–	–	.08	–	–	.17	19
20	–	–	–	–	–	–	.12	–	.39	–	.05	–	20
21	.04	.21	.50	–	–	.33	–	–	.04	.03	–	–	21
22	.08	.35	.07	–	–	.03	–	.01	–	.07	.10	–	22
23	.04	–	.06	.04	–	.08	–	–	–	.02	.08	.13	23
24	–	.13	–	.03	.80	.19	–	–	–	–	–	–	24
25	.02	–	–	.13	–	–	–	.12	–	–	.13	–	25
26	–	.07	.03	–	–	–	–	–	–	.30	.02	.26	26
27	–	–	.11	–	–	–	.45	–	–	.25	.07	–	27
28	.02	–	–	–	–	–	.03	–	–	–	–	.52	28
29	.02	–	–	–	–	–	.05	–	–	–	.22	–	29
30	–	X	.06	–	–	.02	–	.17	–	.49	.09	–	30
31	–	X	.04	X	.13	X		.07	X	.11	X	.37	31
	.10	.02	–	.04	–	–	.10	.09	–	.36	.15	(–)	YEAR'S TOTAL
Total	~~1.91~~ 2.01	~~1.68~~ 1.60	~~1.93~~ 1.91	~~.49~~ .53	~~1.85~~ 1.81	~~3.45~~ 3.45	~~6.34~~ 6.44	~~1.28~~ 1.29	~~2.65~~ 2.56	~~1.71~~ 2.07	~~3.67~~ 3.46	~~4.88~~ 4.20	31.84 ✓
Rain Days.	~~16~~ 17	~~18~~ 16	~~17~~ 16	~~7~~ 8	~~8~~ 7	14	~~12~~ 13	9	~~11~~ 10	~~13~~ 14	~~24~~ 21	~~20~~ 19	164 ✓

W. 8,000. X. 14.

corrected for W.D. 3.~~xi~~.16

end fr ault 2.V.16

3695

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL. 21 JAN 1916

Kept at Skelton Castle, Skelton in Cleveland.

in the County of York.

N 5

by W. H. A. Wharton. Esq.,

Lat. Long.

Time of Observation

Nearest Railway Station North Skelton.

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground - ft. 9 in.

" " " " Sea Level 272.16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·05)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.10	.06	-	.15	-	-	-	.30	.11	-	-	1
2	.34	.15	.08	-	.30	-	-	.33	.07	-	.10	.20	2
3	-	.22	.15	.07	-	.06	.08	.39	.09	-	.14	.03	3
4	.52	-	.05	.08	-	-	.30	.05	.15	-	.25	.75	4
5	.19	-	.04	-	-	-	.13	-	-	-	-	1.05	5
6	.08	-	.07	-	.04	-	-	-	-	.09	.20	.33	6
7	.02	.26	.06	.07	.62	-	1.20	.03	.04	.10	-	.02	7
8	.23	.29	.11	-	.02	-	.07	.24	-	-	-	-	8
9	-	.13	.02	-	-	.26	.11	.04	-	-	.12	-	9
10	-	.04	-	-	-	-	.11	.05	-	-	-	.34	10
11	.20	-	-	-	-	-	-	.06	-	-	-	.10	11
12	.05	.35	.04	.06	.60	-	.07	-	-	-	-	.18	12
13	.15	.17	-	.30	.07	-	.14	.05	-	.15	.69	.11	13
14	.02	.29	-	-	-	-	-	.04	-	-	-	.05	14
15	-	.14	-	-	.19	-	.04	-	-	-	-	.05	15
16	.18	.08	-	-	-	-	.12	.45	-	.27	-	.03	16
17	-	.28	-	-	-	-	1.10	-	-	.09	.23	-	17
18	.22	.18	.04	-	-	-	.11	-	.04	-	.34	.02	18
19	-	.04	.20	-	-	-	-	-	-	-	.03	-	19
20	-	-	.05	-	-	-	.20	-	.08	.28	.03	-	20
21	.05	-	-	.04	-	-	.03	.03	-	.14	-	.50	21
22	.15	.03	-	.13	-	-	-	-	-	-	-	.08	22
23	.11	-	-	-	-	-	-	.04	-	-	.02	.10	23
24	.16	.10	.03	-	-	-	.19	-	-	-	.03	.05	24
25	-	-	.30	.06	-	-	-	-	.38	.07	.02	.10	25
26	-	-	-	-	-	.30	.11	-	-	-	.02	.03	26
27	-	.08	.06	.11	-	.07	-	-	.11	.20	.05	.24	27
28	.12	·16 ~~.08~~	-	-	-	-	-	-	.03	-	-	.13	28
29	.03	~~.15~~	.24	-	.42	-	.07	.81	-	.33	.05	.03	29
30	.04		.08	-	.10	-	.07	-	.76	-	.08	.33	30
31	-		-	·15	-		-	- ·30	·11	-		.03;	31
Total	·10 ~~2.84~~ 2·94	·06 ~~3.09~~ 3·05	~~1.68~~ 1·62	~~.92~~ 1·07	~~2.51~~ 2·36	.69 ·69	4.25 4·25	~~2.61~~ 2·91	~~2.05~~ 1·86	~~1.83~~ 1·72	~~2.45~~ 2·40	·05 ~~4.36~~ 4·[illegible]1	YEAR'S TOTAL ~~29.22~~ 73 29·78
Rain Days.	~~19~~ 20	19	~~18~~ 17	~~9~~ 10	~~10~~ 9	4	19	~~14~~ 15	11	~~11~~ 10	17	~~25~~ 26	~~176~~ 177

W. 8,000. X. 15.

cad pr auth + pr WD

W Edy

3632

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

7. FEB 1917

Kept at Skelton Castle Gardens

in the County of York NR

by J R Batty Head Gardener

Lat. .... Long. ....

Time of Observation –

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

Gauge W Cope

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	.03	.34	x	x	x	.12	x	x	.12	.09	x	1
2	.27		.14			.10	.09						2
3		.03	.15				.02		.07	.03		.04	3
4		.15	.09	.09			.05	.05	.43	.02	.15	.04	4
5		.38	.05	.03	.82	.18			.11	.66	.24	.27	5
6	.12	.18	.21	.02	.22	.06				.23	.34	.04	6
7		.25	.11	.06	.34	.02	.15	.02		.07	.16	.03	7
8			.10		.09	.27	.04			.16		.20	8
9		.02	.27		.03	.26					~~x~~ .05	.02	9
10			.09		.16		.06		.02	.02	.02	.37	10
11	.10		.03	.05		.04	.15				.02	.26	11
12	.03	.48	.90	.26	.03	.11	.18		.06	.05		.26	12
13	.02	.04	.41	.10	.36	.08	.51					.33	13
14		.11	.16	.14	.16	.02	.05	.22	.03	.28	.02	.19	14
15		.07	.07	.12	.05	.10		.30		.24		.47	15
16	.06	.09	.32				.05	.30	.02				16
17		.03	.08	.11			.16	.07		.04		.30	17
18	.03		.02	.15	.03		.07	.30	.17	.10			18
19		.27	.03	.61		.06	.03	.34	.18	.08	1.70		19
20	.09	.07	.05	.30				.05	.05		1.24		20
21	.07		.32	.04			.19	.15			.10	.15	21
22	.02	.18	1.05	.03	.02		.04				.02		22
23		.04	.02	.03						.05			23
24	.03	.02	.04					.10			.02	.47	24
25		.03	.10	.03		.25	.01	.13					25
26		.08	.09					.13		.19	.10	.04	26
27	.15	.10	.02		.02					.02	.12		27
28		.42	.03			.03		.60		.24			28
29		.30			.20	.04		.10	.04	.03	.02	.18	29
30		X				.02		.02		.03			30
31		X		X	.02	X	.06		X	.14	X	.02	31
	·03	·34	–	–	–	·12	–	–	·12	·09	–	–	YEAR'S TOTAL
Total	~~1.06~~	~~3.37~~	~~4.29~~	~~2.19~~	~~2.55~~	~~1.64~~	~~2.03~~	~~2.88~~	~~1.18~~	~~2.80~~	~~4.41~~	~~3.68~~	~~31.35~~
	1·02	3·68	3·95	2·17	2·55	1·76	1·91	2·88	1·30	2·77	4·32	3·68	31·99
Rain Days.	~~17~~	23	~~28~~	17	15	~~16~~	~~19~~	16	~~11~~	21	~~17~~	19	~~219~~
	13		27			17	18		12		16		214

W. 8,000, VIII. 16

cnd for WD

7 Nov

3481

FORM A.

BRITISH RAINFALL 28 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at North & Skelton Castle

in the County of Skelton in Cleveland York

by Lt Col: W H A Wharton

Lat. Long.

Time of Observation

Nearest Railway Station North Skelton

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 272.16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .09

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.16	.	.30	.10	.	.	.04	.25	.	.	.03	1
2	.	.03	.	.25	.	.05	.	.40	.04	.	.10	.	2
3	.05	.	.	1.35	.	.	.	.20	.03	.	.	.	3
4	.	.	.	.13	.	.	.01	.07	.	.04	.03	.	4
5	.	.	.	.	.	.	.	.13	.	.	.03	.	5
6	.	.	.08	.40	.	.	.	.05	.	.	.	.	6
7	.	.	.	.	.	.	.	.01	.	.15	.14	.	7
8	.53	.	.03	.	.	.02	.	.01	.	.15	.	.	8
9	.29	.	.	.13	.	.	.	1.25	.07	.37	.	.	9
10	.06	.	.	.	.	.	.03	.39	.02	.09	.25	.	10
11	.11	.	.55	.14	.10	.	.	.28	.	.10	.44	.	11
12	.20	.04	.	.20	.	.02	.	.15	.	.14	.	.	12
13	.10	.06	.03	.11	.14	.	.	.11	.	.77	.	.08	13
14	.18	.	.	.07	.09	.	.	.12	.16	.11	.	.06	14
15	.22	.	.02	.32	.71	.	.17	.08	.	.04	.	.09	15
16	.14	.	.	.11	.	.	.02	.36	.02	.	.	.09	16
17	.13	.	.04	.15	.	.02	.	.03	.	.	p	.29	17
18	.09	.03	.	.11	.08	.25	.	.30	.	.	.	.25	18
19	.07	.	.	.10	p08	.	.19	.10	.	.	.	.02	19
20	.18	.16	.20	.	.07	.16	.	.02	.	.	.	.02	20
21	.16	.23	.12	.03	.	.40	.	.15	.10	.	.46	.07	21
22	.	.19	p16	..	.	.	.	.06	.	.	.	.	22
23	.	.	.	.	.	.05	.	.04	.	.04	.	.	23
24	.06	.07	.13	.	.19	.03	.02	.08	.	.	.	.03	24
25	.	.03	.	.	.12	.	.02	.04	.	.25	.22	.11	25
26	.	.05	.10	.	.	.06	.04	.01	.	.06	.	.29	26
27	.	.	.06	.	.	.06	.	.42	.08	.02	.23	.03	27
28	p03	.	.13	.	.	.22	.38	.54	.	.04	&	.09	28
29	.	.	.08	.	.	.03	.15	.62	.	.04	.	.	29
30	.		.03	.	.	.	.12	.34	.	.31	.	.	30
31	.05 d		.05		.		.06	.		.02		.16	31
Total	.16 ~~2.65~~ 2.81	– ~~1.05~~ .89	.30 ~~1.61~~ 2.11	.10 ~~3.90~~ 3.70	– ~~1.68~~ 1.58	– ~~1.38~~ 1.38	.04 ~~1.21~~ 1.25	.25 ~~6.40~~ 6.61	– ~~2.77~~ .52	– ~~2.74~~ 2.74	.03 ~~1.90~~ 1.93	.09 ~~1.71~~ 1.67	YEAR'S TOTAL ~~27.20~~ 27.29
Rain Days.	~~18~~ 19	~~16~~ 10	~~16~~ 19	16	~~10~~ 9	13	~~12~~ 13	30	8	18	18	16	~~178~~ 179

W. 8,000, IX. 17.

x – /3 [illegible] Corr for W D 83

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 21 3 19

Kept at [illegible] Castle

in the County of York N.R.

by [illegible]

Lat. Long.

Time of Observation [illegible]

Nearest Railway Station [illegible]

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level [illegible] ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	–	.07	.13	–	–	–	–	.27	.07	–	.05	1
2	.23	–	.06	–	.03	–	.05	–	.25	.03	.26	.27	2
3	.08	.05	–	.15	–	–	–	–	.31	.05	–	.17	3
4	.02	–	.09	–	.06	–	–	.05	–	.03	.10	–	4
5	–	.02	.12	–	.16	–	–	–	.02	.03	.25	.05	5
6	–	–	.06	.03	.21	–	–	.33	–	.25	.02	–	6
7	.06	.31	–	.71	.03	.18	–	.19	–	.21	–	.01	7
8	.27	.02		.03	–	.32	.03	–	–	.35	.21	–	8
9	.06	.04	.14	–	–	–	.37	.02	.05	.02	–	–	9
10	–	.27	–	.30	–	–	.16	–	.25	.21	–	–	10
11	–	[illegible]	[illegible]	[illegible]	–	–	[illegible]	–	[illegible]	–	–	[illegible]	11
12	.18	.05	.05	.05	.19	–	.03	–	–	–	–	.14	12
13	–	.11	.11	.05	–	–	.50	–	.20	.24		.06	13
14	–	.02	–	.09	.12	–	–	–	.11	.31	–	–	14
15	.03	.21	–	.06	–	.03	.07	–	.46			.06	15
16	–	–	–	.05	–	.04	[illegible]	–	.55	–		[illegible]	16
17	–	–	.05	–	–	.05	[illegible]	.19	.35	–	–	.12	17
18	.20	–	–	–	.26	.02	[illegible]	.03	–	.40	–	.14	18
19	.38	–	.11	.26	–	–	.35	–	.50	[illegible]	–	.15	19
20	.15	–	.03	.12	–	–	.33	.15	–	.40	–	–	20
21	.06	.13	.01	.16	–	.06	.53	–	.21	.11	–	–	21
22	.09	.02	–	–	.21	.03	.13	–	.09	.19	–	–	22
23	–	–	–	.08	[illegible]	–	[illegible]	–	–	–	–	.24	23
24	.08	–	–	–	.16	–	[illegible]	–	.18	–	–	–	24
25	–	.09	–	.03	–	–	.02	–	.12	[illegible]	.02	.06	25
26	–	–	–	–	–	.02	.01	.06	.03	–	.06	.09	26
27	–	–	–	–	–	–	.05	.21	.27	[illegible]	.06	–	27
28	.01	.03	.06	–	–	.15	.01	.20	[illegible]	–	.05	.18	28
29	–		.36	–	–	–	–	–	–	–	.03	.25	29
30	–	X	.05	–	–	–	–	.02	.16	–	.02	.16	30
31	–	X	.06	X	–	X	–	–	X	–	X	.28	31
	–	.07	.13	–				.07	.01	–	.05	.06	YEAR'S TOTAL
Total	~~[illegible]~~ 1.70	~~[illegible]~~ 1.55	~~[illegible]~~ 1.49	~~2.06~~ 1.96	1.80	.57	[illegible]	1.98	[illegible]	~~[illegible]~~ 2.22	~~[illegible]~~ 1.22	~~[illegible]~~ 3.07	~~27.05~~ 27.02
Rain Days.	15	16	[illegible]	16	11	10	[illegible]	2	[illegible]	8	2	[illegible]	[illegible]

W. 6,500, VII. 18. W W & S

corrd for WD

G+R

3212

10 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Skelton Castle, Skelton in Cleveland.

in the County of York

by Lt Col W H A Wharton.

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station North Skelton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

„ „ „ „ Sea Level 272.16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .09

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.11	–	.12	.25	–	.40	.17	–	–	.19	–	1
2	.10	.06	–	–	.22	–	.50	–	.28	.05	.10	.02	2
3	.10	.06	.02	–	.02	–	.56	–	.02	–	.11	–	3
4	.65	.02	–	.08	.22	–	.03	–	.03	–	.22	.04	4
5	.31	.16	.68	–	–	.10	.05	.06	.20	–	.16	–	5
6	.31	.06	–	–	–	.02	.03	–	.03	–	.05	–	6
7	–	–	.20	–	.06	–	–	–	–	.14	.15	.15	7
8	.05	–	.30	–	.06	–	–	–	–	–	–	.24	8
9	.19	–	–	.03	.08	–	–	–	–	.06	.07	.11	9
10	.02	–	.05	–	–	–	–	–	–	.21	.21	–	10
11	–	–	.05	–	–	–	–	–	–	.13	.31	.02	11
12	–	–	.75	–	.08	–	.20	–	–	.15	.21	–	12
13	–	–	.40	.04	–	–	–	–	.12	.19	.28	–	13
14	.05	–	.17	.02	–	.16	.12	.12	.02	.17	.21	–	14
15	.15	–	.03	.26	–	–	–	.10	–	.07	.33	–	15
16	.04	.14	.08	.11	–	–	–	.03	–	–	.04	.56	16
17	.02	.03	–	.04	–	–	–	–	–	.02	–	–	17
18	–	.03	–	.02	.10	.03	–	.05	–	–	.07	–	18
19	–	–	–	–	–	–	–	.15	–	–	–	.05	19
20	.02	.08	.26	.02	–	–	.34	.18	.15	–	.03	.03	20
21	.20	.23	.02	–	–	.03	–	.04	–	–	–	.19	21
22	.08	.09	.03	–	–	.03	–	.05	.05	–	–	.06	22
23	–	–	.11	–	–	–	.16	.05	.10	–	.08	.07	23
24	–	.23	.06	–	–	.24	.04	.03	–	1.05	.02	–	24
25	–	.04	.02	.12	–	.04	.05	–	–	1.08	.07	–	25
26	.03	.08	–	.04	.02	.10	–	.45	–	.05	.08	–	26
27	–	.35	.20	–	–	.02	–	.20	.04	.13	.11	.45	27
28	.16	.02	–	.70	–	–	.08	.03	–	.58	.16	.03	28
29	.03		–	.05	–	–	.07	1.10	–	.23	.13	–	29
30	.23	╳	.05	.03	–	.14	–	–	–	.95	–	.25	30
31	.07	╳	–	╳	–	╳	–	.02	╳	.25	╳	.12	31
	.11	–	.12	.25	–	.40	.17	–	–	.19	–	.09	YEAR'S TOTAL
TOTAL	~~2.87~~ 2.92	~~1.79~~ 1.68	~~3.48~~ 3.60	~~1.68~~ 1.81	~~1.11~~ .86	~~.91~~ 1.31	~~2.63~~ 2.40	~~2.83~~ 2.66	1.04	~~5.51~~ 5.70	~~3.39~~ 3.20	~~2.39~~ 2.48	~~29.63~~ 29.66
Days with ·01 in. or more	21	~~17~~ 16	~~19~~ 20	15	~~10~~ 9	~~11~~ 12	14	~~17~~ 16	11	~~18~~ 19	~~24~~ 23	~~16~~ 17	193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

280

W D 3454

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Skelton Castle, [illegible]

in the County of YORK Cleveland

by Lt.Col.Wharton

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station North Skelton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 272.15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .09

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.10	–	–	–	.05	–	–	–	.19	–	.21	1
2	–	–	.11	.25	.11	–	.23	–	.03	.37	–	–	2
3	–	–	.10	.37	–	–	.05	–	.18	.14	–	.18	3
4	–	.04	–	.21	.05	.12	.32	.05	–	.12	–	.21	4
5	.06	–	–	.03	–	–	.63	.43	–	.85	–	.03	5
6	–	–	.04	–	.09	–	.25	.07	.20	–	–	.09	6
7	–	–	.13	.07	.14	–	.12	.02	–	–	–	.05	7
8	.06	–	–	.03	–	–	.06	–	–	–	–	.08	8
9	.02	–	–	.15	.09	–	.12	.10	–	–	.05	–	9
10	.10	–	–	.31	–	–	.06	.30	.08	–	–	–	10
11	.70	.03	.02	.28	–	–	.05	–	–	–	–	.04	11
12	.21	–	–	.09	.11	–	–	–	–	–	–	.40	12
13	.17	–	.06	.13	–	–	–	–	–	–	.01	.40	13
14	.12	–	.05	.03	–	–	–	–	–	–	–	.19	14
15	–	–	.70	.10	–	–	.12	–	.19	.09	.04	.08	15
16	–	.12	.28	.12	–	–	–	–	–	.08	.08	–	16
17	–	.01	–	.10	–	–	.47	–	.08	–	–	.05	17
18	–	–	–	–	.12	–	–	.18	.02	.04	–	.04	18
19	.43	.07	–	–	.09	–	.08	.15	.10	–	–	–	19
20	.03	.47	–	.17	–	–	–	.08	.04	–	–	–	20
21	.10	.02	–	.03	–	.08	–	–	.22	–	–	–	21
22	–	–	–	.08	–	–	.35	.23	.14	–	–	.04	22
23	.05	–	–	.06	–	–	.04	–	–	–	–	.04	23
24	–	–	.04	–	–	–	.35	–	–	–	–	.05	24
25	.02	–	.35	.12	–	–	.03	–	–	–	–	–	25
26	.04	.11	.08	.03	–	–	.50	–	–	–	–	–	26
27	.02	.04	.32	.08	–	–	.06	–	–	–	–	–	27
28	.30	–	.03	.09	.28	.50	–	–	–	–	.02	.03	28
29	.91	–	.06	.03	.03	.02	.02	–	–	–	.05	.17	29
30	.12	✕	.08	–	.60	.10	.05	–	–	–	–	.35	30
31	.04	✕	–	✕	.28	✕	–	–	✕	–	✕	.04	31
	·10	–	–	–	·05	–	–	–	·19	–	·21	·09	YEAR'S TOTAL
TOTAL	~~3.59~~ 3·60	~~1.01~~ ·91	2.45	2.96	~~1.89~~ 1·94	~~.87~~ ·82	4.56	1.61	~~1.28~~ 1·47	~~1.88~~ 1·69	~~.25~~ ·46	~~2.77~~ 2·65	25.12
Days with ·01 in. or more	20	~~10~~ 9	16	24	~~12~~ 13	~~6~~ 5	21	10	~~11~~ 12	~~8~~ 7	~~6~~ 7	21	165
Days with ·04 in. or more	16	~~7~~ 6	14	18	~~11~~ 12	~~5~~ 4	19	9	~~9~~ 10	~~8~~ 7	~~4~~ 5	19	139

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SALTBURN
BY THE SEA

1911- 1914

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Sal ... nd ... in.
... und 4 ft. 6 in.
in the County of Y ... Level 200 ft.
by W Mars ... 7 m ... e Saltburn
for Saltburn Urb ... ance ¼ Mile Direction South

IMPORTANT N ... result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Very Wild Day

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	-	-	-	-	·17	·05	·47	.	-	.	-	1
2	·08	-	·02	-	·02	.	·17	-	.	.	·01	·02	2
3	—	-	-	·02	·07	-	-	-	.	·03	-	—	3
4	08	-	·17	-	.	-	-	·09	.	·01	.	·26	4
5	·04	-	-	·06	.	.	-	·31	.	·02	·05	-	5
6	·12	-	·05	·02	.	-	-	·05	.	·01	-	·38	6
7	-	-	·02	-	.	-	-	-	.	-	-	·02	7
8	-	-	·21	·01	.	·02	-	-	.	·02	·03	·15	8
9	-	-	.	-	.		-		.	-	.	·05	9
10	-	·02	-	·01	.	-	-	-	.	.	-	·51	10
11	·19	.	-	-	·02	·06	-	-	.	.	·14	·01	11
12	·19	-	·03	01	·02	-	-	·05	·67	.	·20	.	12
13	-	-	·06	.	·06	·06	-	·02	·07	.	·06	·53	13
14	-	·06	·11	-	·16	·05	-	-	·02	.	·01	·32	14
15	-	·01	·09	·01	-	·01	-	.	·02	·01	·13	·05	15
16	-	-	·21	·05	-	-	·07	.	-	.	-	·01	16
17	-	-	·09	·02		·23	·02	.	-	.	·11	·04	17
18	-	·13	·09	-		·15	-	.	·02	.	·48	·09	18
19	-	·03	.	-		·05	-	·30	·02	·14	·17	-	19
20	-	·06	-	·01		·02	·15	·45	-	-	·06	·02	20
21	-	·26	-	-		·01	-	·64	-	·33	·15	·03	21
22	·10	-	-	·02		—	-	·14	·13	·01	·08	-	22
23	·01	·16	·01	-		·98	-	-	—	·03	.	·05	23
24	-	·02	·01	-		·86	—	-	·15	·05	.	·02	24
25	-	·14	·01	·09		·73	—	-	—	·34	·04	·14	25
26	-	-	·01	·02	·03	-	·01	—	·10	·31	·14	·03	26
27	-	·01	01	·09		-	-	·15	-	·06	·02	·02	27
28	-	·05	-	·15		·03	-	-	·30	·06	.	·05	28
29	-		-	·05		·03	·29	-	·03	·13	.	·03	29
30	-		-		·11	·02	-	·01	-	·06	.	-	30
31	-	-	.	-	.	-	-	-	.	·01	.	04	31
Total	·88	·95	1·20	·64	·49	3·48	·76	2·68	1·53	1·63	1·88	2·87	TOTAL for year 18·99
No. of Rain Days.	9	12	17	16	8	17	7	12	11	18	17	24	

W. 8,000, X. '11.

✓

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Saltburn

in the County of Yorkshire NR 5

by W Marston
for Saltburn Urban District Council

RAIN GAUGE
Pattern Round
Diameter of top 8 in.
Height of top above Ground 4 ft. 6 in.
above Sea Level 200 ft.

Time of Observation 9-a.m.

Nearest Railway Station
Name Saltburn
Distance ¼ Mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Very Wild day

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	.	-	-	-	·17	·05	·47	.	-	.	-	1
2	·08	.	·02	-	·02	.	·17	-	.	.	·01	·02	2
3	—	.	.	·02	·07	-	-	-	.	·03	-	-	3
4	08	-	·17	-	.	-	-	·09	.	·01	.	·26	4
5	·04	.	-	·06	.	.	-	·31	.	·02	·05	-	5
6	·12	.	·05	·02	.	-	-	·05	.	·01	-	·38	6
7	-	.	·02	-	.	-	-	-	.	-	-	·02	7
8	-	.	·21	·01	.	·02	.	-	.	·02	·03	·15	8
9	-	.	.	-	.		-	.	.	-	.	·05	9
10	-	·02	-	·01	.	-	-	-	.	.	.	·51	10
11	·19	.	.	-	·02	·06	-	-	.	.	·14	·01	11
12	·19	-	·03	01	·02	-	-	·05	·67	.	·20	.	12
13	.	-	·06	.	·06	·06	-	·02	·07	.	·06	·53	13
14	-	·06	·11	-	·16	·05	-	-	·02	.	·01	·32	14
15	-	·01	·09	·01	-	·01	-	.	·02	·01	·13	·05	15
16	-	-	·21	·05	-	-	·07	.	-	.	-	·01	16
17	-	-	·09	·02		·23	·02	.	-	.	·11	·04	17
18	-	·13	·09	-		·15	-	.	·02	.	·48	·09	18
19	.	·03	.	-		·05	-	·30	·02	·14	·17	-	19
20	-	·06	-	·01		·02	·15	·45	-	-	·06	·02	20
21	-	·26	-	-		·01	-	·64	-	·33	·15	·03	21
22	·10	-	-	·02		-	-	·14	·13	·01	·08	-	22
23	·01	·16	·01	-		·98	-	-	—	·03	.	·05	23
24	-	·02	·01	-		·86	-	-	·15	·05	.	·02	24
25	.	·14	·01	·09		·73	-	-	-	·34	·04	·14	25
26	-	-	·01	·02	·03	-	·01	-	·10	·31	·14	·03	26
27	.	·01	·01	·09		-	-	·15	-	·06	·02	·02	27
28	.	·05	-	·15		·03	-	-	·30	·06	.	·05	28
29	-		.	·05		·03	·29	-	·03	·13	.	·03	29
30	.		.		·11	·02	-	·01	-	·06	.	-	30
31	-	.	.	.	.	-	-	.	.	·01	.	·04	31
Total	·88	·95	1·20	·64	·49	3.48	·76	2.68	1·53	1·63	1·88	2.87	TOTAL for year
No. of Rain Days.	9	12	17	16	8	17	7	12	11	18	17	24	18.99

W. 8,000, X. '11.

168

Ca 7.16

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

2 JAN 1913

Kept at Saltburn by the Sea

in the County of Yorkshire N5

by W Marston - for Urban District Council
39. Emerald St

Lat. Long.
Time of Observation 9-a m
Nearest Railway Station Saltburn
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·07	-	-	·01	·02	·08	·47	·57	·03	·04	·	·08	1
2		-	·	·02	·01	·15	·11	·04	-	·15	·	-	2
3	·07	·20	·04	-	-	·62	·04	·30	·13	·03	·	·10	3
4	·13	-	·38	-	-	·48	·01	·09	·	·	·24	·	4
5	-	-	·02	-	·20	·11	-	-	-	·	·01	·	5
6	·30	-	-	-	-	·06	·	·01	-	·	·	·	6
7		·02	-	-	·12	·	·	·01	·33	·	·	·	7
8	·01	·05	·01	-	-	·	·	-	·13	·	·14	·	8
9	·11	-	·08	-	-	·04	·	·01	·17	·	·04	·	9
10	-	·	-	·02	·	·01	·	·	·01	·	·02	01	10
11	·04	04	-	-	·	-	·	·	·02	·	·06	·02	11
12	·03	·10	·02	·	·	-	·63	·	·		·22	·01	12
13	-	-	·01	·	·	·40	·02	·05	·	·02	·19	·	13
14	·11	-	·32	·	·	·04	·	·12	·	·	·06	·07	14
15	·01	-	·30	·	·60	·06	·02	·	·	·	·	·25	15
16	·02	-	·03	·	·15	-	·03	·07	·	·04	·	·	16
17	-	·05	·12	·	·	·33	·	·08	·	-	·	·01	17
18	·03	·02	-	·	·	·02	·20	·08	·	·02	·	·	18
19	·05	·17	·	·	·	·	·14	·01	·	·04	·04	·	19
20	·01	·10	·01	·	·25	·05	1·08	-	·	·24	-	·	20
21	·07	-	·11	·	·02	-	-	·02	·	·	·02	·	21
22	·03	·06	·07	·	·42	·58	·	·48	·	·	·	·	22
23	-	-	·03	·	·01	·	·03	·05	·	·49	·06	·	23
24	·34	-	·	·	·	·	·18	·31	·	·12	·	·	24
25	·20	-	-	·	·	·19	·	·07	·	-	·05	·09	25
26	·02	·03	-	·01	·	·17	·	-	·	·51	·17	·08	26
27	·		·03	·	·	·17	·45	·20	·	·30	·08	·15	27
28	·		-	02	·	·06	·05	-	·	·15	·12	·	28
29	·		·15	·01	·04	-	·18	·02	·53	·05	·	·	29
30	·07		·02	-	·01	·02	-	·20	·11	·	·	·	30
31			·10		·01		·82	-		1·22		·01	31 ?
Total	1·65	·84	1·85	·09	1·86	3·64	4·46	2·79	1·46	3·42	1·52	·88	YEAR'S TOTAL 24·46 ✓
Rain Days.	19	11	19	6	13	20	17	21	9	15	16	12	178 ✓

W. 7,500, XI. 12

cord for auth. 13.IV.14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

W. K

Kept at Saltburn-by-the-Sea

in the County of Yorkshire N 5

by T. H. Stanton

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Saltburn. N.E.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 4 ft. 5 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·03	·38		·13			·07		·03		1
2	·70		·02			·11				·05			2
3	·01		·09		·01		·09		·04				3
4			·04			·02			·06	1·01	·05	·10	4
5		·04	·02			·06	·21	·05					5
6		·12	·11		·22	·80	·12	·01		·40	·05		6
7		·10		·02	·02	·24	·06			·15			7
8			·01	·01	·58	·01			·11		·05		8
9		·07	·045	·07	·39	·07				·03	·01		9
10		·02	·07	·01	·40						·24		10
11	·34			·25		·10					·02		11
12	·27	·01			·03			·01	·13		·14		12
13					·02			·08	·02				13
14	·22		·02	·02			·05			·06	·16	·01	14
15		·06	·17								·01		15
16		·015	·015	·17							·01	·01	16
17			·05	·03		·01		·01			·14	·01	17
18			·23	·14	·02	1·05	·02		·02		·01	·04	18
19	·01				·035	·01			·07		·05		19
20	·24	·015	·05	·03					·14	·08			20
21	·30				·02		·03	·11					21
22	·08		·38		·06			·27	·01	·08			22
23	·21		·35			·03	·13		·05		·02	·04	23
24	·09			·01		·30	·01	·14	·24		·01	·02	24
25	·01			·02		·015			·15	·01		·25	25
26		·01	·01	·22							·12		26
27	·02	·04	·025	·30	·21	·13				·42	·02		27
28		·02	·02	·25	·01					·02		·16	28
29	·17		·20	·20				·19		·04	·02	·26	29
30	·03		·02							·54		·25	30
31								·04				·20	31
Total	2·80	·52	1·975 1·975	2·13	2·025	2·785 2·785	·72	·91 ·91	1·11	2·89	1·16	1·35	YEAR'S TOTAL 20·375 20·375
Rain Days.	16	12	22	17	14	16	9	10	13	13	19	12	173

W. 7,500, XI. 12

and by second copy [illegible] 18-III-13

REGISTER OF RAINFALL IN 1912

~~W. [illegible]~~

FORM A. BRITISH RAINFALL. 24 FEB 1913

Kept at Saltburn-by-the-Sea
in the County of Yorkshire N5
by T. H. Stanton

Lat. 54 34 N Long. 0 58 W
Time of Observation 9 A.M.
Nearest Railway Station Saltburn
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 5 in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	—	·01	·02	·08	·47	·57	·03	·04	—	·08	1
2	—	—	—	·02	·01	·15	·11	·04	—	·15	—	—	2
3	·07	·20	·04	—	—	·62	·04	·30	·13	·03	—	·10	3
4	·13	—	·38	—	—	·48	·01	·09	—	—	24	—	4
5	—	—	·02	—	·20	·11	—	—	—	—	·01	—	5
6	·30	—	—	—	—	·06	—	·01	—	—	—	—	6
7	—	·02	—	—	·12	—	—	·01	·33	—	—	—	7
8	·01	·05	·01	—	—	—	—	—	·13	—	·14	—	8
9	·11	—	·08	—	—	·08	—	·01	·17	—	·04 ~~·40~~	—	9
10	—	—	—	·02	—	1·01	—	—	·01	—	·02	·01	10
11	·04	·04	—	—	—	—	—	—	·02	—	·06	·02	11
12	·03	·10	·02	—	—	—	·63	—	—	—	·22	·01	12
13	—	—	·01	—	—	·40	·02	·05	—	·02	·19	—	13
14	·11	—	·32	—	—	·04	—	·12	—	—	·06	·07	14
15	·01	—	·30	—	·60	·06	·02	—	—	—	—	·25	15
16	·02	—	·63	—	·15	—	·03	—	—	·04	—	—	16
17	—	·05	·12	—	—	·33	—	·07	—	—	—	·01	17
18	·03	·02	—	—	—	·02	·20	·08	—	·02	—	—	18
19	·05	·17	—	—	—	—	·14	·08	—	·04	·04	—	19
20	·01	·10	·01	—	·25	·05	1·08	·01	—	·24	—	—	20
21	·07	—	·11	—	·02	—	—	—	—	—	·02	—	21
22	·03	·06	·07	—	·42	·58	—	·02	—	—	—	—	22
23	—	—	·03	—	·01	—	·03	·48	—	·49	·06	—	23
24	·34	—	—	—	—	—	·18	·05	—	·12	—	—	24
25	·20	—	—	—	—	·19	—	·31	—	—	·05	·09	25
26	·02	·03	—	·01	—	·17	—	·07	—	·51	·17	·08	26
27	—	—	·03	—	—	·17	·45	—	—	·30	·08	·15	27
28	—	—	—	·02	—	·06	·05	·20	—	·15	·12	—	28
29	—	—	·16	·01	·04	—	·18	—	·53	—	—	—	29
30	·07		·02	—	·01	·02	—	·02	·11	·05	—	—	30
31	—		·10		·01		·82	·20		1·22		·01	31
Total	1·65	·84	1·85	·09	1·86	3·6~~5~~4	4·46	2·79	1·46	3·42	1·52 ~~1·58~~	·88	YEAR'S TOTAL 24·46
Rain Days.	19	11	19	6	13	20	17	21	9	15	16	12	178

24·46?

W. 7,500, XI. ·12

ExLMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Saltburn-by-the-Sea
in the County of Yorkshire NR 51
by T. D. Stanton

Lat. Long.
Time of Observation 9. A.M
Nearest Railway Station Saltburn N.E.R
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·01					·14	·40		·05	·45	·27	1
2							·95	·16		·03	·40	·10	2
3			·06	·02	·09		·11				·15	·20	3
4				·04	·13	·01						·25	4
5		·01	·11	·01		·03						·15	5
6		·02			·04		·09			·01	·35	·06	6
7		·01	·04		·11	·03		·03			·10	·01	7
8	·40		·12		·26	·25	·01	·04		·04	·25	·25	8
9	·33					·31			·56			·01	9
10	·16	·07							·04			·10	10
11		·15	·09		·20	·21					—	·35	11
12	·04	·05				·04			·13			·01	12
13	·03	·13	·09				·11					·02	13
14	·02	·23	·10				1·35			·14	·25		14
15	·02	·01				·02	1·27				·35		15
16	·03		·20							·01	·17		16
17	·07	·06		·02		·38			1·00		·08	·02	17
18	·02	·10	·09				·06		·37		·06		18
19	·01	·01					·02		·07	·01	·03		19
20	·06	·16	·24			·38							20
21	·05	·29	·13			·02					·01	·34	21
22	·03		·10	·01		·06	·60	·04		·04	·05		22
23		·04		·03	·52	·17					·10		23
24	·02			·06	·01			·07		·02	·15	·25	24
25		·06	·10				·31	·02			·06		25
26			·05							·37	·05		26
27	·01									·26	·25	·08	27
28	·01	·01						·02			·15	·01	28
29			·06				·35	·18			·05		29
30		×		·04				·06		·15		1·01	30
31		×		×		×		·03	×		×		31
Total	1·34	1·42	1·58	·23	1·36	1·91	5·37	1·05	2·17	1·13	3·51	3·49	YEAR'S TOTAL 24·56
Rain Days.	18	18	15	8	8	13	13	11	6	12	21	19	1·62

W. 8,000. X. 14.

SALTERFORTH

BARNOLDSWICK W.W.

1914 - 1920

3/4/15

FORM A.
BRITISH RAINFALL.

APR. 1915

REGIST

Kept at Waterwork

in the County of York

by Urban D. co
Barn

...m.

...rulridge

3" in.

...round 1 ft. 4 in.

...ea Level 832 ft.

IMPORTANT NOTE.—I ... result entered to the previous day. If an Observer ... l rule, he is earnestly requested to add the reading a ... in the space provided for it at the end of this para ... for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												·51	1
2										·12	·25		2
3										·12		·73	3
4											·25	·76	4
5											·17	·33	5
6												·11	6
7											·18	·18	7
8												·18	8
9											·36		9
10											·24	·03	10
11											1·44	·20	11
12												·16	12
13												·37	13
14											1·46	·37	14
15											·57	·07	15
16													16
17												·73	17
18												·23	18
19												·15	19
20												·05	20
21													21
22										·18			22
23													23
24										·80			24
25										·36			25
26										·43	·50	·78	26
27										·22	·44	1·13	27
28										·16	·82		28
29											·20	·28	29
30		×									·26		30
31		×		×		×			×	·27	×		31
Total	4.47	3.10	5.32	1.32	2.45	2.70	3.82	2.76	3.12	2.66	7.14	7.35	YEAR'S TOTAL 46.21
Rain Days.										98	14	20	

Send copy of British Rainfall for year ending Decr 1914

Will remit value of same on receipt of work.

JWH

Also forward 12 copies of Form A.

Sent 30.III.15

W. 8,000. X. 14.

Another 30/4/15.

REGIST

Ex'd McC

FORM A.
BRITISH RAINFALL.

APR. 1915

Kept at Waterworks

in the County of Yorks

by Urban D. Council Barnoldswick

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Foulridge

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 832 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												·51	1
2										·12	·25		2
3										·12		·73	3
4											·25	·76	4
5											·17	·33	5
6												·11	6
7											·18	·18	7
8												·18	8
9											·36		9
10											·24	·03	10
11											1·44	·20	11
12												·16	12
13												·37	13
14											1·46	·37	14
15											·57	·07	15
16													16
17												·73	17
18												·23	18
19												·15	19
20												·05	20
21													21
22										·18			22
23													23
24										·80			24
25										·36			25
26										·43	·50	·78	26
27										·22	·44	1·13	27
28										·16	·82		28
29											·20	·28 ·28	29
30		×									·26		30
31		×		×		×			×	·27	×		31
Total	4·47	3·10	5·32	1·32	2·45	2·70	3·82	2·76	3·12	2,66	7·14	7·35	YEAR'S TOTAL 46·21
Rain Days.										98	14	20	

Send copy of British Rainfall for year ending Decr 1914

Will remit value of same on receipt of work.

Also forward 12 copies of Form A.

Sent 30.11.15

Ex 41Z

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JUN 1916

Kept at Barnoldswick Salterforth Pumping Station
in the County of Yorkshire
by Barnoldswick Urban District Council

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Foulridge
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 832 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.18	.74	.11	.	.70	.	.	.51	.	.	.02	.	1
2	.25	.54	.26	.23	.	.	.	.	.	.	.	.	2
3	.27	.	.29	.55	.	.	.30	.	.	.	.	.40	3
4	.03	.28	.	.	.	.	.60	.12	.	.	.	.35	4
5	.21	.14	.31	.	.	.	.	.10	.	.	.	.57	5
6	.49	.09	.13	.35	.	.	.40	.10	.	.	.	.35	6
7	.91	.61	.	.35	.	.	.43	.57	.	.	.	.40	7
8	.58	.20	.	.32	.	.	.	.	.	.	.36	.	8
9	.14	.09	.	.	.	.	.	.	.	.	1.08	.	9
10	.82	.	.02	.04	.	.	.	.	.	.10	.	.46	10
11	.17	.	.	.	.63	.	.40	.77	.	.03	.	.36	11
12	.10	.	.	.17	.09	.	.18	.	.	.28	.45	.	12
13	.60	.28	.	.	.	.	.	.	.	.	.	.42	13
14	.42	.	.	.09	.	.	.	.	.	.02	.	.	14
15	1.39	.	.	.	.	.	.	.	.	.	.35	.14	15
16	.	.11	.	.	.	.	.95	.87	.	.	.	.14	16
17	.	.38	.	.11	.15	.	.	.	.	.	.	.	17
18	.	.40	.	.	.	.	.	.	.	.	.	.	18
19	.	.25	.34	.06	.	.	.40	.	.	.	.	.	19
20	.46	.	.	.17	.	.	.30	.	.	.03	.	.	20
21	.29	.10	.	.	.	.	.	.	.	.	.	.	21
22	.	.	.13	.	.	.	.	.	.	.04	.	.29	22
23	.05	.	.	.	.	.	.27	.	.15	.03	.	.12	23
24	.	.	.06	.	.	.	.50	.	.	.	.	.39	24
25	.	.32	.	.	.	.	.	.	.75	.	.	.66	25
26	.	.	.	.	.	.48	.	.	.28	.	.	.22	26
27	.	.15	.	.	.	.06	.	.	.	.28	.	.	27
28	.	.24	.	.	.	.14	.	.33	.	.58	.	.65	28
29	.	.	.	.	.22	.	.	.	.	.	.10	.07	29
30	.	X	.	.	.	.13	.	.	.	.	.	.25	30
31	.48	X	.	X	.	X	.	.43	X	.05	X	.20	31
Total	7.84	4.92	1.65	2.54	1.79	.81	4.73	3.80	1.18	1.44	2.36	6.44	YEAR'S TOTAL 39.50
Rain Days.	19	17	9	11	5	4	11	9	3	10	6	19	123

W. 8,000. X. 14.

3409

REGISTER OF RAINFALL IN 19 16

FORM A. BRITISH RAINFALL.
30. JAN 1917

Kept at Barnoldswick W W Pumping Station

in the County of York W R

by Barnoldswick Urban D. Council

Lat. —— Long. ——

Time of Observation 9 am

Nearest Railway Station Foulridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 832 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·87	·07	·09			·17	·64				·08		1
2	·10		·03			·08			·25	·13	·09		2
3	·11	·28		·06		·12	·20		·96	·28	·23	·04	3
4	·20	·07			·52	1·12				·90	·21		4
5	·22	·27			·06	·32				1·75	·56		5
6	1·14	·66	SNOW ·05		·36	·01	·21			·34	·23	·05	6
7	·13	·78	SNOW ·03		·35	·12	·36			·48	·10	·32	7
8		·16	SNOW ·10	·02	·03	·04	·04			·11	·56	·05	8
9	·05	·21	SNOW ·05		·64	·24	·88		·18		·28	·31	9
10	·25	·08		·25		·44	·11			1·62	·10	SNOW ·05	10
11	·06	·51	·14	·65	·05	·02	·18		·16	·09	·02	·08	11
12	·27	·19	SNOW ·23	·20	·36		·80	·06		·27	·03		12
13		·10	·20	·19				·42		1·18		SNOW ·11	13
14	·13	·15		·15	·66			·55	·07	·30			14
15	·13	·91	·34	·07				·16	·03	·05			15
16	·05	·55	·69	·58			·25	·57	·02	·04			16
17	·24	·39		·85			·15		·80	·30	SNOW ·03		17
18		·80		·09				·52	·36	·23	·28	SNOW ·21	18
19	·43		·23	·31				·38			·15		19
20	·67		·10	·16							·06	·04	20
21	1·07			·05	·06						·02		21
22		SNOW. ·05		·03	·01	·08				·16	·10		22
23	·18	SNOW ·03	SNOW ·11	·18						·03	·17	·38	23
24		SNOW ·04	SNOW ·04	·06		·43		·22		·05			24
25	·17	SNOW ·03	SNOW ·28		·13	·03		·49		·06	·36	·15	25
26	·19	SNOW ·05	SNOW ·34			·03		·02		·08	·04		26
27		SNOW ·12						·11		·42			27
28	·05	·07	·04			·04				·94	·16	·98	28
29	·06	·19				·23				·35	·06	·54	29
30	·07		·02			·02	·02			1·29	·05	·41	30
31					·16			·09		·40		·48	31
Total	6·84	6·76	3·11	3·90	3·39	3·54	3·04	3·59	2·83	11·85	3·97	4·20	YEAR'S TOTAL 56·02
Rain Days.	24	25	19	17	13	18	12	12	9	26	24	16	215

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Pumping Station Salterforth

in the County of York

by Barnoldswick U. D. Council

Lat. —— Long. ——

Time of Observation 9 a.m.

Nearest Railway Station Foulridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

„ „ „ „ Sea Level 832 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13			SNOW		·66			·30		·45		1
2	1·08			SNOW ·40		·15			·01	·13	·04		2
3	·31	SNOW ·09				·50				·53	·14		3
4	·05	SNOW ·04	SNOW ·05					·03		·21			4
5	·35		SNOW ·09						·01	·10	·49	·20	5
6	·07			SNOW ·05		·41			·02	·53	·39	·25	6
7	SNOW ·40					·14				·59	·14	·10	7
8	·27			·50				·42	·10	1·19	·34	SNOW ·10	8
9				SNOW ·20				·34		·10	·68		9
10	SNOW ·35	✱ ·11	·42	SNOW ·21				·06					10
11	·07	SNOW ·02			·20			·10		·25			11
12	SNOW ·03		·02		·27	·10		·51	·05	·93		·25	12
13				·42				·10	·73	·04		·48	13
14	SNOW ·10			·35				·50				·32	14
15	SNOW ·10			SNOW ·04			·65	·15	·45	·11		SNOW ·12	15
16	SNOW ·04			SNOW ·48				·45	·02		·04	SNOW ·20	16
17			·26	·20	·35		·20	·79	·45	·21			17
18	·07	·34	·13		·06		·90	·20	·40	·05			18
19	·05	·44	·42	·04	·21	·15		·05			·08	·10	19
20	·06				·20	·30			·25		·26		20
21			SNOW ·05		·12			·38	·07	·01			21
22			SNOW ·06					·37	·25	·40	·10		22
23		·10			·10	·65	·03	·23	·17	·12	·14	·28	23
24						·10	·01	·54		1·30	·85		24
25		·09	·06					·09	·02	·48			25
26						·18		·55	·20	·54	·98		26
27					·26	20	·63	·15		·20	·39	·08	27
28		·05	·47					·40		·15	·29		28
29		✕	·04				·10	·10		·48	·40	·07	29
30		✕	·24					·01		·28	·27	·01	30
31	SNOW ·02	✕	SNOW ·15	✕	·04	✕		·55	✕	·01	✕	·02	31
Total	3·55	1·28	2·46	2·89	1·81	3·54	2·52	7·07	3·50	8·94	6·47	2·58	YEAR'S TOTAL 46·61
Rain Days.	18	9	14	12	10	12	7	24	17	25	19	15	182

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

W. 500, VIII. 16.

Price 2d.

237

FORM A.
BRITISH RAINFALL.

9.5.19

REGISTER OF RAINFALL IN 1918

Kept at PUMPING STATION SALTERFORTH

in the County of YORK

by BARNOLDSWICK U. D. COUNCIL

Lat. —— Long. ——

Time of Observation 9 A. M.

Nearest Railway Station FOULRIDGE

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 832 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·34	SNOW ·04	·05	·01				·53	·11		·19	1
2		·20	SNOW ·05	·04					·31	·21	·02	·90	2
3		·02			·45			·02	·02	·58			3
4		·06	·06					·12	·58	·32	·40		4
5	·05			·32	·10	·01		·90	·02	·75	·10		5
6	·04	1·70		·62		·26		·15		·15			6
7		·63		·15				·04	·51	·60	·10	·21	7
8		·38	SNOW ·08			·25	·22	·10	·56	·31	·11	·08	8
9	·52	·82		·14			·08		1·40	·65	·17	·16	9
10	·04	2·03	·06				·35		·18	·10	·75	·05	10
11	·58	·23	·07		·09		·27		·35			·35	11
12	·03	·61					·05	·04	·15	·05		·30	12
13	·04	·02			·21	·07	·19		·35	·30		·43	13
14	·56			·03		·20			·65	·20		·32	14
15				·01		·42	·65		1·80			·72	15
16	·03				·01		·48	·31	·65	·04		·32	16
17	·05					·10	·27	·05	·09	·40		·15	17
18	1·10		·20	·02		·12	·19	·21	·41	·14			18
19	·38			·09			·31	·30	·58			·21	19
20	·09			·04			·26	·04	·33	·06		·70	20
21	·21	·75			·01	·36			·88			·10	21
22	·13	·29			·35	·10	·28	·10	·57			·45	22
23	·19	·03			·13		·33		·12	·03		·60	23
24	·11	·43					·35	·05	·28				24
25	·01	·13			·07	·58	·25	·55	·54				25
26		·45					·02	·04	·87	·11	·35	·31	26
27			·52			·10		·56	·69	·12	·19		27
28			·40					·25	·12		·10		28
29								·05	·25			·80	29
30			·31					·21		·07	·16		30
31			·25					·53				·30	31
													YEAR'S TOTAL
Total	4·19	9·12	2·04	1·51	1·43	2·57	4·55	4·62	13·79	5·30	2·45	7·65	59·22
Rain Days.	19	18	11	11	10	12	17	21	28	21	11	21	200

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3091

FORM A.
BRITISH RAINFALL.

20 FEB 20

REGISTER OF RAINFALL IN 1919

Kept at PUMPING STATION SALTERFORTH
in the County of YORK
by BARNOLDSWICK U. D. COUNCIL

Lat. —— Long. ——
Time of Observation 9 A.M.
Nearest Railway Station FOULRIDGE
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 832 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·11	·70		·30	·03	·54	·45	·05	·04	1
2	1·16		·04		·22		·12	·06	·18		·02	·17	2
3	·30		·15	·12	·32	·05	·33		·04		·08	·43	3
4	SNOW ·20					·09	·37	·13			·07	·14	4
5	·45		SNOW ·35		·52						·02	·57	5
6	·16		·76	·03	·25							·18	6
7	·06		·46		·04				·04		·08		7
8					·03	·05							8
9	·13		·16			·04					·01		9
10	·50		1·51		·47							·18	10
11				·05	·10		·07					·03	11
12			SNOW ·89	·10	·02	·10	·16		·02		SNOW ·27	·02	12
13				·30			·04	·05		·48		·04	13
14	·45			·45				·13			·02		14
15	·37	·02						·10				·38	15
16	·37					·05					·15	·04	16
17	·24					·10		·23			·89	·05	17
18			SNOW ·19				·07	·28	·26		·04	·54	18
19		·18				·20	·06	·12	·05		·35	·04	19
20		·29	SNOW ·41			·16	·22	·11			·15	·65	20
21	·30	·28				·03	·14		·07		·06	·47	21
22						·16		·18	·70		·15	·57	22
23						·11		·02		·83	·14	·37	23
24						·04			·58	·45	·42	·65	24
25				·67		·09		·78	·32		·27		25
26	SNOW ·10		·98	·10		·05		·54	·28		·09	·71	26
27	SNOW ·20	·05	·05	·19				·02			·04	·15	27
28	SNOW ·10					·03		·74		·12		·52	28
29								·08		·28		·25	29
30	SNOW ·20			·06		·15		·03		·12	·15	·20	30
31			·09				·28			·01		·08	31
Total	5·29	0·82	6·04	2·18	2·67	1·50	2·16	3·63	3·08	2·74	3·82	7·47	YEAR'S TOTAL 41·10
Rain Days.	17	5	13	11	10	17	12	18	12	8	22	26	171

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

2976

FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at PUMPING STATION (SALTERFORTH)
in the County of YORK
by BARNOLDSWICK U. D. COUNCIL

Lat. —— Long. ——
Time of Observation 9. A.M.
Nearest Railway Station FOULRIDGE
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 832 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✕

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·04	·03	·15	·24	·01	·71	·06	·15	·02	·26	·02	1
2			·06	·10	·05		1·43	·02	·29	·11		·35	2
3	·02	·18	·04	·04	·15		·05	·61	·24	·25		·63	3
4			· · ·	·16			·23	1·03	·18	·51		·07	4
5			·04	·02	·64		·11	·13	·11	·35		·01	5
6			·34	·11	·50		·14		·09	·01	·04	·14	6
7	·42	·09	SNOW ·02	·22	·15		·39		·03		·03	·07	7
8	SNOW ·15	·04		·15	·24		·02	·20			·01		8
9	·32	1·27	·02	·27			·03	·21	·03		·07		9
10	1·25	·82	·12	·28			·38	·05				·04	10
11	·41	·12	·01	·06	·20	·18						SNOW ·01	11
12	·23	·58	·42	·27	·15	·05	·09				·17	SNOW ·07	12
13		·22	·07	·48	·08	·48	·20				·28	SNOW ·17	13
14	·25	·08	SNOW ·06	·19		·76	·08		·36	·05	1·20	SNOW ·07	14
15	·05	·22		·46			·03		·01	·37	·15		15
16			·22	·11			·94		·25		·38		16
17	·14		·04		·19		·01	·32	·26	·01	·03		17
18	·41		·03	·10	·66	·04		·04	·28				18
19	·18	·46	·01	·11	·93		·07	·22	·01				19
20	·08		·01	·18		·16	·17		·13			·09	20
21							·68	·03	·03			·15	21
22	·19			·39		·04	·34	·12				·11	22
23			·02				·43					·06	23
24			·65	·30			·28					·60	24
25		·15	·12	·06		·02	·71						25
26	·11	·15	·45	·27	·13		·24				·03		26
27	·08	·04	·03	·31	·40	·71						·13	27
28	SNOW ·14	·04	·31	·23		·11	·04				·15	·30	28
29	·14	·03	·22	·17	·80	·05	·25				·24	·84	29
30	·37	✕	·06	· · ·	·23	·04			·10		·17	·06	30
31	·38	✕	·05	✕	·09	✕	·01		✕	·22	✕	·32	31
TOTAL	5·32	4·53	3·45	5·19	5·83	2·65	8·06	3·04	2·55	1·90	3·21	4·31	YEAR'S TOTAL 50·04
Days with ·01 in. or more	20	17	26	26	18	13	27	13	17	10	15	22	224
·04	19	16	17	25	18	11	22	11	12	9	11	19	188

(44,283). Wt.21,958—2/18. 7500. 10/19. Gp.132. A.&E.W.

SAXTON — VICARAGE
YORKSHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

1

Kept at Sax 5 in.

e Ground 2 ft. — in.

in the County of Sea Level 95 ft.

by Rev. Name Church Fenton

Distance 2½ m. Direction E S E

IMPORTANT the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	0·01	0·04	—	—	0·01	0·01	1
2	0·25	—	—	—	0·18	—	0·04	—	—	—	—	0·06	2
3	0·01	—	—	0·02	0·11	—	—	—	0·01	0·05	0·03	—	3
4	—	—	0·09	0·06	—	—	—	0·07	0·20	0·13	0·22	0·06	4
5	0·10	—	0·01	0·03	—	—	—	0·40	—	0·18	0·15	—	5
6	0·11	—	0·02	0·04	—	—	—	0·24	—	0·02	0·20	0·20	6
7	0·01	—	0·01	—	—	—	—	—	—	—	0·05	—	7
8	0·03	—	0·13	—	—	—	0·02	—	0·05	—	0·01	0·31	8
9	—	—	—	0·02	—	0·08	—	—	—	—	0·03	0·02	9
10	—	0·02	—	—	—	—	—	0·01	—	—	0·01	0·30	10
11	0·11	—	—	—	0·04	—	—	0·02	0·03	—	0·39	0·02	11
12	0·27	—	0·03	—	0·13	0·06	—	—	0·74	—	0·14	0·01	12
13	—	—	0·18	—	0·13	0·04	—	—	—	—	0·02	0·59	13
14	—	0·24	0·03	—	0·34	—	0·01	—	—	—	0·02	0·59	14
15	—	0·07	0·10	0·03	—	—	—	—	—	0·05	—	0·15	15
16	—	0·05	0·05	—	—	0·06	0·06	—	—	0·04	0·09	0·13	16
17	—	—	0·03	—	—	0·14	0·03	—	—	—	0·19	0·12	17
18	—	0·10	0·05	—	—	0·41	—	—	—	—	0·17	0·04	18
19	—	—	—	—	—	0·34	—	—	0·10	0·11	0·45	0·03	19
20	—	0·10	—	0·21	—	—	0·09	0·67	0·12	0·01	0·01	0·17	20
21	—	0·19	—	—	—	—	—	0·15	0·02	0·30	0·16	0·01	21
22	0·02	0·04	—	—	—	0·02	—	0·02	—	0·65	0·03	—	22
23	—	0·15	—	—	—	0·68	—	0·01	0·27	[illegible]	0·01	0·28	23
24	0·06	0·04	0·03	0·01	—	1·67	—	0·02	—	0·11	—	0·15	24
25	0·01	0·17	—	0·16	—	0·23	0·10	—	0·60	—	0·02	0·15	25
26	—	—	—	0·02	0·13	—	0·15	0·01	—	0·44	0·25	0·28	26
27	—	0·10	0·08	0·04	—	—	—	0·38	0·14	—	0·01	0·01	27
28	—	0·04	0·03	0·26	—	—	0·01	—	0·11	—	0·05	0·16	28
29	—		—	0·05	—	0·09	0·02	—	0·43	0·29	0·01	0·04	29
30	—		—	—	0·09	0·13	—	—	0·03	0·11	0·04	—	30
31	—		0·01		—		—	—	—	0·15	—	0·02	31
Total	0·98	1·31	0·88	0·95	1·15 1·15	3·95	0·54	2·04	2·85	2·64	2·77	3·91	23·97 TOTAL for year 23·99
No. of Rain Days	11	13	15 16	13	8	13	11	13	14	15	27	26	~~179~~ 160

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Sax

in the County of York WR 10

by Rev. C. Ash

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 2 ft. — in.
" " " Sea Level 95 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Church Fenton
Distance 2½ m. Direction ESE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	—	—	—	0.01	0.04	—	—	0.01	0.01	1
2	0.25	—	—	—	0.18	—	0.04	—	—	—	—	0.06	2
3	0.01	—	—	0.02	0.11	—	—	—	0.01	0.05	0.03	—	3
4	—	—	0.09	0.06	—	—	—	0.07	0.20	0.13	0.22	0.06	4
5	0.10	—	0.01	0.03	—	—	—	0.40	—	0.18	0.15	—	5
6	0.11	—	0.02	0.04	—	—	—	0.24	—	0.02	0.20	0.20	6
7	0.01	—	0.01	—	—	—	—	—	—	—	0.05	—	7
8	0.03	—	0.13	—	—	—	0.02	—	0.05	—	0.01	0.31	8
9	—	—	—	0.02	—	0.08	—	—	—	—	0.03	0.02	9
10	—	0.02	—	—	—	—	—	0.01	—	—	0.01	0.30	10
11	0.11	—	—	—	0.04	—	—	0.02	0.03	—	0.39	0.02	11
12	0.27	—	0.03	—	0.13	0.06	—	—	0.74	—	0.14	0.01	12
13	—	—	0.18	—	0.13	0.04	—	—	—	—	0.02	0.59	13
14	—	0.24	0.03	—	0.34	—	0.01	—	—	—	0.02	0.59	14
15	—	0.07	0.10	0.03	—	—	—	—	—	0.05	—	0.15	15
16	—	0.05	0.05	—	—	0.06	0.06	—	—	0.04	0.09	0.13	16
17	—	—	0.03	—	—	0.14	0.03	—	—	—	0.19	0.12	17
18	—	0.10	0.05	—	—	0.41	—	—	—	—	0.17	0.04	18
19	—	—	—	—	—	0.34	—	—	0.10	0.11	0.45	0.03	19
20	—	0.10	—	0.21	—	—	0.09	0.67	0.12	0.01	0.01	0.17	20
21	—	0.19	—	—	—	—	—	0.15	0.02	0.30	0.16	0.01	21
22	0.02	0.04	—	—	—	0.02	—	0.02	—	0.65	0.03	—	22
23	—	0.15	—	—	—	0.68	—	0.01	0.27	[illegible]	0.01	0.28	23
24	0.06	0.04	0.03	0.01	—	1.67	—	0.02	—	0.11	—	0.15	24
25	0.01	0.17	—	0.16	—	0.23	0.10	—	0.60	—	0.02	0.15	25
26	—	—	—	0.02	0.13	—	0.15	0.01	—	0.44	0.25	0.28	26
27	—	0.10	0.08	0.04	—	—	—	0.38	0.14	—	0.01	0.01	27
28	—	0.04	0.03	0.26	—	—	0.01	—	0.11	—	0.05	0.16	28
29	—		—	0.05	—	0.09	0.02	—	0.43	0.29	0.01	0.04	29
30	—		—	—	0.09	0.13	—	—	0.03	0.11	0.04	—	30
31	—		0.01		—		—	—		0.15		0.02	31
Total	0.98	1.31	0.88	0.95	1.15 1.15	3.95	0.54	2.04	2.85	2.64	2.77	3.91	23.97 TOTAL for year 23.99
No. of Rain Days	11	13	15 16	13	8	13	11	13	14	15	27	26	~~179~~ 180

9,000, IX. '10.

1

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 6 JAN 1913

Kept at Saxton

in the County of York W.10

by Rev. C. Ash

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 95 ft.

Time of Observation 9. am

Nearest Railway Station
Name Church Fenton
Distance 2½ Direction E.S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.19	0.11	—	—	0.42	0.62	0.01	0.14	0.03	—	0.22	1
2	0.03	—	0.04	0.01	—	0.30	0.44	—	0.01	0.01	—	0.01	2
3	0.09	0.06	—	—	0.02	0.58	—	0.47	0.15	—	—	0.05	3
4	0.19	—	0.33	0.01	0.06	0.52	—	0.23	—	—	0.28	—	4
5	0.04	0.02	—	—	0.20	0.52	—	0.01	—	—	0.02	—	5
6	0.73	0.13	—	—	0.02	—	—	0.46	—	—	—	—	6
7	—	0.02	0.04	—	0.02	0.03	—	0.22	0.08	—	0.02	0.01	7
8	0.37	0.15	0.07	—	—	—	0.01	—	0.23	—	0.03	—	8
9	0.03	0.06	0.23	0.06	—	0.10	—		—	—	0.02	0.01	9
10	0.09	0.01	0.02	—	0.02	0.14	—	0.15	—	—	0.24	—	10
11	0.18	0.06	—	—	—	---	—	—	—	—	0.18	0.46	11
12	0.10	0.19	0.11	—	—	0.18	0.37	—	—	—	0.17	—	12
13	0.01	0.04	—	—	—	0.01	—	0.04	—	0.08	0.21	—	13
14	0.14	—	0.51	—	—	0.12	—	—	—	0.01	—	0.03	14
15	0.06	0.04	0.14	—	0.73	0.21	—	—	—	—	—	0.05	15
16	0.81	—	0.21	—	0.07	0.06	—	—	—	0.06	—	0.04	16
17	0.05	0.01	0.20	—	—	0.19	0.05	0.22	—	—	0.03	0.27	17
18	0.25	0.01	0.01	—	—	—	—	0.13	—	0.03	—	—	18
19	0.31	0.17	0.04	—	—	—	0.28	0.19	—	0.04	0.02	—	19
20	0.19	—	0.03	—	0.27	0.04	0.62	0.02	—	0.16	—	— ~~[illegible]~~	20
21	—	0.01	0.31	—	0.29	—	0.02	—	—	—	0.01	0.02	21
22	0.05	0.16	0.01	—	1.13	0.42	0.03	0.36	—	—	—	0.03	22
23	0.01	0.01	0.13	—	0.03	0.11	0.32	0.22	—	—	0.08	—	23
24	0.34	—	0.01	—	—	0.04	0.09	0.15	—	—	—	0.11	24
25	—	—	0.01	—	—	0.65	—	0.13	—	—	0.18	0.13	25
26	0.02	0.08	0.04	—	—	—	—	0.99	—	0.99	0.10	0.21	26
27	—	—	0.01	—	0.06	0.22	0.21	0.01	—	0.50	0.03	0.12	27
28	—	—	—	—	0.07	0.02	0.26	0.49	—	0.18	0.44	—	28
29	—	0.01	0.09	—	0.01	0.23	0.18	0.02	0.63	0.04	0.09	0.19	29
30	0.05	|	0.13	—	0.43	0.01	0.04	—	0.10	0.05	—	—	30
31	—	|	0.02	|	0.09	|	0.70	0.22	|	—	|	—	31
Total	4.15	1.43	2.85	0.08	3.52	5.12	4.24	4.74	1.34	2.18	2.15	1.96	TOTAL for year 33.76
No. of Rain Days	24	20	25	3	17	23	16	21.	7	13	18	17	204

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1914

REGISTER OF RAINFALL IN 1913

~~W ½ DD~~

Kept at Saxton

in the County of York W 10

by Rev. C. Ash

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. — in.
" " " Sea Level 95 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Church Fenton
Distance 2½ Direction ESE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.01	0.13	0.16	—	—	—	—	—	0.01	0.02	—	1
2	0.01	0.04	0.08	—	—	0.05	—	—	—	—	0.06	0.05	2
3	0.06	0.02	0.03	—	0.28	—	0.10	—	0.02	0.63	—	0.31	3
4	0.44	0.03	0.04	—	—	0.01	0.05	—	0.03	0.03	0.19	0.30	4
5	0.04	0.02	0.07	—	—	0.19	—	—	0.03	0.13	—	—	5
6	0.01	0.16	0.04	—	0.45	0.03	0.35	—	—	0.15	—	—	6
7	—	0.12	—	—	0.08	0.13	—	—	—	0.57	—	—	7
8	—	0.01	0.02	—	0.30	0.03	—	0.03	0.01	0.04	0.12	—	8
9	—	0.11	—	0.02	0.04	0.04	—	0.16	—	—	0.10	0.01	9
10	—	0.02	0.01	0.02	0.04	—	0.02	—	—	0.02	0.26	—	10
11	1.26	0.02	—	0.55	—	—	—	—	—	0.02	0.11	—	11
12	—	0.02	—	~~0.04~~	—	0.04	—	—	0.02	—	0.09	—	12
13	0.05	—	0.01	0.04	—	—	—	0.07	0.08	0.01	0.10	—	13
14	0.04	0.04	0.17	0.04	—	—	—	—	—	0.13	0.03	0.02	14
15	0.09	0.02	0.31	0.47	—	—	—	—	0.01	-	0.42	—	15
16	—	—	0.05	0.01	—	—	—	—	—	—	0.05	—	16
17	—	0.01	0.15	0.04	—	0.33	—	—	0.63	—	0.05	—	17
18	0.05	—	0.19	0.09	—	0.01	0.01	—	—	—	0.16	0.02	18
19	0.10	—	0.04	0.04	—	0.01	—	—	—	0.01	—	—	19
20	0.08	—	0.02	0.09	—	—	—	—	0.05	0.04	0.09	—	20
21	0.02	—	0.05	—	0.09	—	0.12	0.09	—	—	0.08	—	21
22	0.13	—	0.32	—	—	0.01	—	0.32	0.09	—	—	—	22
23	0.03	—	0.01	—	0.03	0.04	—	0.10	0.11	0.02	0.01	—	23
24	0.11	—	—	0.07	—	0.13	—	0.02	—	—	—	—	24
25	—	—	—	0.02	—	—	—	—	0.08	—	0.01	0.04	25
26	—	—	0.09	0.04	—	0.03	—	—	0.02	0.24	0.09	0.30	26
27	—	—	0.01	0.30	—	0.09	—	—	—	—	0.05	0.10	27
28	0.41	—	0.20	0.43	—	—	—	—	—	—	—	0.09	28
29	0.03	|	0.26	0.46	0.10	—	—	0.17	—	—	0.02	0.48	29
30	0.30	|	—	—	—	—	—	—	—	0.37	—	0.03	30
31	0.08	|	—	|	0.12	|	—	—	|	—	|	—	31
Total	3.34	0.65	2.30	2.89	1.53	1.17	0.65	0.96	1.18	2.42	2.11	1.75	TOTAL for year 20.95
No. of Rain Days.	20	15	23	18	10	16	6	8	13	16	21	12	178

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
2 - JAN 1915

Kept at Saxton
in the County of Yorks W.R. 10
by Rev. C. Ash

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Church Fenton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	–	–	0.01	–	–	–	1.50	0.13	–	0.01	0.01	0.24	1
2	–	–	–	–	–	–	0.49	0.19	–	0.02	0.22	0.08	2
3	–	–	0.01	–	0.21	–	–	0.01	–	–	0.06	0.41	3
4	0.09	–	0.04	0.18	0.05	–	–	–	–	–	0.23	0.48	4
5	0.09	–	0.20	0.20	0.03	0.02	–	0.02	–	–	0.18	0.20	5
6	–	0.03	–	0.12	0.16	–	0.06	0.04	–	–	0.07	0.02	6
7	–	–	0.25	0.01	0.04	0.14	–	0.02	–	–	0.09	0.12	7
8	0.10	–	0.03	–	0.05	0.35	0.05	0.06	0.01	–	–	0.01	8
9	0.33	0.03	–	0.17	–	0.73	–	0.04	0.02	–		0.02	9
10	0.18	0.02	0.01	–	–	–	–	–	0.05	–	0.11	–	10
11	–	0.32	0.23	0.02	0.02	–	–	–	0.01	–	0.29	0.27	11
12	–	–	0.05	–	–	–	–	–	0.48	–	0.01	0.25	12
13	–	0.12	0.25	–	–	–	–	–	0.01	0.01	0.14	0.18	13
14	0.02	0.02	0.03	–	–	–	0.04	–	0.02	0.07	0.30	0.41	14
15	0.01	0.01	0.10	–	–	–	–	–	–	0.05	0.10	0.02	15
16	–	–	0.01	–	–	–	0.44	–	0.35	–	–	–	16
17	0.03	0.11	0.03	–	–	–	–	–	0.44	–	–	0.21	17
18	–	–	0.04	–	–	0.01	–	–	–	–	–	0.19	18
19	–	–	–	–	–	–	0.07	–	–	–	0.03	0.10	19
20	–	0.14	0.07	–	–	–	–	0.03	–	–	–	–	20
21	–	0.32	–	–	–	0.28	–	0.36	–	0.04	0.02	0.20	21
22	–	–	–	–	0.35	0.10	0.02	0.05	–	0.03	–	0.07	22
23	–	–	0.04	–	0.39	0.06	–	–	–	–	–	0.06	23
24	–	–	0.34	–	0.49	–	–	0.20	–	–	0.18	–	24
25	–	–	0.01	–	–	–	–	0.20	–	0.65	0.05	0.58	25
26	–	–	0.13	–	–	–	0.03	0.08	–	0.26	0.19	0.19	26
27	0.03	–	–	–	–	–	–	–	–	0.04	0.11	0.80	27
28	0.02	0.03	–	–	–	–	–	–	–	0.10	0.10	0.08	28
29	–		0.20	–	–	–	–	–	–	0.34	0.05	–	29
30	–		0.04	–	–	–	–	–	–	0.06	0.03	0.05	30
31	0.05		0.05		0.02		0.42	–		0.13		–	31
Total	0.95	1.15	2.17	0.70	1.81	1.69	3.12	1.43	1.39	1.81	2.57	5.24	YEAR'S TOTAL 24.03
Rain Days.	11	11	23	6	10	8	9	14	9	14	22	25	164

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Saxton

in the County of York W

by Rev. C. Ash

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Church Fenton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.10	0.35	–	–	0.15	–	–	0.14	0.48	–	0.01	0.07	1
2	–	0.15	0.16	0.17	–	0.05	0.13	0.15	–	–	–	–	2
3	0.85	–	0.01	0.12	–	–	0.12	0.06	–	–	0.01	0.62	3
4	0.20	0.02	–	–	–	–	0.54	–	–	–	–	0.93	4
5	0.12	0.27	0.02	–	–	–	–	0.02	–	–	–	0.76	5
6	0.04	0.23	0.12	0.18	–	–	0.38	–	–	–	–	0.16	6
7	0.34	0.25	0.07	0.10	–	–	0.04	0.38	–	–	–	0.11	7
8	0.07	0.03	–	0.06	–	–	0.06	0.02	–	–	0.03	–	8
9	–	–	–	–	–	–	0.01	0.06	–	0.10	0.04	0.54	9
10	0.30	–	0.12	–	–	–	–	0.02	–	0.05	–	0.08	10
11	0.04	–	0.02	0.01	0.62	–	–	0.01	–	–	0.14	0.18	11
12	0.06	–	–	0.27	0.10	–	0.10	0.01	–	0.08	0.89	–	12
13	–	0.34	–	–	–	–	–	–	–	–	–	–	13
14	0.01	0.01	–	–	0.10	–	0.05	0.18	–	–	–	0.12	14
15	0.32	–	–	–	–	–	–	0.12	–	0.05	0.35	0.10	15
16	–	0.22	–	–	0.08	–	1.15	0.05	–	–	–	0.01	16
17	–	0.11	–	–	–	–	0.13	–	–	–	–	0.03	17
18	–	0.13	0.23	–	–	–	–	–	–	–	0.02	–	18
19	–	–	–	–	–	–	–	–	–	–	–	–	19
20	0.01	–	–	–	–	–	–	–	–	0.05	–	0.45	20
21	0.05	–	–	0.05	–	–	0.07	0.02	–	–	–	0.14	21
22	–	–	0.10	–	–	–	0.04	–	–	–	–	0.07	22
23	0.05	0.09	0.05	–	–	–	0.02	–	–	0.06	–	0.05	23
24	–	–	0.08	0.05	–	–	–	–	0.02	0.02	–	0.17	24
5	–	–	–	–	–	–	–	–	0.66	0.03	–	0.11	25
6	0.02	0.15	–	–	–	0.06	0.10	–	–	–	0.01	0.62	26
27	0.02	0.08	–	–	–	0.37	0.29	–	–	0.52	–	0.04	27
28	–	0.12	–	–	–	0.02	–	0.37	–	0.09	–	0.01	28
29	0.01	×	–	–	0.21	0.07	–	–	–	–	0.19	0.65	29
30	0.07	×	–	0.05	–	0.04	–	0.03	–	0.01	0.01	0.01	30
31	0.08	×	–	×	–	×	–	0.29	×	0.01	×	0.20	31
tal	2.76	2.55	0.98	1.06	1.26	0.61	3.23	1.93	1.16	1.07	1.70	6.23	YEAR'S TOTAL 24.54
in ys.	20	16	11	10	6	6	16	17	3	12	11	25	153

8,000. X. 14.

C 52

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Saxton
in the County of York W R
by Rev. C. Ash

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Church Fenton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·11	–	0·18	–	–	0·18	0·17	–	–	–	0·21	–	1
2	0·05	0·05	0·27	–	–	–	–	–	0·21	0·10	–	–	2
3	–	0·10	0·02	0·10	–	–	–	0·03	0·63	0·26	0·06	–	3
4	0·02	0·25	–	–	0·70	0·42	–	–	0·20	0·26	0·36	–	4
5	0·01	0·01	0·03	–	0·06	0·10	–	–	–	0·35	0·18	–	5
6	0·02	0·23	0·08	0·05	0·30	–	0·13	–	–	0·04	0·25	–	6
7	–	0·07	0·03	–	0·16	–	0·29	–	–	0·17	0·02	0·31	7
8	–	0·04	0·11	–	–	–	–	–	–	0·01	0·02	0·08	8
9	0·01	–	0·04	–	0·46	0·13	–	–	0·16	–	0·07	0·18	9
10	–	–	0·01	–	–	0·20	0·01	–	0·02	0·07	0·02	0·05	10
11	0·01	0·57	0·40	0·09	0·03	0·08	0·02	–	0·02	0·17	–	0·08	11
12	0·02	–	0·43	–	0·30	–	0·49	0·11	–	0·01	–	–	12
13	–	0·10	0·21	–	0·03	–	0·27	0·36	–	0·73	–	0·06	13
14	–	0·04	0·03	0·01	0·09	–	–	0·41	–	0·03	0·01	0·06	14
15	–	0·19	0·71	–	–	–	0·06	0·57	0·01	–	–	–	15
16	–	0·12	0·14	0·05	–	–	0·03	0·06	–	0·05	–	–	16
17	0·04	0·02	0·01	0·16	–	–	0·05	–	0·09	0·15	0·01	–	17
18	–	0·28	–	0·13	–	–	–	0·10	0·12	0·06	0·65	0·07	18
19	0·09	0·01	0·25	0·24	–	–	–	0·03	0·02	–	0·34	0·17	19
20	0·12	–	0·35	0·01	–	–	0·06	0·23		–	0·02	–	20
21	0·15	–	0·01	0·09	0·29	–	0·15	–		–	–	0·05	21
22	–	0·03	0·02	0·01	–	0·11	–	–		0·11	0·01	0·04	22
23	–	–	0·06	0·04	–	0·01	–	0·02		–	0·06	0·30	23
24	–	0·04	–	0·03	–	0·02	–	0·21		0·01	–	0·14	24
25	–	0·41	0·12	–	0·03	–	–	0·17		0·10	0·05	0·04	25
26	0·01	0·04	0·06	–	–	–	–	–		0·06	–	–	26
27	–	0·28	–	–	–	–	–	–		0·16	–	–	27
28	–	0·24	–	–	0·08	0·02	–	–		0·07	–	0·06	28
29	0·01	0·20	–	–	–	0·12	–	–		0·23	–	0·22	29
30	–	✕	–	–	–	–	–	–		0·06	–	–	30
31	–	✕	–	✕	–	✕	–	–	✕	0·08	✕	–	31
Total	0·67	3·32	3·57	1·01	2·53	1·39	1·73	2·30	1·48	3·34	2·34	1·91	YEAR'S TOTAL 25·59
Rain Days.	14	22	23	13	12	11	12	12	10	25	17	16	187

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
-2 JAN 1918

Kept at Saxton
in the County of York
by Rev. C. Ash

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Church Fenton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	0.25	–	–	–	0.10	0.19	–	0.20	0.06	1
2	0.07	–	–	0.05	–	0.03	–	0.07	0.03	–	0.01	–	2
3	–	0.04	–	0.10	–	0.08	–	0.08	–	0.04	0.01	–	3
4	–	–	0.07	–	–	–	–	–	–	0.15	0.02	–	4
5	0.29	–	0.08	0.23	–	–	–	0.04	–	0.06	0.05	0.01	5
6	–	–	–	–	–	0.06	–	–	0.02	0.35	0.20	–	6
7	0.55	–	–	0.02	–	0.04	–	0.16	–	0.27	0.07	0.01	7
8	0.33	–	–	0.10	–	–	–	1.29	0.02	0.40	0.13	–	8
9	0.22	–	0.03	0.06	–	–	–	0.08	–	0.02	0.20	–	9
10	0.22	–	0.57	0.20	0.09	–	–	0.09	–	0.01	0.02	–	10
11	0.04	–	–	0.34	–	–	–	0.04	–	0.37	–	–	11
12	0.10	–	–	0.04	0.21	–	–	0.06	–	0.31	–	0.02	12
13	0.20	–	–	0.04	0.45	–	–	0.21	0.13	0.11	–	0.01	13
14	0.23	–	–	0.06	–	–	–	0.22	–	–	–	0.03	14
15	0.10	–	–	0.03	–	–	0.17	0.39	0.05	–	–	0.10	15
16	0.02	0.05	–	0.08	–	0.02	–	0.11	–	–	–	0.34	16
17	0.03	0.06	0.01	0.13	0.47	0.01	0.02	0.48	–	0.01	–	0.11	17
18	0.07	–	–	0.05	0.05	–	0.28	0.06	0.12	–	–	–	18
19	0.06	0.16	0.13	–	0.42	0.34	–	–	–	–	–	–	19
20	0.08	0.22	0.02	–	–	1.04	–	0.03	0.02	–	0.23	–	20
21	0.01	0.05	0.15	–	–	0.02	–	0.23	–	0.01	–	–	21
22	–	–	0.12	–	~~0.08~~	0.18	–	0.03	0.02	0.02	–	–	22
23	0.01	0.01	–	–	0.08	0.05	–	0.07	–	0.03	–	0.02	23
24	–	–	–	–	–	0.07	–	0.03	–	0.50	0.22	–	24
25	–	0.01	0.04	–	–	–	–	0.09	–	0.45	–	0.01	25
26	–	–	0.03	–	–	0.50	–	0.50	0.04	0.28	0.02	–	26
27	–	–	0.05	–	–	0.22	0.06	0.58	–	–	–	0.02	27
28	–	–	0.25	–	–	–	0.10	0.07	–	0.05	–	0.01	28
29	0.01		–	–	0.03	–	0.18	–	–	0.26	0.06	0.06	29
30	0.01		0.11	–	–	–	–	0.03	–	0.06	0.02	0.02	30
31	0.02		0.40		–		–	0.04		–		0.05	31
Total	2.67 ✓	0.60 ✓	2.06 ✓	1.78 ✓	1.80	2.66 ✓	0.81 ✓	5.18 ✓	0.64 ✓	~~3.16~~ 3.76	1.40 ✓	0.88 ✓	YEAR'S TOTAL 24.~~13~~ 24.24
Rain Days.	21 ✓	8 ✓	15 ✓	16 ✓	9 ✓	14 ✓	6 ✓	27 ✓	10 ✓	21 ✓	15 ✓	16 ✓	177 ✓

W.7,000, XI. 13

259

FORM A.
BRITISH RAINFALL.

15.1.19

REGISTER OF RAINFALL IN 1918

Kept at Saxton
in the County of York
by Rev. C. Ash

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Church Fenton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	0.10	–	0.02	0.02	–	–	–	0·11	0·08	0·22	0·02	1
2	–	0·29	–	0·05	–	0·02	–	–	0·13	0·01	–	0·30	2
3	–	0·06	0·02	–	0·43	–	–	0·27	–	0·01	0·20	0·04	3
4	–	0·01	0·06	–	0·15	–	–	0·25	0·47	–	0·24	0·50	4
5	–	–	0·05	0·11	0·34	–	–	0·66	–	0·12	–	0·01	5
6	0·04	0·46	–	0·25	–	0·26	–	0·03	–	0·07	–	0·03	6
7	0·23	0·03	–	0·04	–	0·03	–	0·01	0·34	0·08	0·11	–	7
8	–	0·03	0·04	0·04	–	–	0·17	0·02	0·12	0·07	0·03	0·01	8
9	0·01	0·40	–	0·17	–	0·11	–	–	1·03	0·24	0·01	0·04	9
10	0·02	0·03	–	–	–	–	0·10	–	0·13	–	0·07	0·02	10
11	0·17	0·04	0·01	–	0·26	–	0·07	0·01	0·04	–	–	0·05	11
12	–	0·10	0·04	0·01	0·02	–	0·21	–	0·02	0·01	–	0·05	12
13	–	–	–	0·05	0·27	–	–	–	0·14	0·10	–	–	13
14	0·09	–	–	0·02	–	–	0·13	–	0·54	0·04	–	0·16	14
15	0·10	–	–	–	0·01	0·03	0·30	–	1·23	–	–	0·55	15
16	–	–	0·01	–	–	0·02	0·12	0·02	0·23	0·07	–	0·10	16
17	0·29	–	–	–	0·03	0·06	0·42	0·02	0·01	0·21	–	0·21	17
18	0·34	–	0·03	–	–	0·02	0·30	–	0·36	–	–	0·16	18
19	0·23	–	0·06	0·07	–	0·01	0·24	0·06	0·18	0·12	–	0·82	19
20	0·06	0·46	–	–	–	0·07	0·07	–	0·11	0·06	–	–	20
21	0·12	0·05	–	–	0·70	0·02	–	–	0·25	0·25	–	–	21
22	0·07	–	–	–	–	0·07	0·08	–	0·10	–	–	0·33	22
23	0·08	–	–	0·01	0·38	–	0·12	–	0·01	–	–	–	23
24	–	0·01	–	–	–	–	0·19	–	0·08	0·07	0·10	–	24
25	–	–	–	–	–	0·27	0·03	0·23	0·05	–	~~0~~ –	–	25
26	–	–	–	–	–	–	0·21	0·01	0·29	0·02	0·12	0·04	26
27	–	0·05	0·07	–	–	0·05	0·01	0·34	0·40	–	0·13	0·09	27
28	–	0·10	0·26	–	–	–	–	–	0·02	–	0·06	0·56	28
29	–	✕	–	–	–	–	–	–	0·11	–	0·01	0·25	29
30	0·01	✕	0·33	–	–	–	–	–	0·02	–	0·05	0·10	30
31	–	✕	0·12	✕	–	✕	–	0·01	✕	–	✕	0·01	31
Total	1·88	2·22	1·04	0·84	2·61	1·04	2·77	1·94	6·52	1·57	1·35	4·45	YEAR'S TOTAL 28·23
Rain Days.	16	16	13	12	11	14	17	1~~3~~4	27	18	13	24	19~~5~~6

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL

JAN

REGISTER OF RAINFALL IN 1919

Kept at Saxton.
in the County of York
by Rev. C. Ash.

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Church Fenton 2½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.50	–	0.04	0.04	0.35	–	0.30	–	0.30	0.13	0.03	0.06	1
2	0.20	–	0.05	–	–	–	0.26	–	0.01	0.03	0.02	0.01	2
3	0.79	–	–	–	0.06	0.07	0.66	–	0.03	–	0.28	0.20	3
4	0.14	0.02	0.35	–	0.02	0.02	0.01	0.16	0.09	–	0.06	0.02	4
5	0.04	–	–	–	0.01	–	–	–	0.17	–	0.04	0.10	5
6	0.02	–	0.03	–	0.03	–	–	–	–	–	0.03	0.08	6
7	0.03	–	0.21	–	0.16	–	–	–	–	–	–	–	7
8	0.06	–	–	–	0.07	0.01	–	–	–	–	0.17	–	8
9	0.05	–	0.05	–	–	–	–	–	–	–	0.07	–	9
10	–	–	0.10	0.03	0.06	–	–	–	–	0.01	0.05	0.24	10
11	–	–	1.04	0.05	0.15	–	0.15	–	–	0.03	–	0.01	11
12	–	–	0.39	0.04	–	0.20	0.03	–	0.06	0.17	0.01	0.01	12
13	0.19	–	–	0.06	–	–	–	–	0.07	0.35	–	0.02	13
14	0.20	–	–	0.16	–	–	0.07	0.05	–	0.01	0.06	–	14
15	0.06	0.13	0.02	0.28	–	–	–	0.01	–	–	0.10	0.74	15
16	0.05	0.57	–	0.03	–	–	–	–	–	–	0.18	–	16
17	–	0.06	0.01	0.07	–	0.05	–	0.03	–	–	0.12	0.02	17
18	–	–	–	–	–	–	0.03	0.35	0.01	–	–	0.06	18
19	0.07	0.22	0.97	–	–	–	1.93	0.13	0.05	–	0.16	0.03	19
20	0.79	0.11	0.02	–	–	–	0.19	0.11	0.12	–	0.08	0.23	20
21	0.15	0.25	–	–	–	–	0.20	–	0.05	–	0.04	0.21	21
22	–	0.08	–	–	–	–	–	–	0.12	–	0.03	0.23	22
23	–	–	0.01	0.03	0.01	–	0.01	–	–	0.75	0.03	0.02	23
24	–	–	0.02	0.05	0.03	0.17	–	–	–	0.29	0.02	0.29	24
25	0.05	0.03	–	0.09	–	0.07	–	0.64	–	–	0.16	0.01	25
26	–	–	0.16	0.04	–	–	–	0.24	–	0.10	0.09	0.43	26
27	0.07	–	–	0.20	–	–	–	–	–	0.23	0.01	0.02	27
28	–	–	–	0.04	–	–	–	0.75	–	0.17	–	0.31	28
29	0.05	✕	–	0.02	–	0.04	–	0.01	–	0.70	–	(0.18)	29
30	–	✕	–	0.20	–	0.10	–	–	–	0.08	0.15	0.19	30
31	0.02	✕	0.01	✕	–	✕	0.02	–	✕	0.06	✕	–	31
Total	3.53	1.47	3.48	1.43	0.95	0.73	3.86	2.48	1.08	3.11	1.99	3.64	YEAR'S TOTAL 27.75
Rain Days.	20	9	17	17	11	9	12	11	12	15	24	25	180

W. 6,500. VII. 18. W W C

7958

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 18 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Saxton

in the County of York

by Rev. C. Ash

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Church Fenton 2½ miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	0.11	0.21	0.41	–	0.38	–	–	0.12	0.05	0.03	1
2	–	–	0.07	(0.10)	–	–	0.18	–	0.16	0.22	–	0.30	2
3	–	0.01	–	0.06	0.02	0.01	1.32	–	0.10	0.15	–	0.11	3
4	–	–	–	0.04	0.02	–	0.45	0.90	0.10	0.83	–	0.33	4
5	–	–	0.02	–	0.07	–	0.11	0.04	0.01	0.07	–	–	5
6	–	–	0.17	0.20	0.05	–	0.04	–	–	–	–	0.05	6
7	0.03	0.01	0.08	–	0.02	–	0.09	–	–	–	–	0.02	7
8	0.06	0.04	–	0.31	0.04	–	0.21	0.15	–	0.02	0.01	–	8
9	0.23	0.11	–	0.46	–	–	0.04	0.05	–	0.02	–	–	9
10	0.62	0.15	0.04	0.16	–	–	0.37	0.18	–	–	–	0.02	10
11	0.43	0.02	0.01	0.19	0.11	(0.06)	–	0.01	–	–	–	0.10	11
12	0.10	–	0.03	0.29	–	–	0.04	0.02	–	–	0.02	0.10	12
13	0.03	0.01	0.07	0.11	–	0.39	–	0.02	0.03	–	0.01	0.15	13
14	0.05	0.03	0.48	0.13	–	0.17	0.02	–	0.25	0.04	0.19	0.01	14
15	–	0.09	0.21	0.16	–	–	0.05	–	0.03	0.35	0.04	0.02	15
16	–	–	–	–	0.02	–	0.82	–	0.11	–	0.04	–	16
17	–	–	–	–	0.17	–	–	0.01	0.28	–	–	–	17
18	0.10	–	–	0.14	0.09	0.04	0.01	0.08	0.05	–	–	–	18
19	–	0.76	–	0.16	–	0.18	–	0.04	0.04	–	–	–	19
20	–	0.01	–	0.30	–	0.01	0.12	–	–	–	0.01	–	20
21	–	–	–	0.15	–	–	0.45	0.13	0.02	–	–	0.04	21
22	–	–	–	0.30	–	–	0.10	–	–	–	0.02	0.04	22
23	–	–	0.01	0.02	–	–	0.32	–	–	0.02	–	0.30	23
24	0.02	–	0.25	0.04	–	–	0.04	–	–	–	–	0.08	24
25	–	0.06	0.03	–	–	0.01	0.80	–	–	–	–	–	25
26	0.08	0.01	0.14	0.04	0.04	–	0.05	–	–	–	–	0.03	26
27	0.11	0.04	–	0.02	0.24	0.67	–	–	–	–	0.28	0.09	27
28	0.75	–	0.10	0.12	0.06	0.02	–	–	0.02	–	0.01	0.09	28
29	0.09	–	0.15	–	0.80	0.16	0.02	–	0.01	–	0.10	0.50	29
30	0.20		0.04	0.05	0.02	0.05	–	–	0.11	–	0.14	0.27	30
31	0.17		0.07		0.12		0.01	–		0.34		0.07	31
Total	3.07	1.35	2.08	3.76	2.30	1.77	6.04	1.63	1.32	2.18	0.92	2.75	Year's Total 29.17
Days with ·01 in. or more	16	14	19	24	17	12	24	12	15	11	13	22	199
.04	13	7	14	22	12	8	20	8	9	8	7	16	144

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3466

FORM A2. BRITISH RAINFALL.

REC

SCARBOROUGH

1911 -1~~4~~,16-1920

Kept at Scarbor

in the County of NR Y

by W. W.

den

in.

Ground 1 ft. — in.

Sea Level 105 ft.

am

Name N E R

Distance ¼ mile Direction N W

IMPORTANT NOTE the result entered to the previous day. If an Obse rsal rule, he is earnestly requested to add the readi ar in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in " sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.37	—	—	—	.01	—	.03	.14	—	.01	—	.01	1
2	.15	—	.02	—	—	—	.14	—	—	.01	—	.08	2
3	.04	.01	.02	.07	.08	—	—	.15	—	.18	.01	—	3
4	.01	—	.16	.08	.05	—	—	.18	.04	.14	.30	.21	4
5	.14	—	—	.01	.10	—	—	.29	—	.16	—	.01	5
6	.08	.03	.05	.05	—	—	—	.02	—	.08	.10	.33	6
7	—	—	—	—	—	—	—	—	—	—	.05	—	7
8	—	—	.08	—	—	.04	—	—	.04	—	.01	.19	8
9	—	—	—	.01	—	—	—	—	—	.01	—	.24	9
10	.05	.08	—	—	—	.01	—	—	—	—	.64	.29	10
11	.33	—	.10	—	.14	—	—	.01	.03	—	.20	.07	11
12	.04	—	.06	—	.12	.16	—	—	.54	—	.04	.04	12
13	03	—	.30	—	—	.24	—	—	.20	.01	.05	.16	13
14	—	.12	.20	—	.16	.04	.07	—	.02	—	.03	.41	14
15	—	.17	.15	—	—	—	—	—	.05	.01	.14	.20	15
16	—	.02	.22	—	—	.01	.09	—	—	—	.06	.30	16
17	—	.01	—	—	—	.30	.03	—	—	—	.19	.15	17
18	—	.04	.06	—	—	.25	—		—	.02	.56	.09	18
19	—	—	.01	—	.02	.56	.03	.02	.06	.03	.30	.04	19
20	—	.04	—	.05	—	—	.10	.52	.04	.04	.10	.35	20
21	—	.24	—	—	—	—	—	.27	—	.08	.12	—	21
22	.03		—	—	—	.02	—	1.07	—	.02	.05	.06	22
23	.02	.16	—	.01	—	.94	—	—	.77	.01	—	.34	23
24	.06	.02	.02	.02	—	1.35	.01	.06	—	.05	—	.04	24
25	—	.05	—	.05	—	.36	.14	—	.17	.02	.06	.08	25
26	—	—	—	.07	—	—	.27	.01	—	.35	.25	.04	26
27	—	.05	.05	.04	—	—	—	.20	.15	.02	.04	06	27
28	—	.04	.02	.18	—	.01	—	.08	.01	.04	.03	02	28
29	—		.01	08	—	.31	.31	—	.43	.33	—	—	29
30	—		02	—	.30	.01	—	—	.35	.05	—	.10	30
31	—		—		.13		—	—		12		.04	31
Total	1.35	1.08	1.55	0.72	1.11	4.61	1.22	3.02	2.90	1.79	3.33	3.95	TOTAL for year 26.63
No. of Rain Days.	13	15	18	13	10	16	11	14	15	23	22	27	197

W. 8,000, X. '11.

3466

FORM A2.
BRITISH RAINFALL.

RE

den

Kept at Scarborough

in the County of NR York 5

by W. W. Larkin

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 105 ft.

Time of Observation 9 am

Nearest Railway Station
Name N E R
Distance ¼ mile Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.37	—	—	—	.01	—	.03	.14	—	.01	—	.01	1
2	.15	—	.02	—	—	—	.14	—	—	.01	—	.08	2
3	.04	.01	.02	.07	.08	—	—	.15	—	.18	.01	—	3
4	.01	—	.16	.08	.05	—	—	.18	.04	.14	.30	.21	4
5	.14	—	—	.01	.10	—	—	.29	—	.16	—	.01	5
6	.08	.03	.05	.05	—	—	—	.02	—	.08	.10	.33	6
7	—	—	—	—	—	—	—	—	—	—	.05	—	7
8	—	—	.08	—	—	.04	—	—	.04	—	.01	.19	8
9	—	—	—	.01	—	—	—	—	—	.01	—	.24	9
10	.05	.08	—	—	—	.01	—	—	—	—	.64	.29	10
11	.33	—	.10	—	.14	—	—	.01	.03	—	.20	.07	11
12	.04	—	.06	—	.12	.16	—	—	.54	—	.04	.04	12
13	03	—	.30	—	—	.24	—	—	.20	.01	.05	.16	13
14	—	.12	.20	—	.16	.04	.07	—	.02	—	.03	.41	14
15	—	.17	.15	—	—	—	—	—	.05	.01	.14	.20	15
16	—	.02	.22	—	—	.01	.09	—	—	—	.06	.30	16
17	—	.01	—	—	—	.30	.03	—	—	—	.19	.15	17
18	—	.04	.06	—	—	.25	—		—	.02	.56	.09	18
19	—	—	.01	—	.02	.56	.03	.02	.06	.03	.30	.04	19
20	—	.04	—	.05	—	—	.10	.52	.04	.04	.10	.35	20
21	—	.24	—	—	—	—	—	.27	—	.08	.12	—	21
22	.03	—	—	—	—	.02	—	1.07	—	.02	.05	.06	22
23	.02	.16	—	.01	—	.94	—	—	.77	.01	—	.34	23
24	.06	.02	.02	.02	—	1.35	.01	.06	—	.05	—	.04	24
25	—	.05	—	.05	—	.36	.14	—	.17	.02	.06	.08	25
26	—	—	—	.07	—	—	.27	.01	—	.35	.25	.04	26
27	—	.05	.05	.04	—	—	—	.20	.15	.02	.04	06	27
28	—	.04	.02	.18	—	.01	—	.08	.01	.04	.03	02	28
29	—		.01	08	—	.31	.31	—	.43	.33	—	—	29
30	—		02	—	.30	.01	—	—	.35	.05	—	.10	30
31	—		—		.13		—	—		12		.04	31
Total	1.35	1.08	1.55	0.72	1.11	4.61	1.22	3.02	2.90	1.79	3.33	3.95	TOTAL for year 26.63
No. of Rain Days.	13	15	18	13	10	16	11	14	15	23	22	27	197

W. 8,000, X. '11.

cord pr arith 18·III·13 W. 7.6.

3466

FORM A2. BRITISH RAINFALL.

10 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Scarborough

in the County of York . N5

by W. W. Larkin

RAIN GAUGE
Pattern Kew
Diameter of top 4 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 105 ft.

Time of Observation 9 am

Nearest Railway Station
Name N E
Distance 4.00 76 Direction WNW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.06	.11	.02	.01	.37	.05	.24	.04	.04	—	.04	1
2	—	.08	.05	—	—	.43	.40	.25	—	.05	.12	.06	2
3	.02	.14	—	—	—	.50	—	.09	.14	—	.09	.04	3
4	.24	—	.27	—	—	.32	—	.45	—	—	.12	.05	4
5	—	.02	—	—	.11	.13	—	—		—	.02	—	5
6	.50	.04	.04	—	—	.10	04	04	.04	—	—	—	6
7	.01	.01	.01	—	.09	—	—	—	.06	—	.02	—	7
8	.32	03	.05	.01		.02	—	—	.25	—	.10	—	8
9	.02	.01	.04	.09	—	—	.05		.17	—	.04	.02	9
10	—	.01	—	.01	—	.05	—	.02	.07	—	.10	—	10
11	.25	.02	—	—	—	—	—	—	.01	—	.28	.24	11
12	.03	.06	.04	—	—	.41	.82	—	—	—	.50	—	12
13	.02	.02	—	—	—	.11		.20	—	.10	.19	.04	13
14	.02	—	.31	—	—	.13	—	.16	.01	—	.06	—	14
15	.02	.01	.34	—	.50	.09	—	—	—	.04	.02	.07	15
16	.02	.01	.09	—	.06	—	—	—	—	.02	—	.05	16
17		—	.10	—	—	.38	—	.06	—	—	—	.02	17
18	.05	—	.09	—	—	.01	.12	.12	.02	.04	.01	.02	18
19	.20	.25	—	—		—	.24	.19	—	.05	.01	—	19
20	.03	.05	.05	—	.27	—	.14	—	—	.30	—	.02	20
21	.02	—	.22	—	.14	—	—	—	—	.18	.04	.04	21
22	.05	.06	.03	—	1-45	.06	—	.04	—	.07	—	—	22
23	—	—	.02	—	.03	—	.07	.48	—	.43	.06	—	23
24	.28	—	.02	—	—	.15	.18		—	—	—	.10	24
25	.35	—	.06	—	—	.16	.30	.28	—	—	.10	—	25
26	.05	.04	.04	—	—	—	.02	.54	—	.70	.04	.25	26
27	—	—	.02	—	—	.09	.06	.02	—	.31	.04	.16	27
28	—	—	—	.05	.02	.04	.17	.22		.55	.26	—	28
29	—	—	.12	.01	.01	.01	.09	.01	.60	.02	.04	—	29
30	.10		.07	—	—	01	.06	—	.25	.10	.06	—	30
31	.02		.10		.02		.80	.06		25		.01	31
Total	2.62	.92	2.29	.19	2.71	3.57	3.61	3.47	1.66	3.25	2-32	1.23	TOTAL for year 27.84
No. of Rain Days.	22	18	24	6	12	21	17	3.47 19	12	17	22	17	27.84

W. 8,000, X. '11.

cond for arith. by MO 13.IV.14

3466

BRITISH RAINFALL FORM A.
4 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Scarborough
in the County of York N5
by W. W. Larkin

Lat. 54-18 N Long. 0-24 W
Time of Observation 9 am
Nearest Railway Station N E R
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.04	.25	—	—	—	—	.21	—	.02	—	1
2	—	.01	.04	—	—	.02	.03	—	—	—	.05	.01	2
3	.02	.02	.04	—	.02	—	.01	—	.04	.04	—	.03	3
4	.43	—	.03	—	—	.02	.09	—	—	.55	.20	.14	4
5	.09	.01	.02	—	.03	—	.11	—	—	—	—	—	5
6	—	.02	.03	.04	.34	.22	.04	—	—	—	.01	—	6
7	—	.23	.02	.02	—	—	.06	—	—	.82	—	—	7
8	.01	.01	.02	—	.50	.22	.05	.12	.07	.12	.08	.01	8
9	—	.06	.01	.06	.20	—	—	.24	—	.02	.01	—	9
10		.05	.04	.24	—	—	—	—	—	.07	.55	—	10
11	.47	—	04	.28	—	.03	—	—	—	—	.13	.02	11
12	.34	—	—	—	—	—	—		—	.01	.04	—	12
13	.08	—	—	.01	—	—	.02	.07	.03	.02	.09	—	13
14	.17	.03	.07	.03	—	—	—	—	—	.06	—	.01	14
15	.23	—	.12	18	—	—	—	—	—	—	.13	—	15
16	—	—	06	—	—	—	—	.04	—	—	.10	—	16
17	—	.02	.12	.02	—	—	.01	—	.17	—	.08	—	17
18	—	—	.18	.05	.14	.01	—	—	—	—	.07	.08	18
19	.14	.02	.01	—	.03	—	—	—	.05	.01	—	—	19
20	.17	—	—	.01	—	—	—	—	.01	.11	.05	—	20
21	.04	.03	.06	—	.22	—	.04	.04	.11	—	—	—	21
22	.02	—	.50	—	.01	—	.01	.23	.01	.04	—	—	22
23	08	—	.12	—	—	—	.41	.01	.12	—	.02	—	23
24	.18	—	—	.02	—	.33	—	.21	—	—	.01	.02	24
25	.02	—	—	.01	—	—	—	—	.11	.02	.02	.04	25
26	—	.02	.04	.12	.06	—	—	—	.05	.32	.08	.32	26
27	—	.03	.01	.05	.07	.06	—	—	—	.04	.04	.04	27
28	.09	.05	.14	.20	—	—	—	—	—	.04	.02	.20	28
29	.05		.23	.30	09	—	—	.01	—	.02	.04	.24	29
30	.22		—	—	.82	—	—	—	—	.11	—	.04	30
31	.09		—		.21		—	.02		—		—	31
Total	2.94	.71 .61	1.99	1.89	2.74	.91	.88	.99	.98	2.42	1.84	1.20	YEAR'S TOTAL 19.39 19.39
Rain Days.	20	15	24	18	14	8	12	10	12	18	22	14	187 187

W.7,000, XI. 13

3466

FORM A.
BRITISH RAINFALL.
20 JAN 1915

Ex LMc

REGISTER OF RAINFALL IN 1914

Kept at Scarborough
in the County of York NR 5
by W. W. Larkin

Lat. 54° 18N Long. 0 - 24 W
Time of Observation 9 Am
Nearest Railway Station N E R ¼ miles
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.01	—	—	—	—	.84	.04	—	.01	.06	.08	1
2	—	—	—	—	—	—	1.30	.37	—	—	.25	—	2
3	—	—	.04	—	.04	—	.43	—	—	—	.01	.04	3
4	.02	—	.02	.04	.10	—	—	—	—	—	.14	.60	4
5	—	—	.01	.20	.17	—	—	.06		.02	.22	—	5
6	.04	.04	—	.06	.06	—	.02	—	—	—	.03	.08	6
7	.02	—	.04	—	.06	.23	—	—	.02	—	—	.02	7
8	.46	—	.01	.01	.28	.25	.01	.08	—	.02	—	—	8
9	.38	.02	.14	.10	.09	.58	—	.02	.14	.01	.06	.03	9
10	.20	.10	—	.02	—	.03	—	—	.04	—	—	—	10
11	—	.04	.09	—	.27	—	—	—	—	—	—	.12	11
12	.06	—	—	—	—	—	—	—	.06	—	.28	.32	12
13	.03	.05	.22	—	—	—	—	—	—	—	—	.08	13
14	.05	.08	.04	—	—	—	.02	—	—	.04	.40	.19	14
15	.04	—	.14	—	—	—	.15	—	—	.01	.26	.04	15
16	.02	—	—	—	—	—	1.52	—	.18	—	.12	—	16
17	.10	.07	—	—	—	—	—	—	.67	—	—	.08	17
18	.02	.12	.14	—		—	—	—	.05	—	.02	.34	18
19	—	—	.16	—	.01	.01	—	—	.11	—	.12	—	19
20	.04	.02	.25		—	.40	—	—	—	.04	—	.04	20
21	.01	.26	.05	—	—	.03	.18	1.0	—	.06	.02	.06	21
22	—	—	—	.01	.26	—	—	.04	—	.06	.02	.04	22
23	—	.02	—	.02	.21	.18	.04	—	—	—	—	.02	23
24	.01	—	.02	.11	—	—	—	1.09	—	.01	.19	—	24
25	—	.05	—	—	—	—	—	.01	—	.32	.06	.08	25
26	—	—	.03	—	.01		.24	.14	—	.25	—	.47	26
27	—	—	—	—	—	—	—		—	.07	.10	.50	27
28	.02	.03	—	—	—	—	—	—	—	.21	.07	.04	28
29	—		.09	—	—	—	—	.16	—	.45	.08	—	29
30	—	✕	.07	—	—	—	—	.02	—	.04	.02	.04	30
31	.04	✕	—	✕	—	✕	.18	—	✕	.20	✕	.02	31
Total	1.56	.91	1.56	.57	1.56	1.71	4.93	3.03	1.27	1.82	2.53	3.33	YEAR'S TOTAL 24.78
Rain Days.	18	14	18	9	12	8	12	12	8	17	21	23	172

W. 8,000. X. 14.

3466

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Scarborough
in the County of York
by W. W. Larkin

Lat. 54.18 N Long. 0.24 W
Time of Observation 9 Am
Nearest Railway Station N E R 400 yards
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.18	—	.16	—	—	—	.06	—	—	—	.30	—	1
2	—	.06	—	—	—	.08	—	—	.18	.38	.16	.06	2
3	—	.26	.18	—	.30	.12	—	—	.15	.17	—	.28	3
4	—	—	.04	—	.42	.40	.68	—	.02	.18	.48	.16	4
5	.12	.02	—	—	.06	—	—	—	—	.35	.06	—	5
6	—	.20	.22	.10	.20	—	—	—	—	.08	.20	.02	6
7	—	.08	.06	—	.23	—	.21	—	—	—	—	.19	7
8	—	—	.25	—	.45	—	—	—	—	—	—	.34	8
9	—	.12	—	—	.23	—	—	—	.12	—	—	.16	9
10	.18	.24	.18	—	.10	—	—	—	—	.08	.02	.30	10
11	.02	.20	.20	.27	.04	.35	.63	—	—	—	—	.30	11
12	—	—	—	—	.70	.42	.20	.06	—	.22	.03	.24	12
13	—	—	.28	—	.02	—	.20	.65	.13	.25	—	.07	13
14	.06	.08	—	—	.10	.12	—	.26	—	.08	.03	.11	14
15	—	.28	.12	.12	—	—	—	.70	—	.02	.08	.06	15
16	—	—	.32	.02	.04	—	.10	.20	.04	—	.07	.06	16
17	—	—	.06	.04	—	—	—	.01	.18	.15	.08	—	17
18	—	.25	—	.12	—	—	—	—	.06	.04	.60	.20	18
19	—	—	—	.08	—	—	—	.22	.04	—	.30	.12	19
20	.08	—	.15	.04	.23	.02	.31	.06	—	.02	—	.18	20
21	.01	—	.31	—	.15	—	.08	—	—	.04	.04	.24	21
22	—	.22	.04	—	—	.06	—	—	—	.01	—	.40	22
23	—	—	.02	—	—	.24	—	—	.02	—	—	.07	23
24	.02	.04	—	.06	—	.08	—	.10	—	.44	.18	.18	24
25	—	.22	—	—	—	.10	—	.34	—	.03	—	—	25
26	—	.02	.26	—	—	.04	—	.08	—	.06	.22	.04	26
27	—	.30	—	—	.07	—	—	.15	—	.22	—	.06	27
28	—	—	—	—	—	—	—	.07	—	.04	—	.10	28
29	—	.12	—	—	—	—	—	—	—	.10	—	.12	29
30	—	X	—	—	—	—	.01	—	.10	.04	—	—	30
31	—	X	—	X	.04	X	—	—	X	.06	X		31
99 Total	.67	2.71	2.85	.85	3.38	2.03	2.48	2.90	1,04	3.06	2-85	3.96	YEAR'S TOTAL 28.78
Rain Days.	9	17	17	9	17	12	10	13	11	23	16	~~24~~ 25	~~178~~ 179

W. 8,000, VIII. 16

and 9 [illegible] H

3466

FORM A.
BRITISH RAINFALL.

24. JAN 18

REGISTER OF RAINFALL IN 1917

Kept at Scarborough
in the County of York
by W W Larkin F.R.Met.S

Lat. 54°-18' N Long.
Time of Observation 9 Am 9 Pm
Nearest Railway Station N Eastern
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.04	.28	—	—	—	.36	1.18	—	.08	.10	1
2	—	—	—	.18	—	—	—	.41	.12	—	—	.04	2
3	—	.03	.06	.06	—	.02	.02	.02	—	.08	—	.02	3
4	—	.05	.13	.26	—	—	—	—	—	—	.02	—	4
5	—	—	.06	.12	—	—	—	—	—	—	—	—	5
6	.04	—	.04	—	—	—	—	—	—	—	—	—	6
7	.40	—	.08	—	—	.17	—	—	—	.30	—	.08	7
8	.34	—	.02	.02	—	—	—	.83	—	.42	.16	—	8
9	.58	—	.03	.20	—	—	—	.74	—	.08	.14	—	9
10	.20	—	—	.25	—	—	—	.30	.01	.24	.20	—	10
11	.10	.02	.40	.04	—	—	—	.05	.01	.22	.02	—	11
12	.16	.06	—	.20	.06	—	—	.30	—	.40	—	—	12
13	.08	—	—	.06	.34	—	—	.12	.12	—	—	.10	13
14	.42	—	.01	.06	.10	—	—	.08	—	—	—	—	14
15	.63	—	—	.12	.14	—	.02	.08	—	—	—	.10	15
16	.46	.01	—	.12	.02		—	.08	—	—	—	.30	16
17	.20	—	—	.16	.06	.42	.04	—	—	—	—	.08	17
18	.03	.05	.02	—	.18	—	.22 .22	.06	.02	—	—	.02	18
19	.21	.06	.20	—	—	—	—	—	.02	—	.04	—	19
20	—	.26	.16	—	—	.16	—	.10	.04	—	.35	—	20
21	.05	.19	.38	—	—	—	—	.04	.01	—	.06	—	21
22	—	—	.08	—	—	.11	—	.10	.06	.04	.02	—	22
23	.04	—	.02	.04	.08	.06	.20	.18	—	.02	.14	.06	23
24	—	.04	—	—	—	—	—	.07	—	.30	.06	.02	24
25	.02	.02	.02	—	—	.10	.23	[illegible]	—	.22	.74	.48	25
26	.01	—	.06	—	—	.20	—	.52	.06	38	.06	.20	26
27	—	—	.08	—	—	—	.06	.10	—	—	—	.04	27
28	.02	.02	.12	—	—	.20	.10	.60	—	.12	—	—	28
29	.04	×	.08	—	—	—	.07	—	—	.28	—	.02	29
30	.03	×	.08	—		—	.30	—	—	.02	.10	—	30
31	.07	×	.10	×	—	×	.25	.12	×	—	×	.10	31
99 Total	4.15	.81	227	217	98	144	151	526	165	312	219	176	YEAR'S TOTAL 2731
Rain Days.	~~21~~ 23	~~13~~ 12	~~24~~ 23	~~15~~ 16	8	9	11	22	11	15	15	16	181

181

W. 8,000, IX. 17.

~~W.~~ E.F.E. [illegible] & part WD.

70

FORM A. BRITISH RAINFALL.

21. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Scarborough

in the County of York N

by W. Wm Larkins

Lat. 54.18 N Long. 0-24 W

Time of Observation 9 & 9

Nearest Railway Station N E

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.06	"	"	"	"	"	"	"	"	"	"	
2 ~~1~~	.10	.06	1 .08	.16	—	—	—	—	.40	.10	.31	.10	1
3 ~~2~~	.06	.08	2 .04	.41	—	—	—	—	—	.02	.04	.10	2
4 ~~3~~	.08	.25	3 .06	.26	.24	—	—	.10	.04	—	.23	—	[illegible]
5 ~~4~~	.06	.04	4 .04	.12	—	.02	—	.05	.21	—	—	—	4
6 ~~5~~	.10	.14	5 .06	.08	.14	.04	—	.25	—	—	—	.20	5
7 ~~6~~	.20	.24	6 —	04	.33	(.07)	—	1.02	.28	—	—	.06	6
8 ~~7~~	.12	.16	7 .08	—	.28	.02	.07	.02	—	.20	.10	—	7
9 ~~8~~	.30	—	8 .02	.02	—	—	.49	—	.14	.10	—	—	8
10 ~~9~~	.12	—	9 —	.14	—	—	—	—	.37	.06	.04	—	9
11 ~~10~~	.25	.02	10 —	.32	—	—	.02	—	.38	—	—	—	10
12 ~~11~~	—	.04	11 —	.12	.08	—	—	—	.04	.02	—	—	11
13 ~~12~~	—	.25	12 —	.02	.22	—	.20	—	.06	—	—	.04	12
14 ~~13~~	.04	.14	13 —	.06	—	—	—	.06	.26	.04	—	—	13
15 ~~14~~	.08	—	14 —	.10	—	—	—	—	.44	.02	—	.10	14
16 ~~15~~	.04	—	15 .04	.04	—	.12	.04	—	.14	—	—	1.06	15
17 ~~16~~	.40	—	16 .02	.08	—	—	.06	—	1.18	—	—	.25	16
18 ~~17~~	.40	—	17 —	.10	.16	.27	.16	.02	.12	.28	—	.10	17
19 ~~18~~	.04	—	18 .04	.20	—	—	.80	—	.10	—	—	—	18
~~19~~	~~4~~	~~11~~	19 .02	.10	—	.02	.28	—	.22	.12	—	.20	19
20	.06	.16	—	—	—	.04	.12	—	.10	.08	—	.14	20
21	—	.21	—	—	.06	.17	.12	—	.08	—	.01	.04	21
22	.24	—	—	.04	.12	—	.24	—	—	—	.02	.12	22
23	.04	—	—	—	—	—	.72	—	—	—	—	.08	23
24	—	.04	—	—	.06	—	.06	—	.04	—	—	.04	24
25	—	—	.10	—	—	—	.65	.26	.08	—	.03	.12	25
26	—	.02	—	—	.18	—	.65	.40	.37	—	.06	.22	26
27	—	.08	.08	—	—	—	—	.04	.06	—	.24	.33	27
28	—	.22	.22	—	—	.02	—	.20	—	—	.04	.13	28
29	—		.14	—	—	—	—	—	.29	—	.04	.56	29
30	—	✗	.10	—	—	—	—	—	.06	—	.04	96	30
31	—	✗	.12	✗	—	✗	—	—	✗	—	✗	04	31
Total	2.75 ✓	2.21 ✓	1.26 ✓	2.41 ✓	1.87 ✓	.76 ✓	4.68 ✓	2.82 ✓ ~~2.42~~	5.06 ✓ ~~5.46~~	1.04 ✓	1.20 ✓	4.99	YEAR'S TOTAL 31.05 ✓
Rain Days	20 ✓	18 ✓	17 ✓	19 ✓	11 ✓	10 ✓	16 ✓	~~11~~ 12 ✓	~~24~~ 23 ✓	11 ✓	13 ✓	22 ✓	192 ✓

W. 6,500, VII. 18. W W C

Section **A** for the entry of Daily Observations

Station No. 3466

AIR MINISTRY—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~18

Kept at Scarborough

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

Coll fr W.D.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
18	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·06	·08	·16	–	–	–	–	–	·10	·31	·10		1
2	·10	·06	·04	·41	–	–	–	·10	·04	·02	·04	·10		2
3	·06	·08	·06	·26	·24	·02	–	·05	·21	–	·23	–		3
4	·08	·25	·04	·12	·14	·04	–	·25	–	–	–	–		4
5	·06	·04	·06	·08	·33	·04	–	1·02	·28	–	–	·20		5
6	·10	·14	–	·04	·28	·02	·07	·02	–	–	–	·06		6
7	·20	·24	·08	–	–	–	·49	–	·14	·20	·10	–		7
8	·12	·16	·02	·02	–	–	–	–	·37	·10	–	–		8
9	·30	–	–	·14	–	–	·02	–	·38	·06	·04	–		9
10	·12	–	–	·32	·08	–	–	–	·04	–	–	–		10
11	·25	·02	–	·12	·22	–	·20	–	·06	·02	–	–		11
12	–	·04	–	·02	–	–	–	·06	·26	–	–	·04		12
13	–	·25	–	·06	–	–	–	–	·44	·04	–	–		13
14	·04	·14	–	·10	–	·12	·04	–	·14	·02	–	·10		14
15	·08	–	·04	·04	–	–	·06	–	1·18	–	–	1·06		15
16	·04	–	·02	·08	·16	·27	·16	·02	·12	–	–	·25		16
17	·40	–	–	·10	–	–	·80	–	·10	·28	–	·10		17
18	·40	–	·04	·20	–	·02	·28	–	·22		–	–		18
19	·04	–	·02	·10	–	·04	·12	–	·10	·12	–	·20		19
20	·06	·16	–	–	·06	·17	·12	–	·08	·08	–	·44		20
21	–	·21	–	–	·12	–	·24	–	–	–	·01	·14		21
22	·24	–	–	·04	–	–	·72	–	–	–	·02	·12		22
23	·04	–	–	–	·06	–	·06	–	·04	–	–	·08		23
24	–	·04	–	–	–	–	·65	·26	·08	–	–	·04		24
25	–	–	·10	–	·18	–	·65	·40	·37	–	·08	·12		25
26	–	·02	–	–	–	–	–	·04	·06	–	·06	·22		26
27	–	·08	·08	–	–	·02	–	·20	–	–	·24	·33		27
28	–	·22	·22	–	–	–	–	–	·29	–	·04	·13		28
29	–	×	·14	–	–	–	–	–	·06	–	·04	·56		29
30	–	×	·10	–	–	–	–	–	–	–	·04	·96		30
31	–	×	·12	×	–	×	–	·40	×	–	×	·04		31
TOTAL 99	2·75	2·21	1·26	2·41	1·87	·76	4·68	2·82	5·06	1·04	1·20	5·09 ~~4·99~~	Year's Total ~~37·05~~	
*Days with .01 in. or more.													31·15	
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) (P.T.O.)

Ex. Cat. 4/2/20 cond for ant Dec est

3466

FORM A.
BRITISH RAINFALL.

FEB 20

REGISTER OF RAINFALL IN 1919

Kept at Scarborough [M.O.]
in the County of York
by W. W. Larkin

Lat. 54° 18′ Long. 0° 24′ W
Time of Observation 9h. G.M.T. & 21h.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1 following.
Scalby

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
19	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	
1	0·16	0·32	-	-	-	-	0·14	-	0·08	0·06	·06	·10	1
2	0·66	0·14	-	0·10	-	-	0·10	-	0·04	0·04	·02	·01	2
3	0·36	-	0·30	0·22	0·08	0·08	0·04	-	0·07	-	36	·08	3
4	-	-	0·22	0·14	0·10	0·06	-	0·06	0·04	-	·28	·06	4
5	0·08	0·04	0·08	0·04	-	-	-	-	-	-	·12	·05	5
6	0·30	-	0·25	-	-	-	-	-	0·04	-	·02	·08	6
7	0·06	-	0·30	-	0·23	-	-	-	-	-	—	·45	7
8	-	-	-	0·06	-	-	-	-	-	0·12	·06	·07	8
9	0·10	-	0·04	-	-	-	-	-	-	0·08	·04	—	9
10	-	-	-	-	-	-	-	-	-	0·02	·05	·11	10
11	-	0·02	0·06	-	0·20	-	-	-	-	0·04	—	—	11
12	0·20	-	1·27	-	-	-	-	-	-	0·10	·28	—	12
13	0·58	-	0·06	0·22	-	-	0·16	0·36	-	0·10	—	·01	13
14	0·10	0·08	0·15	0·13	-	-	0·10	-	-	0·04	—	—	14
15	-	0·04	0·02	0·13	-	-	-	0·01	-	0·27	—	·50	15
16	0·10	-	-	0·04	-	-	-	-	-	0·06	·02	·01	16
17	-	0·04	-	0·02	0·14	0·01	-	0·04	-	=	—	—	17
18	-	0·48	-	0·02	-	-	-	0·10	0·16	-	·02	·05	18
19	-	0·38	0·04	-	-	-	0·12	0·31	0·46	-	·04	·03	19
20	0·54	0·30	0·20	-	-	-	0·12	0·08	-	-	—	·14	20
21	0·06	0·16	0·10	-	-	-	-	-	0·10	-	·05	·14	21
22	0·02	0·12	0·02	-	-	0·04	0·28	-	0·06	-	·06	·13	22
23	-	0·08	0·04	0·02	-	0·06	0·10	-	-	0·25	·04	·02	23
24	0·08	0·02	0·04	-	-	0·02	-	-	-	0·40	·14	·01	24
25	0·04	-	0·02	0·04	-	0·16	-	0·53	0·02	-	·04	·03	25
26	0·04	0·04	-	0·08	-	0·02	-	0·15	-	0·50	·14	·25	26
27	-	-	0·02	0·32	-	0·08	-	-	-	0·10	·22	·09	27
28	-	-	0·10	0·02	-	-	-	0·40	0·02	0·12	—	·20	28
29	0·10		-	0·02	-	0·12	-	0·47	-	0·14	—	·16	29
30	0·14		0·18	0·06	-	0·28	-	0·04	-	0·14	·04	·14	30
31	0·26		-		-		0·08	-		0·08		·08	31
99 Total	3·98 ~~3·96~~	2·26	3·51	1·68	0·75	0·93	1·24	2·55	1·09	2·66 (1·32)	2·10	(3·00)	YEAR'S TOTAL 25·75 ~~24·41~~
Rain Days.	20	15	21	18	5	11	10	12	11	19	21	(25)	(188)

Copied from M.O. Form 3202

W, 6,500, VII. 18. W W C

W AMS [illegible] 3436

Form A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Scarborough (MO)
in the County of Yorkshire
by Medical Officer of Health

Lat. 54°18'N Long. 0°24'W
Time of Observation 9, 18 h
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
" " " " Sea Level 105 (B 118) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	-	0·03	0·31	0·21	-	0·28	-	-	0·80	-	-	1
2	-	-	0·05	0·26	-	-	0·11	-	0·14	0·12	-	0·24	2
3	-	0·03	-	0·08	-	-	0·08	0·07	0·10	0·09	-	0·55	3
4	0·03	-	-	0·04	-	-	0·83	0·58	-	0·51	-	0·04	4
5	-	-	0·03	-	0·08	-	0·21	0·03	0·02	-	-	-	5
6	-	-	0·07	0·08	0·02	-	0·09	-	-	-	-	0·12	6
7	-	-	0·04	-	0·03	-	0·14	-	-	-	-	0·04	7
8	-	0·02	-	0·23	0·05	-	0·06	-	-	0·02	0·02	-	8
9	0·13	0·06	-	0·40	0·13	-	0·09	0·34	-	-	-	-	9
10	0·61	0·13	0·04	0·23	-	-	0·19	-	-	-	-	0·01	10
11	0·26	0·04	0·02	0·19	0·01	-	-	-	-	-	-	0·21	11
12	0·15	-	0·02	0·14	-	-	0·03	-	-	-	0·03	0·22	12
13	0·06	-	0·09	0·03	-	-	-	-	0·11	-	0·02	0·09	13
14	-	0·02	0·43	0·11	-	-	0·12	-	0·26	0·16	0·06	0·01	14
15	-	0·12	0·25	0·09	-	-	-	-	0·02	0·03	-	-	15
16	-	0·02	-	-	-	-	1·12	-	0·11	-	-	-	16
17	-	-	-	-	0·10	-	~~0·12~~	0·02	0·22	-	-	0·04	17
18	0·27	-	-	0·01	0·16	-	0·25	0·04	0·09	-	-	-	18
19	0·03	0·30	-	0·33	-	-	-	0·25	-	-	-	-	19
20	0·15	0·02	-	0·12	-	0·16	0·01	-	0·02	-	-	-	20
21	-	-	-	-	-	-	0·57	0·15	-	-	-	-	21
22	0·04	-	-	0·07	-	-	0·07	-	-	-	-	-	22
23	-	-	-	0·05	-	-	0·37	-	-	-	-	0·08	23
24	-	-	0·24	0·04	-	-	-	-	-	-	-	0·02	24
25	0·03	0·04	0·02	0·02	-	0·01	0·70	-	-	-	-	-	25
26	-	0·04	0·04	0·06	-	0·01	0·19	-	-	-	-	-	26
27	0·16	-	-	0·05	0·74	0·46	-	-	-	-	0·12	0·07	27
28	1·06	-	0·27	-	0·02	0·01	0·12	-	-	-	0·11	0·10	28
29	0·11	-	0·21	0·01	0·65	-	0·02	-	-	-	0·03	0·48	29
30	0·13		-	-	0·07	-	-	-	0·26	-	0·10	0·06	30
31	0·14		-		0·04		-	-		-		0·13	31
99 TOTAL	3·39	0·84	1·85	2·95	2·31	0·65	5·77 ~~5·33~~	1·48	1·35	1·73	0·49	2·51 ~~2·5~~	YEAR'S TOTAL 25·32
Days with ·01 in. or more	17 13	12	16 11	23 9	14	5	23	8	11	7	8	18	162
					10	2	20	6	8	5	4	15	120

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

copied from M.O 3202

SCARBOROUGH
SCALBY
ST. PHILLIPS
YORKSHIRE
1912 -1920

FORM A.
BRITISH RAINFALL.
6 JAN 1913

REG

Kept at St. Philips, × … N.E.R.

in the County of York … in.

by Rev. Walter E. Stew … 1 ft. – in.

… 120 ft.

IMPORTANT NOT … ult entered to the previous day. If an Ob … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0·01	0·01	0·43	0·23	0·25	0·02	0·06	—	0·19	1
2				—	—	0·16	0·38	0·34	—	0·14	0·18	—	2
3				—	—	0·35	—	0·10	0·18	0·07	—	0·11	3
4				—	—	0·39	—	0·39	—	—	0·13	—	4
5				—	0·13	0·12	—	0·01	—	—	0·01	—	5
6				—	0·01	0·10	0·02	0·06	0·05	—	—	—	6
7				—	0·12	—	—	—	0·22	—	—	—	7
8				0·06	—	0·01	0·02	—	0·30	—	0·11	—	8
9				0·12	—	—	—	—	0·17	—	0·02	—	9
10				0·06	—	0·03	—	—	0·13	—	0·16	—	10
11				—	—	0·01	—	—	0·03	—	0·26	0·28	11
12				—	—	0·39	0·88	—	—	—	0·74	—	12
13				—	—	0·17	—	0·17	—	0·12	0·23	0·06	13
14				—	—	0·14	—	0·13	0·02	—	0·05	0·05	14
15				—	0·70	0·10	—	—	—	0·03	—	0·08	15
16				—	0·08	0·01	—	—	—	0·02	—	—	16
17				—	—	0·41	0·01	0·21	—	—	—	0·02	17
18				—	—	0·02	0·24	—	—	0·01	0·01	0·02	18
19				—	—	—	0·20	0·26	0·01	0·03	0·04	—	19
20				—	0·38	—	0·09	0·02	—	0·26	—	—	20
21				—	0·27	—	—	—	—	0·16	—	—	21
22				—	1·17	0·13	—	0·07	—	0·04	—	—	22
23				—	0·05	—	0·07	0·47	—	0·52	0·12	—	23
24				—	—	0·40	0·19	—	—	—	—	0·11	24
25				—	—	0·25	0·22	0·40	—	—	0·16	0·03	25
26				—	—	—	0·10	0·47	—	0·96	0·09	0·31	26
27				—	—	0·17	0·43	—	—	0·31	0·01	0·12	27
28				—	—	0·07	0·30	0·37	0·04	0·21	0·30	—	28
29				0·04	0·04	0·01	0·07	0·01	0·80	0·05	0·02	0·05	29
30				—	—	0·01	0·14	—	0·31	0·14	0·13	0·01	30
31					0·03		1·02	0·19		0·49		—	31
Total				0·29	2·99	3·88	4·61	3·92	2·28	3·62	2·77	1·44	YEAR'S TOTAL ~~25·80~~
Rain Days.				5	12	23	18	18	13	18	19	14	~~140~~

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
6 JAN 1913

REC

Kept at St. Philips, Scalby.

in the County of York

by Rev: Walter E. Stewart, MA; FRAS; FRMetS.

N5

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Scalby. N.E.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0·01	0·01	0·43	0·23	0·25	0·02	0·06	—	0·19	1
2				—	—	0·16	0·38	0·34	—	0·14	0·18	—	2
3				—	—	0·35	—	0·10	0·18	0·07	—	0·11	3
4				—	—	0·39	—	0·39	—	—	0·13	—	4
5				—	0·13	0·12	—	0·01	—	—	0·01	—	5
6				—	0·01	0·10	0·02	0·06	0·05	—	—	—	6
7				—	0·12	—	—	—	0·22	—	—	—	7
8				0·06	—	0·01	0·02	—	0·30	—	0·11	—	8
9				0·12	—	—	—	—	0·17	—	0·02	—	9
10				0·06	—	0·03	—	—	0·13	—	0·16	—	10
11				—	—	0·01	—	—	0·03	—	0·26	0·28	11
12				—	—	0·39	0·88	—	—	—	0·74	—	12
13				—	—	0·17	—	0·17	—	0·12	0·23	0·06	13
14				—	—	0·14	—	0·13	0·02	—	0·05	0·05	14
15				—	0·70	0·10	—	—	—	0·03	—	0·08	15
16				—	0·08	0·01	—	—	—	0·02	—	—	16
17				—	—	0·41	0·01	0·21	—	—	—	0·02	17
18				—	—	0·02	0·24	—	—	0·01	0·01	0·02	18
19				—	—	—	0·20	0·26	0·01	0·03	0·04	—	19
20				—	0·38	—	0·09	0·02	—	0·26	—	—	20
21				—	0·27	—	—	—	—	0·16	—	—	21
22				—	1·17	0·13	—	0·07	—	0·04	—	—	22
23				—	0·05	—	0·07	0·47	—	0·52	0·12	—	23
24				—	—	0·40	0·19	—	—	—	—	0·11	24
25				—	—	0·25	0·22	0·40	—	—	0·16	0·03	25
26				—	—	—	0·10	0·47	—	0·96	0·09	0·31	26
27				—	—	0·17	0·43	—	—	0·31	0·01	0·12	27
28				—	—	0·07	0·30	0·37	0·04	0·21	0·30	—	28
29				0·04	0·04	0·01	0·07	0·01	0·80	0·05	0·02	0·05	29
30				—	—	0·01	0·14	—	0·31	0·14	0·13	0·01	30
31					0·03		1·02	0·19		0·49		—	31
Total				0·29	2·99	3·88	4·61	3·92	2·28	3·62	2·77	1·44	YEAR'S TOTAL ~~25·80~~
Rain Days.				5	12	23	18	18	13	18	19	14	~~140~~

W. 7,500, XI. ·12

ie, the S.E. corner of Suffield or Silpho Moor - there are also many trees near the station. I also enclose order form & cheque for £1:5:0, together with my sincerest wishes for your health & wellbeing & the continued & growing success of the B. Rainfall Organization during 1913. I am, dear Sir,

Yours sincerely,

Walter E. Stewart.

P.S. I am sorry I do not know my exact Latitude & Longitude - not having seen the 6" Ordnance map - my station is apparently just below the a of "Sta" on the 1" Ordnance map. W.E.S.

4 enclo:

ack 6.1.13

6 JAN 1913

C.

St. Philips,
Scalby,
North Yorks.

4th January 1913.

To Dr H. R. Mill,
62, Camden Square,
London. N.W.

Dear Sir,

I am returning to you Form A & Form B. British Rainfall for 1912. I removed from Longney, Gloucester, in February 1912, & have consequently been unable to make a complete year's record. I shall hope to do so for the current year. You will observe a great disparity between my results & those of Mrs Rowntree's gauge at Low Hall, Scalby, my station is $\frac{3}{4}$ mile ENE of hers, & I believe the considerable difference between the rainfall at the two stations is caused by the height above sea-level being greater, together with the proximity of Mrs R's station to Scalby Nab

✓

R 3.

SCARBOROUGH

3468.

SCALBY ST PHILIPS

1913 - 20

FORM A2.
BRITISH RAINFALL.
14 NOV 1913

Kept at St Philips

in the County of Yo

by Walter E. Ste

ms' Snowdon

5 in.

Ground 1 ft. — in.

Sea Level 130 ft. B

Name Scalby N.E.R.

Distance 250 yds Direction W

IMPORTANT NO the result entered to the previous day. If an O universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·05	0·33	—	—	—	—	0·23	—	0·02	—	1
2	—	0·02	0·10	—	—	0·04	0·02	—	—	—	0·05	0·01	2
3	—	0·01	0·02	—	0·02	—	0·02	—	0·03	0·09	—	—	3
4	0·48	—	0·07	—	—	0·05	0·07	—	—	0·66	0·20	0·10	4
5	0·16	0·03	0·05	—	0·02	0·03	0·10	0·03	—	—	—	—	5
6	0·01	0·08	0·03	0·01	0·49	0·14	0·01	—	—	—	—	—	6
7	—	0·22	—	—	0·05	0·13	0·07	—	—	0·92	—	—	7
8	—	0·02	—	0·02	0·69	0·05	0·04	0·03	0·06	0·17	0·06	—	8
9	—	0·07	0·02	0·08	0·19	0·01	—	0·15	—	0·02	0·01	—	9
10	—	0·06	0·13	0·05	—	—	—	—	—	0·08	0·56	—	10
11	0·76	—	—	0·40	—	0·03	—	—	—	—	0·14	0·01	11
12	0·64	—	—	—	—	—	—	—	0·01	—	0·05	—	12
13	0·10	—	—	0·01	—	—	0·03	0·08	0·01	—	0·10	—	13
14	0·08	0·03	0·10	0·01	—	—	—	—	—	0·10	—	—	14
15	0·26	—	0·15	0·18	—	—	—	—	—	—	0·12	—	15
16	—	—	0·03	—	—	—	—	0·01	—	—	0·08	0·03	16
17	—	—	0·17	0·04	—	—	—	—	0·15	—	0·10	—	17
18	—	—	0·15	0·06	0·16	0·05	—	—	—	—	0·08	0·07	18
19	0·17	—	0·02	0·01	0·01	—	—	—	0·08	—	—	—	19
20	0·15	—	0·14	—	—	—	—	—	0·01	0·06	0·07	—	20
21	0·06	0·01	0·03	—	0·20	—	0·04	0·07	0·06	—	0·01	—	21
22	0·01	—	0·27	—	0·04	—	0·17	0·24	0·01	0·07	—	—	22
23	0·09	—	0·27	—	—	—	0·29	0·03	0·12	0·04	—	—	23
24	0·22	—	—	0·01	—	0·54	—	0·27	—	—	—	0·08	24
25	0·01	—	—	0·07	—	—	—	—	0·12	—	0·01	0·02	25
26	—	—	0·03	0·06	—	—	—	—	0·06	0·28	0·07	0·41	26
27	—	0·05	0·01	0·31	0·06	0·08	—	—	—	—	0·01	—	27
28	0·17	0·01	0·22	0·26	—	—	—	—	—	0·03	—	S+R 0·34	28
29	0·04		0·28	0·29	0·06	—	—	0·01	—	—	0·05	S+R 0·30	29
30	0·21		—	—	0·21	—	0·01	—	—	0·21	—	0·03	30
31	0·07		—		0·17		—	—		—		—	31
Total	3·69	0·61	2·34	2·20	2·37	1·15	0·87	0·92	0·95	2·73	1·79	1·40	TOTAL for year 21·02
No. of Rain Days.	19	12	22	18	14	11	12	10	13	13	19	11	174

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

Kept at St Philips', Scalby

in the County of York

by Walter E. Stewart MA; FRAS;

RAIN GAUGE
Pattern Symons' Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 130 ft. B

Time of Observation 9. am.

Nearest Railway Station
Name Scalby N.E.R.
Distance 250 yds Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·05	0·33	—	—	—	—	0·23	—	0·02	—	1
2	—	0·02	0·10	—	—	0·04	0·02	—	—	—	0·05	0·01	2
3	—	0·01	0·02	—	0·02	—	0·02	—	0·03	0·09	—	—	3
4	0·48	—	0·07	—	—	0·05	0·07	—	—	0·66	0·20	0·10	4
5	0·16	0·03	0·05	—	0·02	0·03	0·10	0·03	—	—	—	—	5
6	0·01	0·08	0·03	0·01	0·49	0·14	0·01	—	—	—	—	—	6
7	—	0·22	—	—	0·05	0·13	0·07	—	—	0·92	—	—	7
8	—	0·02	—	0·02	0·69	0·05	0·04	0·03	0·06	0·17	0·06	—	8
9	—	0·07	0·02	0·08	0·19	0·01	—	0·15	—	0·02	0·01	—	9
10	—	0·06	0·13	0·05	—	—	—	—	—	0·08	0·56	—	10
11	0·76	—	—	0·40	—	0·03	—	—	—	—	0·14	0·01	11
12	0·64	—	—	—	—	—	—	—	0·01	—	0·05	—	12
13	0·10	—	—	0·01	—	—	0·03	0·08	0·01	—	0·10	—	13
14	0·08	0·03	0·10	0·01	—	—	—	—	—	0·10	—	—	14
15	0·26	—	0·15	0·18	—	—	—	—	—	—	0·12	—	15
16	—	—	0·03	—	—	—	—	0·01	—	—	0·08	0·03	16
17	—	—	0·17	0·04	—	—	—	—	0·15	—	0·10	—	17
18	—	—	0·15	0·06	0·16	0·05	—	—	—	—	0·08	0·07	18
19	0·17	—	0·02	0·01	0·01	—	—	—	0·08	—	—	—	19
20	0·15	—	0·14	—	—	—	—	—	0·01	0·06	0·07	—	20
21	0·06	0·01	0·03	—	0·20	—	0·04	0·07	0·06	—	0·01	—	21
22	0·01	—	0·27	—	0·04	—	0·17	0·24	0·01	0·07	—	—	22
23	0·09	—	0·27	—	—	—	0·29	0·03	0·12	0·04	—	—	23
24	0·22	—	—	0·01	—	0·54	—	0·27	—	—	—	0·08	24
25	0·01	—	—	0·07	—	—	—	—	0·12	—	0·01	0·02	25
26	—	—	0·03	0·06	—	—	—	—	0·06	0·28	0·07	0·41	26
27	—	0·05	0·01	0·31	0·06	0·08	—	—	—	—	0·01	—	27
28	0·17	0·01	0·22	0·26	—	—	—	—	—	0·03	—	S+R 0·34	28
29	0·04		0·28	0·29	0·06	—	—	0·01	—	—	0·05	S+R 0·30	29
30	0·21		—	—	0·21	—	0·01	—	—	0·21	—	0·03	30
31	0·07		—		0·17		—	—		—		—	31
Total	3·69	0·61	2·34	2·20	2·37	1·15	0·87	0·92	0·95	2·73	1·79	1·40	TOTAL for year 21·02
No. of Rain Days.	19	12	22	18	14	11	12	10	13	13	19	11	174

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914.

FORM. A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at St. Philips, Scalby
in the County of York NR 5
by Rev. Walter E. Stewart, MA, FRAS, FRMetS.

Lat. 54° 18' N Long. 0° 26' W
Time of Observation 9 am
Nearest Railway Station Scalby, NER.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	—	—	—	—	0·83	0·20	—	0·02	0·01	0·16	1
2	—	—	—	—	—	—	1·13	0·16	—	—	0·32	0·03	2
3	—	—	0·06	—	0·13	—	0·15	0·01	—	—	0·08	0·30	3
4	—	—	0·01	0·05	0·19	—	—	—	—	—	0·24	0·60	4
5	—	—	0·08	0·14	0·21	—	—	0·06	—	—	0·33	0·02	5
6	0·04	0·11	—	0·11	0·07	—	—	—	—	—	0·04	0·06	6
7	—	0·01	0·08	—	0·04	0·27	—	—	—	—	—	0·08	7
8	0·46	—	0·06	0·06	0·35	0·18	0·01	0·05	—	0·03	—	—	8
9	0·51	0·03	0·07	0·16	0·03	0·49	—	0·01	0·17	—	0·08	0·04	9
10	0·27	0·08	—	—	—	—	—	—	0·04	—	—	—	10
11	—	0·06	0·15	0·01	0·23	—	—	—	0·02	—	0·28	0·14	11
12	0·06	—	—	—	—	—	—	—	0·06	—	—	0·43	12
13	0·01	0·06	0·43	—	—	—	—	—	0·02	—	0·32	0·25	13
14	0·01	0·19	0·09	0·04	—	—	0·03	—	—	0·06	0·07	0·21	14
15	0·05	—	0·20	—	—	—	0·13	—	—	0·03	0·54	0·08	15
16	0·10	—	0·12	—	—	—	1·61	—	0·45	—	0·17	—	16
17	0·11	0·15	—	—	—	—	—	—	0·44	—	0·01	0·18	17
18	0·06	0·14	0·16	—	—	—	—	—	0·08	—	—	0·36	18
19	—	—	0·17	—	0·02	—	—	—	0·11	—	0·14	0·01	19
20	0·06	0·03	0·36	—	—	0·37	—	—	0·02	0·01	—	0·04	20
21	—	0·36	0·14	—	—	—	0·16	1·08	—	0·06	0·08	0·07	21
22	0·01	—	0·01	0·05	0·19	—	0·02	0·03	—	0·04	0·08	0·06	22
23	—	0·01	0·01	0·03	0·27	0·30	—	—	—	—	—	0·07	23
24	—	—	0·01	0·11	—	—	—	0·66	—	—	0·16	—	24
25	—	0·12	—	—	—	—	—	0·05	—	0·37	0·06	0·22	25
26	—	—	0·03	—	—	—	0·23	0·15	—	0·28	0·12	0·39	26
27	—	—	—	—	—	—	0·02	—	—	0·02	0·07	0·53	27
28	—	0·02	—	—	—	—	—	—	—	0·11	0·08	0·17	28
29	—	X	0·14	—	—	—	—	0·14	—	0·25	0·02	—	29
30	—	X	0·07	0·01	—	—	—	0·04	—	0·05	0·19	0·07	30
31	0·08	X	—	X	0·01	X	0·24	—	X	0·25	X	0·02	31
Total	1·83	1·37	2·45	0·77	1·74	1·61	4·56	2·64	1·41	1·58	3·49	4·59	YEAR'S TOTAL 28·04
Rain Days.	14	14	21	11	12	5	12	13	10	14	23	26	175

W. 7,500, XI. 12

Ent L. 11 Lat 54°·18' N. Long 0°·26' W.

3685

FORM A1. BRITISH RAINFALL. JAN 1

REGISTER OF RAINFALL IN 1915.

Kept at St. Philips, Scalby

in the County of York

by Walter E. Stewart. MA, FRAS,

NR 5

RAIN GAUGE
Pattern Symon's Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 130 ft.

Time of Observation 9 am

Nearest Railway Station
Name Scalby. NER.
Distance 200 yds Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·26	0·38	0·06	—	0·15	—	—	0·38	0·41	0·06	0·04	0·29	1
2	0·01	0·09	0·26	0·17	—	0·02	—	0·25	0·40	—	0·06	0·06	2
3	0·52	—	0·03	0·07	—	—	0·27	0·05	—	—	0·17	0·64	3
4	0·14	—	0·06	—	—	—	1·09	0·05	—	—	0·27	0·77	4
5	0·35	0·01	—	—	0·03	—	0·18	0·01	—	0·06	0·06	0·50	5
6	0·02	0·27	0·05	0·06	0·05	—	0·52	0·14	0·01	—	—	0·11	6
7	0·27	0·40	0·08	0·02	—	—	0·23	0·10	—	—	—	0·01	7
8	0·10	0·03	0·07	0·01	—	—	0·02	0·06	—	—	0·02	—	8
9	0·34	0·10	—	—	—	—	—	0·14	—	—	0·02	0·29	9
10	0·41	0·06	—	—	—	—	—	0·11	—	—	—	0·11	10
11	0·05	0·23	—	0·01	0·64	—	0·20	0·09	—	—	0·03	0·37	11
12	0·23	0·11	—	0·24	0·09	—	0·21	0·10	—	0·04	0·67	0·06	12
13	—	0·15	—	—	—	—	—	0·01	—	—	0·02	0·11	13
14	0·04	0·11	—	—	0·02	—	0·12	0·22	—	—	—	0·18	14
15	0·41	0·06	—	0·01	—	—	0·28	0·02	—	0·02	—	0·08	15
16	0·29	0·37	—	—	—	—	1·43	—	—	0·02	0·15	—	16
17	0·28	0·17	0·04	—	—	—	0·53	—	0·04	—	0·20	0·06	17
18	0·13	0·08	0·21	—	—	—	—	—	0·02	—	0·04	0·02	18
19	—	0·03	0·07	—	—	—	0·05	—	—	0·03	—	—	19
20	0·08	—	—	—	—	—	—	0·02	—	0·15	—	0·39	20
21	0·18	—	—	0·13	—	—	—	—	—	—	—	0·04	21
22	0·02	—	0·03	0·04	—	—	0·15	—	—	—	—	0·11	22
23	0·12	0·20	0·03	—	—	—	0·12	—	0·11	—	0·06	0·02	23
24	0·02	0·10	0·21	0·18	—	0·01	0·08	—	0·50	—	0·04	0·20	24
25	—	—	0·01	0·03	—	0·31	—	—	—	0·03	0·44	0·03	25
26	0·02	0·27	0·12	0·04	—	0·01	0·21	—	0·08	0·25	—	0·27	26
27	0·01	0·09	0·01	—	—	—	0·99	—	0·06	0·26	—	0·37	27
28	0·05	0·07	0·06	—	0·14	—	0·10	0·39	0·08	0·49	—	0·09	28
29	0·02		—	—	0·37	—	—	0·03	0·50	—	0·24	0·22	29
30	—		—	0·11	0·04	—	0·04	0·01	0·53	—	—	0·01	30
31	0·03		—		—		—	0·31		—		0·09	31
Total	4·40	3·38	1·40	1·12	1·53	0·35	6·82	2·49	2·74	1·41	2·53	5·50	TOTAL for year 33·67
No. of Rain Days	27	22	17	14	9	4	20	20	12	11	17	28	201

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

Esc D.L 3622

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.
2 JAN 1917

Kept at St. Philips, Scalby
in the County of York
by Walter E. Stewart

NR

Lat. 54° 18' 5" N Long. 0° 26' 15" W.
Time of Observation 9 am. G.M.T.
Nearest Railway Station Scalby N.E.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·30	—	0·07	—	—	0·06	0·10	—	—	—	0·12	—	1
2	0·04	0·12	0·17	—	—	—	—	—	0·14	0·04	—	—	2
3	—	0·19	0·08	—	—	0·11	—	0·03	0·34	0·13	0·10	0·16	3
4	—	0·06	0·05	0·01	0·70	0·47	—	—	0·09	0·62	0·41	0·52	4
5	0·10	—	0·20	0·01	0·08	0·13	0·09	—	—	0·53	0·19	0·08	5
6	—	0·27	0·10	0·09	0·22	0·01	0·18	—	—	0·03	0·18	0·02	6
7	—	0·04	0·06	0·04	0·23	—	0·11	—	—	0·05	0·01	0·13	7
8	—	—	0·16	—	0·04	0·02	—	—	—	0·01	—	—	8
9	—	—	0·08	—	0·64	0·01	—	—	0·07	—	0·02	0·58	9
10	0·18	0·02	0·02	—	0·05	—	—	—	—	0·06	0·01	0·15	10
11	—	0·48	0·52	0·31	0·08	0·71	0·12	—	0·02	0·02	—	0·44	11
12	0·02	—	0·45	0·03	0·55	0·23	0·53	—	—	0·04	—	0·16	12
13	0·07	0·04	0·15	—	0·22	—	0·21	0·42	0·13	0·46	—	0·13	13
14	—	0·18	0·05	0·01	0·11	0·13	—	0·63	—	0·04	—	0·25	14
15	0·02	0·25	0·34	—	—	—	0·01	0·21	—	0·12	0·02	0·01	15
16	—	0·02	0·05	0·08	—	—	0·06	0·55	—	0·04	0·02	0·19	16
17	—	—	0·01	0·08	—	—	0·02	0·04	0·12	0·09	0·04	—	17
18	—	0·27	—	0·20	—	0·02	—	0·02	0·12	0·09	0·94	—	18
19	0·09	—	0·01	0·03	—	—	—	—	0·10	0·03	0·53	0·11	19
20	0·05	—	0·29	0·01	0·01	0·02	0·26	0·17	—	—	0·10	0·06	20
21	0·04	0·13	0·05	0·17	0·17	—	0·08	0·02	—	—	0·01	0·30	21
22	—	0·04	—	—	0·01	0·05	—	—	—	0·01	—	0·05	22
23	0·03	0·02	0·02	0·05	—	0·15	—	—	—	—	0·04	0·44	23
24	—	0·03	0·01	0·08	—	0·23	0·01	0·08	—	0·16	—	0·06	24
25	—	0·04	0·10	—	0·04	—	—	0·34	—	0·18	0·15	0·10	25
26	0·03	0·10	0·09	—	—	—	—	—	—	—	0·30	—	26
27	—	0·27	—	—	—	—	—	0·23	—	0·21	0·01	0·01	27
28	—	0·23	—	—	0·06	—	—	0·15	—	0·16	—	0·19	28
29	—	0·14	—	—	—	0·03	—	—	—	0·13	—	0·05	29
30	—	✕	—	—	—	0·09	—	—	0·11	0·15	—	0·01	30
31	—	✕	—	✕	0·04	✕	—	—	✕	0·24	✕	0·02	31
Total	0·97	2·94	3·13	1·20	3·25	2·47	1·78	2·89	1·24	3·64	3·20	4·22	YEAR'S TOTAL 30·93
Rain Days.	12	21	24	15	17	17	13	13	10	25	19	25	211

W. 8,000. X. 14.

3471

FORM A.
BRITISH RAINFALL.

-2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at St. Philip's, Scalby

in the County of York

by Rev. Walter E. Stewart, M.A. F.R.A.S.

Lat. 54°18′ Long. 0°26′ W.

Time of Observation 9 a.m. G.M.T.

Nearest Railway Station Scalby. N.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·01	—	0·35	—	—	—	0·56	0·35	—	0·08	0·06	1
2	0·03	—	—	0·27	—	0·02	—	0·52	0·13	—	—	0·01	2
3	—	0·02	0·11	0·13	—	0·01	0·01	0·05	—	0·03	—	—	3
4	—	0·18	0·02	—	—	—	—	—	—	0·08	0·02	—	4
5	0·09	—	0·10	0·39	—	—	—	0·05	—	0·01	0·05	—	5
6	—	—	—	—	—	—	—	—	—	0·05	0·09	—	6
7	0·60	—	0·04	—	—	0·17	—	—	—	0·22	—	0·03	7
8	0·31	—	0·01	0·09	—	—	—	1·52	—	0·58	0·05	—	8
9	0·10	—	0·03	0·14	—	—	—	0·15	—	0·05	0·15	0·03	9
10	0·26	—	0·56	0·23	0·15	—	—	0·35	—	0·15	0·31	—	10
11	0·09	0·01	—	0·01	0·01	—	—	0·30	—	0·23	—	—	11
12	0·30	—	—	0·29	0·20	—	—	0·36	—	0·43	—	—	12
13	0·22	—	—	0·10	0·21	0·03	—	0·16	0·09	0·11	—	0·06	13
14	0·12	—	0·03	0·20	0·29	—	—	0·29	—	—	—	0·03	14
15	0·09	—	—	0·02	—	—	0·02	0·01	—	0·02	—	0·09	15
16	0·08	—	—	0·34	—	—	—	0·12	—	—	—	0·28	16
17	0·11	0·05	—	0·09	0·23	0·20	0·01	0·11	—	—	—	0·27	17
18	0·01	—	—	0·01	0·06	—	0·22	0·03	0·05	—	—	—	18
19	0·28	0·18	0·66	—	0·03	0·16	—	—	—	—	—	—	19
20	0·08	0·52	0·31	—	—	0·31	—	0·19	0·07	—	0·31	0·02	20
21	—	0·23	0·12	—	—	—	—	0·37	—	0·01	0·07	—	21
22	—	—	0·11	—	—	0·10	—	0·08	0·01	0·06	0·01	—	22
23	0·02	—	—	—	0·12	0·05	0·06	0·13	—	—	—	0·01	23
24	0·01	0·01	—	—	—	0·03	0·06	0·12	—	0·55	0·12	—	24
25	—	0·03	0·12	—	—	0·06	—	0·01	—	0·26	0·28	0·19	25
26	—	—	0·06	—	—	0·17	—	0·45	0·01	0·18	0·49	0·30	26
27	0·01	—	0·03	—	—	0·13	0·10	0·58	—	—	—	0·04	27
28	—	0·01	0·11	—	—	0·11	0·41	0·37	—	0·25	—	—	28
29	0·08	X	0·04	—	0·01	—	0·22	0·07	—	0·18	0·01	—	29
30	0·02	X	0·08	0·19	—	—	0·19	—	—	0·01	0·01	0·01	30
31	0·14	X	0·11	X	—	X	0·07	0·06	X	—	X	0·02	31
Total	3·05	1·25	2·65	2·85	1·31	1·55	1·37	7·01	0·71	3·46	2·05	1·45	YEAR'S TOTAL 28·71
Rain Days.	22	11	19	16	10	14	11	26	7	20	15	16	187

W. 8,000, VIII. 16

Exa G.J.S.

72

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

3 . 1 . 19

Kept at St Philips, Scalby
in the County of Yorks NR
by W E Stewart

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02	—	0·06	0·01	—	—	0·03	—	0·27	0·05	0·19	0·03	1
2	0·13	0·22	—	0·17	—	—	—	0·01	0·13	0·01	—	0·15	2
3	0·03	0·01	0·03	0·02	0·03	—	—	0·07	—	—	0·42	0·01	3
4	—	0·02	0·02	—	0·14	—	—	—	0·05	0·01	0·12	0·27	4
5	—	—	—	0·03	0·50	—	0·01	1·23	—	0·05	—	0·01	5
6	0·07	0·25	—	0·58	0·01	0·05	—	0·18	0·22	0·05	—	0·01	6
7	0·12	0·02	—	0·02	—	0·03	0·06	—	0·01	0·10	0·11	—	7
8	0·01	0·09	0·03	—	—	—	0·44	—	0·06	—	—	—	8
9	0·02	0·27	0·01	0·01	—	—	—	—	0·75	0·20	0·01	0·11	9
10	0·01	0·02	—	0·01	—	—	0·01	—	0·17	—	0·04	0·01	10
11	0·25	0·04	—	0·01	0·43	—	0·07	0·01	—	0·01	—	0·09	11
12	0·01	0·14	0·03	—	0·13	—	0·10	0·03	0·03	0·05	—	0·06	12
13	0·04	0·03	—	0·02	0·10	—	—	—	0·32	0·04	—	—	13
14	0·07	—	—	0·01	—	—	0·02	—	0·37	0·03	—	0·04	14
15	0·01	—	—	—	—	0·03	0·28	—	1·18	—	—	0·85	15
16	—	—	—	—	—	0·08	—	0·04	0·26	0·03	—	0·23	16
17	0·30	—	—	—	0·27	0·05	1·00	—	—	0·08	—	0·24	17
18	0·40	—	0·04	0·21	—	0·09	0·08	—	0·25	0·06	—	0·10	18
19	0·31	—	0·01	0·14	—	—	0·18	0·14	0·03	0·22	—	0·19	19
20	0·07	0·30	—	0·04	—	0·01	0·17	—	0·13	0·08	—	—	20
21	0·03	0·03	—	—	0·07	—	0·04	—	0·16	0·05	—	—	21
22	0·01	—	—	0·02	0·03	0·08	0·03	—	0·05	—	—	0·29	22
23	0·10	—	—	—	0·34	—	0·72	—	0·03	—	0·01	—	23
24	—	0·08	—	—	—	—	0·01	—	0·06	0·03	0·06	0·04	24
25	—	—	0·01	—	—	—	0·30	0·15	0·01	0·01	0·01	0·28	25
26	—	—	—	—	0·01	—	0·01	0·42	0·39	0·01	0·10	0·06	26
27	—	—	0·02	—	—	0·01	—	0·21	0·15	—	0·04	0·16	27
28	—	0·11	0·41	—	—	—	—	—	0·01	—	0·01	0·34	28
29	—	X	—	—	—	—	—	—	0·09	—	0·02	0·12	29
30	—	X	0·17	—	—	—	—	—	0·09	—	0·07	0·80	30
31	—	X	0·32	X	—	X	—	0·01	X	—	X	0·05	31
Total	2·01	1·63	1·16	1·30	2·06	0·43	3·56	2·50	5·27	1·17	1·21	4·54	YEAR'S TOTAL 26·84
Rain Days.	20	15	13	15	12	9	19	12	26	20	14	25	200

W. 8,000, IX. 17.

C7 MR

3303

FORM A.
BRITISH RAINFALL.

5 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at St. Philips, Scalby, Scarborough.

in the County of York N.R.

by (Rev.) Walter E. Stewart MA; FRAS.

Lat. 54° 18' 5". Long. 0° 26' 15" W

Time of Observation 9 a.m.

Nearest Railway Station Scalby N.E.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·16	0·05	—	0·03	0·29	—	0·40	—	0·15	0·02	0·10	0·08	1
2	0·11	0·02	0·06	—	0·01	—	0·54	—	0·16	0·07	0·07	—	2
3	0·56	—	—	—	0·09	0·07	0·01	—	0·04	—	0·19	0·08	3
4	0·09	0·03^{5}	0·26	—	0·07	0·04	—	0·22	0·04	—	0·31	0·04	4
5	0·35	0·06	0·06	—	—	0·04	—	—	0·14	—	0·09	0·04	5
6	0·04	—	0·18	—	—	—	—	—	0·01	0·01	0·25	0·08	6
7	0·01	—	0·30	—	0·15	—	—	—	—	—	—	0·33	7
8	0·06	—	—	0·03	0·04	—	—	0·01	—	0·03	0·16	0·06	8
9	0·05	—	0·01	0·05	—	—	—	—	—	0·18	0·11	0·02	9
10	0·01	—	0·06	0·02	0·01	—	—	—	—	0·08	0·06	0·09	10
11	—	—	0·67	—	0·07	—	0·13	—	—	0·04	0·05	—	11
12	—	—	0·54	0·06	—	0·05	0·05	—	0·02	0·20	0·23	—	12
13	0·29	—	0·21	0·03	—	—	0·07	0·05	—	0·08	0·06	0·01	13
14	0·21	—	0·01	0·33	—	—	—	0·04	—	0·12	0·16	—	14
15	0·13	0·19	0·05	0·10	—	—	—	—	—	0·53	0·02	0·65	15
16	0·02	0·03	—	0·02	—	—	—	—	—	0·06	0·01	—	16
17	—	0·04	—	0·01	0·09	0·05	—	0·07	—	—	0·15	—	17
18	—	—	—	—	—	—	0·01	0·24	0·06	—	—	0·05	18
19	0·03	0·19	0·30	—	—	—	0·30	0·09	0·20	—	0·17	0·03	19
20	0·18	0·12	—	—	—	—	0·06	0·04	0·06	—	—	0·10	20
21	0·13	0·12	0·02	—	—	—	0·01	—	0·04	—	0·01	0·11	21
22	—	0·15	—	—	—	0·01	0·31	—	0·12	—	0·01	0·09	22
23	—	—	0·07	—	0·01	0·10	0·01	0·02	—	0·70	0·05	0·02	23
24	0·01	0·04	—	—	0·01	0·01	—	—	—	0·25	0·04	—	24
25	0·02	0·01	—	0·04	—	0·26	—	0·57	—	0·03	0·02	—	25
26	—	0·24	0·19	0·24	—	0·03	—	0·09	0·01	0·88	0·25	0·35	26
27	0·04	0·04	—	0·57^{5}	—	0·03	0·01	—	—	0·31	0·20	0·02	27
28	0·04	—	—	0·01	—	—	—	0·82	0·02	0·14	0·01	0·24	28
29	0·03	×	0·01	0·02	—	0·12	—	0·01	—	0·61	—	0·14	29
30	0·03	×	0·16	0·14	—	0·35	—	0·02	—	0·13	0·08	0·13	30
31	0·13	×	0·06	×	—	×	0·05	—	×	0·06	×	0·09	31
Total	2·73	1·33	3·22	1·70	0·84	1·16	1·96	2·23	1·07	4·53	2·86	2·85	YEAR'S TOTAL 26·48
Rain Days.	24	15	19	16	11	13	14	14	14	21	26	23	210

W. 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at St. Philip's, Scalby, Scarborough

in the County of York.

by Walter E. Stewart, MA: F.R.A.S.; F.R.Met.S.

Lat. 54° 18′ 5″ N Long. 0° 26′ 15″ W
Time of Observation 9 a.m.
Nearest Railway Station Scalby N.E.R.
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·04	0·27	0·19	—	0·35	—	—	0·98	—	—	1
2	—	—	0·03	0·22	0·01	—	0·60	—	0·13	0·14	—	0·42	2
3	0·01	0·02	—	0·06	—	—	0·14	0·07	0·08	0·10	—	0·71	3
4	0·02	—	—	0·03	—	—	0·73	0·93	—	0·55	—	0·02	4
5	—	—	0·04	—	0·07	—	0·20	0·04	0·03	—	—	—	5
6	—	—	0·08	0·14	0·01	—	0·15	—	—	—	—	0·06	6
7	—	—	0·04	0·02	0·02	—	0·03	—	—	—	—	0·08	7
8	—	0·02	—	0·18	0·07	—	0·10	—	—	0·01	—	—	8
9	0·09	0·03	—	0·25	0·12	—	0·08	0·88	—	—	—	—	9
10	0·61	0·11	0·06	0·12	—	—	0·15	—	—	—	—	0·10	10
11	0·40	0·02	0·02	0·13	0·01	—	—	—	—	—	—	0·20	11
12	0·12	—	0·01	0·17	0·01	—	0·07	—	—	—	0·04	0·17	12
13	0·10	0·04	0·09	0·03	—	—	—	—	0·07	—	0·02	0·05	13
14	—	0·01	0·44	0·09	—	—	0·10	—	0·27	0·20	0·08	0·01	14
15	0·01	0·11	0·47	0·13	—	—	0·01	—	—	0·09	0·02	0·01	15
16	—	0·03	0·01	0·01	—	—	1·21	—	0·16	—	0·01	0·01	16
17	—	—	—	—	0·10	—	0·03	0·02	0·18	0·01	—	0·03	17
18	0·25	—	—	0·03	0·10	—	0·10	0·17	0·16	—	—	—	18
19	0·02	0·31	—	0·50	—	—	—	0·24	—	—	—	—	19
20	0·14	0·04	—	0·08	—	0·13	0·01	—	0·01	—	—	—	20
21	—	0·02	—	—	—	—	0·50	0·18	—	—	—	—	21
22	0·04	—	—	0·10	—	—	0·07	—	—	—	—	0·01	22
23	—	—	0·01	0·06	—	—	0·44	—	—	—	—	0·08	23
24	—	—	0·14	0·02	—	—	—	—	—	—	—	0·05	24
25	—	0·06	0·03	0·03	—	—	0·63	—	—	—	—	—	25
26	0·01	0·05	0·07	0·07	—	—	0·23	—	—	—	—	—	26
27	0·16	—	—	0·07	1·03	0·48	—	—	—	—	0·11	0·04	27
28	1·15	—	0·20	—	0·01	0·01	0·08	—	—	—	0·07	0·11	28
29	0·10	—	0·13	0·01	0·61	0·02	0·01	—	—	—	0·03	0·52	29
30	0·08		—	—	0·06	—	—	—	0·31	—	0·08	0·05	30
31	0·14		—		0·05		0·11	—		—		0·17	31
TOTAL	3·45	0·87	1·91	2·82	2·47	0·64	6·13	2·53	1·40	2·08	0·46	2·90	YEAR'S TOTAL 27·66
Days with ·01 in. or more	18	14	18	25	16	4	25	8	10	8	9	21	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

·04 13 7 12 17 9 2 20 7 8 6 5 15 121

SCARBOROUGH
OSGODBY P.S

1911 - 1920

RE 1

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Osgodby
Lean

8 in.

Ground 1 ft. - in.

in the County of NR

Sea Level 166·07 ft.

by William

Name

Distance Direction

IMPORTANT NOT the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the reac year in the space provided for it at the end of this ment of rain, the selection and placin ritish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10						·20			·09			1
2	·23						·14	·13		·10		·19	2
3	·20			·06	·15			·04		·19			3
4	·07		·20	·20	·04			·16	·03		·23.	·25	4
5	·03			·03.				·07		·20			5
6	·30		·04					·16		·06		·50	6
7						·09					·14	·02	7
8		·03	·05									·26	8
9						·03		·04				·05	9
10		·12			·03						·61	·51	10
11	·37		·04		·19			·02			·27	·09	11
12	·11		·08			·20			·61		·04	·01	12
13			·50			·34			·20	·06	·06	·25	13
14		·14	·36			·11	·07		·04			·52	14
15			·10						·13		·09	·30	15
16		·13	·28			·03	·10				·05	·04	16
17	·09		·02			·12					·19	·18	17
18			·05			·19		·37		·02	·61	·08	18
19	·05					·56	·05		·02		·38	·04	19
20		·05					·10	·50	·05		·11	·38	20
21		·16				·02		·25		·20	·12	·02	21
22				·02		·04		·88			·08		22
23		·14				·90			·65				23
24			·05	·03		1·13		·04		·10		·19	24
25				·05	·03	·55			·20	·03	·06	·08	25
26		·05					·10			·36	·29	·07	26
27		·06	·06	·07		·04		·28	·22			·04	27
28						·05	·03	·08		·03		·03	28
29			·04	·15		·06	·20		·64	·20		·09	29
30				·04	·28	·01			·20	·06			30
31					·13					·27		·01	31
Total	1·55	·88	1·87	·65	·85	4·47	·99	3·02	2·99	1·97	3·33	4·20	TOTAL for year 26·77
No. of Rain Days.	10	9	14	9	7	18	9	14	12	15	16	25	158

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

RE l

Kept at Osgodby Pumping Station

in the County of NR Yorkshire Seamer 4

by William Millhouse

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 166·07 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10						·20			·09			1
2	·23						·14	·13		·10		·19	2
3	·20			·06	·15			·04		·19			3
4	·07		·20	·20	·04			·16	·03		·23.	·25	4
5	·03			·03.				·07		·20			5
6	·30		·04					·16		·06		·50	6
7						·09					·14	·02	7
8		·03	·05									·26	8
9						·03		·04				·05	9
10		·12			·03						·61	·51	10
11	·37		·04		·19			·02			·27	·09	11
12	·11		·08			·20			·61		·04	·01	12
13			·50			·34			·20	·06	·06	·25	13
14		·14	·36			·11	·07		·04			·52	14
15			·10						·13		·09	·30	15
16		·13	·28			·03	·10				·05	·04	16
17	·09		·02			·12					·19	·18	17
18			·05			·19		·37		·02	·61	·08	18
19	·05					·56	·05		·02		·38	·04	19
20		·05					·10	·50	·05		·11	·38	20
21		·16				·02		·25		·20	·12	·02	21
22				·02		·04		·88			·08		22
23		·14				·90			·65				23
24			·05	·03		1·13		·04		·10		·19	24
25				·05	·03	·55			·20	·03	·06	·08	25
26		·05					·10			·36	·29	·07	26
27		·06	·06	·07		·04		·28	·22			·04	27
28						·05	·03	·08		·03		·03	28
29			·04	·15		·06	·20		·64	·20		·09	29
30				·04	·28	·01			·20	·06			30
31					·13					·27		·01	31
Total	1·55	·88	1·87	·65	·85	4·49	·99	3·02	2·99	1·97	3·33	4·20	TOTAL for year 26·47
No. of Rain Days.	10	9	14	9	7	18	9	14	12	15	16	25	158

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
13 JAN 1913

REGISTER OF RAINFALL IN 1912

Ex Dl

Kept at Osgodby Pumping Station
in the County of Yorks. N 4
by W. Millhouse

Lat. Long.
Time of Observation
Nearest Railway Station Seamer
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 166·07 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·06				·31	·17	·24	·19	·05		·14	1
2		·49				·06	·31	·05	·16	·10	·13		2
3	·04	·52	·03			·55		·13		·04		·01	3
4	·27		·46	·06		·65		·56			·14	·10	4
5	·05					·21							5
6	·72	·06						·11					6
7	·20	·04		·02	·18		·04		·33		·04	·01	7
8	·23	·18	·21	·07		·05			·31		·13		8
9		·03	·11						·25		·02	·03	9
10						·08		·06	·12		·11		10
11	·21	·09		·03							·17	·29	11
12	·03			·03		·41	·83				·66		12
13	·03	·03		·04		·14		·04		·08	·23		13
14	·05	·02	·30			·18		·06		·01			14
15	·05		·37		·53	·22		·03				·08	15
16	·06		·04		·05					·03	·03		16
17			·20			·38		·15					17
18	·16	·05				·07	·14					·05	18
19	·20	·23			·26		·06	·23		·08			19
20			·06				·44			·18	·04		20
21	·03		·32		·10					·10			21
22		·03	·03		1·51	·08		·06		·03			22
23	·08	·20	·17		·06		·07	·45		·52	·10		23
24	·30					·02	·12	·08		·03		·13	24
25	·31					·13	·21	·10		·02	·09	·06	25
26	·05	·02	·03				·18	·45		·90	·08	·31	26
27	·06	·12	·04			·08	·10			·40		·04	27
28	·04					·18	·04	·29	·03	·24	·34		28
29			·15	·06	·03		·03		·82	·04	·04		29
30			·12	·04			·12		·28	·08	·07		30
31			·06				·75	·16		·27			31
Total	3·27	2·17	2·40	·35	2·42	3·80	3·61	3·25	2·49	3·20	2·42	1·25	YEAR'S TOTAL 31·23
Rain Days.	22	16	14	8	8	18	16	18	9	19	14	12	180

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
19 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Osgodby Pumping Station Cayton

in the County of Yorks. N 4

by William Millhouse

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Cayton (N E R)

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 166·04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12										1
2				·24							·05	·03	2
3			·04	·02					·11			·04	3
4	·37		·06			·02	·10			·22	·13	·05	4
5		·07					·15			·50			5
6	·04				·41	·07							6
7		·28				·06				1·05			7
8				·03	·65	·08	·08			·10	·08		8
9						·06		·05		·05	·05		9
10			·04	·05	·27	·04		·27		·14	·56		10
11	·93	·06		·30							·19		11
12	·56			·02					·04		·14		12
13			·06	·05				·10		·06			13
14	·21			·39							·13		14
15	·22		·25						·23				15
16			·10	·02							·06		16
17	·04	·03	18	·12	·07								17
18			·25								·09	·02	18
19	·16		·03										19
20	·23	·08	·04	·04	·22					·14			20
21	·03		·03		·05			·30					21
22	·02		·25						·11		·03		22
23	·12		·29	·02			·04		·08	·08		·03	23
24	·24					·51	·29						24
25				·05								·40	25
26				·05				·15	·13	·30	·08		26
27		·07		·08						·03			27
28	·16	·03	·24	·19		·05				·05	·02	·30	28
29	·09		·30	·35	·08							·19	29
30	·29				·25					·20			30
31	·04												31
Total	3·45	·62	2·28	2·02	2·00	·89	·66	·84	·70	2·92	1·61	1·06	YEAR'S TOTAL 19·38 ✓
Rain Days.	14	4	16	14	8	8	5	5	6	13	13	8	123

✓

W.7,000, XI. 13

Ex ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Osgodby Pumping Station Cayton, Scarboro.
in the County of York NR 4
by W Millhouse
Water Engineer Scarboro

Lat. 54° 14½' Long. 0° 23½' W.
Time of Observation
Nearest Railway Station Cayton N.E.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 166.07 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·91	·19				·12	1
2							1·67	·19			·29	·06	2
3			·03		·07		·14				·11	·13	3
4			·05		·06			·02			·06	·40	4
5			·10	·27	·22						·50	·07	5
6	·06				·04							·03	6
7			·09	·02	·13	·19		·06					7
8	·43	·03	·05	·05	·20	·24				·05	·03		8
9	·47		·12		·02	·43			·20			·06	9
10	·29	·16	·02								·05	·13	10
11		·05	·08		·39						·27		11
12	·03						·08					·79	12
13		·03	·22								·29	·24	13
14	·04	·17	·05	·06			·04				·11	·24	14
15	·06		·19				·16				·65		15
16	·10		·07				1·28		·20		·06	·04	16
17	·08	·10		·05					·63			·06	17
18	·09	·05	·18						·04	·02	·04	·48	18
19			·12			·65			·09	·03	·14	·03	19
20	·04	·03	·22				·29		·06				20
21		·39	·04			·05		·60					21
22		·03			·31	·24		·09		·05	·12		22
23				·08	·24								23
24			·20	·10				1·35			·16		24
25		·12								·24		·44	25
26							·24	·12		·25		·36	26
27			·04							·06	·10	·58	27
28										·46		·16	28
29	·04	X					·04	·11		·56	·08		29
30		X	·06					·03		·04	·05	·12	30
31	·07	X		X		X	·18		X	·36	X		31
Total	1·80	1·16	1·93	·63	1·68	1·80	5.03	2·76	1.22	2.12	3.11	4.54	YEAR'S TOTAL 27·78
Rain Days.	13	11	19	7	10	6	11	10	6	11	18	20	142

W. 8,000. X. 14.

3682

FORM A.
BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Osgodby Pumping Station Cayton
in the County of York. N 4
by W. Millhouse

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Cayton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 166·07 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·32	·15	–	–	–	–	·09	·31	·10	–	–	1
2	·06	·11	·13	·09	·10	–	·06	·56	·20	–	·17	·20	2
3	·54	–	–	·06	–	–	·40	–	·14	–	·35	·22	3
4	·15	–	·08	–	–	–	1·11	·03	–	·08	·27	·50	4
5	·13	–	–	–	·28	–	–	·02	–	–	–	·79	5
6	–	·36	·11	·09	·15	–	·51	–	–	–	–	·56	6
7	·30	·48	·05	–	–	–	·18	–	–	–	–	–	7
8	·31	·03	–	–	–	–	·04	·15	–	–	–	·15	8
9	·18	·08	–	–	–	–	–	·14	–	–	–	·21	9
10	·05	·04	–	–	–	–	–	·46	–	–	·04	·20	10
11	·20	·14	–	–	·62	–	·09	·15	–	–	·91	·20	11
12	·10	·18	–	–	·04	–	·37	·21	–	–	–	~~·13~~	12
13	·10	–	–	–	–	–	–	·22	–	–	–	·06	13
14	–	–	–	–	·04	–	·04	–	–	·04	·02	·10	14
15	·13	·50	–	–	–	–	·48	–	–	·03	·06	–	15
16	·14	·15	–	–	–	–	1·41	–	–	–	·10	·16	16
17	·19	·12	–	–	–	–	·19	–	–	–	–	·08	17
18	–	–	·15	–	–	–	–	–	–	·06	·08	–	18
19	–	–	·14	–	–	–	–	–	–	·10	–	·07	19
20	·06	–	–	–	–	–	·04	–	–	·20	–	·11	20
21	·20	–	–	–	–	–	·16	–	–	–	·04	·42	21
22	·03	–	–	·27	–	–	–	–	–	–	·06	–	22
23	–	·09	·10	–	–	–	·04	–	·13	–	·10	·08	23
24	·06	–	·04	–	–	·06	–	–	·50	·07	·26	·06	24
25	·01	–	·06	–	–	·25	·02	–	–	·04	–	·15	25
26	·04	·37	·09	–	–	–	·06	–	·04	·19	–	·23	26
27	–	–	·17	–	–	–	·82	–	·03	·10	–	·04	27
28	–	·05	–	–	·09	–	·07	·24	·06	·58	–	·20	28
29	·04		–	·04	·20	–	–	–	·39	–	·22	·40	29
30	·01	X	–	·16	–	–	·20	–	·21	–		·06	30
31		X	–	X	–	X		·34	X	–	X	·09	31
Total	3·32	3·02	1·27	·71	1·52	·31	6·29	2·61	2·01	1·59	2·68	5·34	YEAR'S TOTAL 30·67
Rain Days.	23	15	12	6	8	2	20	12	10	12	14	25	159

W. 8,000. X. 15.

3615

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
10 JAN 1917

Kept at Osgodby

in the County of York N R

by Scarboro' Corporation Waterworks

Lat. .... Long. ....

Time of Observation 9-0 am

Nearest Railway Station Seamer

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 166·07 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	–	·19	–	–	–	·15	–	–	·06	·10	–	1
2	–	·06	·09	–	–	·07	–	–	·12	·04	·15	·04	2
3	·20	·15	·20	–	–	·06	–	–	·40	·07	–	·08	3
4	·10	·09	·14	·03	·56	·28	·10	–	–	·47	·38	·32	4
5	–	·06	·08	·04	·15	·25	·08	–	–	·21	·18	–	5
6	·04	·27	·23	·10	·20	–	–	–	–	–	·36	–	6
7	·06	–	·10	–	·22	–	–	–	–	·07	–	·08	7
8	–	–	·17	–	·07	–	·04	–	–	–	–	·20	8
9	·04	–	·02	–	·58	–	–	–	·14	–	–	·60	9
10	·15	·06	·04	·06	·05	·05	–	–	–	–	–	·10	10
11	·10	·67	·56	–	·46	·40	–	–	–	·04	–	·39	11
12	–	–	·40	·05	·23	·24	·55	·04	–	–	–	·10	12
13	–	·02	·08	–	·12	–	·27	·10	·21	·38	–	·30	13
14	–	·05	·07	·04	–	–	–	1·06	·14	·02	–	·10	14
15	·02	·25	·38	·15	–	–	–	·42	–	·08	–	–	15
16	–	–	–	–	–	–	·14	·16	·13	–	–	·04	16
17	·06	·07	·04	·10	–	–	–	–	·08	·17	·10	·03	17
18		·12	·03	·20	–	–	–	·02	–	·08	1·02	·08	18
19	–	–	–	·03	–	·02	–	–	–	–	·49	·29	19
20	·03	–	·29	–	·06	–	·24	·39	–	–	·06	·10	20
21	·04	·19	·06	–	·21	–	–	·06	–	–	–	·41	21
22	–	·04	–	·06	–	·03	–	–	–	–	·06	–	22
23	–	–	–	–	–	·15	·10	–	–	–	·10	·45	23
24	–	–	·04	·04	–	–	·06	–	–	·14	·05	·21	24
25	·02	·06	–	–	–	·07	–	·04	–	·12	–	–	25
26	–	·10	·03	–	–	–	·04	·25	–	·29	·06	·06	26
27	·04	·30	–	–	·15	–	–	·30	–	–	–	–	27
28	–	·14	–	–	–	–	·02	·05	–	·04	·10	·17	28
29	–		–	–	–	·03	–	–	–	·04	·03	·07	29
30	–		–	–	–	–	–	–	–	·28	–	–	30
31	–		–		–		–	–		·04		–	31
Total	·95	2·40	3·24	·90	3·06	1·65	1·79	2·89	1·22	2·64	3·24	4·22	YEAR'S TOTAL 28·50
Rain Days.	14	18	21	12	13	12	12	12	7	19	15	22	177

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

Kept at Osgodby Pumping Station Cayton.
in the County of York
by W. Millhouse

RAIN GAUGE.
Lat. Lon.
Time of Observation 9 a.m.
Diameter 8
Height of top above Ground 1 ft.
" " Sea Level ~~[illegible]~~ 166·07 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·42				·62	·15		·11		1
2			·10	·20				·63	·10				2
3			·08	·20							·02		3
4			·20	·45									4
5			·06					·06		·04	·06		5
6		·06	·10	·04		·16		·08			·04	·25	6
7	·64					·04		·04		·58	·07		7
8	·56			·06				1·18		·30	·08		8
9	·05	·03	·09	·12				·06		·21	·06		9
10	·19		·52	·38	·04			·33		·21	·27		10
11				·08				·07		·14			11
12	·12			·20	·35	·08		·11		·35			12
13			·09	·05	·10			·05				·08	13
14	·38			·20	·17				·06			·14	14
15	·15	·10	·10	·10				·10				·28	15
16	·13			·06	·05								16
17	·24	·01		·10	·15	·18		·09	·06				17
18				·02	·07		·03		·08	·06			18
19			·35				·20				·04		19
20			·34			·04						·04	20
21			·28					·03	·02	·19	·40		21
22		·07			·04	·17				·18	·03		22
23		·35						·18		·03	·04	·09	23
24					·08		·09			·09	·12	·20	24
25	·02	·04				·15	·04			·10	·54	·10	25
26			·14			·10	·09	·45		·05			26
27	·08		·03			·10	·10	·45			·06		27
28						·12	·12	·41	·02	·28			28
29	·06		·12				·36	·06		·18		·02	29
30	·04		·10	·11			·33		·02	·08		·04	30
31	·06		·27				·08					·03	31
Totals	2·72	·66	2·97	2·79	1·05	1·14	1·44	5·00	·51	3·07	1·94	1·27	24·56
Rain ~~Total from~~ Days ~~Jan. 1~~	14	7	17	17	9	10	10	19	8	17	15	11	154

K/3,000/12/00. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

64

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

8 JAN 1919

cordy obr.

Kept at Osgodby Pumping Station

in the County of York N

by W. Millhouse, C.E.

Lat. 54° 14′ Long. 23′ W

Time of Observation 9 a.m.

Nearest Railway Station Cayton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 166·04 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	-	-	-	-	-	·10	1
2	·09	·14	-	-	-	-	-	·04	-	-	·20	·09	2
3	·10	-	-	-	-	-	-	-	-	·03	·51	·19	3
4	·14	-	·02	·04	-	-	-	·40	-	·05	·16	·20	4
5	-	·04	·06	-	·11	-	-	·96	·10	-	-	-	5
6	·14	·20	-	·61	·52	-	-	·04	·55	·03	·09	-	6
7	·33	-	·03	·06	-	-	·05	-	-	-	-	-	7
8	-	·05	-	-	-	-	·80	-	-	-	·11	·06	8
9	-	·21	-	-	-	-	-	·10	·64	·36	-	-	9
10	·30	·08	-	-	-	-	·09	-	-	-	·06	·10	10
11	-	·05	-	-	·51	-	-	-	·12	·09	-	-	11
12	·06	-	-	-	·26	-	·28	·02	·06	-	-	·04	12
13	-	·09	-	-	·13	-	-	-	·08	-	-	-	13
14	-	-	-	-	-	-	·08	-	·64	·08	-	·30	14
15	-	-	-	·04	-	·20	·10	-	1·06	-	·04	·60	15
16	-	-	-	·06	-	·27	·05	-	·20	·10	-	·20	16
17	·30	-	-	·10	·50	-	·99	·04	·19	·12	-	·10	17
18	·32	-	-	·12	-	-	·44	-	·09	·10	-	·10	18
19	·28	·35	-	·20	-	·09	·12	-	·06	-	-	·15	19
20	-	-	-	-	·10	-	·06	-	·11	·05	-	-	20
21	·06	·04	-	·05	·06	-	·36	-	-	-	-	-	21
22	-	·03	-	-	-	-	·04	-	·04	-	-	·08	22
23	·08	-	-	-	·30	-	·16	·06	·09	-	-	-	23
24	·10	-	-	-	·10	-	-	·08	-	·05	-	-	24
25	·08	-	-	-	·12	-	-	·12	·20	-	-	·22	25
26	-	·05	·04	-	-	-	-	·10	-	-	·10	·06	26
27	-	·07	·20	-	-	-	-	·19	·09	-	·09	·32	27
28	-	·06	·30	-	-	-	-	-	-	-	·07	·22	28
29	-	-	·06	-	-	-	-	-	·06	-	-	·35	29
30	-	×	·15	-	-	-	-	·04	·12	-	·03	1·12	30
31	-	×	·20	×	-	×	-	-	×	-	×	·06	31
Total	2·38	1·49	1·06	1·28	2·41	·56	3·62 ~~5·62~~	2·19	4·50	1·06	1·46	4·66	YEAR'S TOTAL 26·97 ~~28·94~~
Rain Days.	14	14	9	9	11	3	14	13	19	11	11	21	149

W, 6,500, VII. 18. w w c

FORM C.
BRITISH RAINFALL.
W. 8,000. IX. 17.

PLEASE fill in name of place and month.

RAINFALL at Gogodly Pumping Station *in the Month of* July 1918

DATE	Inches	REMARKS ON THE DAYS.
1		
2		
3		
4		
5		
6		
7	·05	
8	·80	
9		
10	·09	
11		
12	·28	
13		
14	·08	
15	·10	
16	·05	
17	·99	
18	·44	
19	12	
20	·06	
21	·36	
22	04	
23	·16	
24		
25		
26		
27		
28		
29		adds to
30		3·62 ✓
31	3.62	
TOTAL	~~5~~·62	No. of Days with Rain

Error in copying W.M.

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

POST CARD.

SCARBOROUGH
6. 30 PM
21 MAR 19

ADDITIONAL REMARKS

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the
Min. ,, ,, ,, ° on the
Temp. in shade, at or below 32° on days.
,, on grass, ,, ,, 32° on days.

SIGNED...

No writing on this side of the lin

SCARBOROUGH
6. 30 PM
21 MAR 19

Dr. H. R. MILL,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W. 1.

3292

MAR 20

FORM A. 1. METEOROLOGICAL OFFICE. ~~BRITISH~~ RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Osgodby, Pumping Station
in the County of Yorkshire
by The Water Engineer, Scarborough.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Seamer
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft – in.
" " " " Sea Level 166·07 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·09			·60		·59		·14		·10	·13	1
2	·02	·15	·06				·41	·12	·03	·02	·20		2
3	·80								·25	·07	·25		3
4	·13	·06	·38			·16			·04		·38	·02	4
5	·24	·08	·01			·08		·08	·11		·10	·06	5
6	·03		·24		·20						·27	·05	6
7		·06	·35		·15							·10	7
8	·25									·08	·11	·20	8
9			·10		·10					·08	·25		9
10	·10	·10	·03					·07		·10	·10	·13	10
11		·04	·60		·05		·21			·02	·35		11
12		·12	·67						·05	·32	·13	·04	12
13	·12	·08	·14				·29				·06		13
14	·37		·10	·42						·04	·04		14
15				·40						·35		·50	15
16	·04			·09						·06	·24	·08	16
17											·07	·03	17
18	·06	·20		·06					·09				18
19		·15	·44				·14	·40	·10		·08	·16	19
20	·26	·06	·02	·04			·09						20
21	·20	·21	·04					·11	·11				21
22							·21		·06		·06	·15	22
23			·05			·16				·55	·14		23
24			·07			·06				·53			24
25	·02	·04				·31		·41		·30	·10	·13	25
26	·04	·06		·40			·04	·30		·50	·12	·52	26
27	·06	·20	·10	·50		·05				·50			27
28	·04							·84		·32		30	28
29	·06			·04		·08		·02		·85	·14	·08	29
30		X	·10	·12		·19				·20	·16	·12	30
31	·14	X	·06	X		X	·08		X	·14	X	·07	31
TOTAL	3·01	1·40	3·56	2·07	1·10	1·09	2·06	2·35	·98	5·03	3·45	2·84	YEAR'S TOTAL 29·27
Days with ·01 in. or more	20	16	19	9	5	8	9	9	10	19	22	19	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3169

0 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Osgodby Waterworks Pumping Station
in the County of Yorks
by Scarboro. Corporation Waterworks.

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Seamer N.E.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 166·07 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·34	·04		·18	·06		·40			1
2				·29	·24			·53	·12	·03		·29	2
3			·05	·11			·03		·10	·24		·56	3
4			·02	·04	·04		·79			·58			4
5			·05		·11		·20						5
6			·06				·18					·10	6
7		·06		·08	·04			·03				·09	7
8	·06	·02	·04	·22			·10			·04			8
9	·06	·07		·39	·03		·20	·17				·10	9
10	·62	·03		·34			·11						10
11	·15		·06	·23					·12			·12	11
12	·23		·09	·20			·04	·02		·03		·36	12
13			·06						·10				13
14			·45	·21			·03		·06	·15			14
15	·09		·23	·19					·03				15
16					·04		·80	·10	·30				16
17	·20	·04		·06	·08		·10	·10	·16				17
18	·09	·43		·10	·24		·20	·09	·20				18
19	·17			·30				·04					19
20		·03		·17		·20	·06				·03	·06	20
21			·04					·15				·04	21
22	·05			·40			·50					·10	22
23				·10			·40				·04		23
24	·03		·32				·16					·10	24
25		·05	·07	·04		·02	·64						25
26			·03				·21				·06	·02	26
27	·12	·02		·16		·50					·09	·04	27
28	·89		·34		·70		·06				·12		28
29	·20	·04	·18	·05	·03						·06	·53	29
30	·05				·28				·29		·28	·12	30
31	·02				·04							·15	31
TOTAL	3·03	·79	2·09	4·02	1·91	·72	4·99	1·29	1·48	1·77	·68	2·78	YEAR'S TOTAL 25·55
Days with ·01 in. or more	16	10	16	21	13	3	20	10	10	4	4	16	149
Days with ·04 in. or more	14	6	14	21	11	2	18	8	9	5	6	15	129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL ✓

2/39

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

SCARBOROUGH
–
SCALBY

1911 – 1920.

R

Kept at Scarb

in the County of N.

by Mrs J. W. I

in.

nd ft. 11 in.

Level 300 ft.

ce Direction

IMPORTANT NO result entered to the previous day. If an rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50						·11	·20		·15		·03	1
2	·26		·07		·03		·16			·04		·10	2
3	·04			·05	·13			·15		·40	·03		3
4	·05	·06	·20	·18					·05	·30	·35	·18	4
5	·17			·05	·03			·46		·17		·02	5
6	·06		·08	·07				·21		·13	·12	·25	6
7		·04	·02								·05		7
8			·12			·05				·10	·06	·20	8
9			·07							·02		·08	9
10	·08	·10	·05								·88	·55	10
11	·40	·04									·28		11
12	·12		·24		·23	·05			·48		·10		12
13	·18		·64			·23			·12		·12	·27	13
14		·15	·28		·06	·12	·10		·05		·15	·52	14
15		·20	·40						·06	·05	·05	·27	15
16		·04	·32				·11		·08		·10	·08	16
17			·03			·45	·04				·34	·18	17
18		·07	·20			·22					·73	·11	18
19						·20	·04	·02	·05	·08	·70	·03	19
20							·14	·73	·09		·20	·40	20
21		·40						·34		·12	·23		21
22	·12							1·40		·08	·10		22
23	·03	·22				1·10			·95	·05		·10	23
24		·04	·11			1·20				·06		·14	24
25	·08	·08	·04	·13		·60	·14		·22	·08	·05	·27	25
26				·12	·03		·36			·48	·30	·04	26
27		·06	·07	·07				·15	·18	·06	·15	·05	27
28		·08	·05	·22			·38	·10	·05	·07		·08	28
29			·03	·07		·24			·31	·45		·04	29
30			·02		·16	·03			·75	·12	·03		30
31			·02		·27					·10		·11	31
Total	2·09	1·58	3·06	·96	·94	4·49	1·58	3·76	3·44	3·11	5·12	4·10	TOTAL for year ✓ 34·23
No. of Rain Days	13	14	21	9	8	12	10	10	14	21	22	24	✓ 178

9,000, IX. '10.

8L ✓

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

2/39

Kept at Scarborough, Scalby
in the County of N. Riding 5
by Mrs J. W. Rowntree

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 11 in.
" " " Sea Level 300 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50						·11	·20		·15		·03	1
2	·26		·07		·03		·16			·04		·10	2
3	·04			·05	·13			·15		·40	·03		3
4	·05	·06	·20	·18					·05	·30	·35	·18	4
5	·17			·05	·03			·46		·17		·02	5
6	·06		·08	·07				·21		·13	·12	·25	6
7		·04	·02								·05		7
8			·12			·05				·10	·06	·20	8
9			·07							·02		·08	9
10	·08	·10	·05								·88	·55	10
11	·40	·04									·28		11
12	·12		·24		·23	·05			·48		·10		12
13	·18		·64			·23			·12		·12	·27	13
14		·15	·28		·06	·12	·10		·05		·15	·52	14
15		·20	·40						·06	·05	·05	·27	15
16		·04	·32				·11		·08		·10	·08	16
17			·03			·45	·04				·34	·18	17
18		·07	·20			·22					·73	·11	18
19						·20	·04	·02	·05	·08	·70	·03	19
20							·14	·73	·09		·20	·40	20
21		·40						·34		·12	·23		21
22	·12							1·40		·08	·10		22
23	·03	·22				1·10			·95	·05		·10	23
24		·04	·11			1·20				·06		·14	24
25	·08	·08	·04	·13		·60	·14		·22	·08	·05	·27	25
26				·12	·03		·36			·48	·30	·04	26
27		·06	·07	·07				·15	·18	·06	·15	·05	27
28		·08	·05	·22			·38	·10	·05	·07		·08	28
29			·03	·07		·24			·31	·45		·04	29
30			·02		·16	·03			·75	·12	·03		30
31			·02		·27					·10		·11	31
Total	2·09	1·58	3·06	·96	·94	4·49	1·58	3·76	3·44	3·11	5·12	4·10	TOTAL for year ✓ 34·23
No. of Rain Days	13	14	21	9	8	12	10	10	14	21	22	24	✓ 178

9,000, IX. '10.

82

2/40

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

Kept at Scarborough, Scalby

in the County of North Riding N5

by Mrs J. W. Rowntree. E. M. Hart

Rain Gauge: Pattern ____ Diameter of top ____ in. Height of top above Ground ____ ft. ____ in. „ „ „ Sea Level ____ ft.

Time of Observation ____

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	TOTAL for year	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.20	.06	.02		.50	.05	.15	.03	.08		.17		1
2		.25		.03		.05	.60	.40		.21	.23			2
3	.09	.05				.50			.18	.12		.12		3
4	.25		.26			.40		.40			.15			4
5					.15	.18								5
6	.73	.03	.06			.10	.05	.10	.05					6
7	.12	.04			.15			.03	.28		.05			7
8	.33	.10	.20	.05			.03		.34		.12			8
9		.04	.15	.15				.02	.20		.04			9
10						.08		.04	.16		.17			10
11	.33	.10							.04		.32	.32		11
12	.10	.10	.10			.35	.92		.01		.76			12
13	.03	.03				.14		.11		.12	.12	.07		13
14	.09		.50			.16		.10	.04		.08			14
15	.03		.38		.70	.12				.05		.12		15
16			.16		.10					.05				16
17		.02	.20			.42		.25				.04		17
18	.20	.03	.06			.02	.45					.04		18
19	.25	.34					.21	.20	.03		.03			19
20	.03	.07	.09		.38		.11			.30				20
21			.38		.30					.25				21
22	.09	.15	.08		1.65	.12		.08		.03				22
23			.06		.07		.10	.52		.50	.20			23
24	.45		.02			.25	.15	.03				.12		24
25	.48		.11			.30		.20			.16	.04		25
26	.07	.06	.04					1.00		1.08	.08	.32		26
27			.06			.21	.67			.35	.03	.13		27
28						.12	.33	.40		.21	.35			28
29			.20	.10	.05	.03	.10		.60			.06		29
30	.14		.11			.02	.12		.75	.25	.18	.03		30
31	.05		.20		.05		1.00	.21		.50				31
Total	3.86	1.61	3.48	.35	3.60	4.07	4.89	4.24	2.71	4.10	3.07	1.58	37.56	
No. of Rain Days	19	16	22	5	10	20	15	18	13	15	17	13	183	

9,000, IX. '10

82 √

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

28 JAN 1914

2/40

Kept at Scarborough, Scalby

in the County of N. R. York

by Mrs J. W. Rowntree, E. M. Hart

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·38					·27				1
2			·12								·10		2
3		·02	·03			·08						·03	3
4	·54		·10		·05	·06	·12			·93	·25	·12	4
5	·16	·05	·04		·04	·06	·08						5
6	·02	·10	·06		·52	·16							6
7		·23			·08	·17	·05			1·25			7
8		·03			·85	·05	·12	·05		·20	·08		8
9		·08		·18	·15	·04		·25			·04		9
10		·08								·12	·53		10
11	·70			·48		·06					·15		11
12	1·03										·05		12
13	·20							·15			·11		13
14	·12	·05	·07							·15			14
15	·29		·05	·25							·15		15
16											·12	·10	16
17		·05	·18						·20				17
18			·05	·13	·14						·20	·09	18
19	·18												19
20	·20		·17							·07	·12		20
21	·08	·04	·03		·22			·10	·13		·05		21
22	·04		·37		·06			·27		·05			22
23	·10		·23				·50		·14	·15		·02	23
24	·25			·06		·62		·26				·08	24
25				·05					·14		·02	·03	25
26			·04	·05					·08	·32	·08	·40	26
27		·05		·16	·09	·08						·10	27
28	·20	·04	·27	·20						·03		·40	28
29	·06		·34	·30	·09						·03	·25	29
30	·24				·25					·21		·05	30
31	·10				·20								31
Total	4·51	·82	2·15	2·24	2·74	1·38	·87	1·08	·96	3·48	2·08	1·67	YEAR'S TOTAL 2398
Rain Days.	18	12	16	11	13	10	5	6	6	11	16	12	136

W. 7,500, XI. 12

81

2/40

FORM A.
BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Scalby
in the County of N. R. Yorkshire 5
by Mrs J. W. Rowntree, E. M. Hart

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·83	·24			·04	·18	1
2							1·35	·18			·25	·04	2
3			·06		·16		·18				·16	·33	3
4				·06	·18						·33	·55	4
5			·12	·14	·27			·08			·33	·03	5
6	·08	·13		·12	·07						·06	·08	6
7			·10		·08	·34						·10	7
8	·50		·05	·06	·40	·26		·07					8
9	·52	·10	·12	·22	·06	·65		·03	·18			·07	9
10	·33	·09	·06								·11		10
11		·06	·12	·03	·26				·07		·30	·15	11
12	·10		·06						·09			·55	12
13	·08	·08	·48						·02		·35	·21	13
14	·03	·25	·14	·06						·07		·20	14
15	·08		·22				·15			·08	·70	·13	15
16	·15		·14				1·85		·48		·08		16
17	·13	·15	·01						·50		·10	·22	17
18	·07	·16	·14						·17			·40	18
19	·02		·17						·19		·10		19
20	·08	·05	·45			·37			·02				20
21	·04	·42	·15				·13	·95	·02	·06	·12	·10	21
22			·03	·07	·22			·05		·06	·07	·05	22
23			·03		·32	·37					·03	·12	23
24				·13				·65			·12		24
25		·16								·38		·09	25
26			·07				·26	·23		·28	·20	·48	26
27							·03			·06	·07	·52	27
28		·05								·23	·10	·15	28
29			·06					·18		·60	·03		29
30			·16					·08		·08	·27	·05	30
31	·12		·08		·01		·30			·32		·02	31
Total	2·33	1·70	3·02	·89	2·03	1·99	5·08	2·74	1·74	2·22	3·92	4·82	YEAR'S TOTAL 3248
Rain Days.	15	12	23	9	11	5	9	11	10	11	22	24	162

W.7,000, XI. 13

82

3684 2/40

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Scalby

in the County of N. R. York 5 [illegible]

by E. M. Hart, for Mrs J. W. Rowntree

Lat. Long.

Time of Observation —

Nearest Railway Station —

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·42	·04		·19			·50	·50	·13	·10	·33	1
2		·12	·30	·17		·04		·30	·50		·07		2
3	·52		·07	·07			·34	·07	·10		·23	·65	3
4	·20		·07				1·10	·04			·33	1·05	4
5	·37		·02				·21			·10	·06	·50	5
6	·03	·40	·08	·03			·47	·16				·15	6
7	·31	·43	·07	·03			·27	·15				·03	7
8	·11		·11				·04	·03			·06		8
9	·35	·10						·16				·40	9
10	·40	·09						·15				·15	10
11	·05	·25		·04	·78		·24	·12				·24	11
12	·25	·13		·22	·16		·25	·08		·06	·95	·28	12
13		·20						·04			·15		13
14	·07	·16					·15	·24				·15	14
15	·44	·07					·33			·06		·12	15
16	·24	·31					1·90	·06		·03	·27	·05	16
17	·30	·15	·10				·58				·20	·07	17
18	·13	·11	·30						·08	·02	·07	·06	18
19		·03	·05				·07			·12			19
20	·22									·06		·46	20
21	·18			·20								·06	21
22			·05	·08			·23					·16	22
23	·15	·22	·05				·16		·14		·11	·05	23
24	·03	·10	·35	·22			·07		·45	·03	·06	·16	24
25				·04		·34					·40	·12	25
26	·04	·30	·13	·05		·03	·24		·14	·30		·26	26
27	·02	·10	·08				·87		·05	·26		·48	27
28	·06	·08	·06		·16		·07	·47	·12	·52		·06	28
29	·06	×			·44			·06	·50		·28	·26	29
30		×		·13	·04		·05	·04	·47			·03	30
31	·13	×		×		×		·33	×		×	·10	31
Total	4·94	3·77	1·93	1·28	1·77	·41	7·64	3·00	3·05	1·69	3·34	6·43	YEAR'S TOTAL 39·25
Rain Days.	25	20	17	12	6	3	20	18	11	12	15	27	186

W. 8,000. X. 14.

8h

Eve 8b

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Scalby
in the County of N. R. Yorkshire
by Mrs J. W. Rowntree, E. M. Hart

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge — in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33		·12			·13	·16				·13		1
2	·05	·10	·24										2
3		·20	·14	·03		·12			·45	·16	·09	·10	3
4	·02	·10	·07		·75	·23			·12	·65	·38	·50	4
5	·12		·28		·09	·21	·08			·55	·16		5
6		·23	·20	·11	·15	·09	·17				·08	·07	6
7		·05	·12	·07	·30		·09			·06		·03	7
8			·20		·09	·01				·02	·02	·15	8
9			·15		·60				·11		·02	·66	9
10			·03		·09					·05	·01	·14	10
11	·22	·52	·68	·28		·45	·13		·05	·04		·45	11
12	·08		·40	·06	·60	·47	·54			·05		·16	12
13		·07	·18		·26		·24	·54	·17	·47		·10	13
14		·22	·08		·14	·14	·03	·85		·05		·37	14
15		·30	·40					·35		·06			15
16		·05	·08	·06			·11	·82	·05	·04	·03	·17	16
17			·02	·10			·06		·10	·11	·01		17
18		·30	·02	·23				·05	·15	·08	·60		18
19	·15		·03	·08					·17	·03	1·10	·05	19
20	·06		·38		·02		·20	·30		·01	·14	·20	20
21	·05		·05	·22	·20		·15					·30	21
22		·35	·03									·17	22
23	·06		·05			·14					·06	·45	23
24				·15		·24		·10		·19		·13	24
25		·15	·04		·05			·40		·16	·17		25
26	·05	·25	·12								·37		26
27		·20						·30		·19			27
28		·26	·03		·08			·10		·18		·20	28
29		·18								·14		·03	29
30		✕				·03			·14	·14		·02	30
31		✕		✕		✕			✕	·24	✕	·02	31
Total	1·19	3·53	4·14	1·39	3·42	2·26	1·96	3·81	1·51	3·67	3·37	4·47	YEAR'S TOTAL 34·72
Rain Days.	11	17	26	11	14	12	12	10	10	23	16	22	184

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Scalby, Scarborough
in the County of N. R. York
by Mrs J. W. Rowntree, E. M. Hall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·08		·25				·63	·39		·10	·11	1
2	·03			·50		·06		·64	·02	·24			2
3			·05	·28									3
4		·05	·06	·01						·15	·08		4
5	·07		·12	·40							·10		5
6								·06				·05	6
7	·72		·02			·16							7
8	·81			·05				1·25		·66	·08		8
9	·16			·16				·20		·03	·17		9
10	·03		·68	·19				·50		·13	·30		10
11	·36	·05		·10	·21			·43		·24			11
12	·31			·24	·18			1·02		·45			12
13	·30			·10	·36	·09		·18		·13		·14	13
14	·15		·03	·21	·40			·23	·15			·04	14
15	·14			·08				·02		·04		·10	15
16	·22			·39				·11				·40	16
17	·13	·16		·10	·30	·21		·17				·30	17
18	·04			·02	·08		·27	·09					18
19	·30	·25	·44		·03	·19			·05				19
20	·07	·59	·30			·27		·21			·40	·05	20
21	·02	·23	·29			·17		·31	·03		·10		21
22			·13					·09		·07			22
23	·03				·15			·18		·15		·03	23
24		·02				·11	·23	·12		·35	·19		24
25		·02	·13			·07		·02		·30	·28	·05	25
26			·10			·17		·52		·35	·61	·45	26
27			·04			·17	·11	·70				·06	27
28			·12			·17	·40	·39		·03			28
29	·17						·25	·06		·38			29
30	·10	✗	·12				·29						30
31	·10	✗		✗		✗		·04	✗		✗	·11	31
Total	4·26	1·45	2·63	3·08	1·71	1·84	1·55	8·17	·64	3·70	2·41	1·89	YEAR'S TOTAL 33·33
Rain Days.	21	9	15	16	8	12	6	25	5	16	11	13	157

W. 8,000, VIII. 16

8L

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

23 · 1 19

71

Kept at Scalby

in the County of N. R. York

by E. M. Hart. Mrs J. W. Rowntree

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·12	·44		-			·45	·03	·21	·09	1
2	·16	·26		·24			·04			·02		·20	2
3		·02	·05							·02	·47		3
4	·11		·04		·22			·08			·11	·28	4
5					·68			1·37	·04	·03		·03	5
6		·28		·69				·31	·19				6
7		·10					·07		·26	·20	·09		7
8	·10	·12	·05				·50		·08				8
9		·29							·91	·27	·04	·15	9
10		·04							·07		·03		10
11	·34	·05			·60		·08		·02			·13	11
12		·21	·07		·09		·10	·24		·08		·06	12
13		·04		·11	·11				·27				13
14	·05			·03			·14		·69	·06			14
15						·03	·30		1·48			·97	15
16						·21	·06		·28	·03		·38	16
17					·27	·06	·85			·11		·19	17
18	·35		·07	·21		·13	·35		·30	·02		·04	18
19	·90			·24			·32		·02	·32		·23	19
20	·06	·37		·06		·02	·15	·19	·15	·15			20
21	·02	·02			·07		·11		·16	·08			21
22				·04	·02		·05		·05			·32	22
23	·14				·45		·63		·03				23
24		·09					·10		·07	·04	·15		24
25							·14	·18	·02			·23	25
26								·21	·45	·02	·13	·16	26
27		·02	·07			·14		·22	·17		·03	·19	27
28		·19	·50					·02	·05			·39	28
29									·18			·16	29
30		×	·15						·02		·09	·98	30
31		×		×		×			×		×	·07	31
Total	2·27	2·10	1·12	2·06	2·51	·59	3·99	2·82	6·41	1·48	1·35	5·25	YEAR'S TOTAL 31·95
Rain Days.	11	15	9	9	9	6	17	9	25	16	10	20	156

W. 8,000, VIII. 16

JL Ex JL 3302

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Scalby

in the County of N. R. Yorkshire

by J. W. Rowntree, E. M. Hart

Lat. Long.

Time of Observation

Nearest Railway Station -

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	·09		·05	·35		·70		·24		·12	·12	1
2	·15	·02			·03		·62		·22		·16	·01	2
3	·70				·04		·04		·10	·11	·24	·10	3
4	·17	·02	·40		·18	·10		·21	·04		·42	·07	4
5	·21	·10	·03			·05			·20		·09	·06	5
6	·27		·23						·03		·35	·10	6
7	·02		·45		·24							·50	7
8	·06			·05	·18					·07	·28	·08	8
9	·05			·07						·22	·18		9
10			·10	·05						·15	·14	·14	10
11			1·00		·10					·11	·21		11
12			1·05	·10			·08		·08	·28	·20		12
13			·33			·06	·22	·07		·14		·01	13
14	·24		·03	·30				·08		·17	·25		14
15	·13	·14	·07	·10			·03			·58	·10	·57	15
16	·02	·12		·11						·10		·01	16
17		·11			·15	·07					·14		17
18								·30				·06	18
19		·12	·43				·45	·15			·22	·04	19
20	·30	·24	·03				·08	·08	·31			·15	20
21	·17	·13	·06				·04				·03	·16	21
22		·14	·04				·45		·22		·02	·14	22
23		·02	·11	·05		·15	·08			·90	·07	·03	23
24		·05	·02		·06				·02	·45	·06	·02	24
25	·03	·04				·38		·65		·05	·04	·04	25
26		·30	·22	·33		·04		·13		1·00	·35	·30	26
27	·37	·04		·64		·06	·04			·45	·27	·10	27
28	·09	·01	·03	·06			·03	1·08		·21	·03	·25	28
29	·06		·06	·05		·13	·01	·05		1·08		·18	29
30	·04	X	·16	·17		·15		·03		·15	·10	·16	30
31	·17	X	·09	X		X	·07		X	·14	X	·09	31
Total	3·44	1·69	4·94	2·13	1·33	1·19	2·94	2·83	1·46	6·36	4·07	3·49	YEAR'S TOTAL 35·87
Rain Days.	20	17	21	14	9	10	15	11	10	19	24	26	196

35·87
56

W. 6,500, VII. 18. W W C

7/4 27 318-

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Scarborough, Scalby
in the County of N. R. Yorkshire
by Mrs J. W. Rowntree, E. M. Hart

Lat.............. Long..............
Time of Observation..............
Nearest Railway Station..............
Diameter of Funnel of Rain Gauge..............in.
Height of top of Gauge above Ground.........ft.........in.
" " " " Sea Level..............ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·08	·34	·25		·38			·93			1
2			·06	·30			·75		·18	·14		·50	2
3		·05		·13			·25	·09		·12		·70	3
4				·05			·95	1·08		·65		·05	4
5			·07		·12		·22	·07	·14				5
6			·10		·03		·17	·02				·15	6
7				·17	·05		·05					·12	7
8				·32	·06		·10						8
9		·06		·50	·21		·09	·96		·05		·03	9
10	·90	·13	·12	·42			·22					·30	10
11	·40	·07		·26	·03							·15	11
12	·15		·05	·26			·11				·10	·33	12
13	·11	·06	·12		·02				·08		·05	·10	13
14			·67	·16			·14		·30	·26	·06		14
15		·20	·52	·16			·05			·24	·03		15
16		·05		·03			1·35		·21		·04	·10	16
17					·11		·10		·21			·05	17
18	·24				·10		·10	·30	·20				18
19		·50		·60				·20					19
20	·15	·06		·16		·16							20
21							·52	·27				·03	21
22	·07			·12			·08						22
23							·47					·07	23
24	·03		·30	·10			·08					·07	24
25		·10	·05	·04			·73						25
26	·04	·07	·10	·08			·32					·02	26
27	·18			·07	·90	·52					·20	·06	27
28	1·40		·24				·14				·12	·15	28
29	·12		·15	·07	·65	·05	·03			·10	·05	·70	29
30	·23	✕	·02		·10				·36		·10	·10	30
31	·12	✕		✕	·02	✕	·15		✕		✕	·18	31
Total	4·17	1·35	2·65	4·34	2·65	·73	7·55	2·99	1·68	2·49	·75	3·96	Year's Total 35·31
Days with ·01 in. or more	15	11	15	21	14	3	25	8	8	8	9	21	158
04	13	11	14	20	10	3	24	7	8	8	8	18	144

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

S. made

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

SCARBOROUGH

MAY LODGE

1911 - 19~~11~~12

Kept at May L
in the County of NR
by Mrs Eleyth A

in.
und ft. in.
Level ft.
E. A. M.
ne ~~[illegible]~~ Scarborough
tance Direction

IMPORTANT N … e result entered to the previous day. If an … al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.41	...	...	...	...	...	.13	.17	...	.11	...	..3	1
2	.16	...	..4	...	...	...	.18	...	...	..4	...	.11	2
3	..4	..2	.16	..8	.17	...	...	.17	...	.23	..2	...	3
4	.14	...	...	.11	...	...	...	.16	..3	.15	.26	.30	4
5	.13	...	..4	..3	.11	...	...	.21	...	.23	..8	...	5
6	.14	...	..2	..4	...	...	...	.14	...	..6	.11	.46	6
7	...	...	.10	...	...	...	...	...	...	...	..6	...	7
8	...	...	..3	...	...	...	...	...	..6	..2	..2	.20	8
9	...	...	...	..2	...	..7	...	...	...	..1	...	..5	9
10	..3	.12	...	...	...	...	...	...	...	...	.68	.70	10
11	.31	..3	.17	...	.12	...	...	...	..2	...	.27	..4	11
12	..5	...	.43	...	..7	.16	...	...	.61	...	..7	..1	12
13	..3	...	.23	...	...	.28	...	...	.27	...	..6	.25	13
14	...	.15	.13	...	...	..7	..9	...	..4	...	..7	.60	14
15	...	.21	.27	...	...	...	...	...	..4	..3	..9	.25	15
16	...	...	..2	...	...	..4	.10	...	..4	...	..7	..6	16
17	...	..2	..7	...	...	.41	..4	...	...	...	.17	.16	17
18	...	..6	..1	...	...	.25	...	.10	...	...	.60	.11	18
19	...	...	...	..7	..4	1.04	...	..3	..4	..4	.40	..4	19
20	...	..6	...	...	...	..5	.14	.60	.10	...	.12	.40	20
21	...	.24	...	...	...	...	...	.36	...	.14	.12	...	21
22	..9	..6	...	...	...	..4	...	1.18	...	..4	..9	...	22
23	...	...	..2	...	...	.90	...	...	.78	...	...	..8	23
24	..7	.17	...	..3	...	1.50	..4	..3	...	..8	...	.72	24
25	..2	...	...	..7	...	.59	.33	...	.18	..2	..8	.11	25
26	...	...	..6	..9	...	...	.30	...	...	.42	.32	..6	26
27	...	.12	..4	..6	...	...	...	.27	.19	..4	..5	..5	27
28	...	..7	..3	.20	...	..2	.31	..9	...	..3	..4	..4	28
29	...		...	..7	...	.34	...	...	.55	.29	...	...	29
30	...		...		.29	..2	...	...	.40	..4	...	...	30
31	...				.15		...	...		.12	.	.15	31
Total	1.52	1.33	1.8~~6~~7	.87	.95	5.78	1.66	3.41	3.35	2.14	3.85	4.38	TOTAL for year 31.11 ~~30.86~~
No. of Rain Days.	13	13	18	12	7	16	10	13	15	20	23	~~30.86~~ (24)	184

W. 8,000, X. '11.

1.87

S made

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at May Lodge. Scarborough.

in the County of NR York 5

by Mr Elezth Hutson

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation 9 o'c. A.M.

Nearest Railway Station
Name Scarborough
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.41	...	...	...	...	...	.13	.17	...	.11	...	..3	1
2	.16	...	..4	...	...	...	.18	...	...	..4	...	.11	2
3	..4	..2	.16	..8	.17	...	...	.17	...	.23	..2	...	3
4	..4	...	...	.11	...	...	...	.16	..3	.15	.26	.30	4
5	.13	...	..4	..3	.11	...	...	.21	...	.23	..8	...	5
6	.14	...	..2	..4	...	...	...	.14	...	..6	.11	.46	6
7	...	...	.10	...	...	...	...	...	...	...	..6	...	7
8	...	...	..3	...	...	...	...	...	..6	..2	..2	.20	8
9	...	...	...	..2	...	..7	...	...	...	..1	...	..5	9
10	..3	.12	...	...	...	...	...	...	...	...	.68	.70	10
11	.31	..3	.17	...	.12	...	...	...	..2	...	.27	..4	11
12	..5	...	.43	...	..7	.16	...	...	.61	...	..7	..1	12
13	..3	...	.23	...	...	.28	...	...	.27	...	..6	.25	13
14	...	.15	.13	...	...	..7	..9	...	..4	...	..7	.60	14
15	...	.21	.27	...	...	...	...	...	..4	..3	..9	.25	15
16	...	...	..2	...	...	..4	.10	...	..4	...	..7	..6	16
17	...	..2	..7	...	...	.41	..4	...	...	...	.47	.16	17
18	...	..6	..1	...	...	.25	...	.10	...	...	.60	.11	18
19	...	...	...	..7	..4	1.04	...	..3	..4	..4	.40	..4	19
20	...	..6	...	...	...	..5	.14	.60	.10	...	.12	.40	20
21	...	.24	...	...	...	...	...	.36	...	.14	.12	...	21
22	..9	..6	...	...	...	..4	...	1.18	...	..4	..9	...	22
23	...	...	..2	...	...	.90	...	...	.78	...	...	..8	23
24	..7	.17	...	..3	...	1.50	..4	..3	...	..8	...	.12	24
25	..2	...	...	..7	...	.59	.33	...	.18	..2	..8	.11	25
26	...	...	..6	..9	...	...	.30	...	...	.42	.32	..6	26
27	...	.12	..4	..6	...	...	...	.27	.19	..4	..5	..5	27
28	...	..7	..3	.20	...	..2	.31	..9	...	..3	..4	..4	28
29	...		...	..7	...	.34	...	...	.55	.29	...	...	29
30	...		...		.29	..2	...	...	.40	..4	...	...	30
31	...				.15		...	...		.12	.	.15	31
Total	1.52	1.33	1.8~~6~~7	.87	.95	5.78	1.66	3.41	3.35	2.14	3.85	4.38	TOTAL for year 31.11 ~~30.86~~
No. of Rain Days.	13	13	18	12	7	16	10	13	15	20	23	~~30.86~~ (24)	184

W. 8,000, X. '11.

1.87

f made ✓

cwd fr arith 18·III·13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
21 JAN 1913

Kept at May Lodge Scarborough

in the County of Yorkshire. N5

by Mrs Elizth Kitson

Lat. 54. 20 m. N Long. 35. East

Time of Observation 9, oC a.m.

Nearest Railway Station Scarborough

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 3 1/2 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	...	...	..4	..2	..3	.40	.15	.19	.22	..6	.34	.10	1
2	...	...	..3	...	...	.15	.35	.12	...	..9	...	...	2
3	.10	...	..2	...	...	.52	...	.14	.14	..6	.16	.20	3
4	.24	...	.33	...	...	.41	...	.48	...	...	...	...	4
5	...	...	...	...	.14	.16	...	...	...	...	.16	...	5
6	.69	...	..5	...	...	.11	..3	.11	...	...	...	...	6
7	...	.10	...	...	.13	...	...	...	.24	...	...	...	7
8	.43	..6	.24	...	...	..3	..8	...	.29	...	...	...	8
9	...	.12	...	.14	...	...	...	...	.22	...	.14	...	9
10	...	..3	...	..2	..4	..6	...	..7	.10	...	..4	...	10
11	.25	...	..6	...	...	...	...	...	..3	...	.12	.36	11
12	..5	..6	...	...	...	.44	.90	...	...	...	.22	...	12
13	..2	..6	.34	...	...	..9	...	.12	...	.10	.57	..3	13
14	..9	...	.38	...	...	.12	...	.14	..3	...	.19	..5	14
15	..3	..6	..4	...	.60	.15	...	...	...	..4	..4	..6	15
16	..9	...	..7	...	..7	.40	...	...	...	..2	...	...	16
17	...	..3	.20	...	...	..5	...	.20	...	...	...	..3	17
18	.19	..1	..5	...	...	...	.14	...	...	..1	...	..3	18
19	.24	.24	...	...	...	...	.21	.25	..2	..4	..5	...	19
20	..2	..6	..5	...	.31	...	.21	...	...	.27	...	...	20
21	...	...	.31	...	.22	...	...	...	...	.20	...	...	21
22	..8	...	..5	...	1 51	.10	...	..6	...	..6	...	...	22
23	..4	..9	..2	...	..5	...	..8	.58	...	.40	.15	...	23
24	.28	...	..3	...	...	.14	.22	...	...	...	...	.13	24
25	.35	...	..4	...	...	.17	.60	.35	...	...	.14	..5	25
26	..6	...	..3	...	...	...	.31	.46	...	1 00	.21	.30	26
27	...	..5	..6	...	...	.12	..4	...	...	.35	..2	..5	27
28	..3	...	...	..6	...	..5	..7	.25	...	.24	.33	...	28
29	.10	..3	.12	..3	..4	..2	.10	...	..2	..2	..4	..3	29
30	...		..7	...	...	..1	...	...	.94	.11	.10	...	30
31	...		.14		..2		.75	.22	.35	...		...	31
Total	3·38	1 inch	2·77	·27	3·16	3·70	4·24 4·24	3·74	2·60	3·03 3·07	3·~~02~~ 3·12	1·42	YEAR'S TOTAL 32·59
Rain Days.	20	14	24	5	12	21	16	16	12	17	18	13	188

32·47

W. 7,500, XI. 12

SCARBOROUGH
YORKSHIRE
MANOR RD. NURSERY
1912, 1914

R

FORM A.
BRITISH RAINFALL.
10 JUN 1913

Kept at Scarb

in the County of Y

by Mr. G.

H. W

in.

nd 1 ft. – in.

evel 170 ft.

NOTE.—Rain should be mea ructions for the measurement of rain and particulars as to the sent post-free on application to Dr. H. R. MILL, 62, Camden

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·19	·05	·02	·01	·40	·13	·19	·03	·05	–	·17	1
2	·07	·33	·05	·02	–	·13	·35	·20	–	·09	·16	–	2
3	–	·06	·03	–	–	·50	·01	·11	·16	·07	–	·12	3
4	·24	–	·28	·02	·12	·40	–	·45	–	–	·15	–	4
5	·01	–	–	·11	–	·13	–	–	–	–	·02	–	5
6	·58	·06	·05	·03	·09	·10	·04	·09	·04	–	–	–	6
7	·04	·03	–	·01	–	–	–	–	·23	–	·01	–	7
8	·37	·11	·15	–	–	·02	·05	–	·28	–	·12	·01	8
9	·01	·03	·06	–	·02	–	–	–	·17	–	·02	–	9
10	·01	–	·02	–	–	·06	–	·01	·12	–	·11	–	10
11	·27	·07	–	–	–	·01	·01	–	·03	–	·23	·30	11
12	·05	·06	·06	–	–	·49	·85	–	–	–	·52	–	12
13	·01	·02	–	–	–	·05	–	·12	–	·11	·19	·05	13
14	·07	·01	·35	–	·68	·13	–	·20	·03	–	·05	·06	14
15	·02	·02	·40	–	·06	·12	–	–	–	·03	·01	·07	15
16	·09	·01	·08	–	–	·01	–	–	–	·02	–	–	16
17	–	·01	·20	–	–	·40	–	–	–	–	–	·04	17
18	·20	·01	·03	–	–	·02	·17	·23	–	·01	·01	·03	18
19	·23	·01	·03	–	·27	·01	·21	–	·01	·04	·04	–	19
20	·02	·27	·04	–	·25	–	·10	·27	–	·30	–	·01	20
21	·01	·05	·30	–	1·47	–	·01	·01	–	·24	·01	–	21
22	·07	–	·03	–	·03	·12	–	·07	–	·05	–	–	22
23	·01	·09	·04	–	–	–	·08	·46	–	·39	·13	–	23
24	·30	–	·02	–	–	·17	·21	·04	–	–	–	·12	24
25	·33	–	·08	–	–	·17	·49	·30	–	·01	·15	·04	25
26	·06	·01	·02	–	–	–	·12	·59	–	·95	·09	·31	26
27	–	·02	·05	–	–	·14	·24	·01	–	·33	·01	·06	27
28	–	–	–	·02	–	·04	·17	·27	·03	·22	·39	–	28
29	–	–	·12	·02	–	·01	·12	·02	·86	·03	·04	–	29
30	·12		·07	–	·05	·02	·05	–	·34	·07	·11	·03	30
31	·02		·14		–		·82	·21		·47		–	31
Total	3·22	1·47	2·75	·25	3·05	3·65	4·23	3·85	2·33	3·48	2·57	1·42	TOTAL for year 32·27
No. of Rain Days.	26	21	26	8	11	24	20	20	13	19	22	15	225

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A. BRITISH RAINFALL.

10 JUN 1913

Kept at Scarborough, Manor Rd. Nursery

in the County of Yorks N S

by Mr. G. Milner (per R-met-Soc)

H. W. Smith on B.

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 170 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·19	·05	·02	·01	·40	·13	·19	·03	·05	–	·17	1
2	·07	·33	·05	·02	–	·13	·35	·20	–	·09	·16	–	2
3	–	·06	·03	–	–	·50	·01	·11	·16	·07	–	·12	3
4	·24	–	·28	·02	·12	·40	–	·45	–	–	·15	–	4
5	·01	–	–	·11	–	·13	–	–	–	–	·02	–	5
6	·58	·06	·05	·03	·09	·10	·04	·09	·04	–	–	–	6
7	·04	·03	–	·01	–	–	–	–	·23	–	·01	–	7
8	·37	·11	·15	–	–	·02	·05	–	·28	–	·12	·01	8
9	·01	·03	·06	–	·02	–	–	–	·17	–	·02	–	9
10	·01	–	·02	–	–	·06	–	·01	·12	–	·11	–	10
11	·27	·07	–	–	–	·01	·01	–	·03	–	·23	·30	11
12	·05	·06	·06	–	–	·49	·85	–	–	–	·52	–	12
13	·01	·02	–	–	–	·05	–	·12	–	·11	·19	·05	13
14	·07	·01	·35	–	·68	·13	–	·20	·03	–	·05	·06	14
15	·02	·02	·40	–	·06	·12	–	–	–	·03	·01	·07	15
16	·09	·01	·08	–	–	·01	–	–	–	·02	–	–	16
17	–	·01	·20	–	–	·40	–	–	–	–	–	·04	17
18	·20	·01	·03	–	–	·02	·17	·23	–	·01	·01	·03	18
19	·23	·01	·03	–	·27	·01	·21	–	·01	·04	·04	–	19
20	·02	·27	·04	–	·25	–	·10	·27	–	·30	–	·01	20
21	·01	·05	·30	–	1·47	–	·01	·01	–	·24	·01	–	21
22	·07	–	·03	–	·03	·12	–	·07	–	·05	–	–	22
23	·01	·09	·04	–	–	–	·08	·46	–	·39	·13	–	23
24	·30	–	·02	–	–	·17	·21	·04	–	–	–	·12	24
25	·33	–	·08	–	–	·17	·49	·30	–	·01	·15	·04	25
26	·06	·01	·02	–	–	–	·12	·59	–	·95	·09	·31	26
27	–	·02	·05	–	–	·14	·24	·01	–	·33	·01	·06	27
28	–	–	–	·02	–	·04	·17	·27	·03	·22	·39	–	28
29	–	–	·12	·02	–	·01	·12	·02	·86	·03	·04	–	29
30	·12		·07	–	·05	·02	·05	–	·34	·07	·11	·03	30
31	·02		·14		–		·82	·21		·47		–	31
Total	3·22	1·47	2·75	·25	3·05	3·65	4·23	3·85	2·33	3·48	2·57	1·42	TOTAL for year 32·27
No. of Rain Days.	26	21	26	8	11	24	20	20	13	19	22	15	225

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Sx. 486

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

11 JUN 1915

Kept at Scarborough

in the County of Yorkshire

by G. Milner per Royal Met Soc.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	–	–										1
2	–	–	–										2
3	–	–	·05										3
4	·01	–	·02										4
5	·01	–	·10										5
6	·02	·10	–										6
7	–	·01	·08										7
8	·38	–	·06										8
9	·51	·01	·08										9
10	·27	·10	·01										10
11	–	·06	·10										11
12	·04	–	–										12
13	·03	·06	·37										13
14	·01	·18	·04										14
15	·04	–	·24										15
16	·07	–	·10										16
17	·11	·08	–										17
18	·02	·15	·17										18
19	–	–	·15										19
20	·07	·03	·29										20
21	·03	·38	·08										21
22	–	·01	·03										22
23	–	·01	·01										23
24	–	–	·03										24
25	–	·10	·01										25
26	–	–	·04										26
27	·02	–	–										27
28	–	·04	–										28
29	–		·11										29
30	·07	X	·06										30
31	–	X	–	X		X			X		X		31
Total	1·74	1·32	2·23										YEAR'S TOTAL
Rain Days.	18	15	23										

W. 8,000. X. 14.

SCARBOROUGH
STH. CLIFF
YORKSHIRE
1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at South C

in the County of NR

by Major R

n.

d 1 ft. —

evel 200 ft.

n. Scarborough

nce Direction

IMPORTANT NOTE.—Rain should be result entered to the previous day. If an Observer prefers not to conform to this almost un al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	—	—	—	·08	·16		·09	~~46~~		1
2	·06	—	·03	—	—	—	·22	·09	—	03 ·09	~~·46~~	·10	2
3	—	·02	—	·08	·13	—		·08		~~·03~~ ·27			3
4	·03	—	·15	·11	—	—		·16	·02	~~·27~~	·26	1·04	4
5	·10	—	—	—	·13	—		·21		·17	·08		5
6	—	—	·04	·03	—	—		·14		·07	·07		6
7	—	—	—	—	—	—		—			·06		7
8	·02	—	·09	—	—	·06		—	·06		·02		8
9	·05	—	·03	·01	—	—		—		·02	—		9
10	·26	·11	·02	—	—	·01		—			·95	·61	10
11	·07	—	—	—	·12	—		—	·02			·01	11
12	—	—	·13	—	·07	·13		—	·56			·01	12
13	—	·02	·32	—	—	·24		—	·25			·31	13
14	—	·11	·20	—	·05	·06	·08	—	·03	·02	·01	1·06	14
15	·04	·21	·16	—	—			—	·03		·15		15
16	—	—	·25	—	—	·03	·10	—	·02		·11		16
17	—	·01	·02	—	—	·38	·04	—	—		·09		17
18	—	—	·06	—	—	·20		·05	—		·52		18
19	·07	·04	—	—	·02	·17	·03	·03	·04	·03	·32		19
20	—	·05	—	·06	—	·02	·09	·58	—		·11	·34	20
21	—	·21	—	—	—			·32	—	·13	·13		21
22	·03	—	—	—	—	·03		1·03	—	·62	·07		22
23	—	·16	—	—	—	1·45		·01	·80	·01		·16	23
24	—	·01	·01	—	—	1·15	·02	·02					24
25		·05		·06	—	·54	·35	—	·18	·47	·04	·14	25
26	·13	—		·08	—	·01	·29	—			·36		26
27	—	·04	·06	·04	—			·24	·26			·08	27
28	—	·05	·03	·20	—	·02		·08		·03	·05	·07	28
29	—		·01	·06	—	·30	·34	—	·56	(·48)	—	·03	29
30	—		—	—	·32		—	—	·28		·01		30
31	—		—		·10		—	—				·11	31
Total	·89	1·09	1·61	·73	·94	4·80	1·64	3·20	3·11	1·84	3·44 3·41	4·07	27·33 33
No. of Rain Days	12	14	17	10	8	17	11	15	14	(19)	(22)	~~23~~	182

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at South Cliff, Scarborough

in the County of NR Yorkshire 5

by Major R. E. Stuart

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 200 ft.

Time of Observation 10 A.M.

Nearest Railway Station
Name Scarborough
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	—	—	—	—	·08	·16		·09	~~·46~~		1
2	·06	—	·03	—	—	—	·22	·09	—	·09	~~·46~~	·10	2
3	—	·02	—	·08	·13	—		·08		~~·03~~ ·27			3
4	·03	—	·15	·11	—	—		·16	·02	~~·27~~	·26		4
5	·10	—	—	—	·13	—		·21		·17	·08		5
6	—	—	·04	·03	—	—		·14		·07	·07	1·04	6
7	—	—	—	—	—	—		—			·06		7
8	·02	—	·09	—	—	·06		—	·06		·02		8
9	·05	—	·03	·01	—	—		—		·02	—		9
10	·26	·11	·02	—	—	·01		—				·61	10
11	·07	—	—	—	·12	—		—	·02		·95	·01	11
12	—	—	·13	—	·07	·13		—	·56			·01	12
13	—	·02	·32	—	—	·24		—	·25			·31	13
14	—	·11	·20	—	·05	·06	·08	—	·03	·02	·01		14
15	·04	·21	·16	—	—			—	·03		·15		15
16	—	—	·25	—	—	·03	·10	—	·02		·11		16
17	—	·01	·02	—	—	·38	·04	—	—		·09	1·06	17
18	—	—	·06	—	—	·20		·05	—		·52		18
19	·07	·04	—	—	·02	·17	·03	·03	·04	·03	·32		19
20	—	·05	—	·06	—	·02	·09	·58	—		·11	·34	20
21	—	·21	—	—	—			·32	—	·13	·18		21
22	·03	—	—	—	—	·03		1·03	—	·62	·07		22
23	—	·16	—	—	—	1·45		·01	·80	·01		·16	23
24	—	·01	·01	—	—	1·15	·02	·02					24
25		·05		·06	—	·54	·35	—	·18		·04	·14	25
26	·13	—		·08	—	·01	·29	—		·47	·36		26
27	—	·04	·06	·04	—			·24	·26			·08	27
28	—	·05	·03	·20	—	·02		·08		·03	·05	·07	28
29	—		·01	·06	—	·30	·34	—	·56		—	·03	29
30	—		—	—	·32		—	—	·28	(·48)	·01		30
31	—		—		·10		—	—				·11	31
Total	·89	1·09	1·61	·73	·94	4·80	1·64	3·20	3·11	1·84	3·44 3·41	4·07	27·33
No. of Rain Days	12	14	17	10	8	17	11	15	14	(19)	(22)	29	182

SCAWTON RECTORY
YORKSHIRE
1918 - 1920

FORM A.
BRITISH RAINFALL.
22.1.19

RE

Kept at SCAWT … 15" W.
in the County of … MSLEY
… 5 in.
… nd 1 ft. — in.
by REV. C. H. R … Level 605 ft.

IMPORTANT NO … result entered to the previous day. If an O … rule, he is earnestly requested to add the re … the space provided for it at the end of th … of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								–	·14	·10	·37	·09	1
2								–	·15	·01	–	·28	2
3								·05	·05	·09	·24	–	3
4								·28	·14	·03	·24	·36	4
5								·46	–	·06	–	–	5
6								·15	·02	·05	–	–	6
7								–	·04	·10	·28	·04	7
8								·01	·16	·11	–	–	8
9								–	·98	·33	·11	·13	9
10								–	·04	–	·10	·03	10
11								–	·04	–	–	–	11
12								–	·19	·14	–	·08	12
13								–	·29	·21	–	–	13
14								–	·42	·05	–	·15	14
15								–	·92	–	–	·60	15
16								·14	·21	–	–	·37	16
17								·13	·16	·14	–	·40	17
18								–	·54	–	–	·15	18
19								·15	·01	·14	–	–	19
20								–	·16	·01	–	–	20
21								–	·16	·19	–	–	21
22								–	–	–	–	·45	22
23								–	·09	–	–	·14	23
24							·14	–	·24	·02	–	–	24
25							·09	·28	·19	–	–	–	25
26							·14	·08	·24	–	·20	·06	26
27							·06	·35	·19	–	·20	·19	27
28							–	–	–	–	·04	·45	28
29							–	–	·33	–	·02	·14	29
30		X					–	–	·24	–	·14	·55	30
31		X		X		X	–	–	X	–	X	·15	31
Total							[illegible] ~~·49~~	2·38 ✓	6·52 ✓	1·81 ✓	2·03 ✓	4·81 ✓	YEAR'S TOTAL ~~18·04~~
Rain Days.							~~4~~	11 ✓	24 ✓	14 ✓	11 ✓	20 ✓	~~90~~

W, 6,500, VII. 18. w w c

RE

FORM A. BRITISH RAINFALL 22·1·19

Kept at SCAWTON RECTORY
in the County of YORK
by REV. C. H. ROWNTREE

Lat. 54·14·15 N Long. 1·9·15 W.
Time of Observation 9 A.M.
Nearest Railway Station HELMSLEY
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 605 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								—	·17	·10	·37	·09	1
2								—	·15	·01	—	·28	2
3								·05	·05	·09	·27	—	3
4								·28	·14	·03	·27	·36 36	4
5								·46	—	·06	—	—	5
6								·15	·02	·05	—	—	6
7								—	·07	·10	·28	·04	7
8								·01	·16	·11	—	—	8
9								—	·98	·33	·11	·13	9
10								—	·07	—	·10	·03	10
11								—	·04	—	—	—	11
12								—	·19	·14	—	·08	12
13								—	·29	·21	—	—	13
14								—	·42	·05	—	·15	14
15								—	·92	—	—	·60	15
16								·14	·21	—	—	·37	16
17								·13	·16	·14	—	·40	17
18								—	·54	—	—	·15	18
19								·15	·01	·17	—	—	19
20								—	·16	·01	—	—	20
21								—	·16	·19	—	—	21
22								—	—	—	—	·45	22
23								—	·09	—	—	·14	23
24							·17	—	·24	·02	—	—	24
25							·09	·28	·19	—	—	—	25
26							·17	·08	·27	—	·20	·06	26
27							·06	·35	·19	—	·20	·19	27
28							—	—	—	—	·07	·45	28
29							—	—	·33	—	·02	·14	29
30		✕					—	—	·27	—	·14	·55	30
31		✕		✕		✕	—	—	✕	—	✕	·15	31
Total							~~49~~	2·38 ✓	6·52 ✓	1·81 ✓	2·03 ✓	4·81 ✓	YEAR'S TOTAL ~~18·04~~
Rain Days.							~~4~~	11 ✓	27 ✓	17 ✓	11 ✓	20 ✓	~~90~~

W. 6,500, VII. 18. W W C

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at Scawton Rectory, Thirsk
in the County of York
by the Rev. C. H. Rowntree

Lat. 54·14· N. Long. 1·9·15 W.
Time of Observation 9 a.m.
Nearest Railway Station Helmsley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 606 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	–	·01	–	·31	–	·36	–	·37	·10	·04	·02	1
2	·16	–	·05	–	·03	–	·6	–	·03	·04	·09	–	2
3	·47	–	–	–	·16	·12	·05	–	·03	–	·14	·1	3
4	·11	·07	·38	–	·1	–	–	·26	·28	–	·14	·06	4
5	·18	–	–	–	–	·01	–	–	–	–	·12	·04	5
6	·09	–	·23	–	·02	–	–	–	–	·09	·11	·19	6
7	·02	–	·11	–	·14	–	–	–	–	–	–	·12	7
8	·13	–	–	·10	·06	·04	–	·02	–	–	·22	·09	8
9	·04	–	·06	·02	–	·04	–	–	–	·1	·16	–	9
10	–	–	·08	·07	·01	–	–	–	–	·04	·26	·23	10
11	–	–	·78	·01	·21	–	·29	–	–	·09	·12	–	11
12	–	–	·29	–	–	·16	·05	–	·03	·31	–	–	12
13	·16	–	·05	·13	–	–	·15	·04	–	·12	–	–	13
14	·35	–	–	·43	–	–	·04	·04	–	·01	·23	·05	14
15	·08	·27	·14	·11	–	–	–	–	–	–	–	·99	15
16	·02	·15	–	·04	·02	–	–	–	–	–	·2	·01	16
17	–	·05	–	·02	–	·05	–	·06	–	–	·1	–	17
18	–	–	–	·01	·02	–	·05	·3	–	–	–	·02	18
19	·11	·24	·56	–	–	·03	·58	·12	·1	–	·22	·03	19
20	·67	·15	–	–	–	·1	·12	·03	·22	–	–	·23	20
21	·22	·25	·06	–	–	·07	·01	–	·13	–	–	·06	21
22	–	·16	·03	–	–	·03	·25	·05	·16	–	–	·2	22
23	–	–	–	–	–	·29	·09	–	–	·63	·05	·05	23
24	–	–	–	–	·02	·05	–	–	–	·43	·03	–	24
25	·09	·05	–	·08	–	·03	–	·5	–	–	·02	–	25
26	–	·01	·14	·14	–	–	–	·54	·05	·29	·22	·51	26
27	·32	–	–	·41	–	·04	·03	–	–	1·25	·09	–	27
28	–	–	–	·15	–	–	–	·66	–	·5	–	·32	28
29	·15		·04	·01	–	·08	–	–	–	1·01	–	·17	29
30	–		·03	·22	–	·3	–	·01	–	·11	·13	·45	30
31	·06		–		–		·2	–		·11		·08	31
Total	3·78	1·40	3·04	1·95	1·10	1·44	2·87	2·63	1·40	5·23	2·69	4·02	Year's Total 31·~~4~~55
Days with ·01 in. or more	20	10	17	16	12	16	15	13	10	17	20	22	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

7·4·21

WC [illegible]

3172

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Scawton Rectory
in the County of York
by Rev. C. H. Rowntree

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station HELMSLEY
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 605 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·08	·22	·55	·03	·55	–	–	·21	–	·03	1
2	–	–	·03	·07	·02	–	·27	·04	·23	·23	–	·36	2
3	–	·04	–	–	–	·01	·16	·25	·14	·40	–	·50	3
4	·08	·01	–	–	–	–	·72	1·25	·04	1·28	–	·40	4
5	–	–	·04	–	·14	–	·22	·04	·02	·01	–	·05	5
6	–	–	·18	·10	·15	–	·11	·02	–	–	–	·08	6
7	·03	–	·05	·04	·02	–	·42	–	–	–	–	–	7
8	·01	·03	–	·23	·09	–	·24	·27	–	·03	·02	–	8
9	·35	·11	·01	·38	–	–	·13	·09	–	–	–	–	9
10	·65	·03	·05	·28	–	–	·20	–	·03	–	–	–	10
11	·38	·05	·07	·24	·08	–	–	–	–	–	–	–	11
12	·12	–	·05	·38	·03	·03	·06	–	–	–	·02	·50	12
13	·10	·03	·18	·18	·01	·02	–	–	·01	–	·09	·40	13
14	–	·12	·40	·24	–	–	·14	–	–	·02	·22	·18	14
15	–	·17	·35	·36	–	–	·03	–	·33	·30	·02	–	15
16	–	–	·01	·02	–	–	·75	–	–	–	·05	–	16
17	–	·01	–	·01	·20	–	–	·36	·11	·04	·01	–	17
18	·26	·02	–	·08	·13	·23	·14	–	·11	–	·01	–	18
19	–	·29	–	·34	·01	·04	–	·07	·13	–	·01	–	19
20	·20	·05	–	·22	–	·15	·02	–	–	–	–	·05	20
21	–	·02	–	·36	–	–	·33	·40	–	–	–	–	21
22	·07	·01	–	·23	–	–	·15	–	–	·02	–	–	22
23	–	–	·02	·07	–	–	·40	–	·02	–	–	·25	23
24	·03	·01	·57	·08	–	–	·04	–	·01	–	–	–	24
25	·01	·03	·09	·05	–	–	·57	–	–	–	–	·05	25
26	·06	·07	·28	·01	·02	–	·04	–	–	–	–	·02	26
27	·25	–	·03	·05	·20	·62	·01	–	–	–	·50	·05	27
28	·30	–	·06	·14	·02	·02	·09	–	·01	–	·03	·15	28
29	·22	–	·08	·02	·84	·17	·12	–	·03	–	·10	·55	29
30	·16	☒	·02	–	–	·04	–	–	·17	–	·30	·24	30
31	·15	☒	·01	☒	·07	☒	·04	–	☒	·04	☒	·14	31
TOTAL	3·43	1·10	2·66	4·38	2·58 ~~2·48~~	1·36	5·98	2·97	1·39	2·58	1·38	4·03	33·66 YEAR'S TOTAL 33·66 ~~33·74~~
Days with ·01 in. or more	19	18	22	26	17	11	26	10	15	11	13	18	206
Days with ·04 in. or more	15	8	15	22	10	6	23 ~~24~~	9	8	7	6	16	145 ~~144~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SCORTON
GRAMMAR SCHOOL
YORKSHIRE
1913 - 14

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGIS

Kept at Scorton Gramma … Yorks.

in the County of Yor

by W. G. Shann … 1 ft. 3 in.

… 230 ft.

IMPORTANT NOTE. … entered to the previous day. If an Obse … he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	1
2	·00	·02	·05	·00	·00	·00	·00	·00	·00	·00	·01	·04	2
3	·20	·00	·30	·00	·32	·00	·00	·00	·00	·00	·00	·20	3
4	·55	·00	·02	·00	·00	·00	·00	·02	·00	·03	·01	·04	4
5	·15	·04	·10	·00	·00	·00	·00	·02	·00	·02	·00	·10	5
6	·00	·20	·20	·005	·00	·00	·00	·00	·00	·10	·02	·00	6
7	·00	·58	·00	·01	·06	·01	·00	·00	·00	·82	·00	·08	7
8	·02	·00	·00	·00	·55	·06	·00	·39	·00	·23	·10	·00	8
9	·00	·00	·00	·00	·32	·03	·00	·00	·00	·00	·00	·00	9
10	·00	·00	·25	·06	·10	·03	·21	·00	·00	·00	·34	·00	10
11	·00	·00	·05	·35	·10	·04	·00	·00	·00	·00	·00	·00	11
12	·00	·00	·00	·00	·00	·01	·00	·00	·20	·00	·00	·00	12
13	·00	·00	·00	·00	·00	·00	·00	·00	·16	·04	·00	·00	13
14	·30	·11	·05	·00	·00	·00	·00	·00	·00	·02	·02	·00	14
15	·11	·00	·35	·11	·00	·00	·00	·00	·00	·00	·04	·00	15
16	·00	·00	·21	·005	·00	·00	·00	·00	·00	·00	·05	·00	16
17	·00	·005	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	17
18	·00	·00	·06	·21	·00	·02	·00	·00	·00	·00	·00	·00	18
19	·50	·00	·03	·00	·00	·00	·00	·00	·07	·03	·10	·00	19
20	·00	·00	·00	·00	·00	·00	·00	·00	·09	·13	·40	·00	20
21	·00	·00	·00	·02	·00	·00	·00	·00	·00	·00	·00	·00	21
22	·05	·00	·50	·00	·12	·00	·02	·55	·05	·00	·00	·00	22
23	·25	·00	·00	·00	·00	·00	·01	·00	·23	·00	·06	·00	23
24	·70	·00	·00	·00	·00	·10	·00	·00	·00	·00	·00	·02	24
25	·00	·00	·00	·13	·00	·00	·00	·00	·63	·00	·10	·20	25
26	·00	·01	·03	·30	·00	·00	·00	·00	·40	·15	·08	·10	26
27	·00	·00	·06	·37	·00	·00	·00	·00	·00	·00	·00	·00	27
28	·30	·00	·23	·57	·00	·00	·00	·00	·00	·03	·00	·30	28
29	·02		·34	·42	·03	·00	·00	·20	·00	·04	·02	·03	29
30	·21		·00	·00	·08	·00	·00	·00	·00	·18	·00	·00	30
31	·09		·20		·02		·00	·00		·00		·00	31
Total	2·85	·965	3·02	2·55	1·70	·30	·24	1·18	1·83	1·81	1·35	1·11	YEAR'S TOTAL 18·905
Rain Days.	14	17	18	11 13	10	8	3	5	8	13	14	10	·120 ~~123~~

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
28 JAN 1914

Kept at Scorton Grammar School
in the County of Yorks.
by W. G. Shannon

Lat. .... Long. ....
Time of Observation 9.0 a.m.
Nearest Railway Station Scorton, Yorks.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	1
2	·00	·02	·05	·00	·00	·00	·00	·00	·00	·00	·01	·04	2
3	·20	·00	·30	·00	·32	·00	·00	·00	·00	·00	·00	·20	3
4	·55	·00	·02	·00	·00	·00	·00	·02	·00	·03	·01	·04	4
5	·15	·04	·10	·00	·00	·00	·00	·02	·00	·02	·00	·10	5
6	·00	·20	·20	·005	·00	·00	·00	·00	·00	·10	·02	·00	6
7	·00	·58	·00	·01	·06	·01	·00	·00	·00	·82	·00	·08	7
8	·02	·00	·00	·00	·55	·06	·00	·39	·00	·22	·10	·00	8
9	·00	·00	·00	·00	·32	·03	·00	·00	·00	·00	·00	·00	9
10	·00	·00	·25	·06	·10	·03	·21	·00	·00	·00	·34	·00	10
11	·00	·00	·05	·35	·10	·04	·00	·00	·00	·00	·00	·00	11
12	·00	·00	·00	·00	·00	·01	·00	·00	·20	·00	·00	·00	12
13	·00	·00	·00	·00	·00	·00	·00	·00	·16	·04	·00	·00	13
14	·30	·11	·05	·00	·00	·00	·00	·00	·00	·02	·02	·00	14
15	·11	·00	·35	·11	·00	·00	·00	·00	·00	·00	·04	·00	15
16	·00	·00	·21	·005	·00	·00	·00	·00	·00	·00	·05	·00	16
17	·00	·005	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	17
18	·00	·00	·06	·21	·00	·02	·00	·00	·00	·00	·00	·00	18
19	·50	·00	·03	·00	·00	·00	·00	·00	·07	·03	·10	·00	19
20	·00	·00	·00	·00	·00	·00	·00	·00	·09	·13	·40	·00	20
21	·00	·00	·00	·02	·00	·00	·00	·00	·00	·00	·00	·00	21
22	·05	·00	·50	·00	·12	·00	·02	·55	·05	·00	·00	·00	22
23	·25	·00	·00	·00	·00	·00	101	·00	·23	·00	·06	·00	23
24	·10	·00	·00	·00	·00	·10	·00	·00	·00	·00	·00	·02	24
25	·00	·00	·00	·13	·00	·00	·00	·00	·63	·00	·10	·20	25
26	·00	·01	·03	·30	·00	·00	·00	·00	·40	·15	·08	·10	26
27	·00	·00	·06	·37	·00	·00	·00	·00	·00	·00	·00	·00	27
28	·30	·00	·23	·57	·00	·00	·00	·00	·00	·03	·00	·30	28
29	·02		·34	·42	·03	·00	·00	·20	·00	·04	·02	·03	29
30	·21		·00	·00	·08	·00	·00	·00	·00	·18	·00	·00	30
31	·09		·20		·02		·00	·00		·00		·00	31
Total	2·85	·965	3·02	2·55	1·70	·30	·24	1·18	1·83	1·81	1·35	1·11	YEAR'S TOTAL 18·905
Rain Days.	14	17	18	11 13	10	8	3	5	8	13	14	10	120 ~~123~~

W.7,000, XI. 13

Days doubtful ? omissions

end month 12-IV-15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

2 JAN 1915

Kept at Scorton Grammar School

in the County of Yorkshire N 1

by W. G. Shannon,

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Scorton (N.E.R)

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·005				·02		·34			·06	·25	1
2	·22						·44	·19			·35	·12	2
3			·01								·09	·25	3
4	·04		·02	·15	·005						·55	·35	4
5			·05	·13	·01					·02	·43	·30	5
6						·01					·23	·10	6
7	·07	·03		·17	·02	·12					·05	·25	7
8	·34	·01	·20	·40	·02	·35						·08	8
9	·10	·04			·03	1·70						·21	9
10		·20	·03						·16				10
11		·04	·09		·04				·15		·04		11
12	·02	·145	·13								·02	·32	12
13	·08	·095	·07								·03	·11	13
14	·01	·285	·07						·50			·05	14
15	·11	·075	·03								·50	~~·23~~	15
16	·05	·005											16
17		·005	·04				·02		·50			·03	17
18		·07	·01			·20	·52		·50				18
19		·02	·01				·04		·45				19
20		·06	·06			·22	·22		·05		·03		20
21		·06				·43			·07			·02	21
22		·24					·06				·03	·04	22
23			·02		·61	·10	·07			·05	·06	·15	23
24			·14		·12	·05		·35		·08		0	24
25	·02		·10					·15		·42	·35	0	25
26										·14	·06	·36	26
27	·015									·06		·24	27
28					·01						·04	·35	28
29	·005		·05							·42		0	29
30			·10							·09	·23	0	30
31	·25		·10					·20		·44		·45	31
Total	1·33 1·33	1·38 1·38	1·33	·85 ~~·51~~	·87? ~~·905~~	3·20	1·37?	1·23	2·38	1·72	3·15	(—) 4·03	YEAR'S TOTAL 22·84?
Rain Days.	14	15	20	4	9	10	7	5	8	9	18	20	~~139~~

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

1,000, XI. 13

Price 2d.

/

REG

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

SEAMER
IRTON P.S

1911 - 1920

Kept at Irton Pump
in.
in the County of NR Se
round 1 ft. – in.
a Level 94·00 ft.
by William Mill
ame Seamer
istance Direction

IMPORTANT NOTE. he result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the readin r in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in " application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10						·23	·11		·05		·01	1
2	·23		·06		·03		·10	·07		·04		·12	2
3	·31	·01		·08	·15			·08		·28	·02	·01	3
4	·05		·20	·15				·10		·10	·05	·35	4
5	·07		·05	·05				·28		·16	·20		5
6	·09		·07	·06				·10		·13	·09	·56	6
7	·13										·06	·01	7
8	·01	·02	·08	·01		·04			·03	·01		·19	8
9			·05	·07						·02	·02	·29	9
10		·06	·02	·01							·52	·32	10
11	·38	·01	·03		·18						·23	·13	11
12	·12		·11		·05	·15			·48	·01	·17	·01	12
13	·08	·02	·81			·22			·02		·03	·25	13
14		·18	·38		·04	·08	·03		·05		·02	·53	14
15		·14	·24							·05	·21	·33	15
16			·27				·12				·07	·15	16
17			·02			·16	·03.				·16	·09	17
18			·08			·16		·61			·65	·09	18
19	·02		·01		·01	1·08	·05	·07	·13		·71	·04	19
20	·02	·06		·02		·05		·58	·08	·05	·27	·38	20
21	·08	·19		·01			·11	·30			·23	·01	21
22	·04							·80		·12	·14	-	22
23		·15				·41			·63			·17	23
24		·01	·08	·02		1·06	·05			·08		·04	24
25	·10	·09		·08		·48	·28		·18	·05	·20	·11	25
26	·01						·32				·19	·09	26
27		·04	·10	·04	·08			·37	·18	·40	·05	·05	27
28		·07	·04	·28				·08		·05	·03	·08	28
29			·02	·02		·23	·38		·48	·02	·01	·03	29
30					·20	·02			·39	·22		-	30
31					·48					·38		·03	31
Total	1·84	1·05	2·72	·90	1·22	4·44	1·40	3·55	2·65	2·22	4·33	4·47	TOTAL for year
No. of Rain Days.	17	14	20	14	9	13	11	13	11	19	24	28	31·09

193

W. 8,000, X. '11.

REG

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Irton Pumping Station

in the County of NR Yorkshire Seamer 4

by William Millhouse

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
„ „ „ Sea Level 94·00 ft.

Time of Observation

Nearest Railway Station
Name Seamer
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10						·23	·11		·05		·01	1
2	·23		·06		·03		·10	·04		·04		·12	2
3	·31	·01		·08	·15			·08		·28	·02	·01	3
4	·05		·20	·15				·10		·10	·05	·35	4
5	·07		·05	·05				·28		·16	·20		5
6	·09		·07	·06				·10		·13	·09	·56	6
7	·13										·06	·01	7
8	·01	·02	·08	·01		·04			·03	·01		·19	8
9			·05	·07						·02	·02	·29	9
10		·06	·02	·01							·52	·32	10
11	·38	·01	·03		·18						·23	·13	11
12	·12		·11		·05	·15			·48	·01	·17	·01	12
13	·08	·02	·81			·22			·02		·03	·25	13
14		·18	·38		·04	·08	·03		·05		·02	·53	14
15		·14	·24							·05	·21	·33	15
16			·27				·12				·07	·15	16
17			·02			·16	·03				·16	·09	17
18			·08			·16		·61			·65	·09	18
19	·02		·01		·01	1·08	·05	·07	·13		·71	·04	19
20	·02	·06		·02		·05		·58	·08	·05	·27	·38	20
21	·08	·19		·01			·11	·30			·23	·01	21
22	·04							·80		·12	·14	-	22
23		·15				·41			·63			·17	23
24		·01	·08	·02		1·06	·05			·08		·04	24
25	·10	·09		·08		·48	·28		·18	·05	·20	·11	25
26	·01						·32				·19	·09	26
27		·04	·10	·04	·08			·37	·18	·40	·05	·05	27
28		·07	·04	·28				·08		·05	·03	·08	28
29			·02	·02		·23	·38		·48	·02	·01	·03	29
30					·20	·02			·39	·22		-	30
31					·48					·38		·03	31
Total	1·84	1·05	2·72	·90	1·22	4·44	1·40	3·55	2·65	2·22	4·33	4·47	TOTAL for year 31·09
No. of Rain Days.	14	14	20	14	9	13	11	13	11	19	24	28	193

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Irton Pumping Station Seamer,
in the County of Yorks.
by Wm Millhouse

N 4

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Seamer
Diameter of Rain Gauge 8 - in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 94·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05	·04			·05	·10	·18	·18	·08		·07	1
2		·31	·02		·02	·03	·46	·15		·23		·02	2
3	·11	·46	·03			·61		·15	·12			·14	3
4	·25		·38			·50		·32			·23		4
5		·01			·15	·18		·01		·05	·01		5
6	·49	·06	·03			·05	·05	·45	·08				6
7	·25	·15	·01						·12			·01	7
8	·27	·02	·17			·04			·30		·21		8
9	·01		·04	·15		·01			·19		·04		9
10				·01		·03			·12		·02		10
11	·19	·09	·01	·01	·12			·04	·02		·19	·33	11
12	·04	·03	·02			·38	1·01			·01	·82		12
13		·04				·23		·03		·04	·20	·03	13
14	·08	·03	·26			·17		·05			·04	·04	14
15	·01		·39		·52	·26						·05	15
16	·09	·01	·10		·07	·02							16
17			·07			·36		·12					17
18	·24		·08			·01	·28				·01	·05	18
19	·19		·02		·01		·27	·19	·04				19
20		·14	·02		·29	·02	·26			·38			20
21		·06	·30		·21		·01			·21	·02		21
22	·05	·08	·08		1·45	·08		·07		·12			22
23	·05		·05		·04		·11	·51		·20	·12		23
24	·42	·01	·02		·01	·12	·22	·05				·13	24
25	·47	·01				·12	·06	·02			·09	·10	25
26	·06	·07	·04				·25	·73		·65	·32	·23	26
27	·07		·07	·02		·15	·34			·34	·03	·05	27
28	·03			·01	·02	·05	·15	·24	·09	·18	·35	·04	28
29		·01	·18			·02	·04	·02	·65	·05	·07		29
30	·04		·17		·13	·03	·07		·31	·08	·06		30
31	·03		·08		·09		·72	·22		·43			31
Total	3·44	1·64	2·68	·20	3·43	3·52	4·40	3·55	2·22	3·35	2·83	1·29	YEAR'S TOTAL 32·55
Rain Days.	22	19	26	5	14	24	14	19	12	15	18	14	205

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
19 JAN 1914

N 4

Kept at Irton Pumping Station
Seamer
in the County of Yorks.
by Wm Millhouse

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Seamer (N.E.R.)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 94·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09	·28									1
2		·03	·04				·01		·03	·01	·04		2
3			·02		·02	·03	·01			·04	·03		3
4	·02		·05			·05	·09		·02	·70		·05	4
5			·04	·01	·02	·06	·10	·07		·06	·23		5
6			·01	·01	·28	·03		·02			·01		6
7		·39		·02	·15	·17				1·08			7
8		·02	·01		·89		·04	·03		·27		·09	8
9		·05		·07	·14			·24	·04	·09	·04		9
10		·04	·10			·08				·09	·02		10
11	·75			·21							·50	·07	11
12	·19	·01		·10					·01		·18		12
13	·25			·01				·14	·01		·10		13
14	·23	·02	·06	·04						·07			14
15	·20		·13	·27							·13		15
16		·03	·02	·02				·01			·07	·04	16
17			·17	·11				·01	·24	·01	·08		17
18			·25	·07	·04	·04	·02		·01		·14		18
19	·18		·02	·10	·06							·01	19
20	·29		·07	·01					·01	·01	·07		20
21	·04	·05			·24			·05	·08	·22	·05		21
22	·03		·41		·04		·04	·26	·04				22
23	·11		·23			·01	·24	·04	·07	·09			23
24	·25			·01		·38		·14		·01		·15	24
25				·04		·03			·12	·01		·08	25
26			·02	·07	·03				·05	·33	·08	·26	26
27		·05	·01	·28		·07				·01	·02		27
28	·19	·01	·25	·19						·02		·29	28
29	·06		·31	·29	·09				·02			·51	29
30	·25				·27		·02			·20		·09	30
31	·06				·14								31
Total	3·10	·40	2·34	2·21	2·44	·95	·54	1·01	·45	3·32	1·79	1·64	YEAR'S TOTAL 20·85
Rain Days.	16	11	21	21	14	11	9	11	14	19	14	11	145

W.7,000, XI. 13

Ex ML

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Irton Pumping Station
Seamer
in the County of York NR 4
by W. Millhouse
Water Engineer, Scarboro

Lat. 54° 14½" N Long. 0° 27½ W
Time of Observation
Nearest Railway Station Seamer N.E.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 94·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·79	·12			·03	·09	1
2	·02						1·39	·14			·23	·03	2
3	·01		·09		·07		·20	·01			·14	·20	3
4	·01		·03	·06	·08						·26	·45	4
5		·02	·12	·25	·20	·02		·09		·01	·24	·03	5
6	·05	·08		·07	·07			·02			·05	·08	6
7	·13	·02	·12	·04	·11	·28						·06	7
8	·20		·03	·03	·25	·27	·01	·03		·07	·06		8
9	·52	·01	·08	·02	·04	·41		·10	·20		·08	·06	9
10	·20	·18							·04		·28	·01	10
11	·07	·05	·06		·39				·02		·01	·15	11
12	·08								·10			·71	12
13		·08	·22								·29	·27	13
14	·11	·12	·05				·07				·53	·21	14
15	·07		·24		·01		·29			·03	·15	·11	15
16	·09		·12				1·45		·34		·09		16
17	·12	·08							·40		·08	·07	17
18	·09	·07	·17						·13		·02	·40	18
19		·03	·12						·18		·13	·03	19
20	·06	·02	·25			·31		1·02		·06		·	20
21	·02	·36	·10			·03	·45	·08		·03	·09	·10	21
22	·03		·02	·05	·35	·01	·04			·05	·04	·08	22
23			·01	·06	·14	·51					·03	·14	23
24			·10	·06				1·00			·13	·02	24
25		·12					·06	·01		·40	·05	·35	25
26			·08				·21	·08		·27	·07	·27	26
27							·04			·06	·02	·55	27
28		·04					·01			·28	·10	·23	28
29		✕						·15		·55	·01	·01	29
30	·02	✕	·12	·06				·05		·08	·04	·14	30
31	·06	✕		✕		✕	·19		✕	·37	✕	·01	31
Total	1·96	1·28	2.13	·70	1·71	1·84	5.20	2·90	1·41	2·26	3·25	4·86	YEAR'S TOTAL 29·50
Rain Days.	20	15	20	10	11	8	14	14	8	13	27	28	188

W. 8,000. X. 14.

3681

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
6. JAN 1916

Kept at The Waterworks Irton
in the County of York N 4
by W. Millhouse

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Seamer
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 94 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	·18	·18		·18		·08	·66	·57	·03	·03	·27	1
2	·03	·13	·13	·10			·02	·52	·46		·10	·10	2
3	·52	·01	·07	·07		·02	·74	·02	·01		·25	·61	3
4	·34	–	·05				·75	·08	·02		·23	1·25	4
5	·18	·25	·03		·03			·01		·13	·14	·40	5
6	·04	·27	·04	·11	·55		·56	·43	·05	·02		·14	6
7	·30	·21	·04	·04	·01		·22	·14				·01	7
8	·05	·05	–				·08	·03			·01	·28	8
9	·21	·10	–				·08	·04				·14	9
10	·25	·07	–				·07	·07				·30	10
11	·06	·17	–	·06	·75		·07	·14			·07	·11	11
12	·22	·05	–	·19	·11		·46			·06	1·53	·07	12
13	–	·29	–					·02			·07	·14	13
14	·06	·13	–		·07		·18					·13	14
15	·33	·08	–				·73	·03		·14	·06	·08	15
16	·23	·48	·01				1·78	·01			·19		16
17	·35	·21	·05				·78		·06	·02	·18	·06	17
18	·10	·07	·27						·08	·01	·04	·04	18
19	–	·01	·30				·03			·07			19
20	·06	–	·01					·01		·27		·43	20
21	·12	–	–	·07			·02		·01			·03	21
22	·06	–	·07	·02			·06				·01	·08	22
23	·13	·17	·05	·17			·23		·07		·08	·04	23
24	·04	·15	·27	·01		·02	·09		·35	·07	·04	·13	24
25	–	–	·04	·04		·22	·02			·13	·43	·01	25
26	–	·23	·11	·17		·03	·27		·02	·23	·04	·15	26
27	·04	·07	·09	·01			·62		·03	·15		·29	27
28	·01	·09	·02		·14		·09	·34	·11	·39		·04	28
29	–	–	·05		·28			·01	·50	·01	·22	·25	29
30	·08	X	·03	·12	·01		·18	·04	·38	·02	·01	·01	30
31	·06	X		X		X		·34	X	·03	X	·07	31
Total	4·11	3·47	1·91	1·18	2·13	0·29	8·21	2·94	2·72	1·78	3·73	5·66	YEAR'S TOTAL 38·13
Rain Days.	26	23	21	14	10	4	25	19	15	17	20	29	223.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
10 JAN 1917

Kept at Irton

in the County of York NR

by Scarboro' Corporation Water Dept.

Lat. Long.

Time of Observation 9-0 am

Nearest Railway Station Seamer

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 94·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	·01	·10	–	–	·11	·21	–	–	–	·04	–	1
2	·12	·12	·41	–	–	·02	·11	–	·30	·06	–	·05	2
3	–	·18	·06	·01	–	·15	–	–	·18	·13	·13	·06	3
4	·04	·08	·14	·03	·43	·20	–	·01	·14	·61	·49	·61	4
5	·04	·03	·06	·02	·16	·19	·08	–	·02	·26	·14	·02	5
6	–	·38	·42	·06	·21	·04	·12	–	–	·01	·32	·09	6
7	–	·04	·08	·02	·20	·02	·09	–	–	–	·01	·20	7
8	–	–	·31	–	·11	–	–	–	–	–	·01	–	8
9	–	·01	·05	–	·61	–	–	–	·16	–	·02	·51	9
10	·18	·03	·03	·04	·02	–	·02	–	–	·04	·01	·12	10
11	·02	·38	·92	·23	·06	–	·11	–	·03	·03	–	·34	11
12	–	·08	·51	·03	·42	–	·42	–	–	–	–	·12	12
13	–	·04	·18	–	·24	–	·38	·14	·12	·50	–	·21	13
14	–	·10	·06	–	·14	–	–	·58	–	–	–	·16	14
15	–	·24	·35	–	–	·95	·06	·38	·01	·14	·01	·11	15
16	–	·05	·05	·08	–	–	·08	·94	–	·04	–	·21	16
17	·04	·04	·01	·05	–	–	·01	–	·15	·09	·02	·01	17
18	·03	·18	–	·30	–	–	–	·04	·25	·11	1·15	·01	18
19	·04	·02	·01	·05	–	–	–	·11	·14	·02	·54	·05	19
20	·08	·01	·38	·06	–	–	·22	·04	–	–	·24	·13	20
21	·04	·23	·14	·11	·50	–	·18	·02	–	–	·03	·30	21
22	–	·21	·02	–	·01	–	–	–	–	·01	·02	·13	22
23	·02	·02	·02	–	–	–	–	–	–	–	·03	·44	23
24	–	·04	·01	·11	–	·13	·01	·14	–	·13	·02	·10	24
25	–	·05	·04	–	·04	–	·01	·41	–	·19	·13	·04	25
26	–	·19	·05	–	–	·16	–	–	·01	·01	·29	·01	26
27	·04	·24	·04	–	–	–	–	·16	·01	·23	–	–	27
28	–	·35	·03	–	·06	–	–	·02	–	·08	·01	·23	28
29	–	·14	–	–	·03	·04	–	–	–	·15	–	·18	29
30	–	X	–	–		·06	–	–	·05	·18	–	·04	30
31	–	X	–	X	·02	X	–	–	X	·05	X	·06	31
Total	·94	3·52	4·51	1·20	3·89	2·04	2·11	3·08	1·60	3·13	3·42	4·54	YEAR'S TOTAL 34·34
Rain Days.	13	28	24	15	14	12	16	13	14	22	21	28	226

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

9. JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Irton Pumping Station

in the County of York.

by W. Millhouse.

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Seamer

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 94·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·	·	·42	·	·	·	·65	12	·	·10	·12	1
2	·07	·	·	·33	·01	·03	·	·63	·08	·	·	·	2
3	·	·07	·11	·19	·	·03	·02	·07	·	·02	·	·	3
4	·	·11	·01	·05	·	·	·	·	·	·17	·01	·03	4
5	·03	·01	·09	·29	·	·	·	·02	·01	·	·08	·	5
6	·	·	·	·09	·	·	·	·	·	·	·05	·	6
7	·71	·	·02	·07	·	·16	·	·	·	·39	·	·11	7
8	1·01	·	·03	·03	·	·	·	1·11	·	·38	·12	·	8
9	·27	·	·02	·10	·	·	·	·13	·	·04	·15	·	9
10	·45	·	·51	·46	·13	·01	·	·43	·	·11	·	·05	10
11	·20	·	·	·10	·	·	·	·37	·	·19	·01		11
12	·43	·03	·	·21	·19	·	·	·07	·	·30	·01	·01	12
13	·34	·03	·	·07	·15	·02	·	·10	·14	·09	·	·02	13
14	·15	·	·04	·18	·19	·	·	·17	·	·	·	·05	14
15	·16	·	·	·03	·01	·	·05	·	·	·02	·	·12	15
16	·19	·01	·	·21	·	·		·14	·	·02	·01	·40	16
17	·32	·	·06	·10	·20	·35		·11	·02	·	·	·23	17
18	·07	·07	·45	·02	·08	·	·20	·07	·06	·01	·	·05	18
19	·30	·08	·05	·01	·03	·14	·	·02	·	·	·	·	19
20	·01	·03	·21	·	·	·30	·	·04	·02	·	·37	·	20
21	·01	·27	·23	·	·02	·	·	·	·	·01	·07	·09	21
22	·	·	·27	·	·15	·16	·	·10		·	·	·01	22
23	·01	·	·04	·01	·	·06	·05	·14	·	·	·01	·02	23
24	·03	·	·03		·	·08	·02	·18	·	·36	·	·	24
25	·	·03	·10	·	·	·	·10	·05	·	·33	·29	·08	25
26	·	·	·07		·	·23	·	·45	·	·22	·40	·64	26
27	·	·	·10	·	·	·22	·13	·35	·	·04		·04	27
28	·	·	·02	·	·	·73	·22	·99	·	·23	·	·01	28
29	·02	·	·08	·	·	·	·21	·03	·02	·21	·	·01	29
30	·03	✕	·03	·20	·	·	·31	·	·03	·02	·02	·06	30
31	·11	✕	·26	✕	·	✕	·01	·03	✕	·01	✕	·08	31
Total	4·96	·74	2·83	3·17	1·16	1·92	1·32	6·25	·50	3·17	1·70	2·23	YEAR'S TOTAL 29·95
Rain Days.	23	11	23	21	11	14	11	25	9	21	15	21	205

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8. 1. 19

Kept at The Irton Pumping Station
in the County of York N
by W. Millhouse, C.E.

Lat. 54° 14′ Long. 24′ W
Time of Observation 9 a.m.
Nearest Railway Station Seamer
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 94·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·10

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·02	·18	-	-	-	-	-	·35	·04	·21	·06	1
2	·14	·20	·01	·13	-	-	·02	·02	·07	·02	-	·25	2
3	·04	·01	·04	·06	·04	-	·01	·08	-	-	·41	·02	3
4	·05	·01	·05	-	·22	-	-	·01	·26	·01	·23	·24	4
5	-	·01	·04	·03	·42	-	-	·93	-	-	-	·01	5
6	·03	·24	-	·67	·02	·08	-	·31	·35	·01	-	·01	6
7	·64	·14	-	·01	-	-	·03	-	-	-	·22	·04	7
8	·22	·02	·08	·01	-	·04	·49	-	·02	·05	-	·02	8
9	·31	·22	-	·02	-	-	·08	-	·61	-	·01	·12	9
10	·16	-	-	·01	-	·10	·05	-	·14	·24	-	·04	10
11	·24	·10	-	·01	·55	-	·08	-	-	-	-	·06	11
12	-	·18	-	·02	·09	-	·37	·10	·11	·08	-	·02	12
13	·04	·14	-	·07	·07	-	-	-	·38	·02	-	·01	13
14	·10	-	-	·06	-	-	·05	·02	·18	-	-	·40	14
15	·02	-	·01	·04	-	-	·22	-	1·04	-	-	·45	15
16	-	-	-	-	-	·48	·08	-	·24	·02	-	·24	16
17	·29	-	-	·01	·38	·08	1·35	·06	·01	-	-	·23	17
18	·41	-	-	·21	-	·04	·22	·25	·32	·05	-	·08	18
19	·28	·01	-	·45	-	-	·16	-	·02	·02	-	·25	19
20	·11	·35	-	·06	-	-	·05	-	·08	·25	-	·04	20
21	·01	·01	-	-	-	·03	·10	-	·04	·09	-	-	21
22	·02	-	-	-	·07	·10	·03	-	·02	-	·01	·24	22
23	·14	-	-	-	·39	-	1·39	-	·01	-	·03	-	23
24	-	·08	-	-	-	-	·15	·10	·08	·04	·05	·11	24
25	-	-	·08	-	-	-	·43	·30	-	-	·01	·15	25
26	-	-	·04	-	·02	-	-	·31	·34	-	·11	·04	26
27	-	-	·02	-	-	-	-	·25	·24	-	·04	·18	27
28	-	·31	·38	-	-	-	-	·02	-	-	·01	·41	28
29	-	-	-	-	-	-	-	-	·14	-	·04	·18	29
30	·01		·14	·01	-	-	-	-	·11	-	·05	1·35	30
31	·02		·25		-		-	·04		-		·11	31
Total	3·32 ✓	2·05 ✓	1·32 ✓	1·88 ✓	2·24 ✓	·95 ✓	5·36 ✓	2·80 ~~2·86~~	5·16 ~~5·11~~	·94 ✓	1·43 ✓	5·36 ~~5·35~~	YEAR'S TOTAL 32·84 ✓
Rain Days.	22 ✓	17 ✓	13 ✓	18 ✓	11 ✓	8 ✓	20 ✓	15 ✓	24 ✓	14 ✓	14 ✓	29 ✓	205 ✓

W. 6,500, VII. 18. W W C

Recd

9 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Irton Pumping Station Seamer.

in the County of Yorks

by Water Engineer, Scarborough.

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Seamer

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, ,, ,, ,, Sea Level 94 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·08		·02	·43		·61		·20		·08	·03	1
2	·11	·07	·07				·59		·10		·11		2
3	·80				·11	·04	·02		·07		·31	·02	3
4	·33	·01	·34			·09		·03	·03		·28	·01	4
5	·38	·08	·04			·02	·01		·11		·10	·09	5
6	·05	·03	·24							·08	·34	·05	6
7	·03		·46		·11							·60	7
8	·15			·03	·19			·02			·13	·08	8
9	·06		·02	·07	·10					·20	·20	·02	9
10	·01		·10							·11	·12	·20	10
11	–		·98		·17		·20			·10	·30		11
12	–		1·35	·03	·08					·23	·22	·01	12
13	·18		·30	·25			·19		·10	·10			13
14	·15		·10	·17				·05		·15	·21		14
15	·10			·05					·01	·45	·02	·41	15
16	·01	·20							·01	·10	·30	·02	16
17	·12	·15						·16	·01		·17		17
18		·13			·13			·17				·06	18
19	·01		·40				·31	·02	·09		·11	·04	19
20		·20	·01				·09	·08	·10				20
21	·11	·20	·07						·05		·02	·36	21
22		·03					·35		·13			·06	22
23		·25	·03			·17	·02		·01	·80	·10	·03	23
24		·02	·10	·02		·01		·40		·63			24
25	·04	·04	·06	·02		·34		·23		·25	·04		25
26		·06	·12	·35		·02	·02	·10	·02	·10	·31	·40	26
27	·03	·07		·36		·03	·05	·02				·04	27
28	·08	–		·10		·01		·73		·21		·20	28
29	·12			·05		·12		·01		1·19		·12	29
30	·01		·15	·15		·23				·24	·13	·10	30
31	·20		·04				·12	·01		·08		·05	31
TOTAL	3·18	1·62	4·98	1·67	1·32	1·08	2·58	2·03	1·04	5·02	3·60	3·00	YEAR'S TOTAL 31·12
Days with ·01 in. or more	23	16	20	14	8	11	13	14	15	17	21	23	195

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3168

7 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at IRTON Pumping Station Seamer
in the County of YORKS.
by Scarborough Corporation Waterworks

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station SEAMER. N.E.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 94 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·06			·06	·26			·64	·01	·14	1
2			·02	·35	·23		·14		·17	·08		·27	2
3	·02			·39	·01		·16	·12	·07	·16		·77	3
4	·03	·14		·16		·01	·73	·43		·55		·02	4
5		·07	·02	·02	·03		·21	·02	·03			·04	5
6							·08		·01			·11	6
7			·11	·02	·03		·05						7
8			·01	·05	·11		·06	·01		·02	·02		8
9	·04			·25	·10		·05	·01				·02	9
10	·76	·12	·02	·42	·02		·13					·11	10
11	·14	·08	·05	·31	·02						·01	·20	11
12	·14			·15						·01	·02	·43	12
13	·10		·11	·15	·02				·06		·03	·06	13
14		·08	·60				·08			·35	·06	·10	14
15	·01	·13	·45				·02					·04	15
16				·12			·92		·13	·07		·01	16
17	·12			·01			·16	·05	·18	·03		·02	17
18	·13				·09		·12	·19	·06				18
19	·05	·48		·01	·16			·24		·02			19
20	·13	·08		·56		·20	·01	·01					20
21				·16			·31	·19	·01				21
22	·03			·06			·30						22
23	·01			·01			·31				·02	·11	23
24				·05			·04						24
25		·06	·28	·09		·02	·69						25
26		·07	·05	·02		·04	·14						26
27	·22		·03	·04		·38					·14	·12	27
28	1·60			·06	·63	·01	·08				·02		28
29	·13		·27		·03		·03		·01		·04	·90	29
30	·07	╳	·18	·02	·47				·24		·02	·80	30
31	·14	╳		╳	·03	╳			╳		╳	·12	31
TOTAL	3·87	1·31	2·26	3·48	1·98	·72	5·08	1·27	·97	1·93	·39	4·39	YEAR'S TOTAL 27·65
Days with ·01 in. or more	19	10	15	24	15	7	24	10	11	10	11	20	146
Days with ·04 in. or more	14	10	10	17	7	4	21	6	7	6	3	16	121

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SEDBERGH
AKAY
1911 - 1920

RE

FORM A2.
BRITISH RAINFALL.
3 - JAN 191

Kept at akay,

in the County of W.R. Yor

by Chas. Ed. C

1 ft. — in.

400 ft.

edbergh

Direction W.

IMPORTANT NOTE.- … entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·78	—	·12	—	·02	·20	—	—	·56	·11	1
2	·30	—	·03	—	·32	—	·05	·07	—	·08	·92	·15	2
3	—	—	·69	—	1·13	—	—	·10	—	·02	·90	·44	3
4	—	—	·07	·08	·05	—	·02	1·06	—	—	·94	·45	4
5	·84	—	·08	·06	·02	—	—	·74	—	·06	·14	·19	5
6	·15	—	·07	·03	—	—	—	·78	—	—	·63	·60	6
7	·28	—	·05	—	—	—	—	—	—	—	·57	—	7
8	·10	—	·45	—	—	—	—	—	—	—	·54	·72	8
9	—	—	·02	—	—	—	—	—	—	—	—	·72	9
10	1·16	·14	·24	—	—	—	—	—	·17	—	—	·75	10
11	·14	—	·05	—	—	—	—	·01	·14	—	·09	·08	11
12	—	—	·04	—	—	—	—	—	·90	—	·41	·07	12
13	—	·09	—	—	·15	—	—	—	—	—	·50	·40	13
14	·05	·60	·03	—	·18	—	—	—	—	—	·75	·19	14
15	·02	·74	·07	—	—	—	—	—	—	—	·77	·21	15
16	·13	·89	·07	·15	—	·12	·06	—	—	—	·33	·38	16
17	·04	·09	—	—	—	1·22	·09	—	—	—	·60	·20	17
18	—	1·45	·12	·11	—	·50	·02	—	—	·04	·07	·29	18
19	—	·09	—	·27	—	·18	·02	—	·74	·21	·16	·56	19
20	—	·25	—	·61	—	—	·31	·09	—	·04	—	·27	20
21	—	1·65	—	·34	—	·24	·26	·29	·07	·17	—	·09	21
22	·19	·49	—	·20	—	·34	—	·02	—	·04	·02	—	22
23	·07	·48	—	·10	·85	·31	·03	—	·28	·30	—	·44	23
24	—	·19	·05	1·04	·05	1·31	—	·20	·12	·25	—	·41	24
25	·31	·13	—	1·16	—	·03	—	—	·48	·43	—	·29	25
26	·03	·09	—	·25	·09	—	—	·69	·02	·68	·21	·23	26
27	·08	1·45	—	·19	·04	·10	·09	·97	·61	—	·10	·13	27
28	—	·38	—	·77	—	·32	—	·02	·34	—	·01	·43	28
29	—		—	·29	—	·32	·02	—	·61	2·63	—	·45	29
30	—		—	·02	—	—	·04	—	·07	·38	·05	—	30
31	—		—		·14		·01	·20		·11		·12	31
Total	3·89	9·20	2·91	5·67	3·14	4·99	1·04	5·44	4·55	5·64	9·27	9·37	TOTAL for year 65·11
No. of Rain Days	16.	17.	17.	17	12	12.	14.	15.	13.	15	22	28.	198.

9,000, IX. '10.

RE

FORM A2.
BRITISH RAINFALL.
3 - JAN 1917

Kept at akay, Sedbergh.

in the County of W.R. Yorks.

by Chas. Ed Taylor.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 400 ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Sedbergh
Distance 1½ miles Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·78	—	·12	—	·02	·20	—	—	·56	·11	1
2	·30	—	·03	—	·32	—	·05	·07	—	·08	·92	·15	2
3	—	—	·69	—	1·13	—	—	·10	—	·02	·90	·44	3
4	—	—	·07	·08	·05	—	·02	1·06	—	—	·94	·45	4
5	·84	—	·08	·06	·02	—	—	·74	—	·06	·14	·19	5
6	·15	—	·07	·03	—	—	—	·78	—	—	·63	·60	6
7	·28	—	·05	—	—	—	—	—	—	—	·57	—	7
8	·10	—	·45	—	—	—	—	—	—	—	·54	·72	8
9	—	—	·02	—	—	—	—	—	—	—	—	·72	9
10	1·16	·14	·24	—	—	—	—	—	·17	—	—	·75	10
11	·14	—	·05	—	—	—	—	·01	·14	—	·09	·08	11
12	—	—	·04	—	—	—	—	—	·90	—	·41	·07	12
13	—	·09	—	—	·15	—	—	—	—	—	·50	·40	13
14	·05	·60	·03	—	·18	—	—	—	—	—	·75	·19	14
15	·02	·74	·07	—	—	—	—	—	—	—	·77	·21	15
16	·13	·89	·07	·15	—	·12	·06	—	—	—	·33	·38	16
17	·04	·09	—	—	—	1·22	·09	—	—	—	·60	·20	17
18	—	1·45	·12	·11	—	·50	·02	—	—	·04	·07	·29	18
19	—	·09	—	·27	—	·18	·02	—	·74	·21	·16	·56	19
20	—	·25	—	·61	—	—	·31	·09	—	·04	—	·27	20
21	—	1·65	—	·34	—	·24	·26	·29	·07	·17	—	·09	21
22	·19	·49	—	·20	—	·34	—	·02	—	·04	·02	—	22
23	·07	·48	—	·10	·85	·31	·03	—	·28	·30	—	·44	23
24	—	·19	·05	1·04	·05	1·31	—	·20	·12	·25	—	·41	24
25	·31	·13	—	1·16	—	·03	—	—	·48	·43	—	·29	25
26	·03	·09	—	·25	·09	—	—	·69	·02	·68	·21	·23	26
27	·08	1·45	—	·19	·04	·10	·09	·97	·61	—	·10	·13	27
28	—	·38	—	·77	—	·32	—	·02	·34	—	·01	·43	28
29	—		—	·29	—	·32	·02	—	·61	2·63	—	·45	29
30	—		—	·02	—	—	·04	—	·07	·38	·05	—	30
31	—		—		·14		·01	·20		·11		·12	31
Total	3·89	9·20	2·91	5·67	3·14	4·99	1·04	5·44	4·55	5·64	9·27	9·37	TOTAL for year 65·11
No. of Rain Days	16.	17.	17.	17	12	12.	14.	15.	13.	15	22	28.	198.

9,000, IX. '10.

81 424

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

25 JAN 1913

Kept at Sedburgh Akay

in the County of West Riding, York

by C E Taylor

W1

Rain Gauge: Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station: Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·32		·15	·14	·17	·27	·11			·13	1
2	·18	·08	1·00		·26	·24	·11		·17	·03		·05	2
3	·30		·06			·85		·16	·81			·27	3
4	·42		·80	·84	·03	·22		·78	·85		~~1·74~~	·10	4
5	·15		·03	·07	·20	·01		·50	·08		·01	·02	5
6	·18	·45		·06	·18			·16		·03	·02		6
7		·45	·09	·18	·14		·30	·16	·39		·43	·08	7
8	·41	·18	·18	·15	·14	·04		·03	·06		·32	·07	8
9	·20	·20	·23	·19		·02		·39			·27	·36	9
10	·30		·02	·06	·09	·20	·28	·16			·57	·45	10
11	·12				·06		·32	·11				·58	11
12	·33		·38			·50	·03	·01				·49	12
13	·04		·17			·06		·04		·66	·28	1·33	13
14	·40		·35			·34		·02	·02	·03	·02	·46	14
15	·13	·09	·09		·55	·41				·21		·15	15
16	·36		·30		·04	·11		·18		·35	·05	·02	16
17		·27	·38		·08	·83		·54		·02	·02	·69	17
18	·02	·07				·46		·01		·88	·07	·27	18
19		·24	·68			·09	·06	·15		·32	·20	·04	19
20	·13		·04		·78	·11		·25		·49	·02	·23	20
21		·03	·14		·06	·05		·15		·05	·01	·12	21
22	·04	·65			·37			·48			·43	·02	22
23			·11		·03	·17	·25	·45		·02	·78	·12	23
24		·07	·26		·08	·26	·17	·04			·40	·15	24
25		·04	·40			·38	·30	·10			·67	·15	25
26		·50	·33			·07	·27	·03		1·36	·24	·25	26
27		·20	·44			·94	·40			·26		·46	27
28		·26	·02			·43	1·54	·54		·50	·38	·01	28
29		·04	·27				1·30	·27	·37	·44		·36	29
30	·08		·62		·07		·30	·02	·08	·13		·60	30
31			·27				1·06	·45				·37	31
Total	3·82	3·82	7·98	1·55	3·31	6·93	6·86	6·45	2·94	5·78	6·93	8·40	TOTAL for year 64·77
of	19	17	27	7	18	24	16	28	10	17	21	30	234

, X. '11.

DL ✓

436

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

31 JAN 1914

Kept at Sedburgh, Akay

in the County of W. R. York W.1

by C. E. Taylor

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·05	·55	·17							·18		1
2	·23	·50	1·47	·28		·37					·32	·54	2
3	·12	·50	·12	·01	·15						·10	·78	3
4	·28	·20	·15		·02						·17	·56	4
5	·57	·23	·05			·10							5
6	·21	·66	·36		·45	·28	·22				·09		6
7	·03	·85	·04		·13	·30	·03			·50	·01	·09	7
8		·27	·06		·39	·14		·08	·03	·10	·02	·29	8
9		·22	·50	·08	·08	1·45		·42			·02	·05	9
10		·39	·71		·11	·08	·03				·25	·01	10
11	·06		·05	·33		·04	·06			·20	·33	·26	11
12	·02		·03				·01	·09	1·03		·31	·06	12
13			·80	·11			·03	·05	·23	·31	·29		13
14	·14	·02	·32	·20						·57	·17	·06	14
15	·04		·56	·97							·50	·31	15
16			·06	·15			·05	·18			·41	·02	16
17	·06		·02	·40	·05	·30	·19				·88		17
18	·12		·69	·63		·10	·07				·12		18
19	·22		·08	·13	·18	·12				·40	1·27		19
20	·06		·06	·04	·03			·04	·26	·30	1·45		20
21			·13		·13		·12	1·27		·13	·02		21
22	·18		·35		·25			·50	·07				22
23	·88		·03		·09	·50		·38	·12	·05	·25		23
24	·60	·07		·34		·29		·04			·08	·10	24
25				·34					·95		·14	·58	25
26		·07	·02	1·03		·03			1·39	·10	·03	·99	26
27				·47	·03	·02				·26	·02	·38	27
28	·30		·30	·83	·07					·03			28
29			·18	·71	·07			·18		·19	·28		29
30	·77		·03					·24		·11	·04		30
31	·29		·17										31
Total	5·27	4·03	7·89	7·22	2·23	4·12	·81	3·47	4·08	3·25	7·75	5·08	YEAR'S TOTAL 55·20
Rain Days.	21	13	28	19	16	15	10	12	8	14	27	16	199

W. 7,500, XI. 12

418

FORM A.
BRITISH RAINFALL.
28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Sedbergh

in the County of W. R. York

by C. E. Taylor

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·19	·17	·03			·16	·42				·14	1
2	·04	·52	·16				·42	·29		·14	·28	·25	2
3	·30	·15	·25		·81			·02				1·56	3
4	·86		·30	·40	·36	·05					·06	·71	4
5	·29		·54	·30	·05	·17	·04				·20	·20	5
6			·07	·37	·20			·23			·25	·16	6
7	·18	·06	·30	·08	·37	·07		·16			·11	·21	7
8	·60	·04	·13	·06	·40	·29	·15	2·10		·02	·79	·28	8
9	·66	·21	·02	·53		·57			·06		·89	·02	9
10		·44			·05				·24		·68		10
11		·24	·50	·01	·11		·27		·20		·34	·21	11
12		·76	·08		·03		·20		·41		·88	·14	12
13		·30	·41	·21			·01		·20	·02	·46	·03	13
14		·92	·33						·15		·20	·24	14
15		·10	·58						·62		·18	·01	15
16	·02	·02	·05				1·46		1·66			·08	16
17		·71	·30			·53	·13		·50			2·05	17
18		·20	·25						·01	·02	·04	·10	18
19		·11	·43				·06		·04		·06	·18	19
20		·50	·13		·18							·04	20
21		·36	·02		·03	·09	·03	·01		·05		·01	21
22		1·39	·02	·07	·40	·20	·01	·40			·02	·01	22
23		·20	·16	·20	·10	·10	·07	·10					23
24	1·15		·17	·07	·27	·12	·07	·23			·33		24
25	·18		·02				·01	·27		·70	·39	·97	25
26	·09	·18						·02		·28	·47	·28	26
27	·04	·07				·01				·18	·16	·33	27
28	·09	·37	·29		·15				·02	·08	·65	·02	28
29	·95		·11		·07			·43		·10	1·00		29
30	·41		1·35					·07			·40	·17	30
31	1·05		·02		·04		·57			·09			31
Total	6·91	8·04	7·16	2·33	3·62	2·20	3·66	4·75	4·11	1·68	8·84	8·40	YEAR'S TOTAL 61·70
Rain Days.	16	23	28	12	17	11	16	14	12	11	23	26	209

Dl ✓

324
~~403~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at *Sedbergh*

in the County of *W. R. York*

by *C. E. Taylor*

Lat.______ Long.______

Time of Observation______

Nearest Railway Station______

Diameter of Rain Gauge______in.

Height of top of Gauge above Ground______ft.______in.

" " " " Sea Level______ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·75	1·07	·02				·03	·24	·03				1
2		·78	·27	·68	·12	·08	·30	·09					2
3	·33	·34	·51	·30			·44	·79				·20	3
4		·39	·11	·01	·12	·17		·03				·26	4
5	·33	·37	·50					·02				1·15	5
6	·56	·10	·05	·35		·07	·87	·14	·03			·40	6
7	·58	·72	·02	·20			·47	·17				·32	7
8	·30	·50		·21			·06	·27			1·45		8
9		·23						·02			·10	·52	9
10	·90		·06	·06				·22		·04		·60	10
11	·22	·06		·02	·60		·01	·50			·03	·20	11
12	·26			·10			·21	·04		·14	·54		12
13	·36	·42					·03	·33		·08		·27	13
14	·48			·12			·11	·27				·15	14
15	1·37			·07				·39	·15		·15	·36	15
16		·96					·30	·28	·05				16
17		·28	·04		·06		·03						17
18		·67	·09				·06						18
19	·24	·03	·09	1·28			·67			·03			19
20	·32	·08			·19		·40	·01				·32	20
21				·17			·10					·10	21
22		·04					·68					·35	22
23		·01	·21	·04			·20		·05	·11		·70	23
24		·03							·58	·07		·56	24
25							·10		·21			·13	25
26		1·13				·07	·17		·02			·50	26
27		·34				·12	·01			·34		·15	27
28		·34			·07	1·37		·35		·09			28
29					·08	·15		·03			·32	·15	29
30	·39			·28		·15	1·96				·05	·07	30
31	·30		·08				·20	·38		·04		·55	31
Total	7·69	8·89	2·05	3·89	1·24	2·18	7·41	4·57	1·12	·94	2·64	8·01	YEAR'S TOTAL 50·63
Rain Days.	16	22	13	15	7	8	23	20	8	9	7	22	170

W. 8,000. X. 14.

3172

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Sedbergh
in the County of W. R. Yorkshire
by C. E. Taylor

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·02	·22	·05			·50	·90	·16			·36		1
2	·20	·06	·02			·38	·02			·29	·10	·06	2
3	·06	·15		·11		·13	·04		1·00	·23	·39		3
4	·26	·23			·59	·35	·05		·08	·81	·35		4
5	·15	1·50			·19	·18	·02			1·58	·27		5
6	·95	·26	·17		·25	·06	·18			·80	·42	·05	6
7	·09	·16	·07		·24	·20	·90			·56	·20	·28	7
8		·05	·05	·05	·03	·09	·03			·06	·46	·04	8
9	·20		·01		·17		·19			·17	·30	·08	9
10	·41	·29		·35		·15	·36			·96	·32		10
11	·09	·28	·04	·63		·02	·50		·21	·30	·04	·03	11
12	·25	·43	·06	·18	·20	·02	·64	·08		·21	·03	·04	12
13		·55	·11	·10	·06		·12	·45		1·00	·01	·05	13
14	·09	·36	·02	·06	·66			1·75		1·00			14
15	·14	·88	·13	·11			·26	1·38	·03	·05			15
16	·06	·36	·47	·79			·06	·03	·01	·01			16
17	·47	·09		·63			·05		·92	·18		·13	17
18	·03	·16		·09			·05	·11	·37	·22	·04	·06	18
19	·77	·02	·10	·07				·04			·17		19
20	·81		·12	·02			·05	·04			·20	·39	20
21	·70		·02		·05		·34				·03	·02	21
22	·01	·06		·09		·11				·11	·09		22
23	·32		·08	·18				·03		·47	·47	·19	23
24	·12	·01	·11	·11		·33		·27		·23	·04	·09	24
25	·10	·03	·56		·11	·06		·54		·01	·39	·09	25
26	·48	·02	·21				·22			·08	·06		26
27	·02	·04	·03		·11			·08	·15	·40	·02	·14	27
28	·78	·18								·24	·16	2·33	28
29	·20	·09	·02			·07				·31	1·03	·35	29
30	·24					·10	·05			1·30	·10	·44	30
31					1·70			·63		·83		·13	31
Total	9·02	6·48	2·45	3·57	4·36	2·75	5·03	5·59	2·77	12·41	6·05	4·99	YEAR'S TOTAL 65·47
Rain Days.	28	25	21	16	13	16	21	14	8	27	26	20	235

W. 8,000. X. 15.

Ex DL

3020
~~349~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Sedbergh, Akay

in the County of W. R. Yorkshire

by C. E. Taylor

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14					·41		·04	·31		·15	·29	1
2	·39	02		·23		·04			·05	·04	·02		2
3	·29	·09		·03		·84				·83	·05		3
4				·06						·29	·12	·02	4
5	·24		·09	·20					·03	·08	1·34	·20	5
6	·05			·08		·13				·45	·48	·71	6
7	·69			·12		·28				·16	·03	·53	7
8	·42			·21		·10		·67	·14	·66	·17	·14	8
9				·17				·81		·16	·32		9
10	·39		·74	·20	·25			·21		·06	·02		10
11	·03			·01	·10			1·55		·50	·03		11
12	·01		·10		·50			·10	·02	·19		·07	12
13				·42	·10	·08		·33	1·53	·06		·35	13
14	·04			·30	·05			·28					14
15	·08			·40			·05	1·17	·47	·04	·23	·33	15
16	·04		·05	·15				1·27	·48	·21		·22	16
17	·03	·36	·41	·23	·04			1·27	·39	·18	·02		17
18		04	·40	·06	·04		1·29	·22	·50	·05	·03	·09	18
19	·01	·27	·20		·32		·04	·06	·04		·25	·23	19
20		·17	·06		·13	·49		·70	·45	·12	·19	·18	20
21		·06	·06		·07	·01		·21	·29	·24	·02		21
22								·17	·25	·91	·02		22
23		·09			·20	·88	·01	·50	·08	·15	·22	·04	23
24						·18	·09	·55	·12	·85	·41		24
25		·12	·21		·02	·06	·02	·42	·45	·15			25
26						·03	·03	1·10	·54	·20	·72		26
27			·10		·76	·08	·85	·27	·01	·15	·20		27
28			·52				·01	·09		·05	·55		28
29			·11		·26		·09	·01		·90	·33		29
30		✕	·03					·02		·14	·37		30
31		✕	·22	✕	·41	✕		·31	✕		✕		31
Total	2·85	1·22	3·30	2·87	3·25	3·61	2·48	12·33	6·15	7·82	6·29	3·40	YEAR'S TOTAL 55·57
Rain Days.	15	9	15	16	15	14	10	25	19	27	25	14	204

W. 8,000, VIII. 16

DL

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

~~326~~ 6

22.1.19

Kept at Sedbergh

in the County of W. R. York

by C. E. Taylor

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·14		·04					·32	·07	·43	1·16	1
2		·11	—	·29					·25	1·72	·20	·99	2
3		·10			·43					1·03	·03	·07	3
4			·02		·06			·17	·16	1·08	·59	·12	4
5		·27	·02	·35	·07			1·26		1·22	·20	·07	5
6	·12	1·35		·38		·55			·09	·35		·01	6
7	·02	·23		·28			·37	·12	·61	·14	·43	·07	7
8	·17	·16	·10				·19	·05	·86	·29	·21		8
9	·36	·75		·01		·32			1·08	·50	·19	·10	9
10	·24	1·00	·33				·03		·34	·51	·84	·02	10
11	·50	·15	·16		·18		·31	·16	·20			·20	11
12		·46			·08		·10		·10			·32	12
13		·01		·05	·21	·03			·24	·19		·07	13
14	1·14				·02	·33	·50	·14	·38	·05		·17	14
15						·10	·39		2·20	·03		·83	15
16	·14					·27	1·23	·26	·64			·23	16
17	·50				·03		1·18	·27	·52	·28		·58	17
18	1·25		·34				·29		·09			·22	18
19	·35	·15	·08				·33	·18	·38	·09		·60	19
20	·82	·54	·02	·15	·29	·17	1·16		·27			·01	20
21	·25	·78				·10			1·30	·06		·02	21
22		·13	—		·32	·21	·23		·46			·83	22
23	·50	·01			·24		1·18		·14		·09	·09	23
24	·62				·01		·12	·25	·43		·09	·04	24
25	·04	·33			·20		·55	·86	·35				25
26	·05	·30					·02	·10	·57		·08	·43	26
27	·01	·25	1·00		·02	·06		·88	·43	—	·12	·54	27
28		·11	·40			·02		·07	·25	·27	·04	·43	28
29			·10					·09	·10			·70	29
30		X	·11					·02		·09	·12	·16	30
31		X	·08	X		X			X		X	·08	31
Total	7·08	7·33	2·76	1·55	2·16	2·16	8·18	4·88	12·76	7·97	3·66	9·16	YEAR'S TOTAL 69·65
Rain Days.	18	21	13	8	14	11	17	16	27	18	15	29	207

W. 8,000, IX. 17.

81

Ex DL

2269
~~303~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Akay, Sedbergh
in the County of W. R. York
by C. E. Taylor

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.08				.30		.46	.06	1.30	.28		.23	1
2	.85		.47		.07		.24		.20	.02	.04	.44	2
3	.23	.03		.03	.35	.13	.28				.04	.25	3
4	.10	.06	.36		.15	.04	.08	.29	.05			.46	4
5	.12				.11				.16	.04		.38	5
6	.08		.75		.75				.10	.02		.20	6
7	.03		.13	.26		.09		.02			.14		7
8	.09		.04			.03			.02				8
9	1.00		.16	.06		.04			.03		.06		9
10	.04		1.85	.12		.02				.03	.04	1.08	10
11	.01		.39	.02	.19		.12		.03	.07		.17	11
12			.14	.38		.40	.10			.03	.23		12
13	.62			.50		.04		.18		.22		.38	13
14	.49			.22				.02				.15	14
15	.65	.06		.20				.02				.33	15
16	.15		.04			.16				.02	.22	.14	16
17	.04			.08	.03	.06		.80	.10		.76	.03	17
18			.21					.46	.38		.41	.60	18
19	.01	.55	.34			.67	.25	.05	.07		.39	.08	19
20	.34	.27				.10	.10	.08	.15			1.00	20
21	.01	.18	.03		.04	.03	.02	.21			.09	.36	21
22		.16				.52		.22	.55	.05	.17	.33	22
23	.03		.02	.10		.12				1.25	.40	.21	23
24	.09			.06	.12			.02	.73	.16	.55		24
25	.50			.50		.05		1.08	.67		.20		25
26	.20	.06	.93	.11		.05		.09	.15		.05	.64	26
27	.11			.21								.07	27
28	.04			.15				.60	.17	.33		.43	28
29	.10			.06				.02	.33	.22		.19	29
30	.01	✗	.05	.05		.14		.10		.05	.68	.78	30
31	.01	✗	.08	✗		✗	1.00		✗	.02	✗	.02	31
													YEAR'S TOTAL
Total	7.03	1.37	5.99	3.11	2.11	2.69	2.65	4.32	5.19	2.81	4.47	8.95	50.69
Rain Days.	28	8	17	18	10	18	10	18	18	16	17	25	203

W. 6,500, VII. 18. w w d

406

2752

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sedbergh, Akay

in the County of W. R. Yorkshire

by C. E. Taylor

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

,, ,, ,, ,, Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.11	.18	.27	.56		.40	.04	.18	.03		.17	1
2		.06		.07	.10		.37	.06	.33	.21		.84	2
3	.03	.30	.44		.13		.09	.26	.30	.24		.28	3
4			.07	.05	.12		.19	1.33		.32		.05	4
5			.33	.02	1.49		.12	.15	.03	.25	.02	.02	5
6	.04		.42	.63	.83		.01			.02	.03		6
7	.89	.16	.20	.04			.50				.15		7
8	.10	.31		.09	.27		.12	.15			.32		8
9	.46	2.37	.01	.28	.01		.62	.10			.10	.12	9
10	1.15	.54	.25	.39			.31	.10				.05	10
11	.55	.03	.33		.44	.10	.02					.05	11
12	.30	.73	.47	.09	.19		.50				.47	.30	12
13	.28	.13	.30	.31	.07	.27	.15				.60	.10	13
14	.16	.26	.09	.45		.15	.40		.45	.10	1.08		14
15	.10	.24	.02	.80			.15			.08	.36		15
16	.36		.53	.21	.11		.31	.07	.40		.34		16
17	.50		.24		.28		.07	1.10	.40		.02		17
18	.77	.02		.05	1.19	.26	.24	.02	.11				18
19	.04	.52		.16	.02	.05	.25	.03					19
20	.19			.15			.27		.50			.38	20
21	.02			.19			.16					.30	21
22	.66	.01		.17	.05	.05	.95	.02					22
23	.16		.11	.22			.27					.15	23
24	.15		1.20	.17		.02	.02					.53	24
25	.01	.10	.31	.24		.17	.50					.21	25
26	.20	.14	1.05	.29	.06		.14		.15		.18	.11	26
27	.16		.37	.02	.40	.50	.19				.10	.05	27
28	.17	.30	.26	.33	.02	.26	.21				.08	.33	28
29	.20	.70	.11		1.00	.04	.70				.28	.65	29
30	.43	╳	.05		.10	.15			.08		.16	.84	30
31	.39	╳		╳	.08	╳	.15	.02	╳	.05	╳	.15	31
TOTAL	8.55	7.03	7.34	5.69	7.52	2.02	8.38	3.45	2.93	1.30	4.29	5.68	YEAR'S TOTAL 64.18
Days with ·01 in. or more	28	19	23	25	22	12	30	14	11	9	16	21	230
	25	16	21	23	19	11	27	10	10	7	13	20	202

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3072

SEDBERGH.

~~HAVERA BANK~~

BYNAC

1911 – 20

FORM A2. BRITISH RAINFALL.
23 JAN 1912

1911

Kept at Bynac — top 5 in.

— op above Ground 1 ft. — in.

in the County of — „ Sea Level 480 ft.

— n 9 A.M.

by Annie — Station { Name Sedbergh
Distance 1 mile Direction West

IMPORTA — m., and the result entered to the previous day. If an Observer — ost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January — owing year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			—	—	·10	—	·02	·34	—	—	·54	·09	1
2			—	—	·29	—	·01	·05	—	·07	·15	·17	2
3			—	—	1·34	—	·01	·03	—	·02	1·33	·31	3
4			—	·07	·04	—	·01	1·05	—	—	·88	·57	4
5			—	·05	—	—	—	·79	—	·07	·13	·14	5
6			—	·03	—	—	—	·78	—	—	·50	·62	6
7			—	·01	—	—	—	—	—	—	·45	·02	7
8			—	—	—	—	—	—	—	—	·50	·70	8
9			—	·02	—	—	—	—	—	—	—	·79	9
10			—	—	—	—	—	—	·11	—	—	·71	10
11			—	—	—	—	—	·01	·12	—	·06	·12	11
12			—	—	—	—	—	—	·87	—	·45	—	12
13			—	—	·11	—	—	—	—	—	·48	·37	13
14			·09	—	·15	—	—	—	—	—	·80	·20	14
15			·06	—	—	—	—	—	—	—	·72	·18	15
16			—	·10	—	·10	·04	—	—	—	·25	·40	16
17			·10	~~·10~~	—	1·34	·06	—	—	—	·59	·23	17
18			—	·10	—	·86	·02	—	—	—	·01	·36	18
19			—	·21	—	·09	—	—	·71	·25	·18	·32	19
20			·02	·47	—	—	·29	·10	·05	·02	—	·37	20
21			—	·35	—	·25	·25	·25	·02	·15	—	·07	21
22			—	·20	—	·28	—	—	—	·09	·02	—	22
23			·07	·07	·87	·24	·02	—	·28	·24	—	·43	23
24			—	·98	—	1·28	—	·24	·07	·21	—	·34	24
25			—	1·10	·01	·01	—	—	·44	·43	—	·24	25
26			—	·16	·08	—	—	—	—	·62	·32	·19	26
27			·02	·19	—	·06	·08	1·00	·50	—	·07	·12	27
28			—	·64	—	·38	—	—	·30	—	—	·42	28
29			—	·34	—	·28	—	—	·50	2·06	—	·44	29
30			—	—	—	—	·06	—	·04	·90	·03	—	30
31					·11		—	·14		·12		·09	31
Total			·36	5·09	3·10	5·17	·87	4·78	4·01	5·25	8·46	9·01	TOTAL for year 46·10
No. of Rain Days.			6	18	10	12	12	12	13	14	21	28	146

W. 8,000, X. '11.

1911

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Bynac- Sedbergh

in the County of Yorkshire

by Annie Wilson

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 480 ft.

Time of Observation 9 A.m.

Nearest Railway Station
Name Sedbergh
Distance 1 mile Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				—	·10	—	·02	·34	—	—	·54	·09	1
2			—	—	·29	—	·01	·05	—	·07	·15	·17	2
3			—	—	1·34	—	·01	·03	—	·02	1·33	·31	3
4			—	·07	·04	—	·01	1·05	—	—	·88	·57	4
5			—	·05	—	—	—	·79	—	·07	·13	·14	5
6			—	·03	—	—	—	·78	—	—	·50	·62	6
7			—	·01	—	—	—	—	—	—	·45	·02	7
8			—	—	—	—	—	—	—	—	·50	·70	8
9			—	·02	—	—	—	—	—	—	—	·79	9
10			—	—	—	—	—	—	·11	—	—	·71	10
11		—	—	—	—	—	—	·01	·12	—	·06	·12	11
12			—	—	—	—	—	—	·87	—	·45	—	12
13			—	—	·11	—	—	—	—	—	·48	·37	13
14			·09	—	·15	—	—	—	—	—	·80	·20	14
15			·06	—	—	—	—	—	—	—	·72	·18	15
16			—	·10	—	·10	·04	—	—	—	·25	·40	16
17			·10	~~·10~~ —	—	1·34	·06	—	—	—	·59	·23	17
18			—	·10	—	·86	·02	—	—	—	·01	·36	18
19			—	·21	—	·09	—	—	·71	·25	·18	·32	19
20			·02	·47	—	—	·29	·10	·05	·02	—	·37	20
21			—	·35	—	·25	·25	·25	·02	·15	—	·07	21
22			—	·20	—	·28	—	—	—	·09	·02	—	22
23			·07	·07	·87	·24	·02	—	·28	·24	—	·43	23
24			—	·98	—	1·28	—	·24	·07	·21	—	·34	24
25			—	1·10	·01	·01	—	—	·44	·43	—	·24	25
26			—	·16	·08	—	—	—	—	·62	·32	·19	26
27			·02	·19	—	·06	·08	1·00	·50	—	·07	·12	27
28			—	·64	—	·38	—	—	·30	—	—	·42	28
29			—	·34	—	·28	—	—	·50	2·06	—	·44	29
30			—	—	—	—	·06	—	·04	·90	·03	—	30
31					·11		—	·14		·12		·09	31
Total			·36	5·09	3·10	5·17	·87	4·78	4·01	5·25	8·46	9·01	TOTAL for year 46·10
No. of Rain Days.			6	18	10	12	12	12	13	14	21	28	146

W. 8,000, X. '11.

Cor. by sum. stats. 13.VI.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

19 MAY 1913

Kept at Brynae Sedbergh
in the County of Yorkshire W1
by Wm B. Wilson.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Sedbergh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	—	·33	—	·14	·13	·15	·16	·08	—	—	—	1
2	·17	05	·95	·07	·25	·27	·09	—	·07	—	—	·40	2
3	·23	—	·04	—	—	·93	—	·21	·87	—	·01	·27	3
4	·33	—	·83	·66	·02	·21	—	·75	·61	—	1·85	·07	4
5	·14	—	·03	·04	·29	—	—	·42	·05	·04	—	·02	5
6	·14	·44	— ~~·44~~	—	·16	—	—	·12	—	—	·03	—	6
7	— ~~·61~~	·44	·09 ~~·44~~	·07	·12	—	·24	·14	·26	—	·37	·04	7
8	·61	·16	·10 ~~·16~~	·07	·11	·03	—	·01	·05	—	·33	·07	8
9	·21	·09	·26	·16	—	·02	—	·33	—	—	·26	·33	9
10	·31	·08	—	·05	·07	·19	·21	·22	—	—	·50	·40	10
11	·12	—	·02	—	·05	—	·31	·11	—	—	·04	·60	11
12	·33	—	·34	—	—	·39	·01	·01	—	—	—	·37	12
13	·06	—	·15	—	—	·10	—	·02	—	·55	·23	1·44	13
14	·38	—	·31	—	—	·35	—	·02	—	·03	—	·43	14
15	·09	·08	·12	—	·50	·32	—	—	—	·22	—	·10	15
16	·35	—	·25	—	—	·09	—	·16	—	·33	·06	—	16
17	—	·25	·34	—	·06	·82	—	·54	—	·01	·01	·55	17
18	—	·06	—	—	—	·40	—	—	—	·87	·06	·27	18
19	·06	·22	·50	—	—	·11	—	·11	—	·12	·16	·02	19
20	·16	—	·02	—	·74	·12	—	·22	—	·65	·01	·20	20
21	·01	·03	·23	—	·04	·03	—	·16	—	·05	—	·09	21
22	·06	·65	—	—	·58	—	—	·49	—	—	·43	·02	22
23	—	—	·08 ·28	—	—	·24	·32	·50	—	—	·89	·14	23
24	·08	·05	·28	—	·08	·17	·16	·12	—	—	·30	·12	24
25	—	·03	·33	—	—	·47	·22	·09	—	—	·56	·72	25
26	—	·47	·30	—	—	·05	·22	—	—	1·45	·38	·25	26
27	—	·20	·38	—	—	1·02	·44	—	—	·24	·03	·44	27
28	—	·12	—	—	—	·36	1·61	·54	·03	·53	·13	—	28
29	—	·03	·24	—	—	—	1·32	·29	·33	·35	—	·35	29
30	—		·41	—	·04	—	·26	—	·06	·13	—	·45	30
31	—		·33		—		1·01	·28		—		·37	31
Total	3·77	3·45	7·26	1·12	3·25	6·82	6·57	6·01	2·39	5·57	6·64	8·26	YEAR'S TOTAL 61·11
Rain Days.	20	18	26	7	16	23	15	25	10	15	21	27	223

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

3072

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at Bynac. Sedbergh

in the County of Yorkshire

W1

by Mr B. Wilson

Lat. Long.

Nearest Railway Station Sedbergh

RAIN GAUGE.
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 1 ft. in.
" " Sea Level 480 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·10	·46	·10	—	—	—	—	—	—	·14	—	1
2	·19	·44	1·27	·18	—	·31	—	—	—	—	·30	·47	2
3	·17	·47	·09	—	·64	—	—	—	—	—	·12	·79	3
4	·26	·20	·10	—	—	·01	—	—	—	—	·20	·22	4
5	·53	·19	·05	—	—	·05	·02	—	—	—	—	—	5
6	·17	·57	·33	—	·45	·30	·19	—	—	—	·06	·08	6
7	·05	·87	—	—	·11	·23	·02	—	—	·38	—	·027	7
8	—	·25	·09	—	·40	·06	—	·12	·02	·18	·03	·20	8
9	—	·16	·42	·05	·07	1·27	—	·63	—	—	·04	·13	9
10	—	·41	·66	·04	·05	·02	·04	—	—	—	·33	—	10
11	—	—	·02	·32	—	·08	·05	—	—	·20	·26	·26	11
12	—	—	·02	—	—	—	·05	·07	1·02	—	·34	—	12
13	—	—	·75	·07	—	—	—	·03	·19	·31	·22	—	13
14	·09	·02	·11	·15	—	—	—	—	—	·60	·16	·05	14
15	·12	—	·61	·89	—	—	—	—	—	—	·41	·21	15
16	—	—	·04	·06	—	—	·11	·31	—	—	·39	·05	16
17	—	—	·01	·28	·04	·32	·14	—	—	—	·37	—	17
18	·15	—	·67	·52	—	·06	·05	—	—	·01	·60	—	18
19	·17	—	·05	·10	·10	·05	—	—	—	·34	1·16	—	19
20	·05	—	·01	—	·01	—	—	—	·23	·27	1·35	—	20
21	—	—	·06	—	·10	—	·11	1·21	—	·12	—	—	21
22	·19	—	·55	—	·24	—	—	·52	·05	—	—	—	22
23	·55	—	·01	—	·06	·48	—	·32	·06	·05	·20	—	23
24	·85	·04	—	·30	—	·23	—	·02	·97	—	·09	·09	24
25	—	—	—	·20	—	—	—	—	1·23	—	·12	·48	25
26	—	·05	·02	·94	—	·02	—	—	—	·08	·02	·75	26
27	—	·01	—	·47	·01	—	—	—	—	·25	·02	·25	27
28	·56	—	·30	·69	·04	—	—	—	—	·02	·02	—	28
29	—		·15	·70	·05	—	—	·20	—	·25	·22	—	29
30	·84		·01	—	·01	—	—	·60	—	·09	·03	—	30
31	·17		·13		—		—	—		—		—	31
Totals	5·16	3·78	6·99	6·06	2·38	3·49	·78	4·03	3·77	3·15	7·20	4·10	50.54
Total from Jan. 1	5·16	8·94	15·93	21·99	24·37	27·86	28·64	32·67	36·44	39·59	45·79	50·89	✓

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

18 14 27 18 16 15 10 11 18 15 26 15 193

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
5 JAN 1915

Kept at Bynac Sedbergh
in the County of Yorkshire W R
by Mrs B Wilson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Sedbergh.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 480. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·16	·13	—	—	—	·13	·15	—	—	—	·13	1
2	·01	·30	·13	·05	—	—	·34	·35	—	·01	·27	·21	2
3	·27	·24	·22	—	·78	—	—	·01	—	·10	·01	1·15	3
4	·80	—	·25	·34	·26	·02	—	·05	—	—	·62	·63	4
5	·11	—	·44	·23	·03	·21	·05	—	—	—	·25	·24	5
6	—	—	·07	·27	·10	—	—	·16	—	—	·17	·17	6
7	·10	·05	·19	·04	·29	·03	—	·06	—	—	·11	·14	7
8	·80	·01	·12	·02	·32	·34	·29	2·02	—	—	·81	·22	8
9	·56	·20	—	·60	—	·70	—	·02	·03	—	·82	—	9
10	—	·39	—	·01	·01	—	—	—	·18	—	·80	·25	10
11	—	·22	·38	—	·09	—	·28	—	·24	—	·33	·61	11
12	—	·71	·03	—	·01	—	·15	—	·50	—	·65	·14	12
13	—	·28	·45	·12	·01	—	—	—	·14	·01	·56	·05	13
14	—	·78	·30	—	—	—	—	—	·15	—	·20	·28	14
15	—	·04	·46	—	—	—	—	—	·47	—	·18	—	15
16	—	·01	·63	—	—	—	1·38	—	1·55	—	—	·66	16
17	·04	·66	·25	—	—	·93	·09	—	·96	—	—	2·02	17
18	—	·51	·19	—	—	—	·06	—	—	·01	—	·07	18
19	—	·07	·35	—	—	—	—	—	·03	—	·03	·05	19
20	—	·45	·17	—	·11	—	—	—	—	—	—	·20	20
21	—	·26	—	—	·09	·06	·02	—	—	—	·01	—	21
22	—	1·04	—	·07	·29	·11	·07	·26	—	·01	—	·01	22
23	—	·22	·16	·15	·12	·05	·04	·23	—	—	—	—	23
24	1·15	—	·27	·05	·27	·13	—	·18	—	—	·29	—	24
25	·13	—	—	—	—	—	—	·24	—	·68	·29	1·12	25
26	·08	·20	—	—	—	—	—	—	—	·25	·51	·37	26
27	·06	·04	—		—	—	—	—	—	·13	·56	·30	27
28	·09	·32	·20	—	·12	—	—	·06	·02	·03	·60	—	28
29	·85	—	·12	—	·08	—	—	·37	—	·08	·97	—	29
30	·41		1·18	—	—		—	·13	—	—	·47	·20	30
31	·89		·01		·02		·55	—		·07		·01	31
Total	6·42.	7·16	6·10	1·95	3·00	2·58	3·45	4·29	4·27	1·38	8·91	8·03	YEAR'S TOTAL 57·54
Rain Days.	17	23	24	12	18	10	13	15	11	11	23	24	201.

W.7,000, XI. 13

3244

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4-JAN 1916

Kept at Bynac, Sedbergh
in the County of Yorkshire
by Mr B. Wilson

Lat. Long.
Time of Observation 9 o'clock a.m.
Nearest Railway Station Sedbergh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·65	1·21	—	—	·08	—	·02	·25	·03	—	—	—	1
2	—	·73	·22	·57	—	·08	·37	·07	—	—	—	—	2
3	·35	·30	·55	·30	—	·01	—	1·07	—	—	—	·26	3
4	—	·37	·09	—	·14	·14	—	·01	—	—	—	·38	4
5	·27	·29	·57	·01	—	·03	—	·01	—	—	—	1·18	5
6	·54	·23	·01	·34	—	—	·73	·07	—	—	·01	·31	6
7	·54	·65	—	·15	—	—	·74	·19	—	—	—	·27	7
8	·36	·51	·01	·16	—	—	—	·29	—	—	1·35	—	8
9	·03	·20	[illegible]	—	—	—	·04	—	—	—	·08	·79	9
10	·96	—	·10	·06	—	—	—	·25	—	·03	—	·69	10
11	·22	·06	[illegible]	·01	·76	—	—	·66	—	—	·04	·19	11
12	·14	·10	—	—	—	—	·08	·04	—	·13	·96	—	12
13	·30	·43	—	·11	—	—	·02	·24	—	—	—	·19	13
14	·48	·01	—	·08	—	—	·05	·47	—	—	—	·23	14
15	1·25	—	—	·04	—	—	·05	·37	·11	—	·15	·48	15
16	—	·88	—	—	—	—	·39	·34	·04	—		—	16
17	—	·43	—	—	·08	—	·01	—	—	—	—	—	17
18	—	·51	·10	—	—	—	·06	—	—	—	—	—	18
19	·67	·07	·07	1·24	·09	—	·64	—	—	·03	—	—	19
20	·47	·02	·08	·01	·09	—	·29	—	—	—	—	·29	20
21	·04	·09	—	·15	—	—	·23	—	—	—	—	·08	21
22	—	·08	·07	—	—	—	·79	—	—	—	—	·39	22
23	—	—	·16	·03	—	—	·15	—	·06	·12	—	·59	23
24	—	—	·11	—	—	—	—	—	·58	·07	—	·52	24
25	—	—	—	—	—	—	·06	—	·29	—	—	·11	25
26	—	·96	—	—	—	·07	·16	—	·01	—	—	·47	26
27	—	·10	—	—	—	·16	·01	—	—	·29	·04	·26	27
28	—	·33	—	—	·04	1·22	—	·43	—	·10	—	—	28
29	—		—	—	·10	·06	—	·02	—	—	·27	·17	29
30	·19	X	—	·25	—	·26	1·76	—	—	—	·04	·04	30
31	·38	X	·01	X	—	X	·16	·42	X	·03	X	·73	31
Total	7·24	8·56	2·09	3·51	1·38	2·03	6·81	5·20	1·12	·80	2·94	8·62	YEAR'S TOTAL 50·30
Rain Days.	18	23	14	16	8	9	22	18	7	8	9	22	174

W. 8,000. X. 14.

Dews. co

Eng. F.W.

3174

entd 2·5·17

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept a Bynac, Sedbergh.

in the County of Yorkshire. WR

by Mrs B. Wilson.

Lat. .... Long. ....

Time of Observation 9 o'clock.

Nearest Railway Station Sedbergh.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 480. ft.

9 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·84	·12	·05	—	—	·33	·75	·16	—	—	·37	—	1
2	·17	·10	·05	—	—	·30	·03	—	·20	·16	·08	·06	2
3	·03	·22	·03	·10	—	·09	·02	—	·87	·31	·40	—	3
4	·22	·24	—	·01	·70	·36	·10	—	·08	·96	·15	—	4
5	·14	1·09	—	—	·35	·20	·02	—	—	1·36	·46	—	5
6	·77	·45	·15	·01	·23	·06	·18	—	—	·74	·44	·04	6
7	·10	·08	·09	—	·45	·16	·88	—	—	·47	·20	·26	7
8	—	·05	·14	—	·02	·07	·03	—	—	·05	·46	·02	8
9	·10	—	·02	—	—	—	·16	—	—	·05	·24	·11	9
10	·36	·19	—	·33	—	·11	·23	—	—	·82	·30	—	10
11	·08	·29	·14	·56	·22	·01	·33	—	·23	·28	·04	·03	11
12	·17	·49	·19	·11	—	·03	·79	·09	—	·23	·03	·02	12
13	—	·37	·12	·12	—	—	·13	·39	—	·98	—	·04	13
14	·07	·25	·02	·05	·54	—	—	1·73	·02	·91	—	—	14
15	·11	·75	·08	·08	—	—	·20	1·44	—	·05	—	—	15
16	·05	·27	·55	·68	—	—	·10	·01	·02	—	—	—	16
17	·42	·07	—	·55	—	—	·02	—	·85	·19	—	·11	17
18	·04	·65	—	·06	—	—	·04	·11	·32	·24	·18	·09	18
19	·71	—	·07	·07	—	—	—	·03	—	—	·06	·03	19
20	·72	—	·26	·01	—	—	·03	·02	—	—	·19	·39	20
21	·66	—	—	·08	·03	—	·15	—	·03	—	·03	—	21
22	—	·08	—	·18	—	·11	—	—	—	·07	·06	·01	22
23	·33	·02	·48	·08	—		—	—	—	·50	·48	·19	23
24	·07	—	·10	·11	—	·33	—	·28	—	·21	·07	·04	24
25	·05	·04	·24	—	·08	·06	—	·60	—	·05	·36	·10	25
26	·47	·03	·16	—	—	—	·19		—	·03	·07	—	26
27	—	·09	·04	—	·15	—	—	·06	·13	·48	—	·04	27
28	·72	·12	—	—	—	—	—	—	—	·15	·15	(2·50)	28
29	·18	·25	—	—	—	·06	—		—	·42	·99	·31	29
30	·24	X	—	—	—	·06	·05	—	—	1·25	·15	·40	30
31	—	X	—	X	1·49	X	—	·65	X	·62	X	·13	31
Total	7·82	6·31	2·98	3·19	4·26	2·34	4·43	5·57	2·75	11·58	5·96	(4·92)	YEAR'S TOTAL (62·11)
Rain Days.	26.	24	20	18	11	16	21	13	10	26	24	21	230

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

3026

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917.

Kept at Bynac. Sedbergh - Yorkshire

in the County of Yorkshire

by Mr B. Wilson.

Lat. Long.

Time of Observation 9 o'clock a.m.

Nearest Railway Station Sedbergh.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 480. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	~~July.~~	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·14	—	—	—	—	·48	—	·05	·40	—	·16	·23	1
2	·83	·01	—	·10	—	·04	—	—	·06	·03	·02	—	2
3	·24	·10	—	·15	—	·80	—	—	—	·82	·06	—	3
4	—	—	·01	·02	—	—	—	—	—	·10	·06	—	4
5	·26	—	·08	·17	—	—	—	—	·03	·06	1·30	·19	5
6	·05	—	—	·08	—	·13	—	—	—	·43	·49	·71	6
7	·75	—	·01	·17	—	·26	—	—	—	·14	·02	·37	7
8	·91	—	—	·13	—	·11	—	·77	·12	·68	·19	·16	8
9	—	—	—	·15	—	—	—	·84	—	·12	·25	—	9
10	·36	—	·94	·18	·31	—	—	·19	—	·06	—	—	10
11	·05	·05	—	·03	·11	—	—	1·73	—	·63	·03	—	11
12	—	—	·08	—	·58	—	—	·15	—	·18	—	·07	12
13	·04	—	—	·38	·19	·07	—	·24	1·38	·07	·24	·32	13
14	·13	—	—	·23	·04	—	—	·27	—	—	—	·10	14
15	·04	—	—	·05	—	—	·03	·95	·58	·04	·02	·26	15
16	·01	—	·04	·44	—	—	—	1·02	·43	·27	—	·30	16
17	·02	·24	·38	·22	·05	—	·01	1·30	·44	·15	·01	·13	17
18	—	·05	·29	·05	·03	—	1·26	·24	·45	·04	·03	·11	18
19	·01	·20	·16	·01	·37	·05	—	·17	·09	—	·22	·29	19
20	—	·38	·06	—	·09	·49	—	·48	·35	·14	·16	·22	20
21	—	·06	·05	—	·10	—	—	·42	·20	·21	·01	—	21
22	—	—	—	—	—	—	—	·13	·19	·79	·01	—	22
23	—	·07	·01	—	·19	·82	—	·55	·07	·12	·14	·03	23
24	—	—	·01	—	—	·13	·03	·45	·11	·74	—	—	24
25	—	·08	·14	—	·04	·03	·05	·19	·42	·16	·05	—	25
26	—	—	—	—	—	·02	·05	1·38	·49	·14	·53	—	26
27	—	—	·09	—	·64	·08	·65	·32	—	·16	·16	—	27
28	—	—	·50	—	—	—	—	·09	—	·04	·59	—	28
29	—	—	·15	—	—	—	·16	·01	—	·89	·31	—	29
30	·01	✕	·02	—		—	—	·01	—	·31	·26	—	30
31	—	✕	·07	✕	·39	✕	—	·23	✕	—	✕	·01	31
Total	3·85	1·24	3·09	2·56	3·03	3·51	2·24	12·18	5·81	7·52	5·32	3·50	YEAR'S TOTAL 53·85
Rain Days.	16	10	19	17.	14	14	8	25	17	27.	25	16	208

W. 8,000, VIII. 16

Excd. CJE.

8

FORM A.
BRITISH RAINFALL.

4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Bynae. Sedbergh.

in the County of Yorkshire WR

by Mrs B. Wilson.

Lat. Long.

Time of Observation 9 o'clock a.m.

Nearest Railway Station Sedbergh.

Diameter of Funnel of Rain Gauge 5 inches

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·12	·01	·62	—	—	—	—	·38	·06	·52	1·10	1
2	—	·10	—	·27	—	—	—	—	·20	1·64	·20	·95	2
3	—	·09	—	—	·28	—	—	—	—	1·07	·01	·06	3
4	·01	·09	—	—	·20	—	—	·15	·20	·65	·52	·11	4
5	—	·11	·03	·35	·08	—	—	1·32	—	1·17	·05	·08	5
6	·10	1·29	—	·32	—	·55	—	—	·08	·24	—	—	6
7	·03	·21	—	·16	—	—	·28	·15	·53	·19	·42	·03	7
8	·19	·13	·10	—	—	—	·13	·05	·25	·21	·16	·04	8
9	·36	·86	—	—	—	·34	·02	—	1·13	·53	·19	·07	9
10	·24	·69	·31	·02	—	—	·03	—	·25	·47	·70	·02	10
11	·47	·15	·11	—	·16	—	·27	·13	·35	—	—	·20	11
12	—	·51	·02	—	·10	—	·07	—	·11	—	—	·29	12
13	—	·01	—	·11	·27	—	—	—	·24	·19	—	·08	13
14	·96	—	—	—	·01	·36	·51	·11	·50	·04	—	·04	14
15	—	—	—	·02	—	·05	·44	—	2·27	·03	—	·92	15
16	·08	—	—	—	—	·26	·98	·24	·64	—	—	·19	16
17	·56	—	—	—	·01	—	1·21	·27	·46	·29	—	·49	17
18	1·37	—	·28	—	—	·02	·39	·02	·08	—	—	·28	18
19	·49	·16	·06	·04	—	—	·29	·15	·36	·08	—	·45	19
20	·88	·50	—	·15	·30	·15	1·41	·01	·30	·06	—	—	20
21	·25	·60	—	—	—	·10	—	—	1·47	—	—	—	21
22	·02	·15	—	—	·35	·15	·24	·08	·40	—	—	·80	22
23	·47	·01	—	—	·22	—	1·01	—	·10	—	·10	·09	23
24	·59	·16	—	—	—	·01	·04	·17	·40	·01	·05	·02	24
25	·02	·07	—	—	·20	—	·43	·96	·25	—	—	—	25
26	·04	·30	—	—	—	—	·02	·05	·61	·05	·08	·40	26
27	·01	·10	·80	—	—	·04	—	·73	·40	·19	·12	·58	27
28	—	·19	·42	—	—	·01	—	·08	·28	·02	·03	·44	28
29	—	—		—	—	—	—	·03	·07	—	—	·49	29
30	—	╳	·13	—	—	—	—	·08	—	·08	·19	·25	30
31	—	╳	·07	╳	—	╳	—	·03	╳	—	╳	·05	31
Total	7·14 ✓	6·60 ✓	2·34 ✓	1·46 ✓	2·18 ✓	2·04 ✓	7·77 ✓	4·81 ✓	12·51 ✓	7·27 ✓	3·34 ✓	8·52 ✓	YEAR'S TOTAL 65·98 ✓
Rain Days.	20 ✓	23 ✓	12 ✓	10 ✓	12 ✓	12 ✓	18 ✓	20 ✓	27 ✓	21 ✓	15 ✓	27 ✓	217 ✓

W. 8,000, IX. 17.

Src 1/11 2871

8 JAN 20

Form A.1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Bynac, Sedbergh.
in the County of Yorkshire.
by Mrs B. Wilson.

Lat. Long.
Time of Observation 9 o'clock. a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 inches.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·89	·01	·07	—	·28	—	·47	·06	1·47	—	—	·20	1
2	·46	—	·37	—	·03	—	·27	—	·19	—	·04	·45	2
3	·51	·05	—	·02	·27	·13	·09	—	—	—	·06	·34	3
4	·17	·08	·30	—	·26	·04	·30	—	·06	—	·04	·36	4
5	·08	—	—	—	·11	—	—	—	·10	·05	—	·40	5
6	·06	—	·60	—	·81	—	—	—	·07	·03	—	·20	6
7	·03	—	·23	·18	—	·10	—	—	—	[illegible]	·10	—	7
8	·11	—	·04	·03	—	—	—	·03	·01	—	—	—	8
9	·90	—	·17	·01	—	·05	—	—	·02	—	·08	—	9
10	·02	—	1·73	·09	·03	—	—	—	—	·03	·04	1·31	10
11	—	—	·60	·06	·13	—	·12	—	·07	·07	—	—	11
12	—	—	·16	·37	·01	·43	·10	—	·06	·03	·30	·21	12
13	·63	—	·01	·38	—	·04	—	·16	—	·18	—	·43	13
14	·49	—	—	·25	—	—	—	·03	—	—	—	·08	14
15	·57	·04	·02	·17	—	—	—	—	—	—	—	·42	15
16	·17	—	—	—	—	·18	—	—	—	—	·32	·11	16
17	·03	—	—	·06	·02	·05	—	·80	·04	—	·62	·02	17
18	—	—	·35	—	—	—	·25	·59	·30	—	·32	·51	18
19	—	·51	·35	—	—	·68	·01	·10	·07	—	·42	·08	19
20	·42	·37	·03	—	—	·10	·08	·06	—	—	·06	·90	20
21	—	·20	·02	—	—	·62	—	·11	·16	—	·06	·34	21
22	—	·15	—	—	—	·51	—	·24	·47	·04	·17	·31	22
23	·03	—	—	·05	—	·09	—	—	—	1·52	·38	·16	23
24	·06	—	—	·08	·10	—	—	·01	·60	·55	·46	·10	24
25	·43	—	—	·45	·02	·05	—	1·24	·65	—	·20	—	25
26	·15	·02	·86	·07	—	·05	—	·18	·12	—	·06	·66	26
27	·20	·01	·02	·19	—	—	—	—	—	—	·03	·03	27
28	—	—	—	·18	—	—	—	·77	·16	·28	—	·43	28
29	·04		—	·04	—	—	—	·01	·28	·39	—	·20	29
30	·01		·03	·04	—	·11	—	·05	·26	·05	·61	·77	30
31	·01		·10		—		1·10	—		·02		·63	31
Total	6·47	1·44	6·06	2·72	2·07	2·63	2·79	4·44	5·16	3·24	4·37	9·05	Year's Total 50·44
Days with ·01 in. or more	24	10	20	19	12	16	10	16	20	13	20	26	206

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2754

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Bynac Sedbergh

in the County of Yorkshire

by Mrs B Wilson

Lat. 54° 19' 15" N Long 2° 31' 90" W

Time of Observation 9 a.m.

Nearest Railway Station Sedbergh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·10	·11	·35	·60	—	·41	·04	·12	·20	·06	·19	1
2	—	·05	—	·07	·09	—	·34	—	·43	·20	—	·85	2
3	·03	·27	·43	·08	·14	—	·07	·35	·35	·1720	–	·23	3
4	·02	—	·07	·06	—	—	·24	1·48	·01	·36	–	·06	4
5	—	—	·29	·03	1·57	—	·09	·12	·01	·28	–	·01	5
6	·03	—	·47	·41	1·00	—	·02	—	—	—	–	·04	6
7	·99	·13	·08	·20	·01	—	·38	—	—	—	·03	–	7
8	·12	·14	·01	·05	·28	—	·41	·12	—	—	·18	–	8
9	·29	2·78	·01	·36	—	—	·44	·09	·08	—	·40	–	9
10	1·18	·56	·25	·44	—	—	·49	·09	—	—	·12	·04	10
11	·60	·08	·07	—	·40	·12	—	—	—	—	–	·12	11
12	·32	·70	·68	·10	·13	—	·57	—	·03	—	·04	·15	12
13	·33	·14	·29	23	13	30	·10	—	—	—	·42	·19	13
14	·16	·27	·19	·49	—	·15	·44	—	·40	·11	·50	·03	14
15	·10	·22	·12	1·11	—	—	·02	—	·42	—	1·05	–	15
16	·32	·01	·42	·21	·11	—	·44	·08	·46	—	·19	–	16
17	·39	—	·31	—	23	—	·10	1·15	—	·07	·81	–	17
18	·64	—	—	·04	1·11	·23	·26	·02	·06	—	–	–	18
19	·04	·75	—	·15	·09	·11	·22	·03	—	—	–	–	19
20	·17	—	—	·19	—	·01	·24	—	·64	—	–	·35	20
21	·02	—	—	—	—	·03	·15	·01	·01	—	–	·27	21
22	·62	—	—	·29	·07	—	·71	—	—	—	–	–	22
23	·17	—	·13	·11	—	—	·38	—	—	—	–	·11	23
24	·11	—	1·14	·30	—	·01	·02	·01	—	—	–	·44	24
25	·01	·11	·29	·20	—	·24	·60	·01	·04	—	–	·20	25
26	·19	·14	·95	—	·13	—	·12	—	·20	—	–	·04	26
27	·17	—	·41	·02	·37	·54	·37	—	—	—	·25	·09	27
28	·24	·31	·30	·36	·01	·21	·15	—	—	—	·11	·32	28
29	·23	·63	·10	—	1·16	·05	·65	—	—	—	·09	·56	29
30	·46	╳	·05	—	·13	·17	—	—	·06	—	·27	·66	30
31	·35	╳	·02	╳	·07	╳	·12	·01	╳	·06	╳	·22	31
TOTAL	8·59	7·38	7·19	5·85	7·83	2·17	8·55	3·61	3·32	1·25	4·52	5·17	YEAR'S TOTAL 65·43
Days with ·01 in. or more	29	18	25	24	21	13	29	15	16	7	15	22	234
	24	17	22	22	19	10	26	9	12	7	14	20	202

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SEDBERGH
CROASDALE BECK.

YORKSHIRE

1911

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

Kept at Croasdal
Sedbe
in the County of WR
by William At

in.
und 1 ft. — in.
Level 623 ft.
e Sedbergh
nce 2 mls. Direction S.E.

IMPORTANT NO result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		—	·85	—	·10	—	·04	·40	—	—	·66	·12	1
2	·38	—	—	—	·28	—	—	·07	—	·08	·18	·18	2
3	—	—	·86	—	1·45	—	—	—	—	—	1·43	·36	3
4	—	—	·09	—	·07	—	—	1·00	—	·03	1·09	·27	4
5	—	—	·06	·13	—	—	·03	·80	—	·10	·27	—	5
6	—	—	·08	·06	—	—	—	·95	—	—	·41	·50	6
7	1·05	—	·04	—	—	—	—	—	—	—	·43	—	7
8	·23	—	·60	—	—	—	—	—	—	—	·50	·49	8
9	—	—	—	—	—	—	—	—	—	—	—	·67	9
10	1·02	·15	·29	·03	—	—	—	—	·25	—	—	·59	10
11	—	—	·04	—	—	—	—	—	·0.4	—	·06	·12	11
12	·43	—	—	—	—	—	—	—	·94	—	·34	—	12
13	—	—	0·08	—	·45		—	—	—	—	·52	·40	13
14	—	·89	·07	—	·21	—	—	—	—	—	·91	·17	14
15	—	·87	·08	·03	—	—	—	—	—	·02	·94	·21	15
16	·20	·98	·09	·16	—	·08	—	—	—	—	·30	·37	16
17	·05	·08	—	—	—	·67	·03		—	—	·57	·18	17
18	—	1·73	·14	·07	—	1·30	·11	—	—	—	·22	—	18
19	—	·13	—	·23	—	·32	·02	·02	·83	·27	—	·45	19
20	—	·22	—	·55	—	—	·37	·15	·04	·03	—	·48	20
21	—	1·81	—	·47	—	·32	·32	·22	—	·14	—	·12	21
22	·22	·51	—	·31	—	·42	—	—	—	·07	—	—	22
23	·07	·58	—	·09	1·08	·33	—	—	·37	·27	·04	·32	23
24	·29	·24 21	—	1·06	·03	1·63	—	·15	·04	·25	—	·42	24
25	·53	·65	—	1·31	—	—	—	—	·50	·40	—	·33	25
26	—	·07	—	·16	·06	—	·04	·72	—	·53	—	·13	26
27	—	1·65	—	·25	—	—	08	·92	·47	—	·31	·13	27
28	·06	·38	—	·71	—	·55	—	—	·27	—	·07	·50	28
29	—	—	—	·33	—	·38.	·02	—	·49	2·52	—	·53	29
30	—	—	—	—	—	—	·07	—	·07	·86	—	—	30
31	—	—	—	—	·13	—	—	·20	—	·22	—	·43	31
Total	4·53	10·91	3·37	5·95	3·86	6·00	1·13	5·60	4·31	5·79	9·25	8·17	TOTAL for year 68·87
No. of Rain Days.	12	16	14	17	10	10	11	12	12	15	19	25	173

W. 8,000, X. '11.

8·17 68·87

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

Kept at Croasdale Beck Howgill Sedbergh.
in the County of WR Yorkshire.
by William Atkinson.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 623 ft.
Time of Observation 9 A m.
Nearest Railway Station
Name Sedbergh
Distance 2 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		–	·85	–	·10	–	·04	·40	–	–	·66	·12	1
2	·38	–	–	–	·28	–	–	·07	–	·08	·18	·18	2
3	–	–	·86	–	1·45	–	–	–	–	–	1·43	·36	3
4	–	–	·09	–	·07	–	–	1·00	–	·03	1·09	·27	4
5	–	–	·06	·13	–	–	·03	·80	–	·10	·27	–	5
6	–	–	·08	·06	–	–	–	·95	–	–	·41	·50	6
7	1·05	–	·04	–	–	–	–	–	–	–	·43	–	7
8	·23	–	·60	–	–	–	–	–	–	–	·50	·49	8
9	–	–	–	–	–	–	–	–	–	–	· –	·67	9
10	1·02	·15	·29	·03	–	–	–	–	·25	–	–	·59	10
11	–	–	·04	–	–	–	–	–	·0·4	–	·06	·12	11
12	·43	–	–	–	–	–	–	–	·94	–	·34	–	12
13	–	–	0·08	–	·45		–	–	–	–	·52	·46	13
14	–	·89	·07	–	·21	–	–	–	–	–	·91	·17	14
15	–	·87	·08	·03	–	–	–	–	–	·02	·94	·21	15
16	·20	·98	·09	·16	–	·08	–	–	–	–	·30	·37	16
17	·05	·08	–	–	–	·67	·03		–	–	·57	·18	17
18	–	1·73	·14	·07	–	1·30	·11	–	–	–	·22	–	18
19	–	·13	–	·23	–	·32	·02	·02	·83	·27	–	·45	19
20	–	·22	–	·55	–	–	·37	·15	·04	·03	–	·48	20
21	–	1·81	–	·47	–	·32	·32	·22	–	·14	–	·12	21
22	·22	·51	–	·31	–	·42	–	–	–	·07	–	–	22
23	·07	·58	–	·09	1·08	·33	–	–	·37	·27	·04	·32	23
24	·29	·24 21	–	1·06	·03	1·63	–	·15	·04	·25	–	·42	24
25	·53	·65	–	1·31	–	–	–	–	·50	·40	–	·33	25
26	–	·07	–	·16	·06	–	·04	·72	–	·53	–	·13	26
27	–	1·65	–	·25	–	–	08	·92	·47	–	·31	·13	27
28	·06	·38	–	·71	–	·55	–	–	·27	–	·07	·50	28
29	–	–	–	·33	–	·38.	·02	–	·49	2·52	–	·53	29
30	–	–	–	–	–	–	·07	–	·07	·86	–	–	30
31	–	–	–	–	·13	–	–	·20	–	·22	–	·43	31
Total	4·53	10·91	3·37	5·95	3·86	6·00	1·13	5·60	4·31	5·79	9·25	~~8·47~~	TOTAL for year 68·87
No. of Rain Days.	12	16	14	17	10	10	11	12	12	15	19	25	173

8·17 68·87

W. 8,000, X. '11.

SEDBERGH
DENT VICARAGE
YORKSHIRE
1911

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

RE

Kept at Dent

in the County of Yo

by J Ma

1 ft. in.

vel 484 ft.

ce Direction

IMPORTANT NO result entered to the previous day. If an Observer prefers not to conform to this rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	1.13	—	0.45	—	0.04	0.08	0.08	—	0.83	0.16	1
2	0.24	—	0.04	—	0.49	—	0.14	0.09	—	0.05	0.31	.35	2
3	0.06	—	1.08	—	1.34	—	—	1.81	—	0.01	1.74	·40	3
4	0.02	—	0.48	0.08	0.02	—	—	1.02	—	0.01	1.03	.28	4
5	—	—	0.10	0.05	—	—	—	1.04	—	0.04	·15	·42	5
6	0.89	—	0.08	0.04	—	—	—	0.82	—	—	·77	·40	6
7	0.01	—	0.01	—	—	—	—	0.03	—	—	·61	·97	7
8	0.49	—	0.62	—	—	—	—	—	0.04	—	·55	·05	8
9	—	—	—	—	—	—	—	—	—	—	15	·52	9
10	1.25	0.01	0.23	—	—	—	—	—	0.01	—	·07	·35	10
11	0.45	—	0.16	—	—	—	—	—	0.14	—	·09	1·13	11
12	0.04	0.10	0.03	—	—	0.01	—	—	0.95	—	·36	—	12
13	0.06	0.21	—	—	0.29	0.03	—	—	—	—	·72	·61	13
14	0.10	1.15	0.04	—	0.21	—	—	—	—	—	·63	·46	14
15	0.01	0.94	0.08	—	—	—	—	—	—	0.01	1.03	·48	15
16	0.06	1.10	0.01	0.01	—	—	0.01	—	—	—	47	·54	16
17	0.13	0.46	—	0.03	—	0.95	0.14	—	—	—	58	·18	17
18	—	2.12	0.29	0.14	—	0.34	0.03	—	0.01	0.01	08	·28	18
19	—	0.47	—	0.51	—	0.23	0.01	0.04	0.35	0.22	·26	·66	19
20	—	0.49	—	0.88	—	0.03	0.15	0.08	0.23	0.07	—	·35	20
21	—	2.23	—	0.48	—	0.24	0.51	0.14	—	0.22	·04	·27	21
22	0.15	0.91	—	0.23	—	0.20	0.01	0.04	0.03	0.03	·03	—	22
23	0.05	0.49	—	0.12	1.40	0.21	0.02	—	0.59	0.47	—	·81	23
24	0.40	0.34	—	0.93	0.22	1.61	—	0.20	0.06	0.44	—	·79	24
25	0.42	0.76	—	1.73	—	0.03	—	0.07	0.48	0.35	0.01	·40	25
26	0.06	0.11	—	0.33	0.04	0.09	—	0.65	0.05	0.98	0.28	·25	26
27	0.13	1.07	0.03	0.30	0.34	0.04	0.18	0.63	0.40	—	0.16	·11	27
28	0.02	1.03	—	1.12	—	0.56	—	0.07	0.30	—	0.02	·38	28
29	—			0.34	—	0.56	0.07	0.12	0.63	3.64	—	·27	29
30	—			—	—	0.05	0.01	0.01	0.01	0.47	0.05	·01	30
31	—				0.08	—	—	0.30		0.11		01	31
Total	5·04	3·99	4·41	7·40	4 88	5·18	1·26	7·12	4·36	7·07	10·96	11·89	TOTAL 83·56
No. of Rain Days.	21	18	16	17	11	16	13	19	17	17	26	29	220

W. 8,000, X. '11.

RE

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Dent

in the County of York WRI

by J Mason

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level 484 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	1.13	—	0.45	—	0.04	0.08	0.08	—	0.83	0.16	1
2	0.24	—	0.04	—	0.49	—	0.14	0.09	—	0.05	0.31	.35	2
3	0.06	—	1.08	—	1.34	—	—	1.81	—	0.01	1.74	·40	3
4	0.02	—	0.48	0.08	0.02	—	—	1.02	—	0.01	1.03	.28	4
5	—	—	0.10	0.05	—	—	—	1.04	—	0.04	·15	·42	5
6	0.89	—	0.08	0.04	—	—	—	0.82	—	—	·77	·40	6
7	0.01	—	0.01	—	—	—	—	0.03	—	—	·61	·97	7
8	0.49	—	0.62	—	—	—	—	—	0.04	—	·55	·05	8
9	—	—	—	—	—	—	—	—	—	—	15	·52	9
10	1.25	0.01	0.23	—	—	—	—	—	0.01	—	·07	·35	10
11	0.45	—	0.16	—	—	—	—	—	0.14	—	·09	1·13	11
12	0.04	0.10	0.03	—	—	0.01	—	—	0.95	—	·36	—	12
13	0.06	0.21	—	—	0.29	0.03	—	—	—	—	·72	·61	13
14	0.10	1.15	0.04	—	0.21	—	—	—	—	—	·63	·46	14
15	0.01	0.94	0.08	—	—	—	—	—	—	0.01	1.03	·48	15
16	0.06	1.10	0.01	0.01	—	—	0.01	—	—	—	47	·54	16
17	0.13	0.46	—	0.03	—	0.95	0.14	—	—	—	58	·18	17
18	—	2.12	0.29	0.14	—	0.34	0.03	—	0.01	0.01	08	·28	18
19	—	0.47	—	0.51	—	0.23	0.01	0.04	0.35	0.22	·26	·66	19
20	—	0.49	—	0.88	—	0.03	0.15	0.08	0.23	0.07	—	·35	20
21	—	2.23	—	0.48	—	0.24	0.51	0.14	—	0.22	·04	·27	21
22	0.15	0.91	—	0.23	—	0.20	0.01	0.04	0.03	0.03	·03	—	22
23	0.05	0.49	—	0.12	1.40	0.21	0.02	—	0.59	0.47	—	·81	23
24	0.40	0.34	—	0.93	0.22	1.61	—	0.20	0.06	0.44	—	·79	24
25	0.42	0.76	—	1.73	—	0.03	—	0.07	0.48	0.35	0.01	·40	25
26	0.06	0.11	—	0.33	0.04	0.09	—	0.65	0.05	0.98	0.28	·25	26
27	0.13	1.07	0.03	0.30	0.34	0.04	0.18	0.63	0.40	—	0.16	·11	27
28	0.02	1.03	—	1.12	—	0.56	—	0.07	0.30	—	0.02	·38	28
29	—			0.34	—	0.56	0.07	0.12	0.63	3.64	—	·27	29
30	—			—	—	0.05	0.01	0.01	0.01	0.47	0.05	·01	30
31	—				0.08	—	—	0.30		0.11		01	31
Total	5·04	3·99	4·41	7·40	4.88	5·18	1·26	7.12	4.36	7.07	10.96	11·89	TOTAL 83.56
No. of Rain Days.	21	18	16	17	11	16	13	19	17	17	26	29	220

W. 8,000, X. '11.

Dh

~~326~~

FORM A.
BRITISH RAINFALL.

22.1.19

R.

SEDBERGH
HAVERA BANK,
YORKSHIRE
1918-1920

Kept at Havera

in the County of W.

by A. Wilson

in.

nd ft. in.

Level ft.

IMPORTANT N result entered to the previous day. If an rule, he is earnestly requested to add the r following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·38	·07	·46	1·19	1
2									·16	1·76	·19	1·01	2
3					}					1·08	·01	·08	3
4					}			·16	·20	·66	·51	·11	4
5					·52 }			1·36		1·21	·05	·08	5
6						·55		·01	·07	·26			6
7							·30	·14	·58	·21	·42	·03	7
8						·03	·17	·05	·27	·21	·18	·03	8
9						·32			1·06	·53	·22	·07	9
10							·04		·39	·46	·83	·02	10
11					·17		·30	·13	·21			·21	11
12					·10		·07		·10			·30	12
13					·20	·03			·26	·20		·09	13
14					·01	·33	·52	·12	·39	·04		·03	14
15						·06	·42		2·36	·03		·94	15
16						·23	1·05	·24	·69			·20	16
17					·02		1·21	·28	·61	·29		·45	17
18						·01	·30	·02	·08			·30	18
19							·32	·17	·38	·08		·40	19
20					·28	·17	1·35	·01	·28				20
21						·18			1·37	·05			21
22					·32	·09	·23	·08	·37			·83	22
23					·22		1·06		·14		·06	·11	23
24						·02	·05	·20	·44	·01	·05	·03	24
25					·20		·48	1·01	·33		·01		25
26							·02	·09	·50	·05	·08	·41	26
27					·03	·08		·71	·43	·23	·12	·61	27
28						·01		·07	·25	·02	·04	·42	28
29								·06	·07			·51	29
30		X						·05		·08	·19	·24	30
31		X		X		X		·04	X		X	·04	31
Total					2·07	2·11	7·89	5·00	12·37	7·53	3·42	8·74	YEAR'S TOTAL
Rain Days.					13	14	17	21	27	21	16	27	

W. 8,000, IX. 17.

8h

~~326~~

R

FORM A.
BRITISH RAINFALL.

22.1.19

Kept at Havera Bank, Sedbergh

in the County of W. R. York

by A. Wilson

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									·38	·07	·46	1·19	1
2									·16	1·76	·19	1·01	2
3										1·08	·01	·08	3
4								·16	·20	·66	·51	·11	4
5					·52}			1·36		1·21	·05	·08	5
6						·55		·01	·07	·26			6
7							·30	·14	·58	·21	·42	·03	7
8						·03	·17	·05	·27	·21	·18	·03	8
9						·32			1·06	·53	·22	·07	9
10							·04		·39	·46	·83	·02	10
11					·17		·30	·13	·21			·21	11
12					·10		·07		·10			·30	12
13					·20	·03			·26	·20		·09	13
14					·01	·33	·52	·12	·39	·04		·03	14
15						·06	·42		2·36	·03		·94	15
16						·23	1·05	·24	·69			·20	16
17					·02		1·21	·28	·61	·29		·45	17
18						·01	·30	·02	·08			·30	18
19							·32	·17	·38	·08		·40	19
20					·28	·17	1·35	·01	·28				20
21						·18			1·37	·05			21
22					·32	·09	·23	·08	·37			·83	22
23					·22		1·06		·14		·06	·11	23
24						·02	·05	·20	·44	·01	·05	·03	24
25					·20		·48	1·01	·33		·01		25
26							·02	·09	·50	·05	·08	·41	26
27					·03	·08		·71	·43	·23	·12	·61	27
28						·01		·07	·25	·02	·04	·42	28
29								·06	·07			·51	29
30		X						·05		·08	·19	·24	30
31		X		X		X		·04	X		X	·04	31
Total					2·07	2·11	7·89	5·00	12·37	7·53	3·42	8·74	YEAR'S TOTAL
Rain Days.					13	14	17	21	27	21	16	27	

W. 8,000, IX. 17.

81

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Sedbergh, Havera Bank
in the County of W. R. York
by A. Wilson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·89	·01	·07	·01	·29		·57	·05	1·45	·25		·19	1
2	·47		·39		·04		·23		·12	·01	·03	·46	2
3	·51	·03		·02	·36	·14	·30				·04	·36	3
4	·21	·08	·34		·18	·03	·07	·31	·04		·03	·36	4
5	·09				·10				·11	·03		·42	5
6	·05		·58		·74				·10	·02	·01	·20	6
7	·03		·24	·22		·10		·02			·09		7
8	·07		·03	·02		·02			·02		·01		8
9	·96		·18	·03		·03			·03		·06		9
10	·01		1·87	·08	·03	·02				·03	·03	1·13	10
11			·53	·06	·14		·12		·05	·07		·19	11
12			·17	·36	·01	·40	·09		·05	·03	·44		12
13	·59		·01	·49		·02		·22		·20		·38	13
14	·50			·16								·07	14
15	·68	·04	·03	·20				·01		·01		·40	15
16	·18	·01	·01	·01		·19					·22	·10	16
17	·03	·01		·07	·03	·05		·78	·05		·78	·02	17
18			·27	·01			·24	·54	·36		·33	·54	18
19	·01	·45	·25			·68	·01	·06	·08		·47	·08	19
20	·36	·34	·03			·09	·09	·06			·07	·94	20
21	·02	·19	·04		·03	·03	·02	·19	·15		·07	·36	21
22		·16	·01			·52		·18	·53	·02	·19	·31	22
23	·03			·11		·05				1·44	·41	·16	23
24	·06			·03	·10			·02	·67	·55	·47	·10	24
25	·43			·41		·04		1·14	·72		·17		25
26	·13	·04	·92	·05		·05		·15	·06		·05	·59	26
27	·23	·01	·03	·21							·03	·03	27
28	·01			·17				·66	·14	·32		·41	28
29	·03			·05				·02	·41	·38		·16	29
30	·01	X	·05	·04		·11		·04		·04	·54	·72	30
31	·01	X	·09	X		X	1·09		X	·02	X	·04	31
													YEAR'S TOTAL
Total	6·50	1·37	6·14	2·81	2·05	2·57	2·83	4·45	5·14	3·42	4·54	8·72	50·54
Rain Days.	27	12	22	22	12	18	11	17	19	16	22	26	224

W. 6,500, VII 18. W & d

402 de

2755

1407

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sedbergh, Havera Bank
in the County of W. R. York
by A. Wilson

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·11	·18	·37	·54		·39	·03	·07	·01	·01	·15	1
2		·04	·01	·08	·12		·41	·13	·45	·21		·73	2
3	·02	·27	·46	·08	·14		·09	·22	·37	·19		·26	3
4			·07	·05	·04		·28	1·34	·01	·35		·05	4
5			·28	·01	1·75		·10	·13	·02	·25	·01	·01	5
6	·04		·50	·50	1·00		·01			·02	·02	·04	6
7	·99	·10	·08	·12	·01		·67				·20		7
8	·15	·18	·01	·06	·29		·09	·13	·02		·41		8
9	·25	2·48	·01	·28	·01		·50	·08	·07		·12	·07	9
10	1·11	·55	·26	·36			·46	·10				·05	10
11	·73	·08	·05		·40	·12					·04	·11	11
12	·36	·70	·71	·11	·12		·63		·03		·43	·16	12
13	·36	·15	·28	·27	·15	·28	·03				·51	·19	13
14	·13	·25	·24	·44		·13	·44		·41	·08	1·09	·01	14
15	·10	·23	·04	1·23			·02			·09	·19		15
16	·33		·41	·15	·11		·42	·09	·41		·32		16
17	·39		·33		·24		·13	1·16	·47	·01	·03		17
18	·90	·01		·04	1·26	·29	·25	·02	·03				18
19	·03	·78		·12	·02	·04	·24	·04					19
20	·15			·18		·01	·25		·65			·34	20
21	·02			·01			·17	·01	·01			·27	21
22	·59	·01		·28	·08	·03	·75	·01					22
23	·16		·13	·19			·38					·09	23
24	·11		1·13	·26		·03	·02	·03				·44	24
25		·10	·30	·21		·23	·56		·05			·19	25
26	·18	·15	·93	·26	·26		·14		·22		·19	·01	26
27	·14		·39	·01	·40	·51	·30				·09	·11	27
28	·24	·31	·29	·37	·01	·27	·10				·07	·30	28
29	·17	·71	·08		1·08	·02	·70				·24	·49	29
30	·46		·05		·10	·17			·07		·13	·45	30
31	·37		·01		·09		·12	·06		·04		·29	31
TOTAL	8·53	7·21	7·23	6·04	8·22	2·13	8·65	3·58	3·36	1·25	4·10	4·81	YEAR'S TOTAL 65·11
Days with ·01 in. or more	27	19	26	26	23	13	29	16	17	10	18	23	247
	24	17	22	23	19	9	25	11	11	7	14	20	202

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

√

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

R

SEDBERGH
HOWGILL SCHOOL
1911 - 1920

Kept at Howgil
in the County of WR Y
by Wm. Wo

in.
ind -1 ft. 0 in.
Level 550 ft.
d
e Sedbergh
nce 2¾ mls Direction SW.

IMPORTANT NO

e result entered to the previous day. If an

al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	·56	—	·09	—	·03	·38	—	—	·60	·09	1
2		—	·01	—	·22	—	·04	·07	—	·07	·32	·10	2
3		—	·47	—	1·13	—	—	·03	—	·02	1·12	·26	3
4		—	·09	·02	·05	—	·01	·91	—	—	1·00	·33	4
5		—	·08	—	—	—	—	·78	—	·10	·19	·12	5
6		—	·06	·04	—	—	—	·97	—	—	·35	·31	6
7		—	·04	—	·02	—	—	—	—	—	·63	·01	7
8	1·13	—	·51	—	—	—	—	—	—	·01	·49	·70	8
9	—	—	—	—	—	—	—	—	—	—	—	·59	9
10	·89	·12	·17	·005	—	—	—	—	·17	—	—	·53	10
11	·12	—	·03	—	—	—	—	—	·14	—	—	·15	11
12	·04	—	·08	—	·02	—	—	—	·79	—	·32	—	12
13	—	·09	—	—	·20	—	—	—	—	—	·44	·32	13
14	—	·60	·01	—	·17	—	—	—	—	—	·88	·13	14
15	·04	·64	·07	·01	—	—	—	—	—	—	·81	·18	15
16	·11	·54	·06	·16	—	·08	—	—	—	—	·31	·39	16
17	·02	·08	—	—	—	·52	·09	—	—	—	·51	·17	17
18	—	·93	·07	·06	—	·65	—	—	—	—	—	·29	18
19	—	·09	—	·14	—	·26	—	—	·79	·22	·14	·18	19
20	—	·15	—	·405	—	—	·38	—	·06	·02	—	·43	20
21	—	1·25	—	·36	—	·28	·39	·09	·04	·17	·01	·08	21
22	·21	·27	—	·22	—	·29	—	·19	—	·05	·01	—	22
23	·06	·39	—	·025	·73	·21	—	—	·41	·27	—	·31	23
24	·23	·18	·03	·84	·02	1·20	—	·16	·67	·28	—	·34	24
25	·28	·57	—	1·06	—	—	—	—	·37	·32	—	·34	25
26	·02	·03	—	·18	·07	—	—	·63	·02	·53	·19	·16	26
27	·06	1·30	—	·2	—	·06	·05	·69	·47	—	·07	·12	27
28	—	·27	—	·6	—	·36	—	·01	·25	—	—	·40	28
29	—		—	·32	—	·30	—	—	·43	2·35	—	·35	29
30	—		—	—	—	—	·085	—	·05	·57	·04	—	30
31	—		—	—	·12	—	—	·13		·15		·08	31
Total	3·21	7·50	2·34	4·675	2·84	4·21	4075	5·04	4·06	5·13	8·34	7·46	TOTAL for year 55·876
No. of Rain Days	13	17	16	17 16	12	11	8	13	14	15	20	28	183.

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

Kept at Howgill School · Sedbergh

in the County of WR Yorkshire

by Wm. Woodhead

RAIN GAUGE Diameter of top 5" in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 550 ft.

Time of Observation 9 AM

Nearest Railway Station Name Sedbergh
Distance 2¾ mls Direction SW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	.56	—	.09	—	0 3	.38	—	—	.60	.09	1
2		—	.01	—	.22	—	.04	.07	—	.07	.32	.10	2
3		—	.47	—	1.13	—	—	.03	—	.02	1.12	.26	3
4		—	.09	.02	.05	—	.01	.91	—	—	1.00	.33	4
5		—	.08	—	—	—	—	.78	—	.10	.19	.12	5
6		—	.06	.04	—	—	—	.97	—	—	.35	.31	6
7		—	.04	—	.02	—	—	—	—	—	.63	.01	7
8	1.13	—	.51	—	—	—	—	—	—	.01	.49	.70	8
9	—	—	—	—	—	—	—	—	—	—	—	.59	9
10	.89	.12	.17	.005	—	—	—	—	.17	—	—	.53	10
11	.12	—	.03	—	—	—	—	—	.14	—	—	.15	11
12	.04	—	.08	—	.02	—	—	—	.79	—	.32	—	12
13	—	.09	—	—	.20	—	—	—	—	—	.44	.32	13
14	—	.60	.01	—	.17	—	—	—	—	—	.88	.13	14
15	.04	.64	.07	.01	—	—	—	—	—	—	.81	.18	15
16	.11	.54	.06	.16	—	.08	—	—	—	—	.31	.39	16
17	.02	.08	—	—	—	.52	.09	—	—	—	.51	.17	17
18	—	.93	.07	.06	—	.65	—	—	—	—	—	.29	18
19	—	.09	—	.14	—	.26	—	—	.79	.22	.14	.18	19
20	—	.15	—	.405	—	—	.38	—	.06	.02	—	.43	20
21	—	1.25	—	.36	—	.28	.39	.09	.04	.17	.01	.08	21
22	.21	.27	—	.22	—	.29	—	.19	—	.05	.01	—	22
23	.06	.39	—	.05	.73	.21	—	—	.41	.27	—	.31	23
24	.23	.18	.03	.84	.02	1.20	—	.16	.07	.28	—	.34	24
25	.28	.57	—	1.06	—	—	—	—	.37	.32	—	.34	25
26	.02	.03	—	.18	.07	—	—	.63	.02	.53	.19	.16	26
27	.06	1.30	—	.2	—	.06	.05	.69	.47	—	.97	.12	27
28	—	.27	—	.6	—	.36	—	.01	.25	—	—	.40	28
29	—	.	—	.32	—	.30	—	—	.43	2.35	—	.35	29
30	—	.	—	—	—	—	.085	—	.05	.57	.04	—	30
31	—	.	—	—	.12	—	—	.13		.15		.08	31
Total	3.21	7.50	2.34	4.675	2.84	4.21	4.075	5.04	4.06	5.13	8.34	7.46	TOTAL for year 55.876
No. of Rain Days	13	17	16	17	12	11	8	13	14	15	20	28	183

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

4 - JAN 1913

Kept at Howgill Endowed Sch:
in the County of Yorkshire (WR)
by Wm Woodhead W. I

RAIN GAUGE
Pattern
Diameter of top 5' in.
Height of top above Ground 1 ft. " in.
" " " Sea Level 550 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Sedbergh
Distance 2¾ Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·31	—	·12	·10	·26	·08	·04	·02	—	—	1
2	·09	—	·91	·05	·22	·15	·07	—	·08	—	—	·19	2
3	·25	—	·04	—	—	·95	—	·16	·98	—	·01	·30	3
4	·36	—	·60	·62	—	·20	—	1·30	·61	—	1·55	·07	4
5	·10	—	·04	—	·24	·01	—	·11	·05	·06	·01	·02	5
6	·06	·35	—	—	·18	—	—	·06	—	—	·04	—	6
7	—	·31	·12	·18	·15	—	·31	·06	·21	—	·29	—	7
8	·32	·11	·09	·01	·07	·02	—	—	·06	—	·28	·08	8
9	·18	·09	·32	·25	—	·04	—	·22	—	—	·23	·30	9
10	·19	·04	·02	·05	—	·16	·22	·15	—	—	·45	·27	10
11	·16	—	·01	—	·12	·01	·41	·10	—	—	·01	·50	11
12	·26	—	·31	—	—	·33	·02	·01	—	—	—	·35	12
13	·06	—	·13	—	—	·05	—	·01	—	·75	·16	1·10	13
14	·30	—	·28	—	—	·38	—	·01	·01	·03	—	·32	14
15	·02	·11	·16	—	·35	·39	—	—	—	·23	—	—	15
16	·16	—	·17	—	—	·06	—	·27	·01	·38	—	·06	16
17	—	·21	·39	—	·06	·70	—	·63	—	·02	·06	·53	17
18	—	·07	—	—	—	·40	—	—	—	·69	·05	·27	18
19	·03	·21	·72	—	—	·09	—	·13	—	·20	·16	·03	19
20	·09	—	·10	—	·80	·18	—	·32	—	·73	—	·25	20
21	—	·02	·11	—	·03	·03	—	·23	—	·05	·01	·07	21
22	·03	·68	·02	—	·49	·02	R	·41	—	—	·48	Wet	22
23	—	—	·10	—	—	·12	R	·42	—	—	·64	Wet	23
24	·05	·08	·24	—	·14	·20	R	·02	—	—	—	·32	24
25	—	·03	·43	—	—	·74	·82	·02	—	—	·27	Wet	25
26	—	·44	·34	—	—	·03	·18	—	—	1·12	·39	Wet	26
27	—	·21	·31	—	—	1·03	·34	—	—	~~·26~~	·34	·71	27
28	—	·03	·04	—	—	·21	2·11	·48	—	·79	·03	—	28
29	—	·04	·26	—	—	—	1·55	·47	·34	·24	·22	·28	29
30	·05		·59	—	·05	—	·39	—	·07	·09	—	·49	30
31	—		·27		—		·89	·56		—		·26	31
Total	2·78	3·03	7·43	1·16	3·02	6·60	~~6·68~~ 6·89	6·23	2·46	5·66	5·68	6·77	TOTAL for year 58·39
No. of Rain Days	20	17	29	6	14	26	~~15~~ 16	24	11	16	21	26	~~225~~ 226

58·39

↓7·57

9,000, IX. '10.

Corr for arith 9.IV.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

Kept at Howgill Endowed Sch:
in the County of Yorks: (W.R)
by Wm Woodhead

Lat. 54·20 N. Long. 2·35 W.
Time of Observation 9 AM
Nearest Railway Station Sedbergh
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	·07	·30	·07	—	—	—	—	—	—	·10	·01	1
2	·23	·42	1·13	·20	—	·37	—	—	—	·01	·25	·33	2
3	·17	·29	·14	—	·55	—	—	—	—	—	·02	·66	3
4	·30	·18	·06	—	—	·03	—	—	—	—	·21	·56	4
5	·62	·16	—	—	—	·11	—	—	—	—	·01	—	5
6	·16	·36	·30	—	·52	·31	·15	—	—	—	·03	—	6
7	·03	·63	·04	—	·06	·29	·07	—	—	·62	—	·09	7
8	—	·09	·08	—	·28	·09	—	·08	·02	·19	·03	·11	8
9	—	·19	·30	·07	·06	1·46	—	·63	—	—	·05	·10	9
10	—	·29	·52	·01	·05	·03	W	—	·01	—	·50	—	10
11	—	—	·01	·25	—	·06	·10	—	—	·17	·23	·22	11
12	·03	—	·02	—	·02	—	·08	·07	·71	—	·47	·10	12
13	—	—	·64	·12	·03	—	·01	—	·19	·32	·28	—	13
14	·05	·02	·17	·20	—	—	—	—	—	·67	·23	—	14
15	·05	—	·36	·65	—	—	—	·02	—	—	·46	·17	15
16	—	—	·04	·15	—	—	·07	·01	—	—	·31	·04	16
17	—	—	·01	·24	·06	·29	·13	—	—	—	·37	—	17
18	·15	—	·52	·52	·01	·08	·07	—	—	·02	·41	—	18
19	·14	—	·06	·09	·12	·04	—	—	—	·22	1·13	—	19
20	·04	—	·02	—	·04	—	—	·02	·22	·20	1·07	—	20
21	—	—	·08	—	·10	—	·09	1·23	—	—	·01	—	21
22	·19	—	·44	—	·28	—	—	·45	·07	·20	—	—	22
23	·54	—	·02	—	—	·55	—	·42	·07	·03	·18	—	23
24	·70	·05	—	·24	—	·25	—	·01	—	—	·11	W	24
25	—	—	—	·23	·03	—	—	—	·83	—	·12	W ·59	25
26	—	·07	—	·89	—	·03	—	—	1·15	·14	·01	·87	26
27	—	·02	—	·39	·03	·02	—	—	—	·26	·01	·33	27
28	·32	—	·18	·60	·11	—	—	—	—	·01	—	—	28
29	—		·09	·42	·08	—	—	·23	—	·38	·20	—	29
30	·65		·02	—	·11	—	—	—	—	·09	—	—	30
31	·17		·11		—	—	—	—		—		—	31
Total	4·54	2·84 2·84	5·66	5·34	2·54	4·01	·77	3·17	3·27	3·53	6·80	4·18	YEAR'S TOTAL 46·65 46·65
Rain Days.	18	14	26	18	19	16	10	11	9	16	26	15	198

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
8 - JAN 1915

Kept at Howgill Endowed School Sedbergh –
in the County of Yorkshire (WR)
by William Woodhead

Lat. 54·22N Long. 2° 33' W
Time of Observation 9 A M
Nearest Railway Station Sedbergh
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	W x	·14	·19	·02	—	·01	·14	·46	—	—	—	·10	1
2	W x	·29	·22	·02	—	—	·25	·20	—	·09	·13	·11	2
3	W ·90	·28	·29	—	·72	—	—	—	—	—	—	1·13	3
4	W x	—	·20	·28	·24	·03	—	·04	—	—	·01	·50	4
5	W x	—	·34	·22	·04	~~·28~~	·07	—	—	—	·14	—	5
6	—	—	·06	·20	·04	—	—	·21	—	—	·18	·42	6
7	·12	·04	·22	·11	·31	·05	—	—	—	—	·10	·13	7
8	·59	·43	·10	·02	·32	·36	·48	2·26	—	—	·71	·40	8
9	·46	·23	·01	·29	—	·38	—	—	·03	—	·75	—	9
10	—	·14	—	—	·03	—	—	—	·11	—	·72	—	10
11	—	·19	·18	—	·17	—	·32	—	·25	—	·33	to ·33	11
12	—	·53	·06	—	—	—	·10	—	·26	—	·58	to	12
13	+	·23	·39	·11	—	—	—	—	·20	·02	·33	·01	13
14	—	·54	·31	—	—	—	—	—	·13	—	to ·23	·80	14
15	—	·02	·42	—	—	—	—	—	·37	—	to	—	15
16	·05	·02	·02	—	—	—	1·41	—	1·55	—	—	·07	16
17	—	·50	·13	—	—	·73	·13	—	·56	—	—	1·82	17
18	—	·70	·14	—	—	—	·06	—	—	·02	—	·04	18
19	—	·14	·31	—	—	—	—	—	—	—	·03	—	19
20	—	·44	·22	—	·14	—	—	—	·01	·01	·02	·16	20
21	—	·22	—	—	·05	·16	·05	·01	—	—	—	·01	21
22	—	·71	·02	·14 n	·43	·12	·10	·52	—	—	·32	—	22
23	—	·18	·17	·07 n		·11	—	·02	—	—	·33	—	23
24	·99	—	·17	·05	·23	·11	·05	·20	—	—	·62	—	24
25	·07	—	—	—	—	—	—	·32	—	·55	—	·76	25
26	·03	·20	—	—	—	—	—	·01	—	·36	—	·27	26
27	·04	·06	—	—	—	—	—	to	—	·13	·56	·23	27
28	·05	·33	·06	—	·14	—	—	to	·01	·04	·57	—	28
29	·66	\	·05	—	·09	—	—	·43	—	·09	·99	—	29
30	·44	\	1·23	—	—	—	—	—	—	—	·56	·19	30
31	·85	\	—	\	·02	—	·62		—	·02		·07	31
Total	5·25	6·56	5·51	1·53	2·97	2·34	3·78	4·68	3·48	1·33	8·11	7·55	YEAR'S TOTAL 53·09
Rain Days.	13	23	25	12	16	11	13	14	11	10	22	21	191

17 W.7,000 XII 13

195

3245

FORM A.
BRITISH RAINFALL.

4 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Stowgill Endowed Sch:

in the County of Yorkshire

by Wm Woodhead

Lat. 54·22 Long. 2·33

Time of Observation 9 AM

Nearest Railway Station Sedbergh

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1' ft. 0 in.

" " " " Sea Level 550· ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·43	·93	—	—	·07	—	·07	·23	·05	—	—	—	1
2	—	·84	·21	R	—	·06	·30	·09	—	—	—	—	2
3	·24	·23	·59	R	—	·01	·45	·45	—	—	—	·49	3
4	—	·37	·05	1·13	·07	·15	—	·01	—	—	—	·32	4
5	·34	·17	·45	R	—	·01	—	·01	—	—	—	·94	5
6	·45	6th to 7th ·53	—	R	—	·06	1·32	·05	·02	—	—	·40	6
7	·52		—	·24	—	—	·32	·09	—	—	—	·37	7
8	·36	·37	—	·10	—	—	·02	·20	—	—	1·22	—	8
9	—	·15	—	—	—	—	—	·01	—	—	·16	·46	9
10	·89	—	·05	·06	—	—	—	·21	—	·04	—	·76	10
11	·19	·06	—	·01	·52	—	·01	·34	—	—	·02	·21	11
12	·23	—	—	·09	—	—	·08	·16	—	·15	·36	—	12
13	·25	13th to 14th ·30	—	·02	—	—	·10	·32	·01	·09	—	·14	13
14	·30		—	·05	—	—	·05	1·45	·02	—	—	·32	14
15	1·08	—	—	·04	—	—	·05	·25	·09	—	·10	·51	15
16	—	·80	—	—	—	—	·56	·18	·05	—	—	·02	16
17	—	·41	·02	—	—	—	—	—	—	—	—	—	17
18	·05	·72	—	—	~~·08~~	—	·08	—	—	—	·02	—	18
19	·44	·13	·05	1·40	·08	—	·78	—	—	—	—	—	19
20	·04	·02	·06	—	·06	—	·31	—	—	—	—	·27	20
21	—	·15	—	·09	—	—	·35	—	—	—	—	·06	21
22	—	—	·03	—	—	—	·41	—	—	—	·01	·42	22
23	—	·05	·19	·05	—	—	·26	—	·12	—		·48	23
24	—	—	·03	·02	—	—	—	—	·63	·11		·62	24
25	—	—	—	—	—	—	·13	—	1·25	—		·12	25
26	—	1·10	—	—	—	·06	·23	—	·02	—		·64	26
27	—	·15	—	—	—	·11	·03	—	—	·20		·14	27
28	—	·34	—	—	—	·47	—	·33	—	·04		—	28
29	—	X	—	—	·13	—	—	·03	—	—	·39	·10	29
30	30th & 31st ·75	X	—	·23	—	·18	1·89	·48	—	·06	·04	·05	30
31		X	—	X	—	X	·18	—	X	—	X	·63	31
Total	6·56	7·82	1·71	3·53	·93	1·11	7·98	4·89	2·26	·69	2·32	8·47	YEAR'S TOTAL 48·27
Rain Days.	17	22	11	17	6	9	23	19	10	7	9	23	173

W. 8,000. X. 14.

3175

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Howgill Endowed School Sedbergh
in the County of Yorks: W.R.
by Wm Woodhead

Lat. 54·22 Long. 2·33
Time of Observation 9 a.m.
Nearest Railway Station Sedbergh
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1' ft. — in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·87	·14	·05	—	—	·37	·89	·15	—	—	·37	—	1
2	to ·57	—	·03	—	—	·27	·09	—	·20	·17	·14	·03	2
3	to	·14	—	·08	—	·13	·03	—	·74	·29	·28	—	3
4	to	·22	—	—	·35	·34	·21	—	·11	1·01	·41	—	4
5	to	1·45	·02	—	to ·97	·22	·01	—	—	1·75		—	5
6	·82	·46	·11	·01	to	·07	·21	—	—	·75	·21	·05	6
7	·07	·09	·06	—	to	·20	·84	—	—	to ·59	·30	·26	7
8	—	·16	·04	—	·03	·14	·04	—	—	to	·44	—	8
9	·11	—	—	—	·18	·02	·51	—	—	·05	·24	to ·14	9
10	·36	·18	—	·34	—	·10		—	—	·95	·29		10
11	·06	to ·86	—	·61	·01	·01	·15	—	·24	·30	·05	·02	11
12	·20	to	·10	·14	·23	—	·99	·06	—	·30		·01	12
13	—	·28	·21	·19	·01	—	—	·61	—	1·04	·01	·06	13
14	·15	·33	—	—	·52	—	—	1·21	·02	·82	—	·01	14
15	·12	·90	·01	to ·81	·01	—	·23	1·00	—	·05	—	—	15
16	·06	·39	·58		—	—	·08	·05	·05	—	—	—	16
17	·47	·10	—	·55	—	—	—	—	·91	·25	—	·14	17
18	·03	·61	—	·09	—	—	·02	·09	·17	·25	·25	·06	18
19	·66	—	·04	·07	—	—	—	to ·13	·01	—		·04	19
20	·79	—	·06	·01	—	—	·04	to	—	—	·18	·28	20
21	·71	—	—	to ·37	·01	—	·78	—	·04	—	·04	·02	21
22	—	—	—	to	—	·13	—	—	—	·05	·08	to ·13	22
23	·24	—	·20	to	—	—	—	—	—	·54	·45	to	23
24	·07	—	to ·63	to	—	·51	—	·31	—	·09	·10	to	24
25	·05	—	to	—	·07	·08	—	·97	—	·06	·33	to	25
26	·46	—	to	—	—	—	·04	—	—	·02	·05	—	26
27	—	·13	·03	—	·18	·04	—	·11	·14	·32	·03	to	27
28	·87	·05	—	—	—	—	—	—	—	·22	·20	2·58	28
29	·22	·19	—	—	·03	·02	—	—	—	·36	1·09	·25	29
30	·25	X	—	—	—	—	·07	—	—	1·25	·15	·34	30
31	—	X	—	X	1·90	X	—	·73	X	·38	X	·17	31
Total	8·21	6·68	2·17	3·27	4·50	2·65	5·23	5·42	2·63	11·86	5·69	4·59	YEAR'S TOTAL 62·90
Rain Days.	26	19	17	16	16	16	19	13	11	26	26	23	228

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
3027

REGISTER OF RAINFALL IN 1917

Kept at Howgill Endowed Sch: Sedbergh
in the County of Yorks
by William Woodhead

Lat. 54·22 Long. 2·33 W
Time of Observation 9 A.M.
Nearest Railway Station Sedbergh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	–	–	–	–	·53	–	·09	·46	–	·17	·24	1
2	·83	–	–	·02	–	·03	–		·04	·07	–	–	2
3	·22	–	–	·18	–	·87	–	–	·01	·85	–	–	3
4	–	·03	–	·06	–		–	–	–	·04	·15	–	4
5	·90	–	–	·74	–		–	–	·02	·54	1·46	·21	5
6		–	–		–	·20	–	–	–		·40	·72	6
7		–	–		–	·28	–	–	–		·03	·31	7
8	·22	–	–	·79	–	·08	–	·75	·14	·89	·30	·17	8
9	–	–	–		·02	–	–	·80	–	·78	·26	–	9
10	·37	–	·70		·20	–	–	·28	·01		–	–	10
11	·04	·09	·08		·62	–	–	1·36	–		·03	–	11
12	–	–	–			–	–	·09	·02	·15	–	·05	12
13	·13	–	–			·12	–	·26	1·37	·07	·18	·32	13
14		–	–		·03	–	–	·28	–	–	–	·13	14
15	·01	–	–		–	–	–	·21	·50	·07	·03	·42	15
16	·02	–	–	·36	–	–	–	1·28	·40	·62	–		16
17	·02	–	·72	·22	·04	–	·03	1·61	·31		–	·05	17
18	–	·30		·06	·38	–	1·44	·20	·59	·03	·05	·14	18
19	–	·16	·22	·01		·03	·01	·02	·08	–	·20	·40	19
20	–	·34	·02	–		·57	–	·61	·37	–	·15	·19	20
21	·01	·06	·03	–	·10	–	–	·35	·46	·28	–	–	21
22	–	–	–	–	–	–	–	·12		·95	–	–	22
23	–	–	–	–	·17	·83	·02	·84	·07	·18	–	–	23
24	–	–	–	–	–	·09	–	·64	·20	·88	·63	–	24
25	–	·16	·19	–	·07	–	·02	·07	·39	·24		–	25
26	–	–	–	–	–	–	·04	1·58	·55	·26	·59	–	26
27	–	–	·10	–	·55	·05	·67	·26	·01	·13	·21	·04	27
28	–	–	·59	–	–	–	–	·27	–		·45	–	28
29	–	–	·08	–	·01	–	·11	·01	–	·71	·42	–	29
30	–	X	–	–	–	–	–	·02	–	·45	·25	–	30
31	–	X	·29	X	·24	X	–	·28	X	–	X	–	31
Total	2·90	1·14	3·02	2·44	2·43	3·68	2·34	12·29	6·00	8·19	5·96	3·39	YEAR'S TOTAL 53·78
Rain Days.	15	7	12	18	16	12	~~9~~ 8	26	21	26	20	15	196

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL 7. 1. 19

Kept at Howgill [illegible] Sedbergh

in the County of Yorkshire W

by Wm Woodhead

Lat. 54°21' Long. 2°34' W

Time of Observation 9 A.M.

Nearest Railway Station Sedbergh

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.14		to	.02	—	—	—	.38	.07	.37	.92	1
2	—	.12		to .43	—	—	—	—	.16	1.93	.29	1.10	2
3	—	.10			to	—	—	—	—	1.23	.01	.06	3
4	—	.12			to .32	—	—	.15	.15	.74	.37	.14	4
5	—	.08	.06	.38	.06	—	—	1.35	—	1.17	.04	.17	5
6	.12	1.35		.30	—	.65	—	to	.12	.31	.02	.01	6
7	.02	.28		.10	—	—	.25	to .22	.63	.23	.23	.09	7
8	.17	to			—	—	.17	.05	.39	.22	.30	—	8
9	.36	to .97	to		—	.40	to	—	.95	.57	.19	.08	9
10	.29	.87	to .49		.19	—	to .09	—	.30	.46	.86	.02	10
11	.47	.16	.19		—	—	.30	.07	.30	—	—	.29	11
12	—	.50			.07	—	.01	—	.15	—	—	.22	12
13	—	.01		to	.22	.03	.57	—	.21	.22	—	to	13
14	.94	—		to .08	.03	.42	.48	.18	.37	.04	—	to .94	14
15	—	—			—	.11	.90	—	2.30	—	—	to	15
16	.11	—			—	.22	.96	to	.69	—	—	.23	16
17	.62	—			—	—	.61	to .52	.35	to	—	.37	17
18	1.59	—			—	—	.29	.02	.09	—	—	.41	18
19	.38	.21	.34		—	.02	1.14	.16	.41	to	—	.72	19
20	.89	.53	.01		.39	.15	to	—	.30	—	.04	—	20
21	.20	.93		to	—	.19	to	—	1.53	.41	—	.03	21
22	.03	to		to .19	.38	.07	to 1.73	.13	.46	—	—	.84	22
23	.60	to .38		—	.17	—	—	—	.14	—	.09	.15	23
24	.72	to		—	.07	.02	to	.29	.49	.03	.06	to	24
25	—	.07		—	.22	—	—	.88	.28	—	.01	—	25
26	.07	.37		—	—	—	—	.07	.63	—	.10	to	26
27	.01	.23	.62	—	.04	.03	—	.68	.35	.31	.02	to 2.52	27
28	.01	.06	.36	—	—	.03	—	.07	.21	.04	.03	to	28
29	.02		to	—	—	—	—	.03	.17	—	.01	to	29
30	—		to .22	—	—	—	—	—	—	.10	.28	to	30
31	—		to		—		—	.06		—		to	31
Total	7.62	7.48	2.29	1.48	2.12	2.34	7.50	4.93	12.51	8.08	3.32	9.31	YEAR'S TOTAL 68.98
Rain Days.	20	23	11	9	14	13	17	19	27	19	19	28	219

W. 8,000, IX. 17.

2872

REGISTER OF RAINFALL IN 1919

Kept at Howgill [illegible] Sedbergh

in the County of Yorkshire

by Wm Woodhead

Lat. 54°21' Long. 2°34'

Time of Observation 9 am

Nearest Railway Station Sedbergh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 550 ft.

B. R. A. BRITISH RAINFALL 10 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	~~w~~	—	—	—	·23		·28	·04	1.70	·26	w	~~15~~	
1	w	—	—	—	—		·19	—	·24		w ·05	~~·36~~ ·15	1
2	w	·04	·52	·15	—		·17	—	·05		·04	·36	2
3	w 1·8	·05	—		—	·13	·30	·31	·07			·40	3
4	w	—	·22		·59	·03			·09		·03	·35	4
5	w	—	—		·14				w	·03		·50	5
6	·06	—	·04		·70	·17			w	·01		—	6
7	·02	—	w	·22		·02			·04			·19	7
8	·10	—	w ·50	·04							w	—	8
9	1·22	—	w	·03		·05					w ·10	—	9
10	·03	—	1·30	·09		·03					·03	·86	10
11	—	—	·41	·06	·19		·10		·69			·20	11
12	—	—	·05	·14	·02	·45	·08		·02	·11	·23	w	12
13	·69	—	—	·84		·04				·14		w ·38	13
14	·37	—	—	·25								w	14
15	·53	—	—	·15							·25	·37	15
16	·18	·08	·05			·21						·17	16
17	·05	—	—			·03		1·45	·05		·66	·02	17
18	—	—	·26						·37		·29	·58	18
19	—	·32	·36			·76		·02			·47	·06	19
20	·52	·25	·02			·08		·02	w ·25		·02	·69	20
21	·03	—	—		·02	·03		·14	w	·05		w	21
22	—	—	—			·49		·15	·48	1·31		w	22
23	·02	—	—	·08		·07		—	·57	·23	·38	w ·11	23
24	w ·65	—	—	·06	·09	·05		·03	·83		·52	w	24
25	w	·36	—					1·52	—		·20	—	25
26	·15	·04	·82			·04		·25	w		·10	·46	26
27	·14	—	·02	·64				—			·02	·09	27
28	·02	—	—	·07				1·18	w ·74	·50		·60	28
29	—	—	—	—				·02	w	·09		—	29
30	·02	╳	·04	—		·08	·25	·04	·03		·44	·92	30
31	—	╳	·11	╳		╳	1·32	—	╳		╳	—	31
Total	6·60	1.14	4·72	2·82	1·98	2·76	2·69	5·17	6·22	2·73	4·03	7·46	YEAR'S TOTAL 48·32
Rain Days.	24	7	17	14	8	18	8	14	21	10	18	25	184

W. 6,500, VII. 18. w w c

2756

4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Howgill Sch: Sedbergh

in the County of Yorks:

by Wm Woodhead

Lat. 54°21' Long. 2°34' W

Time of Observation 9 Am.

Nearest Railway Station Sedbergh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 550 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·10	·19	·31	·43		·39	·09	·09	w		·13	1
2		·03		·08	·11		·41	w		w} ·23		·95	2
3		·27	·32	·06	·27		·09	w} ·23	·47	w		·30	3
4		·02	·04	·08	·03		·28	1·71	·39	·31			4
5			w	·01	1·75		·10	·15	·02	·26			5
6			w} ·76	·31	1·16		·01		·02	·01	w	·04	6
7	·89	·16	·07	·17	·01		·67				w} ·16		7
8	·14	·14		·24	·38		·09	·18			·29		8
9	·75	2·23		w			·50	·11	·01		·14	·08	9
10	1·00	·50	·33	w} 1·39			·46	·07	·09			w	10
11	·31	·05	·04	–	·42	·08	—				·13	w	11
12	·37	·73	·72	·03	·15		·63		·06		w	w} ·31	12
13	·36	·17	·20	·26	·14	·30	·03				w} ·93	·15	13
14	·13	·34	·16	·56		·10	·44		·43	·12	1·20		14
15	·09	·25		1·16			·02			·07	·19		15
16	·34		·29	·21	·06		·42	·12	·39		·28		16
17	·45		·29		·23		·13	1·35	·50				17
18	·65	·01		·05	1·22	·22	·25	·04					18
19	·02	·47		·20	·07	·11	·24	·03					19
20	·18			·16		·04	·25		·67			·37	20
21	—						·17	·01			·01	·27	21
22	·59	·01		·21	·10	·03	·75						22
23	·24		·16	·14			·38	·01				·08	23
24	·08		1·17	·19		·03	·02	·02				w	24
25	—	·09	·26	·16		·24	·56		w			w} ·80	25
26	·14	·12	1·07	·25		–	·14		w} ·29		·19	w	26
27	·07	w	·42	·04	·43	·80	·30				·06	w	27
28	·16	w} ·78	·31	·26	·05	·27	·10				·08	w	28
29	·17	w	·09	–	·70	·08	·70				·21	w} 1·45	29
30	·71	✕	·04	–	·11	·08			·07		·13	w	30
31	·20	✕	·03	✕	·07	✕	·12		✕	·01	✕	·14	31
TOTAL	8·04	6·47	6·96	6·53	7·89	2·38	8·65	4·12	3·50	1·01	4·00	5·07	YEAR'S TOTAL 64·62
Days with ·01 in. or more	23	20	22	25	21	13	29	15	15	9	14	20	228
Days with ·04 in. or more	22	17	21	23	19	11	26	11	12	7	13	19	~~202~~ 201

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SEDBERGH

THE CEMETERY

1911 - 19

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REC

Kept at The Ceme … tte

in the County of W.R. Yor … 1 ft. in. … 374 ft.

by Jas And … Sedbergh

… ½ mile Direction N.W.

IMPORTANT NOTI … sult entered to the previous day. If an Obs … ule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·71	—	·11	—	·05	·34	·01	—	·62	·13	1
2	·34	—	·02	—	·33	—	·01	·07	—	·09	·26	·15	2
3	·01	—	·60	—	1·26	—	·02	·09	—	·02	1·40	·42	3
4	—	—	·13	·07	·65	—	—	1·05	—	—	·96	·61	4
5	·76	—	·07	·04	—	—	—	·80	—	·07	·17	·11	5
6	·17	—	·09	·03	—	—	—	·82	—	—	·56	·57	6
7	·29	—	·05	—	—	—	—	·01	—	—	·56	·02	7
8	·14	—	·47	—	—	—	—	—	—	—	·65	·64	8
9	—	—	—	—	—	—	—	—	—	—	—	·75	9
10	1·10	·12	·23	·03	—	—	—	—	·19	—	—	·62	10
11	·17	—	·05	—	—	—	—	·02	·07	—	·08	·11	11
12	·04	—	·03	—	—	—	—	—	·91	—	·40	—	12
13	—	·09	·01	—	·13	—	—	—	—	—	·59	·36	13
14	·03	·65	·03	—	·17	—	—	—	—	—	·81	·15	14
15	—	·75	·08	·03	—	—	—	—	—	—	·23	·18	15
16	·13	·77	·07	·12	—	·10	·05	—	—	—	·66	·42	16
17	·03	·08	—	—	—	1·27	·08	—	—	—	·80	·20	17
18	—	1·42	·07	·12	—	·75	—	—	—	—	·02	·33	18
19	—	·08	—	·24	—	·24	·03	·02	·66	·24	·15	·27	19
20	·01	·24	—	·52	—	·01	·31	·10	·11	—	—	·44	20
21	·01	1·62	·03	·36	—	·29	·28	·29	·06	·17	·03	·08	21
22	·18	·41	—	·24	—	·31	—	·01	—	·09	·01	—	22
23	·06	·61	—	·09	·82	·25	·03	·20	·30	·29	—	·39	23
24	·20	·18	·07	1·04	·03	1·27	—	—	·07	·21	—	·41	24
25	·27	·53	—	1·15	—	·02	—	·01	·46	·42	—	·27	25
26	·03	·04	—	·20	—	—	—	·66	·02	·66	·23	·22	26
27	·06	1·43	·01	·20	·08	·05	·07	1·04	·53	—	·10	·11	27
28	·01	·37	—	·75	—	·32	—	—	·39	—	·01	·42	28
29	—		—	·34	—	·29	·02	—	·57	2·50	—	·50	29
30	—		—	—	·01	·01	·08	—	·06	·85	·03	—	30
31	—		—		·12		—	·14		·10		·11	31
Total	4·04	9·39	2·82	5·57	3·11	5·18	1·03	5·67	4·41	5·71	9·33	8·99	TOTAL for year 65·25
No. of Rain Days.	21	17	19	18	11	14	12	17	15	13	23	28	208

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at The Cemetery, Sedbergh

in the County of W.R. York.

by Jas Anderson.

RAIN GAUGE { Pattern Can & bottle
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 374 ft.

Time of Observation 9 A.M.

Nearest Railway Station { Name Sedbergh
Distance ½ mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	'71	—	'11	—	'05	'34	'01	—	'62	'13	1
2	'34	—	'02	—	'33	—	'01	'07	—	'09	'26	'15	2
3	'01	—	'60	—	1'26	—	'02	'09	—	'02	1'40	'42	3
4	—	—	'13	'07	'65	—	—	1'05	—	—	'96	'61	4
5	'76	—	'07	'04	—	—	—	'80	—	'07	'17	'11	5
6	'17	—	'09	'03	—	—	—	'82	—	—	'56	'57	6
7	'29	—	'05	—	—	—	—	'01	—	—	'56	'02	7
8	'14	—	'47	—	—	—	—	—	—	—	'65	'64	8
9	—	—	—	—	—	—	—	—	—	—	—	'75	9
10	1'10	'12	'23	'03	—	—	—	—	'19	—	—	'62	10
11	'17	—	'05	—	—	—	—	'02	'07	—	'08	'11	11
12	'04	—	'03	—	—	—	—	—	'91	—	'40	—	12
13	—	'09	'01	—	'13	—	—	—	—	—	'59	'36	13
14	'03	'65	'03	—	'17	—	—	—	—	—	'81	'15	14
15	—	'75	'08	'03	—	—	—	—	—	—	'23	'18	15
16	'13	'77	'07	'12	—	'10	'05	—	—	—	'66	'42	16
17	'03	'08	—	—	—	1'27	'08	—	—	—	'80	'20	17
18	—	1'42	'07	'12	—	'75	—	—	—	—	'02	'33	18
19	—	'08	—	'24	—	'24	'03	'02	'66	'24	'15	'27	19
20	'01	'24	—	'52	—	'01	'31	'10	'11	—	—	'44	20
21	'01	1'62	'03	'36	—	'29	'28	'29	'06	'17	'03	'08	21
22	'18	'41	—	'24	—	'31	—	'01	—	'09	'01	—	22
23	'06	'61	—	'09	'82	'25	'03	'20	'30	'29	—	'39	23
24	'20	'18	'07	1'04	'03	1'27	—	—	'07	'21	—	'41	24
25	'27	'53	—	1'15	—	'02	—	'01	'46	'42	—	'27	25
26	'03	'04	—	'20	—	—	—	'66	'02	'66	'23	'22	26
27	'06	1'43	'01	'20	'08	'05	'07	1'04	'53	—	'10	'11	27
28	'01	'37	—	'75	—	'32	—	—	'39	—	'01	'42	28
29	—		—	'34	—	'29	'02	—	'57	2'50	—	'50	29
30	—		—	—	'01	'01	'08	—	'06	'85	'03	—	30
31	—		—		'12		—	'14		'10		'11	31
Total	4'04	9'39	2'82	5'57	3'11	5'18	1'03	5'67	4'41	5'71	9'33	8'99	TOTAL for year 65'25
No. of Rain Days.	21	17	19	18	11	14	12	17	15	13	23	28	208

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

7. JAN 1913

Kept at The Cemetery, Sedbergh.
in the County of York W. I
by Jas Anderson,

Lat. 54·20 Long. 2·32 West
Time of Observation 9 A.M.
Nearest Railway Station Sedbergh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	'02	—	'33	—	'12	'14	'19	'22	'08	'01	—	'27	1
2	'17	'02	1·02	'07	'14	'26	'10	—	'08	'02	—	—	2
3	'27	—	'05	—	'26	'91	—	'20	'88	—	—	'29	3
4	'37	—	'77	'66	—	'20	—	'83	'60	—	1·85	'06	4
5	'19	—	'04	'05	'02	'01	—	'42	'06	'03	'01	'02	5
6	'10	'41	'01	—	'26	—	—	'14	—	—	'02	'01	6
7	—	'45	'09	'07	'16	—	'33	'14	'28	—	'37	'04	7
8	'29	'15	'11	'20	'13	'02	—	'02	'04	—	'34	'08	8
9	'21	'10	'30	'19	—	'03	—	'45	—	—	'26	'36	9
10	'28	'07	'02	'05	'08	'20	'24	'13	'01	—	'55	'39	10
11	'14	'01	'01	—	'05	—	'33	'10	—	—	'04	'67	11
12	'34	—	'39	—	—	'46	'02	'01	—	—	—	'38	12
13	'04	—	'14	—	—	'09	—	'02	—	'76	'23	1·44	13
14	'40	—	'32	—	—	'35	—	'02	'01	'03	'01	'43	14
15	'07	'08	'13	—	'54	'36	—	—	—	'21	—	'11	15
16	'29	'01	'25	—	'03	'10	—	'16	—	'35	'06	'01	16
17	'01	'27	'39	—	'07	'84	—	'58	—	'02	'02	'65	17
18	'01	'07	'01	—	—	'48	—	—	—	'83	'05	'26	18
19	'01	'22	'62	—	—	'12	'04	'10	—	'19	'19	'02	19
20	'11	—	—	—	'77	'11	—	'26	—	'60	'01	'21	20
21	—	'03	'15	—	'07	'04	'01	'16	—	'14	—	'11	21
22	'03	'63	'02	—	'42	—	—	'46	—	—	'34	'09	22
23	—	—	'09	—	'01	'19	'26	'46	—	—	'89	'05	23
24	'02	'06	'27	—	'08	'14	'16	'09	—	—	'33	'12	24
25	—	'03	'37	—	—	'49	'24	'07	—	—	'52	'14	25
26	—	'51	'34	—	—	'05	'18	'01	—	1·35	'48	'23	26
27	—	'19	'41	—	'01	1·00	'45	—	—	'24	'03	'45	27
28	—	'14	'01	—	—	'40	1·63	'55	'03	'56	'34	'01	28
29	—	'04	'26	—	—	—	1·45	'30	'36	'37	—	'35	29
30	'05		'49	—	'05	—	'29	—	'05	'12	—	'54	30
31	—		'36		'01		1·02	'50		'02		'36	31
Total	3·42	3·49	7·77	1·29	3·28	6·99	6·94	6·40	2·48	5·85	6·94	8·15	YEAR'S TOTAL 63·00.
Rain Days.	22	20	30	7	20	24	17	26	12	18	22	30	248

W. 7,500, XI. '12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3- JAN 1914

Kept at The Cemetery. Sedbergh
in the County of York W1
by Jas Anderson.

Lat. 54·20"N Long. 2·32"W
Time of Observation 9 A.M.
Nearest Railway Station Sedbergh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·09	·46	·11	—	—	—	—	—	—	·15	—	1
2	·18	·48	1·30	·21	—	·35	—	—	—	·02	·31	·48	2
3	·17	·43	·21	—	·69	—	—	—	—	—	·11	·89	3
4	·28	·23	·13	—	—	·02	·02	—	—	—	·22	·51	4
5	·56	·63	·04	—	—	·10	·01	—	—	—	·01	—	5
6	·19	·81	·37	·01	·49 ~~·67~~	·29	·20	—	—	—	·07	—	6
7	·05	·33	·03	—	·12	·26	·03	—	—	·39	—	·07	7
8	—	·24	·06	—	·35	·10	—	·08	·03	·15	·03	·15	8
9	—	·16	·43	·08	·08	1·46	—	·46	—	—	·04	·14	9
10	—	·45	·67	—	·06	·03	·04	—	·01	—	·44	—	10
11	·02	—	—	·30	—	·11	·05	—	—	·18	·26	·25	11
12	—	—	·06	·01	·01	—	·03	·09	1·10	—	·40	·05	12
13	—	—	·81	·07	—	·01	·01	·03	·20	·28	·30	—	13
14	·08	—	·32	·18	—	—	—	—	—	·65	·17	·05	14
15	·06	·02	·57	·93	—	—	—	—	—	—	·46	·23	15
16	—	—	·04	·10	·01	—	·10	·27	—	—	·40	·05	16
17	·02	·01	·02	·37	·05	·33	·16	—	—	—	·43	—	17
18	·13	—	·70	·61	·02	·09	·06	—	—	·02	·62	—	18
19	·21	—	·06	·10	·15	·07	—	—	—	·36	1·26	—	19
20	·05	—	·04	·03	·02	—	—	·03	·25	·29	1·57	—	20
21	—	—	·09	—	·13	—	·13	1·33	·01	·13	·01	—	21
22	·15	—	·44	—	·25	—	—	·55	·05	—	—	—	22
23	·56	—	·01	—	·07	·55	—	·38	·06	·04	·22	—	23
24	·90	·05	—	·31	—	·25	—	·03	—	—	·06	·11	24
25	—	—	—	·29	—	—	—	—	·99	—	·12	·52	25
26	—	·06	·02	·95	—	·03	—	—	1·30	·07	·02	·95	26
27	—	·02	—	·60	·02	·03	—	—	—	·24	·02	·37	27
28	·38	—	·31	·75	·06	—	—	—	—	·03	·01	·08	28
29	—		13 ·13	·68	·08	—	—	·19	—	·25	·20	—	29
30	·81		·04	·01	·03	—	—	·48	—	·10	·03	—	30
31	·24		·15		—		—	—		·01		—	31
Total	5·12	3·94	7·51	6·70	2·69	4·06	·84	3·82	4·00	3·21	7·94	4·90	YEAR'S TOTAL 54·73
Rain Days.	20	15	27	21	19	17	12	12	10	17	28	16 ~~17~~	214 ~~215~~

W.7,000, XI. 13

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at The Cemetery. Sedbergh
in the County of York WR 1
by Jas Anderson

Lat. 54°·20 N Long. 3°·32·W
Time of Observation 9 A.M.
Nearest Railway Station Sedbergh.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·19	·15	—	—	—	·16	·16	—	·02	—	·12	1
2	·01	·36	·15	·04	—	—	·35	·40	—	·13	·25	·22	2
3	·29	·25	·21	—	·80	—	·01	·02	—	—	—	1·47	3
4	·81	—	·25	·31	·32	·03	—	·02	—	—	—	·66	4
5	·19	—	·45	·27	·03	·21	·06	—	—	—	·24	·25	5
6	—	—	·07	·35	·16	—	—	·19	—	—	·20	·15	6
7	·10	·05	·23	·07	·35	·05	—	·04	—	—	·10	·16	7
8	·77	·02	·12	—	·33	·32	·26	2·17	·05	—	·75	·27	8
9	·52	·20	—	·59	—	·55	—	·01	·19	—	·74	·01	9
10	·02	·38	·01	·01	·03	—	—	—	·21	—	·72	—	10
11	—	·24	·40	—	·10	—	·29	—	—	—	·35	·19	11
12	—	·70	·04	—	·02	—	·15	—	·41	—	·66	·10	12
13	—	·30	·46	·16	·01	—	—	—	·14	·03	·63	·65	13
14	—	·91	·37	—	—	—	—	—	·14	—	·10	·26	14
15	—	·07	·52	—	—	—	—	—	·65	—	·14	·01	15
16	·01	·02	·05	—	—	—	1·47	—	1·37	—	—	·05	16
17	·01	·77	·26	—	—	·77	·08	—	1·01	—	—	2·28	17
18	·02	·63	·26	—	—	—	·07	—	·01	·02	—	·08	18
19	—	·09	·36	—	—	—	—	—	·03	—	·03	·08	19
20	—	·48	·15	—	·17	—	—	—	—	—	—	·15	20
21	—	·25	—	—	·06	·08	·03	·02	—	·01	·01	—	21
22	—	1·32	—	·07	·31	·15	—	·24	—	—	—	—	22
23	—	·25	·17	·74	·15	·07	·06	·29	—	—	—	·02	23
24	1·20	—	·26	·06	·25	·14	·06	·21	—	—	·31	—	24
25	·18	—	·01	—	—	—	·01	·24	—	·67	·30	·95	25
26	·08	·19	—	—	—	—	—	—	—	·29	·54	·32	26
27	·06	·05	—	—	—	·01	—	—	—	·17	·64	·33	27
28	·09	·35	·20	—	·15	—	—	·06	—	·05	·65	·01	28
29	·90		·13	—	·07	—	—	·38	—	·07	1·03	·01	29
30	·40	✕	1·39	—	—	—	—	·13	—	·01	·51	·17	30
31	·98	✕	·01	✕	·04	✕	·53	—	✕	·06	✕	·01	31
Total	6·64	8·06	6·68	2·10	3·29	2·38	3·59	4·58	4·21	1·53	8·90	8·38	YEAR'S TOTAL 60·34
Rain Days.	19	23	26	11	18	11	15	16	11	12	21	27	210

W. 8,000. X. 14.

3243

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

4 - JAN 1916

Kept at The Cemetery, Sedbergh

in the County of York.

by Jas Anderson,

Lat. 54°20'N Long. 2°32'W

Time of Observation 9 am

Nearest Railway Station Sedbergh.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·67	1·08	—	—	·09	—	·05	·24	·03	—	—	—	1
2	—	·86	·25	·65	—	·06	·32	·07	—	—	—	—	2
3	·38	·33	·61	·30	—	·01	·48	·71	—	—	—	·24	3
4	·02	·43	·10	—	·13	·16	·01	·03	—	—	·02	·27	4
5	·28	·23	·52	·02	—	·04	—	·01	—	—	—	1·04	5
6	·60	·22	·01	·35	—	·02	·73	·08	·02	—	—	·38	6
7	·59	·62	·01	·25	—	—	·73	·18	—	—	—	·33	7
8	·31	·52	—	·20	—	—	·07	·37	—	—	1·53	—	8
9	—	·20	—	—	—	—	—	·01	—	—	·08	·40	9
10	·91	—	·09	·06	—	—	—	·25	—	·03	—	·69	10
11	·22	·05	—	·01	·70	—	·01	·75	—	—	·02	·20	11
12	·26	·07	—	·07	·01	—	·17	·04	—	·13	·67	—	12
13	·30	·26	—	·04	—	—	·03	·29	—	·07	—	·20	13
14	·46	·01	—	·08	—	—	·07	·36	—	·01	—	·21	14
15	1·34	—	—	·05	—	—	·02	·38	·12	—	·16	·46	15
16	—	·75	—	·02	—	—	·34	·31	·04	—	—	—	16
17	—	·41	—	—	·06	—	·02	—	—	—	—	—	17
18	—	·68	·14	·01	—	—	·05	—	·01	—	—	—	18
19	·06	·08	·10	1·30	·09	—	·72	—	—	·02	—	—	19
20	·46	—	·09	·01	·08	—	·40	·01	—	—	—	·21	20
21	·07	·10	—	·27	—	—	·26	—	—	—	—	·09	21
22	—	·02	·07	—	—	—	·71	—	—	—	—	·39	22
23	—	·04	·20	·03	—	—	·16	—	·05	·08	—	·66	23
24	—	—	—	—	—	—	—	—	·61	·07	—	·52	24
25	—	—	—	—	—	—	·07	—	·26	—	—	·10	25
26	—	1·25	—	—	—	·06	·18	—	·02	—	—	·39	26
27	—	·27	—	—	—	·15	·01	—	—	·29	·03	·23	27
28	—	·25	—	—	·04	1·43	—	·38	—	·11	—	—	28
29	—		—	—	·13	·07	—	·02	—	—	·28	·12	29
30	·21	╳	—	·28	—	·25	1·78	—	—	—	·04	·03	30
31	·39	╳	·02	╳	—	╳	·74	·40	╳	·03	╳	·65	31
Total	7·53	8·67	2·21	4·00	1·33	2·25	7·53	4·89	1·16	·84	2·83	7·81	YEAR'S TOTAL 57·05
Rain Days.	18	23	13	19	9	10	25	20	9	10	9	22	187

W. 8,000. X. 15.

ost 06

3173

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at The Cemetery Sedbergh. NR
in the County of York
by Jas. Anderson.

Lat. 54°.20 N Long. 2°.33 W
Time of Observation 9 A.M.
Nearest Railway Station Sedbergh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·08	·14	·04	—	—	·48	·79	·18	—	—	·39	—	1
2	·19	·11	·01	—	—	·41	·02	—	·19	·13	·09	·05	2
3	·04	·19	·01	·10	·01	·09	·02	—	·80	·30	·28	—	3
4	·25	·25	·01	·02	·61	·43	·10	·01	·08	·96	·13	—	4
5	·15	1·24	—	—	·20	·20	·03	—	—	1·42	·27	—	5
6	·84	·55	·11	·02	·19	·06	·19	—	—	·85	·20	·04	6
7	·12	·10	—	—	·31	·14	·91	—	—	·54	·21	·29	7
8	—	·07	·06	·01	·04	·14	·03	—	—	·05	·46	—	8
9	·11	·01	—	—	·17	·04	·22	—	—	·03	·28	·11	9
10	·44	·21	—	·36	—	·09	·32	—	—	1·00	·30	—	10
11	·08	·28	·05	·61	·01	—	·37	—	·19	·28	·64	·03	11
12	·20	·54	·10	·09	·24	—	·85	·10	—	·23	·02	·01	12
13	—	·45	·08	·15	—	—	·15	·40	—	1·03	—	·05	13
14	·06	·36	·08	·05	·65	—	—	1·57	·01	·98	—	—	14
15	·11	·80	—	·10	—	—	·24	1·45	—	·07	—	—	15
16	·04	·32	·52	·78	—	—	·10	·01	·02	·01	—	—	16
17	·49	·07	—	·70	—	—	·03	—	·90	·20	—	·14	17
18	·05	·65	—	·08	—	—	·05	·10	·32	·23	·15	·05	18
19	·80	·01	·07	·05	—	—	—	·03	—	—	·05	·02	19
20	·75	—	·16	·01	—	·02	·04	·03	—	—	—	·39	20
21	·69	—	—	—	·04	—	·16	—	·02	—	—	·01	21
22	—	·06	—	·08	—	·11	—	—	—	·06	·21	—	22
23	·33	—	·50	·15	—	—	—	—	—	·50	·41	·18	23
24	·08	—	·12	·10	—	·39	—	·29	—	·12	·10	·08	24
25	·04	·02	·40	—	·10	·07	—	·60	—	·08	·38	·11	25
26	·48	·02	·18	—	—	—	·24	—	—	·05	·07	—	26
27	—	·07	·02	—	·13	—	—	·07	·15	·40	—	·03	27
28	·78	·11	—	—	—	—	—	—	—	·22	·15	2·46	28
29	·17	·25	·01	—	—	·08	—	—	—	·28	·98	·33	29
30	·24	X	—	—	—	·08	·04	—	—	1·27	·15	·39	30
31	—	X	—	X	1·70	X	—	·67	X	·74	X	·11	31
Total	8·61	6·88	2·53	3·46	4·40	2·83	4·90	5·51	2·68	12·03	5·32	4·88	YEAR'S TOTAL 64·03
Rain Days.	26	25	19	18	14	16	21	14	10	27	22	20	232

W. 8,000, VIII. 16

3025

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 7. JAN 1918

Kept at The Cemetery. Sedbergh.
in the County of York.
by Jas Anderson

Lat. 54·20 Long. 2·32 W
Time of Observation 9 A M
Nearest Railway Station Sedbergh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15	—	—	·04	—	·55	—	·03	·40	—	·16	·29	1
2	·83	—	—	·07	—	·04	—	—	·05	·03	·02	—	2
3	·22	·13	—	·17	—	·88	—	—	—	·80	·05	—	3
4	—	—	—	·03	—	—	—	—	—	·23	·06	·01	4
5	·25	—	·06	·11	—	—	—	—	·03	·07	1·42	·19	5
6	·04	—	—	·10	—	·15	—	—	—	·25	·49	·66	6
7	·66	—	—	·17	—	·30	—	—	—	·32	·01	·58	7
8	·53	—	—	·18	—	·13	—	·70	·13	·68	·17	·14	8
9	—	—	—	·17	—	—	—	·87	—	·12	·29	·01	9
10	·34	—	·76	·15	·30	—	—	·19	—	·06	—	—	10
11	·11	·04	—	·01	·11	—	—	1·85	—	·65	·03	—	11
12	—	—	·08	·02	·56	—	—	·10	·01	·19	—	·05	12
13	·02	—	—	·39	·17	·08	—	·29	1·53	·07	·24	·31	13
14	·07	—	—	·32	·04	—	—	·30	—	—	—	·09	14
15	·03	—	—	·07	—	—	·07	·96	·55	·04	·02	·23	15
16	·04	—	·04	·28	—	—	—	1·14	·44	·25	—	·22	16
17	—	·25	·40	·25	·05	—	·02	1·37	·45	·17	—	—	17
18	—	·07	·34	·05	·04	—	1·26	·23	·53	—	·03	·11	18
19	—	·19	·19	·01	·35	·05	·02	·16	·06	—	·21	·26	19
20	—	·31	·05	—	·09	·48	—	·45	·45	·17	·15	—	20
21	—	·05	·07	—	·10	—	—	·45	·36	·21	·02	—	21
22	—	—	—	—	—	—	—	·15	·22	·86	·01	—	22
23	—	*·08	—	—	·20	·92	—	·61	·08	·14	·19	·03	23
24	—	·10	[illegible]2	—	·01	·20	·08	·48	·11	·72	·38	—	24
25	—	—	·15	—	·04	·04	·06	·21	·49	·14	—	—	25
26	—	—	—	—	—	·03	·04	1·49	·51	·20	·60	—	26
27	—	—	·09	—	·65	·08	·74	·30	—	·13	·15	—	27
28	—	·01	·53	—	—	—	—	·08	—	·02	·42	—	28
29	—		·17	—	·05	—	·13	·01	—	·84	·29	—	29
30	—	X	·01	—	—	—	—	·02	—	·30	·31	—	30
31	—	X	·20	X	·35	X	—	·24	X	—	X	·01	31
Total	3·29	1·23	3·16	2·59	3·11	3·93	2·42	12·68	6·40	7·66	5·72	3·19	YEAR'S TOTAL 55·38
Rain Days.	13	10	16	19	16	14	9	25	18	26	24	16	206

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19

Kept at The Cemetery, Sedbergh

in the County of York.

by Jas Anderson,

Lat. 54'20 N Long. 2.32 W

Time of Observation 9 A.M.

Nearest Railway Station Sedbergh.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 374 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·06	—	·08	—	·30	—	·44	·05	1·47	·28	·01	·20	1
2	·45	—	·40	—	·06	—	·25	—	·20	·01	·03	·44	2
3	·60	·03	—	·01	·29	·14	·07	—	—	—	·04	·17	3
4	·10	·08	·36	—	·22	·04	·28	·31	·05	—	·04	·39	4
5	·09	—	—	—	·11	—	—	—	·11	·05	—	·43	5
6	·08	—	·60	—	·80	—	—	—	·09	·02	·01	·20	6
7	·02	—	·25	·07	—	·11	—	—	·01	—	·10	—	7
8	·12	—	·04	·05	—	·01	—	·02	·02	—	—	—	8
9	1·00	—	·15	·05	—	·04	—	—	·03	—	·05	—	9
10	·01	—	1·86	·07	·03	·02	—	—	—	·03	·03	1·20	10
11	—	—	·44	·06	·12	—	·12	—	·03	·07	—	·20	11
12	—	—	·14	·33	·01	·41	·10	—	·06	·03	·35	—	12
13	·61	—	—	·41	—	—	—	·18	—	·20	—	·40	13
14	·50	—	—	·28	—	—	—	—	—	·01	—	·06	14
15	·65	·04	—	·15	—	—	—	·04	—	·02	—	·37	15
16	·16	—	—	—	—	·21	—	—	—	—	·07	·11	16
17	·03	—	—	·06	·02	·05	—	·71	·04	—	·70	·02	17
18	—	—	·30	—	—	—	·24	·50	·28	—	·34	·51	18
19	—	·47	·34	—	—	·75	·02	·10	·05	—	·44	·08	19
20	·33	·34	·02	—	—	·10	·08	·06	—	—	·06	·92	20
21	·02	·16	·03	—	·04	·02	—	·14	·16	—	·05	·30	21
22	—	·17	—	—	—	·77	—	·25	·53	·04	·14	·33	22
23	·02	—	—	·10	—	·10	—	·01	—	1·45	·40	·16	23
24	·08	—	—	·11	·08	—	—	·01	·62	·45	·53	·12	24
25	·47	—	—	·50	·03	·06	—	1·13	·68	—	·19	·62	25
26	·07	·03	·92	·05	—	·04	—	·18	·16	—	·03	·05	26
27	·31	—	—	·22	—	—	—	—	—	—	·03	—	27
28	—	—	—	·13	—	—	—	·67	·16	·21	—	·35	28
29	·03		—	·06	—	—	—	·02	·31	·37	—	·20	29
30	—	✕	·06	·04	—	·12	—	·09	·01	·05	·59	·77	30
31	·01	✕	·07	✕	—	✕	1·07	—	✕	·01	✕	·03	31
TOTAL	6·82	1·32	6·06	2·75	2·11	2·99	2·67	4·47	5·07	3·31	4·23	8·63	YEAR'S TOTAL 50·43
Days with ·01 in. or more	24	8	17	19	13	17	10	18	21	17	22	26	212

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SEDBERGH
"THORNS HALL"
YORKSHIRE
1911

REG

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at { Thorns Ha
Sedberg

1 ft. in.

in the County of WR York

400 ft.

by Margaret Isabe

edbergh

Direction West

IMPORTANT NOTE. ult entered to the previous day. If an Observer prefers not to conform e, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·69										1
2	·36	–	–										2
3	–	–	·63										3
4	–	–	·09										4
5	·80	–	–										5
6	·09	–	·13										6
7	·22	–	·03										7
8	·16	–	·39										8
9	–	–	–										9
10	1·00	–	·22										10
11	·24	–	–										11
12	·03	–	·06										12
13	–	–	·04										13
14	–	·75											14
15	·03	–											15
16	·12	1·45											16
17	·03	·05											17
18	–	1·27											18
19	–	–											19
20	·01	·25											20
21	–	1·49											21
22	·15	·30											22
23	·06	·62											23
24	·22	–											24
25	·30	·62											25
26	·05	–											26
27	·06	1·37											27
28	–	·34											28
29	–	–											29
30	–	–											30
31													31
Total	3·93	8·51	2·28										TOTAL for year 14·72
No. of Rain Days	18	11	9										38

9,000, IX. '10.

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Thorns Hall
Sedbergh

in the County of WR Yorkshire 1

by Margaret Isabella Sedgwick

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 400 ft.

Time of Observation 9 A.m.

Nearest Railway Station
Name Sedbergh
Distance 1½ mile Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·69										1
2	·36	—	—										2
3	—	—	·63										3
4	—	—	·09										4
5	·80	—	—										5
6	·09	—	·13										6
7	·22	—	·03										7
8	·16	—	·39										8
9	—	—	—										9
10	1·00	—	·22										10
11	·24	—	—										11
12	·03	—	·06										12
13	—	—	·04										13
14	—	·75											14
15	·03	—											15
16	·12	1·45											16
17	·03	·05											17
18	—	1·27											18
19	—	—											19
20	·01	·25											20
21	—	1·49											21
22	·15	·30											22
23	·06	·62											23
24	·22	—											24
25	·30	·62											25
26	·05	—											26
27	·06	1·37											27
28	—	·34											28
29	—	—											29
30	—	—											30
31													31
Total	3·93	8·51	2·28										TOTAL for year 14·72
No. of Rain Days	18	11	9										38

9,000, IX. '10.

SESSAY
RECTORY
YORKSHIRE
1914

REG

W.

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Sessay Rect

in the County of Yo

by Rev. F. Payne

in.

1 ft. 0 in.

vel 113 ft.

IMPORTANT NO sult entered to the previous day. If an O ule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										–	·27	·14	1
2										–	–	·06	2
3										–	·06	·46	3
4										–	·17	·51	4
5										·06	·10	·05	5
6										–	·06	·04	6
7										–	·12	·07	7
8										–	–	·08	8
9										–	·06	·06	9
10										–	·05	–	10
11										–	·16	·15	11
12										–	–	·51	12
13										–	·04	·26	13
14										–	·07	·10	14
15										–	·60	·13	15
16										–	·06	·10	16
17										–	–	·11	17
18										–	·03	·10	18
19										–	·04	–	19
20										·05	–	–	20
21										–	–	·02	21
22										·02	·03	·06	22
23										–	·02	·16	23
24										–	·23	–	24
25										·56	·03	·28	25
26										·36	·19	·22	26
27										·07	·20		27
28										·10	·06	·20	28
29										·25	·06	·50	29
30		X								·06	·10	·12	30
31		X		X		X			X	·28	X	–	31
Total										1·81	2·81	4·49	YEAR'S TOTAL
Rain Days.										10	24	25	

REC

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Sessay Rectory

in the County of York N.R.

by Rev. F. Payne Gallwey

Lat. 54° 10¼' N Long. 1° 17½' W.

Time of Observation 9 a.m. ?

Nearest Railway Station Sessay

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 113 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										-	·27	·14	1
2										-	-	·06	2
3										-	·06	·46	3
4										-	·17	·51	4
5										·06	·10	·05	5
6										-	·06	·04	6
7										-	·12	·07	7
8										-	-	·08	8
9										-	·06	·06	9
10										-	·05	-	10
11										-	·16	·15	11
12										-	-	·51	12
13										-	·04	·26	13
14										-	·07	·10	14
15										-	·60	·13	15
16										-	·06	·10	16
17										-	-	·11	17
18										-	·03	·10	18
19										-	·04	-	19
20										·05	-	-	20
21										-	-	·02	21
22										·02	·03	·06	22
23										-	·02	·16	23
24										-	·23	-	24
25										·56	·03	·28	25
26										·36	·19	·22	26
27										·07	·20		27
28										·10	·06	·20	28
29										·25	·06	·50	29
30										·06	·10	·12	30
31										·28		-	31
Total										1·81	2·81	4·49	YEAR'S TOTAL
Rain Days.										10	24	25	

W. 8,000. X. 14.

✓

REGIS

SETTLE

GAS WORKS

1911 - 1920

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at *The Terrace*

in the County of *WR Yo*

by *J. W. Shephe*

aishe

8 in.

Ground 1 ft. 2 in.

Sea Level 530·72 ft. 3090

a.m

Name Settle

Distance about 200 yds Direction W-N.W

IMPORTANT NOTE.—R the result entered to the previous day. If an Observer versal rule, he is earnestly requested to add the reading a year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	·50	.	·03	.	·11	·02	.	.	·40	·03	1
2	·25	.	·05	.	·28	.	·04	·02	.	·12	·15	·19	2
3	·01	.	·21	.	·71	.	.	·11	·02	·01	·70	·08	3
4	.	.	·04	·09	·03	.	·02	·53	·03	·01	·73	·32	4
5	·42	.	·03	·06	.	.	.	·63	.	.	·21	·19	5
6	·24	.	·01	·03	.	.	.	·50	.	.	·32	·35	6
7	·07	.	.	·01	.	.	.	.	.	.	·22	·01	7
8	·04	.	·28	.	.	.	.	.	.	.	·26	1·02	8
9	·01	.	.	.	.	.	.	.	.	.	·01	·49	9
10	·48	·12	·09	.	.	.	.	.	.	.	.	·56	10
11	·18	.	·01	.	.	.	.	.	·18	.	·55	·14	11
12	·08	.	·27	.	.	.	.	.	1·13	.	·48	.	12
13	.	·01	.	.	·27	.	.	.	.	.	·23	·63	13
14	·05	·25	·05	.	·57	.	.	.	.	.	·11	·32	14
15	.	·40	·05	·03	.	.	.	.	.	·02	·81	·25	15
16	.	·71	·06	·06	.	·10	·07	.	.	.	·48	·21	16
17	·02	·01	·07	.	.	1·38	·03	.	.	.	·26	·18	17
18	.	·92	·17	·01	.	·01	.	·02	.	·02	·01	·26	18
19	.	·04	.	·12	.	·16	·12	.	·31	·19	·18	·63	19
20	.	·14	.	·34	.	·02	·10	·09	·28	·04	.	·28	20
21	.	1·03	.	·05	.	·04	·08	·12	·13	·14	.	·11	21
22	·25	·15	.	·08	.	·06	.	·01	.	·28	·10	.	22
23	.	·64	.	.	·15	·24	.	.	·25	·23	.	·23	23
24	·11	·15	·05	·13	.	·72	.	·06	.	·27	.	·24	24
25	·03	·44	.	·22	.	·06	·02	·01	·54	·08	.	·29	25
26	.	·06	.	·19	.	.	.	·18	.	1·33	·30	·21	26
27	·01	·48	·01	·21	.	.	.	·33	·19	·01	·01	·07	27
28	.	·33	.	·27	.	·23	.	·02	·32	.	.	·39	28
29	.		.	·20	.	·17	·02	·03	·42	1·52	.	·13	29
30	.		.	·01	·07	·03	.	.	.	·56	·02	.	30
31	.		·02		·10		.	.		·20		·10	31
99 Total	2·25	5·88	1·97	2·11	2·21	3·22	·61	2·68	3·80	5·03	6·54	7·91	TOTAL for year 44·21
No. of Rain Days.	16	17	18	18	9	13	10	16	12	17	22	28	196

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

REGIS 1

Kept at *The Terrace · Settle*

in the County of *WR York 2*

by *J. W. Shepherd.*

RAIN GAUGE
- Pattern laisher
- Diameter of top 8 in.
- Height of top above Ground 1 ft. 2 in.
- ” ” ” Sea Level 530·72 ft. 3090

Time of Observation 9 a.m

Nearest Railway Station
- Name Settle
- Distance about 200 yds Direction W·N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	·	·	·50	·	·03	·	·11	·02	·	·	·40	·03	1
2	·25	·	·05	·	·28	·	·04	·02	·	·12	·15	·19	2
3	·01	·	·21	·	·71	·	·	·11	·02	·01	·70	·08	3
4	·	·	·04	·09	·03	·	·02	·53	·03	·01	·73	·32	4
5	·42	·	·03	·06	·	·	·	·63	·	·	·21	·19	5
6	·24	·	·01	·03	·	·	·	·50	·	·	·32	·35	6
7	·07	·	·	·01	·	·	·	·	·	·	·22	·01	7
8	·04	·	·28	·	·	·	·	·	·	·	·26	1·02	8
9	·01	·	·	·	·	·	·	·	·	·	·01	·49	9
10	·48	·12	·09	·	·	·	·	·	·	·	·	·56	10
11	·18	·	·01	·	·	·	·	·	·18	·	·55	·14	11
12	·08	·	·27	·	·	·	·	·	1·13	·	·48	·	12
13	·	·01	·	·	·27	·	·	·	·	·	·23	·63	13
14	·05	·25	·05	·	·57	·	·	·	·	·	·11	·32	14
15	·	·40	·05	·03	·	·	·	·	·	·02	·81	·25	15
16	·	·71	·06	·06	·	·10	·07	·	·	·	·48	·21	16
17	·02	·01	·07	·	·	1·38	·03	·	·	·	·26	·18	17
18	·	·92	·17	·01	·	·01	·	·02	·	·02	·01	·26	18
19	·	·04	·	·12	·	·16	·12	·	·31	·19	·18	·63	19
20	·	·14	·	·34	·	·02	·10	·09	·28	·04	·	·28	20
21	·	1·03	·	·05	·	·04	·08	·12	·13	·14	·	·11	21
22	·25	·15	·	·08	·	·06	·	·01	·	·28	·10	·	22
23	·	·64	·	·	·15	·24	·	·	·25	·23	·	·23	23
24	·11	·15	·05	·13	·	·72	·	·06	·	·27	·	·24	24
25	·03	·44	·	·22	·	·06	·02	·01	·54	·08	·	·29	25
26	·	·06	·	·19	·	·	·	·18	·	1·33	·30	·21	26
27	·01	·48	·01	·21	·	·	·	·33	·19	·01	·01	·07	27
28	·	·33	·	·27	·	·23	·	·02	·32	·	·	·39	28
29	·		·	·20	·	·17	·02	·03	·42	1·52	·	·13	29
30	·		·	·01	·07	·03	·	·	·	·56	·02	·	30
31	·		·02		·10		·	·		·20		·10	31
99 Total	2·25	5·88	1·97	2·11	2·21	3·22	·61	2·68	3·80	5·03	6·54	7·91	TOTAL for year 44·21
No. of Rain Days.	16	17	18	18	9	13	10	16	12	17	22	28	196

TORE [illegible]

W. 8,000, X. '11.

Ex D L

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

7 - JAN 1913

Kept at The Terrace. Settle

in the County of York (W.R.) W.2

by J. W. Shepherd.

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 530·72 ft. 3090

Time of Observation 9 a.m

Nearest Railway Station
Name Settle
Distance 250 yd Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
12 1	·03	·	·42	·	·	·07	·67	·01	·55	·	·01	·31	1
2	·03	·01	·54	·01	·06	·14	·16	·	·12	·01	·	·	2
3	·27	·	·16	·	·	·47	·	·38	·67	·	·	·18	3
4	·61	·	1·23	·42	·02	·33	·	·62	·08	·	·29	·03	4
5	·18	·	·04	·01	·22	·33	·	·11	·04	·	·02	·03	5
6	·48	·38	·03	·	·02	·04	·	·29	·	·	·02	-	6
7	·	·13	·01	·02	·07	·	·10	·06	·19	·	·25	·01	7
8	·46	·29	·16	·21	·18	·13	·	·	·06	·	·07	·	8
9	·21	·10	·45	·26	·	·27	·	·	·	·	·07	·20	9
10	·18	·01	·	·03	·	·49	·04	·02	·	·	·65	·05	10
11	·10	·02	·	·	·03	·	·05	·	·	·	·04	·52	11
12	·17	·03	·22	·	·	·21	·	·	·	·	·	·40	12
13	·07	·	·	·	·	-	·	·15	·	·26	·08	1·29	13
14	·28	·	·40	·01	·	·32	·	·08	·	·02	·	·54	14
15	·12	·13	·06	·	·57	·16	·	·04	·01	·05	·	·15	15
16	1·05	·	·22	·	·02	·17	·	·08	·	·21	·02	·05	16
17	·04	·19	·39	·	·03	·82	·	·43	·	·01	·12	·41	17
18	·07	·02	·01	·	·	·14	·	·49	·	·29	·02	·22	18
19	·03	·13	·55	·	·	·06	·02	·22	·	·19	·19	·	19
20	·20	·	·21	·	·76	·15	·	·21	·	·39	·02	·10	20
21	·	·01	·14	·	·	·01	·	·	·	·02	·	·03	21
22	·06	·35	·	·	·42	·03	·	·46	·	·	·03	·	22
23	·	·01	·20	·	·	·06	·30	·35	·	·	·36	·03	23
24	·01	·02	·12	·	·	·22	·13	·03	·	·08	·42	·25	24
25	·	·	·10	·	·	·64	·44	·03	·	·01	·45	·12	25
26	·	·32	·12	·	·	·03	·28	·05	·	1·83	55	·31	26
27	·	·11	·28	·	·	·86	·46	·	·	·32	·01	·32	27
28	·	·14	·12	·	·	·06	·75	·67	·04	·32	·19	·02	28
29	·01	·06	·19	·	·	·	·27	·29	·42	·34	·	·25	29
30	·02		·31	·	·17	·	·08	·	·02	·02	·	·05	30
31	·		·09		·09		·77	·27		·		·14	31
99 Total	4·68	2·46	6·77	·97	2·66	6·21	4·52	5·34	2·20	4·37	3·88	6·01	TOTAL for year 50·07
No. of Rain Days.	23	20	27	8	14	25	15	23	11	17	22	26	231

W. 8,000, X. '11.

Ex J L

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.

9 - JAN 1914

3090

Kept at The Terrace Settle

in the County of York (W. R) 2

by J. W. Shepherd

Lat. Long.

Time of Observation 9 a. m

Nearest Railway Station Settle

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 530·72 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
13 1	·27	·03	·28	·15	·	·	·	·	·	·	·13	·01	1
2	·03	·24	1·17	·01	·	·20	·	·	·	·	·37	·14	2
3	·10	·30	·33	·	·52	·	·	·	·	·	·06	·25	3
4	·34	·14	·08	·	·	·06	·02	·	·01	·	·23	·49	4
5	·53	·12	·03	·	·03	·10	·09	·02	·01	·	·01	·	5
6	·06	·47	·41	·	·74	·14	·27	·02	·	·	·01	·	6
7	·01	·70	·04	·	·28	·25	·02	·	·	·46	-	·04	7
8	·	·22	·10	·	·27	·03	·	·10	·01	·02	·05	·06	8
9	·	·18	·51	·06	·05	·87	·01	·02	·	·	·14	·18	9
10	·	·10	·48	·18	·03	·04	·02	·	·07	·	·24	·	10
11	·22	·	·02	·26	·	·06	·	·	·	·18	·15	·13	11
12	·	·	·01	·	·01	·	·03	·03	·28	·	·16	·05	12
13	-	·	·49	·02	·	·	·13	·01	·27	·12	·14	·	13
14	·03	·01	·27	·21	·	·	·10	·	·01	·21	·03	·03	14
15	·12	·	·49	·70	·	·	·	·16	·02	·	·60	·12	15
16	·	·	·11	·02	·	·	·05	·	·	·	·26	·02	16
17	·02	·	·	·21	·10	·06	·19	·	·02	·	·28	·	17
18	·11	·	·47	·50	·03	·03	·02	·	·	·	·45	·	18
19	·11	·	·07	·38	·14	·04	·	·	·13	·12	·55	·	19
20	·15	·	·18	·12	·01	·	-	·01	·	·27	1·09	·	20
21	-	-	·12	·	·14	·	·16	·46	·	·	·	·	21
22	·30	-	·53	·	·04	·03	·	·58	·10	·	·02	-	22
23	·43	·	·07	·	·23	·32	·	·28	·30	·	·18	·02	23
24	·62	·04	·	·03	·	·30	·	·16	-	·	·06	·05	24
25	·	·	·	·05	-	·	·	·	·67	·01	·06	·54	25
26	·	·01	·04	·96	·	·01	-	·	·53	·06	·	·91	26
27	·	·	-	·66	·	·03	·	·	·	·19	·	·13	27
28	·59	·	·24	·36	·04	·	·	·	·	·04	·	·05	28
29	·		·28	·60	·02	·	·	·29	·	·10	·13	·	29
30	·84		·01	·	·01	·	·	·	·	·22	·03	·	30
31	·39		·14		·09		·	-		·		·	31
99 Total	5·27	2·56	6·97	5·48	2·78	2·57	1·11	2·14	2·43	2·00	5·43	3·22	YEAR'S TOTAL 41·96
Rain Days.	20	13	27	19	19	17	13	13	14	13	25	18	211

W. 7,500, XI. ·12

Ex DL

3090

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Terrace Settle Jan – March
Gas Works. Settle April – Dec

in the County of York (W.R) 2

by J. W. Shepherd

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Settle

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level about 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14 1	·	·02	·10	·	·	·01	·62	·14	·	·04	·	·39	X HC 1
2	·02	·08	·03	·04	·	·	·18	·63	·	·09	·34	·41	X HC 2
3	·17	·01	·22	·	·69	·	·01	·09	·	·	·03	1·09	3
4	·48	·	·18	·41	·28	·	·01	·	·	·	·04	·95	4
5	·06	·	·66	·22	·04	·13	·02	·	·	·	·30	·50	5
6	·	·02	·07	·18	·11	·	·01	·13	·	·	·25	·22	6
7	·04	·03	·40	·05	·11	·07	·	·06	·	·	·02	·26	7
8	1·05	·02	·08	·05	·24	·09	·01	·48	·	·02	·04	·25	8
9	·58	·12	·	·20	·	·45	·	·08	·	·	·35	·02	9
10	·	·26	·02	·	·06	·	·	·01	·26	·	·54	·	10
11	·	·12	·47	·	·05	·	·07	·	·14	·	·62	·46	11
12	·	·30	·09	·	·06	·	·16	·	·63	·	·42	·39	12
13	·	·49	·21	·03	·	·	·06	·	·10	·03	·43	·19	13
14	·02	·88	·09	·	·	·	·12	·	·24	·	·20	·41	14
15	·	·04	·42	·	·	·	·	·	·23	·	·11	·	15
16	·11	·	·03	·	·	·	1·02	·	1·12	·	·	·02	16
17	·06	·40	·12	·	·	·	·20	·	·29	·	·	1·23	17
18	·	·35	·04	·	·	·23	·01	·	·06	·	·	·12	18
19	·	·09	·52	·	·	·	·03	·	·07	·	·03	·11	19
20	·	·23	·05	·	·02	·	·	·	·	·01	·	·03	20
21	·	·36	·	·	·	·07	·05	·03	·	·07	·02	·02	21
22	·	·37	·05	·02	·19	·32	·	·09	·	·06	·01	·	22
23	·	·13	·15	·04	·16	·12	·03	·	·	·	·01	·	23
24	·33	·	·27	·05	·12	·01	·15	·20	·	·	·11	·	24
25	·10	·	·04	~~·16~~	·02	·	·08	·31	·	1·11	·06	·75	25
26	·02	·	·02	~~·12~~	·	·	·03	·01	·	·21	·37	·28	26
27	·06	·02	·	~~·09~~	·	·	·	·	·02	·28	·54	·68	27
28	·10	·16	·50	·	·03	·06	·	·03	·01	·12	·60	·	28
29	·23	X	·30	·	·05	·	·	·16	·	·18	·53	·03	29
30	·28	X	·72	·	·	·	·	·02	·	·02	·58	·18	30
31	·83	X	·05	X	·01	X	·49	·	X	·19	X	·	31
99 Total	4·54	4·50	5·90	1·29	2·24	1·56	3·36	2·47	3·17	2·43	6·55	8·99	YEAR'S TOTAL 47·00
Rain Days.	18	22	28	11	17	11	21	16	12	14	25	24	219

W. 8,000. X. 14.

3259
3090

FORM A.
BRITISH RAINFALL.
19. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Settle	Lat. Long.
in the County of York W 2	Time of Observation 9 a.m
by J. W. Shepherd	Nearest Railway Station Settle
	Diameter of Funnel of Rain Gauge 8 in.
	Height of top of Gauge above Ground 1 ft. 2 in.
	" " " " Sea Level about 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. NO CARDS

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·58	·57	·03	·	·12		·02	·32	·19	·	·01	·	1
2	·02	·52	·43	·38	·	·10	·38	·28	·02	·	·	-	2
3	·30	·04	·12	·30	-	·	·41	·06	·	·	·	·46	3
4	·	·35	·03	·	·04	·06	·	·	·	·	·	·75	4
5	·47	·32	·27	·	·	·02	·	·05	·	-	·	1·48	5
6	·38	·12	·05	·38	·	·	·56	·06	·	·	·	·31	6
7	·53	1·30	·	·15	·	·	·55	·10	·	·	·	·26	7
8	·29	·28	·	·19	·	·	·19	·11	·	·	·94	·	8
9	·03	·08	·	·01	·	·	·01	·04	·	·02	·52	·29	9
10	·66	·	·08	·05	-	·	·01	·29	·	·10	·	·46	10
11	·32	·02	·01	·01	·65	·	·07	·23	·	·	·02	·55	11
12	·33	·	·	·06	·01	·	·26	·12	·	·37	·60	·	12
13	·12	·21	·01	·06	·	·	·01	·09	·	·	·	·10	13
14	·40	·	·	·05	·02	·	·14	·30	·05	·01	·	·19	14
15	1·32	·	·	·04	·	·	·	·22	·05	·	·37	·29	15
16	·	·84	·	·02	·06	·	·09	·50	·	·	·	·01	16
17	·	·52	·02	·	·	·	·01	·	·	·	·	·	17
18	·	·48	·20	-	·	·	·	·	·	·01	·	·	18
19	·	·14	·08	·25	·12	·	·45	·	·	·	·	·	19
20	·25	·02	·	·03	·15	·	·21	·01	·	·	·	·34	20
21	·10	·06	·01	·04	·	·	·19	·	·	·	·	·12	21
22	·	·	·06	·	·	·	·04	·	·	·	·	·35	22
23	·	·01	·23	·	·	·01	·51	·	·10	·14	·	·38	23
24	·	·	·11	·05	·	·	·	·	·53	·03	·	·47	24
25	·	-	·	·	·	·	·03	·	·21	·	·	·10	25
26	·01	·65	·	·	·	·12	·21	·	·	·	·	·56	26
27	·	·24	·	·	·	·38	·12	·	·	·65	·	·44	27
28	·	·23	·01	·	·05	·24	·	·	·	·08	·	·06	28
29	·	X	·	·	·07	·	·	·24	·	·	·20	·37	29
30	·20	X	·	·15	·	·11	·	·01	·	·	·01	·06	30
31	·15	X	·	X	·	X	·01	·40	X	·02	X	·45	31
Total	99 6·46	7·00	1·75	2·22	1·29	1·04	4·48	3·43	1·15	1·43	2·67	8·85	YEAR'S TOTAL 41·77
Rain Days.	19	21	17	18	10	8	23	19	7	10	8	24	184

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 3090

15 JAN 1917

Kept at Settle (Gas Works)
in the County of York W.R.
by J.W. Shepherd

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Settle
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level about 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·03	·02	·01	·	·	·20	·47	·	·	·01	·08	·	1
2	·11	·25	·	·	·	·16	·	·	·15	·11	·05	·01	2
3	·	·04	·01	·05	·	·05	·11	·01	1·17	·15	·30	·02	3
4	·10	·10	·	·01	·32	·68	·10	·	·09	·68	·26	·	4
5	·10	·80	·	·	·09	·33	·01	·	·	2·08	·58	·	5
6	·55	·48	·06	·02	·27	·04	·09	·	·	·43	·70	·04	6
7	·08	·13	·04	·	·67	·02	·65	·	·	·67	·09	·25	7
8	·02	·11	·07	·	·01	·03	·12	·	·	·10	·24	·04	8
9	·04	·	·02	·	·47	·18	·02	·	·	·01	·10	·32	9
10	·08	·04	·	·16	·	·26	·11	·	·	1·48	·09	·03	10
11	·06	·32	·04	·50	·06	·	·10	·	·03	·07	·02	·08	11
12	·12	·28	·14	·16	·37	·01	·56	·04	·02	·18	·05	·05	12
13	·	·21	·49	·06	·01	·	·	·57	·06	1·05	·01	·05	13
14	·02	·36	·01	·25	·29	·	·	1·25	·02	·46	·	·	14
15	·05	·49	·38	·06	·	·	·10	·93	·	·14	·	·	15
16	·01	·21	·65	·34	·01	·	·15	·11	·01	·03	·	·	16
17	·23	·30	·	·46	·	·	·08	·	·64	·16	·	·01	17
18	·01	·48	·	·12	·	·	·	·07	·35	·15	·33	·15	18
19	·57	·	·15	·22	·	·	·	·08	·	·	·12	·02	19
20	·45	·	·11	·06	·	·	·04	·29	·	·	·14	·20	20
21	·58	·01	·	·10	·02	·	·04	·	·	·	·	·02	21
22	·	·03	·	·03	·01	·16	·	·	·	·32	·10	·04	22
23	·16	·03	·32	·20	·	·	·	·	·	·07	·31	·22	23
24	·01	·01	·03	·05	·	·15	·	·30	·	·10	·02	·06	24
25	·01	·02	·22	·	·22	·03	·	·63	·	·18	·16	·15	25
26	·14	·03	·32	·	·	·	·16	·35	·	·08	·07	·	26
27	·	·11	·30	·	·	·	·	·03	·02	·68	·	·	27
28	·13	·08	·05	·12	·	·12	·	·	·	·34	·15	1·12	28
29	·05	·21	·01	·	·	·09	·	·	·	·38	·16	·29	29
30	·03	X	·	·	·	·01	·04	·01	·	1·17	·02	·19	30
31	·	X	·	X	·27	X	·	·08	X	·90	X	·34	31
99 Total	4·74	5·15	3·43	2·97	3·09	2·52	2·95	4·75	2·56	12·18	4·15	3·70	YEAR'S TOTAL 52·19
Rain Days.	26	26	21	19	15	17	18	15	11	28	24	23	243

W. 8,000, VIII. 16

3090

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Settle (Gas Works)
in the County of York W-R
by J. W. Shepherd

Lat. Long.
Time of Observation 9 a-m
Nearest Railway Station Settle
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level about 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·	·	·02	·	·11	·	·02	·45	·	·18	·28	1
2	·56	·	·	·03	·	·22	·	·	·03	·10	·	·	2
3	·24	·12	·	·03	·	·41	·	·	·	·45	·03	·	3
4	·	·	·02	·	·	·01	·	·	·	·11	·01	·02	4
5	·40	·	·07	·24	·	·	·	·	·02	·08	·55	·08	5
6	·08	·	·	·	·	·31	·	·	·	·54	·58	·18	6
7	·53	·	·02	·	·	·16	·	·	·	·38	·11	·07	7
8	·31	·	·	·24	·	·04	·	1·48	·01	·62	·25	·21	8
9	·02	·	·01	·22	·02	·	·	·66	·	·15	·60	·	9
10	·30	·	1·26	·24	·22	·	·	·10	·	·03	·	·	10
11	·04	·03		·03	·04	·	·	·38	·	·22	·02	·	11
12	·01	·	·04	·	·43	·	·	·01	·01	·95	·	·02	12
13	·06	·	·	·26	·02	·02	·	·26	·61	·02	·06	·27	13
14	·28	·	·	·16	·01	·	·	·20	·	·	·	·23	14
15	·03	·	·	·09	·	·	·22	·	·15	·14	·03	·38	15
16	·04	·02	·02	·27	·	·10	·03	·56	·10	·	·02	·14	16
17	·02	·15	·15	·23	·08	·	·14	·90	·14	·23	·	·04	17
18	·02	·	·16	·03	·12	·	·49	·14	·36	·02	·13	·	18
19	·03	·11	·38	·	·18	·12	·	·02	·01	·	·02	·02	19
20	·02	·21	·01	·	·26	·28	·	·08	·28	·	·28	·	20
21	·	·04	·05	·	·10	·01	·	·04	·09	·15	·02	·	21
22	·	·	·	·	·	·02	·	·14	·20	·38	·04	·	22
23	·	·07	·	·	·27	·55	·04	·43	·08	·12	·14	·03	23
24	·	·	·	·	·	·01	·04	·71	·	·93	·48	·02	24
25	·	·12	·03	·	·	·	·	·04	·08	·40	·05	·	25
26	·	·	·01	·	·01	·50	·01	·78	·29	·28	·36	·	26
27	·	·	·04	·	·	·26	·72	·43	·	·14	·05	·02	27
28	·	·03	·45	·	·36	·	·03	·10	·02	·02	·06	·	28
29	·	×	·11	·	·	·	·08	·13	·	·44	·05	·	29
30	·01	×	·33	·	·	·	·	·02	·	·21	·26	·	30
31	·	×	·32	×	·13	×	·	·33	×	·	×	·02	31
17 Total	3·06	·90	3·48	2·09	2·25	3·13	1·80	7·96	2·93	7·11	4·38	2·03	YEAR'S TOTAL 41·12
Rain Days.	20	10	19	14	15	17	10	24	18	25	25	17	214

W. 8,000, IX. 17.

Ex Md

24
3090

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Settle (Gas Works)
in the County of York . W.R.
by J W Shepherd

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Settle
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level about 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·15	·01	·11	·03	·	·	·	·57	·07	·33	·20	1
2	·02	·20	·	·08	·	·	·	·	·44	·14	·	·55	2
3	·	·07	·	·	·44	·	·	·	–	·64	·03	·02	3
4	·03	·08	·03	·	·12	·	·	·13	·30	·34	·57	·20	4
5	·02	·06	·06	·19	·10	·29	·	1·08	–	·83	·11	·04	5
6	·06	1·30	·	·40	·	·15	·	·04	·18	·36	·	·	6
7	·01	·12	·	·18	·	·	·	·02	·15	·39	·22	·07	7
8	·14	·19	·12	·	·	·	·27	·02	·43	·14	·16	·03	8
9	·56	·75	·	·06	·	·16	·01	·	·96	·64	·24	·08	9
10	·08	1·29	·02	·01	-	·	·30	·	·84	·18	·61	·02	10
11	·23	·09	·03	·	·13	·	·15	·01	·38	·	·	·15	11
12	·02	·39	·	·06	·08	·	·48	·	·29	·	·	·20	12
13	·	·03	·	·03	·12	·01	·	·	·29	·21	·	·05	13
14	1·05	·	·	·	·01	·20	·12	·01	·20	·08	·03	·29	14
15	·	·	·	·	·	·19	·50	·	1·03	·	·	·84	15
16	·18	·	·	·	·02	·11	·25	·15	·74	·05	·	·24	16
17	·30	·	·	·	·38	·12	·58	·11	·23	·30	·	·50	17
18	·73	·	·14	·	·	·02	·19	·01	·29	·	·	·21	18
19	·25	·06	·20	·10	·	·	·38	·22	·40	·06	·	1·61	19
20	·53	·73	·	·08	·	·07	·30	·	·36	·	·		20
21	·39	·71	·	·	·	·06	·	·	·75	·06	·	·02	21
22	·06	·02	·	·	·40	·22	·15	·05	·23	–	·	1·06	22
23	·09	·01	·	·	·16	·01	·36	·	·12	·	·09	·14	23
24	·08	·09	~	·	·	·	·06	·07	·22	·01	·03	·03	24
25	·	-	·	·	·08	·06	·10	1·00	·23	–	·	·	25
26	·	·08	·	·	·	·	·07	·04	·69	·07	·13	·30	26
27	·	·15	·45	·	·	·12	·	·78	·45	·09	·08	·48	27
28	·	·06	·18	·	·	·	·	·08	·46	·	·09	·65	28
29	·	X	·02	·	·	·	·	·02	·05	·	·	·58	29
30	·	X	·27	·	·	-	·	·06	·01	·03	·14	·07	30
31	·	X	·18	X	·	X	·	·12	X	·	X	·02	31
99 Total	4·84	6·63	1·71	1·30	2·07	1·79	4·27	4·02	11·29	4·69	2·86	8·65	YEAR'S TOTAL 54·12
Rain Days.	21	22	13	11	13	15	17	20	28	20	15	28	223

W. 6,500, VII. 18. W W C

2886

3090

10

20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Settle (Gas Works)
in the County of York W-R
by J. W. Shepherd

Lat. Long.
Time of Observation 9 a-m
Nearest Railway Station - Settle
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level about 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·25	·	·08	·	·30	·	·19	·05	·69	·40	·02	·21	1
2	·20	·	·29	·	·04	·	·23	·01	·17	·09	·03	·13	2
3	·45	·03	·	·01	·13	·12	·36	·	·08	·	·08	·48	3
4	·06	·07	·33	·	·03	·	·17	·10	·01	·	·09	·11	4
5	·08	·	·	·	·10	·	·	·	·	·	·01	·24	5
6	·04	·	·30	·	·65	·	·	·	·01	·02	·01	·36	6
7	·09	·	·15	·06	·04	·	·	·02	·	·	·04	·	7
8	·18	·	·02	·06	·02	·03	·	·09	·	·	·02	·	8
9	1·44	·	·16	·02	·	·03	·	·	·	·	·05	·	9
10	·02	·	1·38	·09	·43	·	·	·	·	·02	·03	·33	10
11	·	·	·55	·03	·16	·	·12	·	·	·03	·	·10	11
12	·	·	·10	·13	·	·10	·06	·	·	·14	·22	·	12
13	·39	·	·	·63	·	·	·10	·10	·	·29	·	·14	13
14	·34	·	·	·45	·	·	·	·	·06	·09	·	·19	14
15	·33	·19	·	·18	·	·	·	·18	·	·	·	·77	15
16	·15	·11	·	·03	·	·	·	·	·	·01	·20	·06	16
17	·04	·02	·	·	·02	·02	·	·44	·	·	·72	·	17
18	–	·	·26	·	·	·	·03	·51	·11	·	·02	·40	18
19	·04	·29	·72	·	·	·17	·02	·16	·02	·	·46	·05	19
20	·70	·18	·	·	·	·40	·12	·23	·	·	·10	·32	20
21	·01	·20	·02	·	·	·05	·04	·12	·09	·	·07	·40	21
22	·	·25	·	·	·	·13	·	·16	·38	·	·05	·34	22
23	·	·	·	·11	·	·12	·	·01	·	1·16	·14	·07	23
24	·02	·	·	·07	·06	·04	·	·02	·27	·12	·29	·19	24
25	·21	·	·	·26	·04	·02	·	·55	·28	·	·23	·	25
26	·25	·02	·75	·05	·	·07	·	·31	·11	·	·03	1·09	26
27	·18	·	·	·19	·	·01	·	·01	·	·	·06	·02	27
28	·	·	·	·03	·	·02	·	·65	·03	·13	·	·72	28
29	·07	X	·	·01	·	·01	·	·38	·	·91	·	·37	29
30	·	X	·07	·12	·	·11	·	·06	·	·08	·50	·45	30
31	·02	X	·09	X	·	X	·40	·	X	·09	X	·05	31
99 TOTAL	6·56	1·36	5·27	2·53	2·02	1·45	1·84	4·16	2·31	3·58	3·47	7·59	YEAR'S TOTAL 42·14
Days with ·01 in. or more	24	10	16	19	13	17	12	21	14	15	24	25	210
Days with ·04 in.	20	7	14	13	10	10	10	16	10	11	16	24	161

(14,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3090

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Settle (Gas Works)
in the County of York W-R
by J. W. Shepherd

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Settle
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level about 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·04	·15	·32	·83	·	·57	·12	·10	·05	·03	·17	1
2	·	·02	·02	·11	·05	·	1·31	·21	·44	·33	·	·73	2
3	·03	·10	·03	·07	·18	·	·10	·47	·22	·31	·	·25	3
4	·	·	·	·04	·11	·	·25	1·05	·07	·72	·	·07	4
5	·	·	·09	·	·55	·	·12	·14	·06	·33	·	·03	5
6	·	·	·34	·24	·25	·	·02	·	·	·	·05	·	6
7	·70	·05	·09	·06	·02	·	·92	·	·	·	·05	·	7
8	·33	·11	·	·26	·29	·	·06	·12	·	·	·02	·	8
9	·39	1·09	·	·47	·	·	·40	·	·03	·	·02	·03	9
10	·74	·40	·06	·22	·	·	·27	·11	·	·	·	·06	10
11	·35	·13	·07	·06	·43	·11	·	·	·	·	·	·10	11
12	·24	·70	·59	·47	·09	·	·29	·	·01	·	·25	·12	12
13	·19	·15	·17	·22	·04	·17	·08	·	·	·	·54	·16	13
14	·09	·33	·19	·54	·	·45	·09	·	·24	·12	1·31	·	14
15	·08	·16	·01	·85	·	·	·	·	·	·10	·05	·	15
16	·03	·	·07	·04	·07	·	·75	·	·50	·05	·34	·	16
17	·17	·	·05	·	·23	·	·12	·27	·31	·	·	·	17
18	·19	·04	·	·06	1·15	·	·	·03	·07	·	·	·	18
19	·15	·40	·	·09	·11	·08	·03	·06	·03	·	·	·	19
20	·10	·	·	·12	·	·	·05	·	·12	·	·	·30	20
21	·05	·	·	·	·	·	·40	·	·01	·	·	·41	21
22	·25	·	·	·47	·	·08	·68	·02	·	·	·	·29	22
23	·	·	·03	·06	·	·	·25	·	·	·	·	·	23
24	·05	·	·82	·06	·	·	·10	·	·	·	·	·	24
25	·	·10	·15	·07	·	·05	·45	·	·	·	·	·01	25
26	·06	·03	·45	·18	·11	·	·07	·	·	·	·08	·04	26
27	·18	·	·23	·10	·37	·54	·03	·	·	·	·15	·12	27
28	·27	·06	·36	·22	·	·08	·01	·	·	·	·	·33	28
29	·26	·05	·06	·	1·45	·04	·39	·	·	·	·	·69	29
30	·33		·05	·	·20	·06	·	·	·25	·	·56	·70	30
31	·30		·03		·04		·03	·		·30		·28	31
99 TOTAL	5·64	3·96	4·11	5·40	6·57	1·66	7·84	2·60	2·46	2·31	3·45	4·89	YEAR'S TOTAL 50·89
Days with ·01 in. or more	25	18	23	25	20	10	27	11	15	9	13	20	216
Days with ·04 in. or more	23	16	18	25	19	10	22	9	11	9	10	17	189

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20 Gp.132. A.&E.W.

Cor for arith 16·1

REGIST

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

SETTLE
GIGGLESWICK SCHOOL
YORKSHIRE

1911 - 1916, 1919 - 1920

Kept at Giggleswic

in the County of Yorksh

by P. Haswell

8 in.
Ground 1 ft. 0 in.
Sea Level 580 ft.

A.M.
Names { Settle / Giggleswick
Distances 1 m Directions S.E. / S.W.

IMPORTANT NOTE.—R the result entered to the previous day. If an Observer ersal rule, he is earnestly requested to add the reading a ar in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·48	—	·03	—	·09	·07	—	—	·37	·04	1
2	·20	—	·06	—	·28	—	·05	·02	—	·11	·14	}	2
3	—	—	·21	—	·64	—	—	·10	·02		·79	·26	3
4	·47	—	·03	·08	·02	—	·03	·53	·02	·05	·67	·45	4
5	·15	—	·03	·03	—	—	—	·57	—	—	·16	·18	5
6	·06	—	·01	·02	—	—	—	·47	—	—	·32	·34	6
7	·04	—	·01	trace	—	—	—	—	—	—	·21	—	7
8	~~·53~~	—	·25	—	—	—	—	—	—	—	·28	1·06	8
9	·53	—	trace	—	—	—	—	—	—	—	}	}	9
10	·13	·10	·09	—	}	—	—	—	trace	—	trace	1·08	10
11	·06	—	·02	—	trace	—	—	—	·12	—	}	·11	11
12	—	—	·22	—	}	—	—	—	1·08	—	·47	—	12
13	·02	·02	—	—	·24	—	—	—	—	—	·21	·65	13
14	—	·22	·05	—	·47	trace	—	—	trace	—	·12	·33	14
15	trace	·37	·06	·03	—	—	—	—	—	·04	·82	·25	15
16	·03	·64	·05	·06	—	·11	·07	—	—	—	·40	}	16
17	—	·02	·04	—	trace	1·48	·04	—	—	—	·31	·38	17
18	—	·88	·11	·02	—	·04	—	·03	—	·02	·01	·24	18
19	trace	·04	trace	·13	—	·14	·08	—	·30	·19	·19	·81	19
20	—	·14	—	·33	—	·04	·12	·07	·26	·03	trace	·15	20
21	—	·97	·01	·04	—	·04	·08	·14	·09	·15	trace	·10	21
22	·20	·16		·06	—	·06	—	trace	—	·32	·04	·01	22
23	·01	·66	·03		·15	·25	—	·04	·25	·27	—	·25	23
24	·11	·14	—	·13	—	·67	trace	·02	trace	·26	—	·25	24
25	·03	·03	—	·21	—	·05	·04	trace	·54	·08	—	·27	25
26	trace	trace	—	·18	—	—	—	—	trace	1·39	·19	·21	26
27	·01	·49	·01	·21	trace	·01	trace	—	·20	—	·01	·09	27
28	—	·28	—	·28	—	·20	—	·50	·34	—	—	·37	28
29	—		—	·21	—	·16	·02	·06	·43	1·52	—	·12	29
30	—		—	·01	—	·03	—	—	—	·65	·01	—	30
31	—		·01		·15		trace	—		·18		·11	31
Total	2·05	5·16 5·16	1·78 1·78	2·03	1·98	3·28	·62	2·62	3·65	5·26	5·72	8·11	TOTAL for year ~~42·76~~ 42·26
No. of Rain Days.	15	16	20	17	8	14	10	13	12	15	20	28	188 days.

W. 8,000, X. '11.

Cor^d for arith 16·11

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Giggleswick School
in the County of Yorkshire W·2
by P. Haswell

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 500 ft.

Time of Observation 9 A.M.
Nearest Railway Station: Names Settle, Giggleswick; Distances 1 m; Directions S.E., S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·48	—	·03	—	·09	·07	—	—	·37	·04	1
2	·20	—	·06	—	·28	—	·05	·02	—	·11	·14	}	2
3	—	—	·21	—	·64	—	—	·10	·02		·79	·26	3
4	·47	—	·03	·08	·02	—	·03	·53	·02	·05	·67	·45	4
5	·15	—	·03	·03	—	—	—	·57	—	—	·16	·18	5
6	·06	—	·01	·02	—	—	—	·47	—	—	·32	·34	6
7	·04	—	·01	trace	—	—	—	—	—	—	·21	—	7
8	~~·53~~	—	·25	—	—	—	—	—	—	—	·28	1·06	8
9	·53	—	trace	—	—	—	—	—	—	—	}	}	9
10	·13	·10	·09	—	}	—	—	—	trace	—	trace	1·08	10
11	·06	—	·02	—	trace	—	—	—	·12	—	}	·11	11
12	—	—	·22	—	}	—	—	—	1·08	—	·47	—	12
13	·02	·02	—	—	·24	—	—	—	—	—	·21	·65	13
14	—	·22	·05	—	·47	trace	—	—	trace	—	·12	·33	14
15	trace	·37	·06	·03	—	—	—	—	—	·04	·82	·25	15
16	·03	·64	·05	·06	—	·11	·07	—	—	—	·40	}	16
17	—	·02	·04	—	trace	1·48	·04	—	—	—	·31	·38	17
18	—	·88	·11	·02	—	·04	—	·03	—	·02	·01	·24	18
19	trace	·04	trace	·13	—	·14	·08	—	·30	·19	·19	·81	19
20	—	·14	—	·33	—	·04	·12	·07	·26	·03	trace	·15	20
21	—	·97	·01	·04	—	·04	·08	·14	·09	·15	trace	·10	21
22	·20	·16		·06	—	·06	—	trace	—	·32	·04	·01	22
23	·01	·66	·03		·15	·25	—	·04	·25	·27	—	·25	23
24	·11	·14	—	·13	—	·67	trace	·02	trace	·26	—	·25	24
25	·03	·03	—	·21	—	·05	·04	trace	·54	·08	—	·27	25
26	trace	trace	—	·18	—	—	—	—	trace	1·39	·19	·21	26
27	·01	·49	·01	·21	trace	·01	trace	—	·20	—	·01	·09	27
28	—	·28	—	·28	—	·20	—	·50	·34	—	—	·37	28
29	—		—	·21	—	·16	·02	·06	·43	1·52	—	·12	29
30	—		—	·01	—	·03	—	—	—	·65	·01	—	30
31	—		·01		·15		trace	—		·18		·11	31
Total	2·05	5·16 5·16	1·78 1·78	2·03	4·98	3·28	·62	2·62	3·65	5·26	5·72	8·11	TOTAL for year ~~42·76~~ 42·26
No. of Rain Days.	15	16	20	17	8	14	10	13	12	15	20	28	188 days.

W. 8,000, X. '11.

and by Settle } 15.iii.13
- [illegible]

W DSS

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

9 JAN 1913

Kept at Giggleswick

in the County of Yorkshire W.2

by P. Haswell

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 500 ft.

Time of Observation 9 a

Nearest Railway Station
Names Giggleswick. Settle
Distance 1 mile Direction S.W. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·02	–	0·37	–	0·005	0·07	0·63	0·01	0·54	–	~~0·01~~	0·31	1
2	0·03	–	0·64	0·01	0·07	0·12	0·13	–	0·12	0·005	–	0·02	2
3	0·29	–	0·16	–	–	0·47	–	0·46	0·60	–	0·01	0·18	3
4	0·60	–	1·29	0·42	0·02	0·27	–	0·48	0·06	–	0·27	0·04	4
5	0·16	–	0·03	0·01	0·~~04~~ 21	0·27	–	0·09	0·03	–	0·02	0·03	5
6	0·27	0·33	0·02	–	0·01	0·04	–	0·22	–	0·005	0·02	–	6
7	–	0·15	0·02	0·17	0·07	0·01	0·10	0·04	0·21	–	0·24	–	7
8	0·56	0·27	0·18	0·02	0·16	0·15	–	–	0·05	–	0·09	0·01	8
9	0·26	0·10	0·41	0·29	–	0·20	–	–	–	–	·05 0·06	0·18	9
10	0·18	0·01	–	0·03	0·005	0·51	0·04	0·01	–	–	0·68	0·03	10
11	0·07	0·01	0·005	–	0·02	–	0·07	–	–	–	0·04	0·52	11
12	0·15	0·02	0·23	–	–	0·23	0·01	–	–	–	–	0·38	12
13	–	–	0·005	–	–	0·005	–	0·14	–	0·27	0·01	1·06	13
14	0·35	–	0·37	0·02	–	0·34	–	0·07	–	0·01	–	0·54	14
15	0·14	0·11	0·06	–	0·57	0·21	–	0·03	–	0·05	–	0·13	15
16	1·14	0·005	0·23	–	0·02	0·14	–	0·07	0·005	0·21	0·02	0·05	16
17	–	0·20	0·42	–	0·03	0·80	–	0·42	0·005	0·02	(·06) 0·01	0·43	17
18	0·03	0·02	0·015	–	–	0·13	0·01	0·34	–	0·27	0·21	0·21	18
19	0·05	0·11	0·60	–	–	0·07	–	0·21	–	0·15	0·02	0·01	19
20	0·20	–	0·16	–	0·80	0·18	–	0·17	–	0·49	–	0·10	20
21	–	0·02	0·07	–	0·02	0·01	–	–	–	0·02	0·02	0·04	21
22	0·04	0·35	–	–	0·30	0·03	0·01	0·52	–	–	0·36	–	22
23	–	0·01	0·18	–	–	0·08	0·28	0·38	–	–	0·36	0·03	23
24	0·01	–	0·11	–	–	0·19	0·13	0·04	–	0·07	0·50	0·32	24
25	–	0·02	0·08	–	–	0·68	0·41	0·03	–	0·005	0·47	0·34	25
26	–	0·29	0·12	–	–	0·02	0·26	0·03	–	1·69	0·01	0·04	26
27	–	0·10	0·275	–	0·005	0·80	0·41	–	–	0·32	0·19	0·41	27
28	0·02	0·09	0·08	–	–	0·06	0·66	0·60	0·03	0·28	–	–	28
29	0·02	0·05	0·16	–	–	–	0·23	0·22	0·33	0·33	–	0·26	29
30	–		0·26	–	0·13	–	0·11	–	0·01	0·02	–	0·04	30
31	–		0·10		0·07		0·71	0·27		0·01		0·18	31
Total	4·580	2·265	6·650	0·970	2·515	~~5·88~~ 6·035	4·200	4·850	1·990	4·2~~2~~5 4·225	3·86	5·89	TOTAL for year ~~48·99~~ 48·03
No. of Rain Days	21	20	~~29~~ 28	8	~~18~~ 16	27	17	23	~~12~~ 11	~~19~~ 17	22	27	2~~43~~

9,000, IX. '10.

S. made ✓

[illegible] 9·iv·14

REGISTER OF RAINFALL IN 1913

FORM A2. BRITISH RAINFALL. 7-JAN 1914

Kept at Giggleswick School

in the County of Yorks W. Riding P/2

by P. Haswell B.A.

RAIN GAUGE: Pattern Snowdon ?
Diameter of top 8 in.
Height of top above Ground — ft. 11½ in.
" " " Sea Level ft.

Time of Observation 9 A.M.

Nearest Railway Stations: Name Settle & Giggleswick
Distance 1 mile each Direction Settle E, Gig S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·19	0·02	0·22	0·16	—	—	—	—	—	—	0·11	0·01	1
2	0·04	0·23	1·12	0·01	—	0·18	—	—	—	—	0·34	0·12	2
3	0·08	0·22	0·41	—	0·45	—	—	—	—	—	0·05	0·24	3
4	0·58	0·12	0·08	—	—	0·04	—	—	—	—	0·24	0·56	4
5	0·35	0·11	0·02	—	0·02	0·07	0·07	0·03	—	—	—	—	5
6	0·08	0·48	0·39	—	0·72	0·15	0·22	0·05	—	—	0·01	—	6
7	0·01	0·68	—	—	0·28	0·25	0·01	—	—	0·42	—	0·03	7
8	—	0·21	0·07	—	0·23	0·09	—	0·09	—	0·02	0·06	0·03	8
9	—	0·09	0·46	—	0·06	0·77	0·01	0·01	0·06	—	0·13	0·20	9
10	0·25	—	0·44	0·17	·03	0·04	0·01	—	—	0·04	0·25	—	10
11	0·13	—	0·01	0·25	0·01	0·05	—	—	0·24	0·10	0·15	0·11	11
12	2·00	—	0·01	—	—	—	0·03	0·02	0·25	[illegible]	0·14	0·05	12
13	—	0·01	0·47	—	—	—	0·11	0·01	—	0·10	0·12	—	13
14	—	—	0·25	0·22	—	—	0·06	—	0·01	0·20	0·04	0·05	14
15	0·08	—	0·52	0·67	—	—	—	0·14	—	—	0·60	0·13	15
16	—	—	0·10	0·02	0·09	—	0·02	—	—	—	0·26	0·02	16
17	—	—	0·01	—	0·03	0·03	0·16	—	—	—	0·27	—	17
18	0·10	—	0·47	0·51	0·15	0·02	0·02	—	0·05	—	0·47	—	18
19	0·08	—	—	0·38	0·01	0·03	—	—	—	0·10	0·52	—	19
20	0·10	—	0·22	0·11	0·10	—	—	—	—	0·40	1·10	—	20
21	~~0~~ —	—	0·44	—	0·05	—	0·13	0·04	0·06	—	—	—	21
22	0·35	—	0·44	—	0·24	0·03	—	0·56	0·25	—	—	—	22
23	0·49	—	0·09	—	—	0·24	—	0·25	—	—	0·17	0·01	23
24	0·58	0·04	—	0·05	—	0·30	—	0·18	0·66	—	0·06	0·07	24
25	—	—	—	0·06	—	—	—	—	0·59	—	0·05	0·51	25
26	—	0·02	0·03	1·36	—	0·01	—	—	—	0·05	—	0·87	26
27	—	—	—	0·26	0·60	0·03	—	—	—	0·18	~~0·04~~	0·06	27
28	0·54	0·01	0·25	0·40	0·04	—	—	—	—	0·01	—	0·07	28
29	—		0·23	0·61	0·01	—	—	0·26	—	0·06	0·16	—	29
30	0·85		0·01	—	0·13	—	—	—	—	0·20	0·03	—	30
31	0·42		0·12		#		—	—		—		—	31
Total	7·30	2·24	6·88	5·24	3·25	2·32	~~0·87~~ 0·85 ·85	~~1·68~~ 1·63 1·63	2·17	1·88	5·33	3·14	TOTAL for year 42·23
No. of Rain Days.	20	14 13	26	16	19	17	12	12	9	14 13	24	18	~~42·14~~ 42·14 198

W. 8,000, X. '11.

Total 42·14" on 201 days

cwd fr anth 9.IV.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Giggleswick School
in the County of Yorkshire WR 2
by F. Haswell.

Lat. 54° 4′ Long. 2° 17′
Time of Observation 9 am
Nearest Railway Station Giggleswick
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·01	·10	—	—	·01	·56	·23	—	·05	·34	·41	1
2	—	·08	·03	·04	·03	—	·21	·57	—	·10	·03	·41	2
3	·21	·01	·22	—	·63	—	·01	·08	—	—	·04	1·04	3
4	·37	—	·17	·38	·24	—	—	—	—	—	·29	·40	4
5	·04	—	·64	·24	·04	·12	·03	—	—	—	·24	·37	5
6	—	·02	·05	·12	·10	—	—	·10	—	—	·02	·19	6
7	·04	·03	·22	·04	·10	·07	—	·03	—	—	·05	·22	7
8	~~1·16~~	·02	·10	·07	·24	·10	·01	·50	—	·01	·26	·22	8
9	1·58	·12	—	·15	~~·04~~	·53	—	·04	—	—	·47	·01	9
10	—	·27	—	·01	·04	—	—	·02	·24	—	·59	—	10
11	—	·10	·37	—	·08	—	·06	—	·10	—	·40	·45	11
12	—	·42	·08	—	—	—	·16	—	·61	—	·37	·39	12
13	—	·53	·21	—	—	—	·05	—	·08	·02	—	·16	13
14	—	·89	·08	—	—	—	·13	—	·15	—	·31	·39	14
15	—	·03	·38	—	—	—	—	—	·21	—	—	—	15
16	·06	—	·03	—	—	—	1·02	—	1·05	—	—	·02	16
17	·04	·39	·11	—	—	—	·19	—	·25	—	—	1·27	17
18	—	·28	·05	—	—	·22	·02	—	·03	—	—	·11	18
19	—	·08	·54	—	—	—	·02	—	·06	—	·02	·10	19
20	—	·24	·04	—	·01	—	—	—	—	—	—	·05	20
21	—	·39	—	—	·01	·06	·06	·25	—	·06	·02	·01	21
22	—	·36	·05	·01	·16	·31	—	·08	—	·05	—	—	22
23	—	·17	·13	·04	·16	·12	·03	—	—	—	—	—	23
24	·29	—	·27	·03	·06	·01	·11	·17	—	—	·11	—	24
25	·14	—	·04	—	—	—	·07	·33	—	1·03	·06	·77	25
26	·02	—	·02	—	—	—	·02	·02	—	·17	·31	·20	26
27	·06	·03	—	—	—	—	—	—	·02	·33	·46	·50	27
28	·09	·16	·42	—	·02	·15	—	·01	—	·08	·53	·13	28
29	·25		·27	—	·04	—	—	·17	—	·18	·56	—	29
30	·34		·72	—	—	—	—	·03	—	·01	·52	·19	30
31	·85		·05		·01		·46	—		·18		—	31
Total	4·56.	4·63	5·39 5·39	1·13	~~2·02~~ 1·95	~~1·50.~~ 1·60	3·22	~~2·13~~ 2·63	2·80	~~2·17~~ 2·27	~~6·01~~ 6·00	~~4·21~~ 8·41	YEAR'S TOTAL ~~41·29~~ 44·59
Rain Days.	17	22	27	11	17	11	19	~~17~~ 16	11	13	22	24	~~215.~~ 210

W.7,000, XI. 13

ent 27.IV.16

3260

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5 JAN 1916

Kept at Giggleswick School
in the County of Yorkshire 2
by P. Haswell BA

Lat. 54° 4' Long. 2° 17'
Time of Observation 9 am
Nearest Railway Station Giggleswick
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·52	0·58	0·02	–	0·10	–	0·01	0·32	0·11	–	0·01	–	1
2	·02	·49	·36	0·36	–	0·09	·36	·20	·03	–	–	–	2
3	·20	·04	·12	·32	–	·01	·39	·04	–	–	–	0·44	3
4	–	·36	·02	–	·03	·05	–	–	–	–	–	·76	4
5	·41	·27	·27	–	–	·01	–	·05	–	–	–	1·35	5
6	·43	·25	·04	·40	–	–	·52	·04	–	–	–	·30	6
7	·51	1·25	–	·12	–	–	·58	·06	–	–	–	·19	7
8	·20	·36	–	·16	–	–	·17	·08	–	–	·89	–	8
9	·02	·05	–	–	–	–	·01	·03	–	–	·37	·32	9
10	·59	–	·10	·05	–	–	·01	·17	–	0·10	–	·50	10
11	·27	·02	–	–	·70	–	·05	·10	–	–	·02	·32	11
12	·33	–	–	·07	·01	–	·23	·10	–	·42	·63	–	12
13	·12	·20	–	·04	–	–	·02	·10	–	–	–	·07	13
14	·36	–	–	·04	·01	–	·14	·19	·04	·01	–	·18	14
15	1·11	–	–	·05	–	–	–	·10	·05	–	·27	·28	15
16	–	·83	–	·01	·06	–	·06	·58	–	–	–	·01	16
17	–	·48	·02	–	–	–	·01	–	–	–	–	–	17
18	–	·43	·20	–	–	–	–	–	–	·01	–	–	18
19	–	·12	·07	·27	·12	–	·36	–	–	–	–	–	19
20	·22	·02	·01	·01	·11	–	·15	–	–	–	–	·34	20
21	·08	·05	–	·04	–	–	–	–	–	–	–	·11	21
22	–	–	·05	–	–	–	·02	–	–	–	–	·23	22
23	–	–	·22	–	–	·01	·43	–	·07	·16	–	·38	23
24	–	–	·05	·03	–	–	·02	–	·50	·03	–	·46	24
25	–	–	–	–	–	–	–	–	·14	–	–	·18	25
26	–	·55	–	–	–	·10	·16	–	–	–	–	·62	26
27	–	·23	·02	–	–	·15	·08	·37	–	·61	–	·26	27
28	–	·22	·01	–	·03	·14	–	·02	–	·06	–	·10	28
29	–	✕	–	–	·05	–	–	–	–	–	·18	·36	29
30	–	✕	–	·15	–	·48	–	–	–	–	·01	·05	30
31	·33	✕	–	✕	–	✕	–	·39	✕	·01	✕	·46	31
Total	5·7~~4~~2	6·80	1·58	2·12	1·22	1·04	3·78	2·94	0·94	1·41	2·38	8·4~~5~~7	YEAR'S TOTAL 38·40
Rain Days.	17	20	16	16	10	9	21	18	7	9	8	24	175

W. 8,000. X. 14.

W DL

3190

and for month

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

15. 1917

Kept at Giggleswick School
in the County of Yorkshire W R
by P. Haswell

Lat. 54° 4′ Long. 2 17½ W
Time of Observation 9 a
Nearest Railway Station Giggleswick or Settle
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·85	·01	·01	—	—	·26	·48	—	—	—	·07	—	1
2	·09	·23	—	—	—	·17	·01	—	·14	·08	·03	—	2
3	·01	—	—	·04	—	·10	·05	—	1·86	·18	·28	—	3
4	·10	·11	—	—	·35	·67	·08	—	·09	·66	·25	·02	4
5	·10	·64	·02	—	·11	·25	—	—	—	1·87	·55	—	5
6	·60	·43	·12	·01	·29	·04	·06	—	—	·37	·61	·03	6
7	·04	·10	·06	—	·55	·02	·68	—	—	·67	·09	·23	7
8	—	·07	·01	—	·20	·03	·12	—	—	·08	·26	·03	8
9	·05	—	—	—	·44	·25	·01	—	—	·01	·10	·24	9
10	·10	—	·05	·13	—	·30	·08	—	—	1·11	·11	—	10
11	·07	·33	·13	·44	·06	—	·08	—	—	·06	·02	·09	11
12	·12	·28	·52	·13	·34	·02	·65	—	·02	·16	·07	·03	12
13	—	·22	—	·04	·01	—	—	·58	·01	·93	·01	·03	13
14	·03	·26	·36	·19	·28	—	—	1·20	—	·39	—	·03	14
15	·07	·55	·61	·04	—	—	·11	·87	·05	·12	—	—	15
16	·01	·23	—	·35	—	—	·13	·07	·04	·03	—	—	16
17	·23	·30	—	·41	—	—	·66	—	—	·16	—	=	17
18	·01	·50	·15	·11	—	—	—	·05	·56	·12	·26	·*	18
19	·52	—	·18	·23	—	—	—	·06	·32	—	·07	·30	19
20	·46	—	—	·03	—	—	·03	·24	—	—	·10	·04	20
21	·40	—	—	·15	·02	—	—	—	—	—	—	—	21
22	—	·03	·27	·02	—	·15	—	—	—	·29	·08	·22	22
23	·17	·02	·02	·18	—	—	—	—	—	·07	·30	·79	23
24	·01	·01	·23	·02	—	·17	—	·29	—	·09	·02	·11	24
25	·01	—	·30	—	·18	·02	—	·62	—	·25	·16	→	25
26	·12	·07	·09	—	—	—	·30	·32	—	·07	·04		26
27	—	·10	·08	—	—	—	—	·02	·03	·60	—	—	27
28	·13	·07	·02	·13	—	·13	—	—	—	·36	·13	1·06	28
29	·03	·22	—	—	—	·08	—	—	—	·37	·14	·03	29
30	·03	X	—	—	—	·02	·04	—	—	1·03	·02	·19	30
31	—	X		X	·26	X	—	·07	X	·63	X	·38	31
Total	4·36	4·78	3·23	2·65 2·65	3·09 3·09	2·68 2·68	2·97	4·39	3·12	10·76	3·77	3·86 3·85	YEAR'S TOTAL 49·67 49·65
Rain Days.	26	22	19	18	13	17	17	12	10	27	24	18	224 223

W. 8,000, VIII. 16

M. W. R. 3042

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

RAINFALL IN 1917

At Giggleswick ✓

In the County of York W. Riding

Rain Gauge

Diameter of Funnel .... in.

Height of Top — *Above Ground* ...... ft. ...... in.

Height of Top — *Above Sea Level* 499 ft.

Month.	Total Depth. M.M.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	65	2.56		
FEB.	20	.79		
MAR.	87	3.43		
APR.	50	1.97		
MAY	53	2.09		
JUNE	71	2.80		
JULY	40	1.57		
AUG.	.			
SEPT.	.			
OCT.	171	6.73		
NOV.	95	3.74		
DEC.	.			
Total	.	.		.

Signed M. O.

[Please fill in the other side also.

W. 16,000. ix.17.

FORM B.
BRITISH RAINFALL

To be filled and returned
to THE DIRECTOR, 8
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure. 9

RAINFALL IN 1918

At Giggleswick "School"
In the County of Yorkshire

Rain Gauge
Diameter of Funnel 8 in.
Height of Top — *Above Ground* 1 ft. 2 in.
Height of Top — *Above Sea Level* 499 ft.

PLEASE FILL IN.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.				
FEB.	4·47	·55	3	21
MAR.	* ~~1·60~~	·45	20	7
APR.				
MAY				
JUNE	1·84	·32	6	14
JULY	* ~~3·22~~	·72	22	10
AUG.				
SEPT.				
OCT.	4·41	·81	5	21
NOV.	2·64	·58	10	17
DEC.	9·88	2·15	1	27
Total	—			

~~18·48.~~

Signed P. G. Marshall.

[Please fill in the other side also.

W. 13,000. vii.18. W W C

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

Accurate map.

State pattern and maker of Gauge, if known.

Meteorological Office

Maker. J. J. Hicks.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
House	40 ft	60 ft.	N.
"	60 "	120 ".	W.

In order that the position may be accurately entered on a map please mention

Latitude 54° 4′ 18″ N.

Longitude 2° 7′ 20″ W

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Giggleswick	1 mile	S W
Church	"	600 yds.	E

~~If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.~~

* March. Only 1st – 20th.

July " 1st – 23rd.

CA

Write

Yorks WR

GIGGLESWICK SCHOOL,
SETTLE,
YORKSHIRE.

19/1/19.

To
The Director "British Rainfall
Organization".

Dear Sir,
I am now able to send you the rainfall details for December.

Total depth 9·88 ins.
Greatest fall in 1 day.
2·15 ins on the 21st.
Rain fell on 27 days.

This exceeds the record for the month by about 1 in. The previous record was in

December 1915.
Now that Mr Haswell has returned I expect he will be sending you the returns at the end of this year.
I shall, however, still be able to send my own records from Ilkley.

I am,
Yours sincerely,
P. G. Marshall.

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

15 JAN 20

Kept at Giggleswick School
in the County of Yorks W Riding
by P. Haswell. B.A.

Lat. 54° 4' Long. 2° 18' W
Time of Observation 9 A.M.
Nearest Railway Station Settle or Giggleswick each 1 mile
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	1·7	–	7·3	–	5·0	–	–	9·2	1·1	5·0	1
2	–	–	–	–	–	–	4·7	3·6	–	1·4	0·2	3·0	2
3	–	1·7	–	–	–	2·6	8·2	–	–	–	1·4	12·8	3
4	–	0·8	–	0·6	5·1	0·2	4·2	2·0	–	–	1·2	3·0	4
5	–	–	–	–	7·0	–	–	–	–	0·4	0·2	7·0	5
6	–	–	21·1	–	16·7	–	–	–	–	–	–	8·4	6
7	–	–	4·5	1·1	1·3	–	–	–	–	–	0·1	–	7
8	–	–	0·3	2·1	0·3	–	–	2·5	–	–	–	–	8
9	–	–	1·6	0·3	–	2·4	–	–	–	–	1·1	–	9
10	–	–	35·5	2·5	–	–	1·4	–	–	0·2	0·5	7·8	10
11	–	–	10·2	10·1	7·4	–	2·2	–	–	0·9	–	1·9	11
12	–	–	2·7	3·8	–	1·2	2·1	–	–	4·1	4·3	–	12
13	–	–	–	14·0	–	0·8	–	–	–	5·9	–	3·3	13
14	–	–	–	8·1	–	–	–	7·9	–	–	–	3·5	14
15	–	3·8	–	4·1	–	–	–	12·7	–	–	–	19·1	15
16	–	1·5	–	–	–	–	–	–	–	–	5·1	0·3	16
17	–	0·4	–	–	0·3	0·4	–	–	–	–	18·1	0·9	17
18*	115·06	–	–	–	–	4·2	0·8	–	–	–	0·4	9·4	18
19	–	6·6	19·5	–	–	–	0·5	–	–	–	13·7	1·4	19
20	7·62	5·1	–	–	–	12·5	2·5	–	–	–	2·6	11·1	20
21	16·51	4·2	0·2	–	–	0·3	–	–	–	–	0·3	10·3	21
22	1·02	6·0	–	–	–	2·3	0·7	–	3·0*	0·4	1·4	8·1	22
23	–	–	–	–	–	2·8	–	–	–	24·7	4·3	2·0	23
24	0·25	–	0·2	4·9	0·2	1·1	–	–	7·2	2·0	7·2	3·0	24
25	0·25	–	–	7·1	1·8	1·1	–	–	7·3	–	5·0	–	25
26	5·08	–	19·4	1·2	–	1·1	–	–	2·2	–	0·3	26·0	26
27	11·18	–	0·3	–	–	–	–	–	–	–	1·1	5·0	27
28	–	–	–	–	–	0·2	–	–	–	2·5	–	16·2	28
29	0·76	–	–	–	–	–	–	–	–	20·7	–	10·3	29
30	–	✕	–	3·8	–	2·1	–	–	–	1·5	7·0	6·3	30
31	0·25	✕	3·1	✕	–	✕	9·7	–	✕	–	✕	2·2	31
Total	157·98 ~~155·98~~	30·1	120·3	63·7	47·4 ~~47·5~~	35·3	42·0	28·7	19·7	73·9 ~~74·3~~	76·6 ~~77·8~~	187·3 ~~187·[illegible]~~	YEAR'S TOTAL 883·0 ~~883·2~~
Rain Days.	from 19 ~~9~~	9	14	14	10	16	12	till 15 ~~5~~	from 22 ~~4~~	13 ~~12~~	21 ~~22~~	26	~~153~~

W. 8,000, IX. 17.

2771

JAN 1921

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Giggleswick School

in the County of Yorkshire, W.R.

by P. Haswell B.A.

Lat. 54° 4' Long. 2° 15' W

Time of Observation 9 am G.M.T.

Nearest Railway Station Giggleswick

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2·2	0·8	3·5	8·7	17·6	0·2	16·7	1·6	2·0	0·5	0·6	4·9	1
2	—	0·6	0·2	1·7	1·3	—	20·0	7·5	10·5	10·0	Trace	16·9	2
3	0·2	2·5	1·1	1·4	5·1	·	2·3	9·2	5·3	6·7	Trace	8·8	3
4	0·2	-	0·1	0·9	2·2	-	5·7	27·8	1·3	15·0	Trace	1·5	4
5	—	-	2·0	Trace	14·2	-	4·0	2·8	1·6	7·6	Trace	0·3	5
6	-	-	7·7	8·1	5·6	-	0·4	Trace	—	1·0	1·2	1·3	6
7	16·0	1·0	2·9	0·4	0·6	·	22·0	—	0·1	—	1·2	—	7
8	5·7	2·1	—	5·8	4·4	·	2·2	2·1	—	-	0·6	—	8
9	10·2	33·3	0·7	9·0	—	-	9·3	0·3	0·9	-	0·4	0·5	9
10	20·0	13·1	1·5	5·5	—	—	6·4	1·9	—	-	-	0·9	10
11	7·3	3·1	1·2	0·5	9·1	2·0	Trace	-	-	—	-	—	11
12	7·0	15·2	15·3	10·5	2·0	—	4·4	-	-	-	5·9	3·0	12
13	4·4	4·0	4·5	4·5	1·1	10·5	1·0	-	—	—	14·3	4·3	13
14	2·0	7·5	3·5	13·5	—	3·9	1·7	—	5·7	1·2	30·7	Trace	14
15	1·6	4·0	0·2	20·3	-	-	Trace	-	0·2	2·8	1·8	Trace	15
16	1·0	0·2	1·7	0·7	1·4	—	16·3	—	15·2	—	11·2	—	16
17	4·6	-	1·8	—	5·5	—	2·7	6·5	7·1	0·7	0·1	—	17
18	4·7	0·3	Trace	1·2	30·9	Trace	Trace	1·0	1·1	-	—	—	18
19	2·0	8·3	Trace	2·1	2·1	1·5	0·5	1·2	0·8	-	Trace	—	19
20	2·0	Trace	—	2·3	-	0·2	1·5	-	2·0	-	—	2·1	20
21	1·2	Trace	-	-	-	-	10·0	-	0·2	0·2	—	7·0	21
22	6·7	Trace	-	7·7	-	1·5	15·8	0·3	—	-	—	0·8	22
23	0·2	-	0·8	1·8	-	-	5·5	-	-	Trace	0·2	8·5	23
24	1·7	—	21·2	2·4	·	-	1·5	-	-	—	—	—	24
25	—	2·3	3·8	1·7	-	1·0	10·1	Trace	-	—	—	6·8	25
26	3·3	1·3	14·5	4·5	3·4	—	1·5	—	-	-	1·0	2·5	26
27	3·0	0·2	4·6	(3·8)	9·0	12·0	0·3	—	-	-	3·0	2·9	27
28	5·3	1·0	9·7	6·7	0·3	1·8	0·8	-	-	-	Trace	9·2	28
29	5·8	1·5	1·3	0·5	38·0	(0·8)	10·0	-	-	-	6·3	15·6	29
30	8·6		—	—	3·0	1·3	—	-	5·8	—	5·0	12·0	30
31	(8·0)		—		0·9		0·9	—		5·4		7·5	31
TOTAL	134·9	~~98·2~~ 102·3	103·8	126·2	157·7	36·5	173·5	62·2	59·8	~~45·7~~ 51·1	83·5	117·3	1208·8 ~~1203·3~~
Days with 0·2 mm. or more	27	20	23	26	21	12	27	12	15	11	15	21	~~229~~ 230
△ 1·0 mm	24	15	18	21	18	9	22	10	11	8	11	17	184

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

SHEFFIELD W.W
(RIVELIN)
YORKSHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.
1 MAR 1912

REGIST

Kept at Rivelin : (G
in.
und ft. in.

in the County of W.R. Yorksh
Level ft.

by L S M Mars
me
tance Direction

IMPORTANT NOTE.—Ra e result entered to the previous day. If an Observer al rule, he is earnestly requested to add the reading at in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·210				·050	·120			·040		1
2	·200				·090							·105	2
3	·020			·010	·305	·005			·005	·030	·205	·020	3
4	·025		·030	·030	·010			·005	·100	·140	·455	·265	4
5	·060		·015	·020				·140		·285		·020	5
6	·535		·020	·050				·110		·080	·740	·830	6
7	·025	·005	·005								·105		7
8	·115		·200						·045	·020	·105	·550	8
9	·015		·005	·010		·045						·100	9
10	·040	·025	·030									·885	10
11	·215							·010			·605	·010	11
12	·010		·150		·025				·605	·005	·235		12
13	·020		·030								·080	·305	13
14		·160	·040		·120						·060	·650	14
15		·285	·115	·040	·020					·080	·020	·265	15
16	·005	·315	·020	·090		·115				·045	·235	·120	16
17		·035	·020			·605			·005		·180	·220	17
18		·470	·005	·010	·005	·040				·010	·135	·130	18
19		·100	·005	·050	·005		·040	·025	·160	·130	·370	·080	19
20		·155		·275		·010	·020	·570	·090			·180	20
21	·005	·495	·025	·010		·020		·115	·005	·210	·010	·030	21
22	·020	·090		·010			·020	·065		·180	·030	·265	22
23		·440	·040	·005		·295		·010	·215	·040		·220	23
24	·030	·120		·060		1·105		·020	·005	·085		·260	24
25	·125		·020	·225					·225	·020	·035	·520	25
26		·340		·400	·130	·020		·010		·525	·375	·375	26
27		·225	·100	·290				·730	·390	·010	·100	·030	27
28	·010	·205	·010	·260		·060		·020	·040	·020	·060	·070	28
29			·010	·250		·130	·010		·445	·345	·010	·060	29
30					·110	·110				·555	·020		30
31			·425		·030					·060		·010	31
Total	1·475	3·465	1·530	2·095	·850	2·560	·140	1·950	2·335	2·875	4·210	6·575	TOTAL for year 30·06
No. of Rain Days.	17	16	21	18	10	13	5	13	12	21	23	27	196

W. 8,000, X. '11.

REGIST

FORM A2.
BRITISH RAINFALL.
1 MAR 1912

Kept at Rivelin : (Crosley)

in the County of ~~WR~~ Yorkshire

by L S M Marsh.

Rain Gauge
- Pattern As
- Diameter of top Before in.
- Height of top above Ground ft. in.
- " " " Sea Level ft.

Time of Observation

Nearest Railway Station
- Name
- Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·210				·050	·120			·040		1
2	·200				·090							·105	2
3	·020			·010	·305	·005			·005	·030	·205	·020	3
4	·025		·030	·030	·010			·005	·100	·140	·455	·265	4
5	·060		·015	·020				·140		·285		·020	5
6	·535		·020	·050				·110		·080	·740	·830	6
7	·025	·005	·005								·105		7
8	·115		·200						·045	·020	·105	·550	8
9	·015		·005	·010		·045						·100	9
10	·040	·025	·030									·885	10
11	·215							·010			·605	·010	11
12	·010		·150		·025				·605	·005	·235		12
13	·020		·030								·080	·305	13
14		·160	·040		·120						·060	·650	14
15		·285	·115	·040	·020					·080	·020	·265	15
16	·005	·315	·020	·090		·115				·045	·235	·120	16
17		·035	·020			·605			·005		·180	·220	17
18		·470	·005	·010	·005	·040				·010	·135	·130	18
19		·100	·005	·050	·005		·040	·025	·160	·130	·370	·080	19
20		·155		·275		·010	·020	·570	·090			·180	20
21	·005	·495	·025	·010		·020		·115	·005	·210	·010	·030	21
22	·020	·090		·010			·020	·065		·180	·030	·265	22
23		·440	·040	·005		·295		·010	·215	·040		·220	23
24	·030	·120		·060		1·105		·020	·005	·085		·260	24
25	·125		·020	·225					·225	·020	·035	·520	25
26		·340		·400	·130	·020		·010		·525	·375	·375	26
27		·225	·100	·290				·730	·390	·010	·100	·030	27
28	·010	·205	·010	·260		·060		·020	·040	·020	·060	·070	28
29			·010	·250		·130	·010		·445	·345	·010	·060	29
30					·110	·110				·555	·020		30
31			·425		·030					·060		·010	31
Total	1·475	3·465	1·530	2·095	·850	2·560	·140	1·950	2·335	2·875	4·210	6·575	TOTAL for year 30·06
No. of Rain Days.	17	16	21	18	10	13	5	13	12	21	23	27	196

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

24 JAN 1913

Sheffield.

Kept at Rivelin (Crosley)

in the County of Yorkshire W 7

by L S M Marsh

Lat. Long.

~~Time of Observation~~

~~Nearest Railway Station~~

~~Diameter of Rain Gauge~~ 5 in.

Height of top of Gauge above ~~Ground~~ ft. in.

" " " " ~~Sea Level~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.015	320	-	-	.450	.015	010	.070	-	-	1.290	1
2	-	-	.070	.015	-	.290	.655	-	.060	-	-	.185	2
3	.160	.020	.065	-	.050	.495	-	1.010	.325	-	-	.050	3
4	.255	-	.845	.205	.150	.640	-	.680	.030	-	.145	-	4
5	.310	-	.015	010	.060	.090	-	.100	.035	-	-	-	5
6	.425	.220	-	-	.030	.020	.010	.490	-	-	-	-	6
7	.250	.035	.010	.010	.060	.030	-	.090	.040	.005	-	.030	7
8	.530	.435	.220	.130	-	.010	.050	.020	.090	.005	-	-	8
9	.320	.030	.145	.415	-	.140	-	.100	.010	-	.120	.070	9
10	.060	-	-	.005	-	.110	-	.220	.020	-	.335	-	10
11	.165	.070	.005	.005	-	.005	.010	.040	-	-	.160	.705	11
12	.090	545	.045	-	-	.095	1.220	-	-	.005	.005	.035	12
13	.010	.070	-	-	-	.005	-	.040	.010	.045	.085	.130	13
14	.075	.005	.405	.020	-	.130	-	.045	-	-	-	.220	14
15	.200	.050	.055	-	.560	.060	-	.020	-	-	-	.210	15
16	.505	-	.180	-	.040	.065	-	.050	-	.160	-	.130	16
17	.005	.010	.195	-		.295	.095	.160	-	-	-	.890	17
18		-	.155	-	-	.005	.020	.065	-	.070	.005	.100	18
19	.135	.085	.075	-	-	.050	.610	.540	-	.030	.040	-	19
20	.930	-	.110	-	.370	.065	.030	.120	-	.355	-	.010	20
21	.020	.010	.330	-	.610	-	.830	-	-	.255	.010	.010	21
22	.020	.080	.070	-	1.235	.100	.095	.400	-	-	-	.110	22
23	.010	.050	.235	-	.025	.020	.910	.260	-	-	.145	.030	23
24	.255	-	.020	-	.035	.035	.295	.345	-	-	-	.180	24
25	.055	.010	.055	-	-	.235	-	.210	-	-	.335	.240	25
26	-	.140	.115	-	-	-	.280	1.060	-	1.185	.160	.300	26
27	.005	-	.240	-	-	.200	.540	-	-	.730	.030	.140	27
28	.005	.015	.100		-	.055	.220	.435	.130	.190	.145	.010	28
29	-	-	.135	030	-	.010	.100	.005	.565	.035	.110	.210	29
30	.015		.125	-	.240	-	.010	-	.045	.025	-	-	30
31	.030		.235		.230		.210	.235		.085		.010	31
Total	4.840	1.895	4.575	.845	3.695	3.705	6.205	6.750	1.430	3.180	1.830	5.295	YEAR'S TOTAL 44.245
Rain Days.	25	18	28	9	14	25	21	26	13	13	14	7	213

Sheffield

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

14 FEB 1914

Kept at Rivelin Reservoir (Crosley)

in the County of Yorkshire.

by L. S. M. Marsh

Lat. Long.

Time of Observation As Before

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.030		.205	.050		.010			.225	.030	.105		1
2	–	.070	.085	.070		.020				.010	.060	.065	2
3	.070	.080	.240		.390		.010		.040	.450		.415	3
4	.605	.100		.010	.060	.010	.070		.090	.065	.135	.615	4
5	.080	.020	.095			.160	.020		.050	1.090			5
6	.030	.080	.160	.020	.470	.030	.800			.900	010	.010	6
7		.520			.350	.240	.040		.005	1.395	035	.010	7
8		.030	.030		.660	.060		.100		.100	.170		8
9		.330	.050	.005	.100	.220	020	.020			.170	.025	9
10		010	.020	.110	.010		.010			.055	.125		10
11				.300		.150		.010		.025	.270		11
12	.275			.030	.010	.010					.205		12
13	.170		.145	.040			.020		.195		.305		13
14	.075	.040	.380	.120					.005	.180	.845		14
15	.620	.025	.560	.530			.040		.105	005	.495	.010	15
16		.020	.090	.030				.270	.180		.135		16
17	.020	.030	.050	.230	.020	.030			1.480		.050		17
18	.070		.295	.400	.070		.060				.110	.010	18
19	.190		.010	.160			.010		.220		.040		19
20	.300		.100	.080					.010	.070	.175		20
21	.020		.070		.290		.250	.010			.370		21
22	.295		1.060		.010			.780	.210	.005	.005		22
23	.110				.060	.050		.230	.070	.020	.030	.010	23
24	.180			.020		.030					.015	.010	24
25	.010			.090	.010			.005	.075	.020	.020	.155	25
26			.220	.250	.020				.005	.120		.525	26
27	.005	.020	.010	.300						.005		.220	27
28	.250		.250	.250					.010	.035		.045	28
29	.010		.460	.430	.010			.350		.010	.030	.090	29
30	.420		.010							.510	.055		30
31	.060		.050		.270					.010		.070	31
Total	3.895	1.375	4.645	3.525	2.810	1.020	1.350	1.775	2.975	5.110	3.965	2.285	YEAR'S TOTAL 34.730
Rain Days.	22	14	24	21	17	13	12	8	14	19	24	16	204

W.7,000, XI. 13

Sheffield Gauges

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
17 MAR 1915

Kept at Rivelin (Crosley)

in the County of Yorkshire WR 7

by L S M Marsh

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station As Before

Diameter of Rain Gauge ______

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·100				·750	·080		·005		·515	1
2			·045				·230	·250			·435	·175	2
3	·110		·125		·110		·030	·085			·020	·845	3
4	·470		·370	·205	·240			·005			·625	·390	4
5	·050		·235	·370	·250	·060					·390	·310	5
6	·065	·025	·155	·505	·125	·010	·055	·055	·005			·185	6
7	·025	·045	·225	·195	·150	·015					·005	·145	7
8	·230		·010	·015	·170	·715	·055	·180	·405	·030	·010	·065	8
9	·190	·010		·105	·030	·925		·125	·005		·020		9
10	·180	·210	·020	·095	·040				·100		·140	·015	10
11		·195	·415	·050	·025	·285	·040		·200		1·095	·400	11
12		·220	·125		·015	·015	·020	·005	·515		·195	·600	12
13	·010	·110	·165						·165	·025	·505	·375	13
14	·030	·245	·160	·005			·050		·055	·365		·255	14
15	·010	·030	·430						·045	·015	·555		15
16	·025		·050				·465		·210				16
17	·030	·325	·125				·010	·005	·325			·540	17
18	·015		·025									·165	18
19			·070				·060		·010			·085	19
20		·295	·095							·080		·030	20
21	·010	·695	·015			·725				·105	·075	·140	21
22		·035	·010		·270	·210	·030	·060		·225			22
23		·010	·095	·045	·225	·030	·040				·005		23
24	·030		·325	·020	·035		·290	·180		·010	·070		24
25	·040		·005		·005		·115	·100		·635	·025	·350	25
26		·005	·130					·105		·310	·080	·265	26
27	·035							·005		·005	·045	·770	27
28	·155	·160	·075				·010			·090	·145	·320	28
29	·090		·215							·505	·120		29
30			·040	·005			·005	·005		·065	·175	·390	30
31	·125		·025				·230	·005		·190		·005	31
Total	1·925	2·615	3·880	1·615	1·690	2·990	2·485	1·250	2·040	2·660	4·735	7·335	YEAR'S TOTAL 35·220
Rain Days.	21	16	28	11	14	10	17	13	11	15	20	24	200

W. 8,000. X. 14.

Sheffield Gauges

3291

FORM A. BRITISH RAINFALL.

17 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Rivelin

in the County of Yorkshire W 7

by L. S. M. Marsh. Esq. C. E.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

As Before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.405	.315	.025	-	.585	-	-	.045	.220	-	.055	.340	1
2	.010	.160	.210	.170	-	.055	.045	.295	-	.100	.005	-	2
3	1.070	.010	.015	.145	-	.	.330	.200	.005	.	.065	.450	3
4	.025	.020	-	.	.085	.	.585	.005	-	.	.	1.190	4
5	.040	.430	.035	.	-	.	.	.040	-	.025	.025	.730	5
6	.255	.220	.065	.295	.	.	.380	.075	.	.020	-	.290	6
7	.270	.410	.025	.235	-	.	.070	.555	-	-	-	.165	7
8	.180	.355	-	.175	-		-	.080	-	.	.145	.005	8
9	.020	.030	.005	.070	.	.	.	.095	.	.055	.365	.585	9
10	.825	-	.	.005	-	.	-	.065	-	.015	.100	.080	10
11	.260	-	.040	.020	.500	.	.155	-	-	.005	.705	.560	11
12	.035	-	.	.030	.325	.	.015	.030	-	.120	1.735	-	12
13	.040	.810	.	.	.015	.	.	-	-	-	-	.035	13
14	.040	.025	.	.	.005	.	.	.125	.040	-	-	.480	14
15	1.150	-	-	.	-	.	.	.305	.	.	.220	.155	15
16		.480	-	.	.345	.	1.400	.070	.	-	.	.005	16
17	.	.300	.015	.	.	.	.390	.095	.	.010	.	-	17
18	.	.285	.250	-	.005	.	-	-	.	.005	-	.005	18
19		.065	-	.025	.015	.	.065	.005	.	.015	.	-	19
20	.115	-	-	-	.005		.090	.010	-	-	.	.125	20
21	.075	.005	.020	.050	-	.	.150	-	-	.005	-	.055	21
22	.005	-	.210	.020	-	.	.410	.	.005	-	.	.075	22
23	.030	.020	.060	-	.	.	.200	.	-	.430	-	.120	23
24	-	-	.200	.055	.	.010	-	-	.550	.055	-	.300	24
25	.	-	.005	.010	.	.245	.020	.	-	.015	-	.165	25
26	.050	.555	.005	-	.	.280	.060	:	.025	-	.010	.585	26
27	-	.115	.	.	.	.220	.240	.010	.005	.675	-	.755	27
28	.	.555	.	-	.	.210	.010	.350	-	.150	-	.010	28
29	-		.	.	.030	.370	-	.010	.025	-	.185	.765	29
30	.140	X	.005	.055	-	.165	.005	.010	-	-	.010	.030	30
31	.140	X	.035	X	-	X	-	.130	X	.325	X	.425	31
Total	5.180	5.165	1.225	1.360	1.915	1.555	4.680	2.605	.875	2.025	3.625	8.485	YEAR'S TOTAL 38.695
Rain Days.	✓ 22	✓ 19	✓ 16	✓ 15	✓ 9	✓ 8	✓ 19	✓ 21	✓ 6	✓ 16	✓ 12	✓ 26	✓ 189

W. 8,000. X. 15.

Sheffield

EX ML

3217 5°

14 APR 1917

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Rivelin (Crosley)

in the County of Yorkshire.

by L S M Marsh Esq.

Lat. As Before Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·345	-	·390	-	-	·110	·190	-	-	-	·195	-	1
2	·295	·340	·210	-	-	-	-	-	·140	·185	·015	·010	2
3	-	·335	·005	-	·020	-	·070	-	·545	·240	·155	-	3
4	·095	·075	-	-	·610	·440	-	-	·055	·205	·525	-	4
5	·105	·005	-	-	·045	·430	-	-	·010	·460	·470	-	5
6	·310	·805	·165	·020	·515	·020	·255	-	-	·060	·610	·025	6
7	·180	-	·035	-	·015	·010	·405	-	-	·170	·050	·155	7
8	·005	·020	·150	·015	-	·010	-	-	-	·070	·210	·010	8
9	-	-	·060	-	·405	·010	-	-	-	-	·100	·555	9
10	·025	·060	·025	·135	-	·505	·090	-	·065	·070	·010	·130	10
11	-	·460	·170	·200	-	·115	-	-	·055	-	-	·100	11
12	·125	·100	·515	·075	·320	·020	·225	·010	-	·025	-	·010	12
13	-	·115	·445	·050	·030	-	·010	·165	-	·205	-	·035	13
14	·010	·200	·030	·300	·215	-	-	·270	-	·130	-	·045	14
15	-	·765	·820	·010	-	-	·070	·140	·010	·110	-	-	15
16	-	·645	·510	·160	-	-	·135	·360	-	·010	-	·010	16
17	·040	·230	-	·750	-	-	·100	·070	·325	·180	-	-	17
18	-	·375	·010	·130	-		-	·020	·295	·085	·800	·150	18
19	·130	·045	·285	·200	-	-	-	·020	·035	-	·630	·040	19
20	·190	·005	·275	·050	·325	-	·015	-	-	-	-	·100	20
21	·165	-	·130	·085	-	-	·030	-	-	·005	·005	·140	21
22	-	·045	·010	-	-	·035	-	-	-	·150	·005	·290	22
23	-	·040	-	·020	-	·005	-	·040	-	·025	·180	·320	23
24	-	·485	-	-	-	·110	-	·045	-	·070	·005	·140	24
25	-	·020	·490	-	·100	-	-	·305	-	·150	·385	·020	25
26	·040	·020	·100	-	·015	-	-	·140	-	·200	·055	·005	26
27	-	·195	·010	-	-	-	·195	·230	-	·260	·005	-	27
28	-	·255	·035	-	-	·165	-	·010	·020	·020	-	·120	28
29	·015	·340	-	-	-	·460	-	-	-	·540	-	·440	29
30	-	×	-	-	·010	·070	-	-	-	·210	-	·005	30
31	-	×	-	×	·015	×	-	-	×	·235	×	·350	31
Total	2·075	5·980	4·875	2·200	2·640	2·515	1·790	1·825	1·555	4·070	4·410	3·205	YEAR'S TOTAL 37·140
Rain Days.	16	24	22	15	14	16	13	14	11	25	17	23	210

W. 8,000, VIII. 16

Sheffield Gauges

3069

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
4 MAR 1918

Kept at Rivelin (Crosley)

in the County of Yorkshire

by L. S. M. Marsh

Lat. Long.

Time of Observation

Nearest Railway Station As Before

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·120	·	·	·200	·	·060	·	·270	·265	·	·120	·100	1
2	·250	·	·	·140	·	·065	·	·070	·	·020	·055	·	2
3	·050	·		·	·	·085	·	·125	·	·150	·060	·	3
4	·060	·005	·090	·015	·	·	·	·045	·	·170	·	·	4
5	·180	·	·150	·090	·	·	·	·025	·015	·155	·235	·	5
6	·020	·	·	·		·130	·	·	·	·245	·135	·045	6
7	·290	·	·	—	·	·270	·	·	·	·925	·025	·060	7
8	·480	·	·	·300	·	·	·	·610	·	·890	·410	·055	8
9	·080	·	·060	·040	·010	·	·	·010	·005	·165	·485	·	9
10	·345	·	·805	·130	·085	·	·	·110	·010	·005	·	·	10
11	·070	·	·	·225	·015	·	·	·120	·	·435	·	·	11
12	·125	·	·	·015	·220	·	·	·225	·	·035	·	·025	12
13	·050	·	·	·235	·	·	·	·370	·235	·045	·	·040	13
14	·170	·	·015	·080	·	·	·	·010	·	·	·	·220	14
15	·090	·	·	·030	·010	·	·155	·005	·	·030	·	·115	15
16	·075	·100	·	·170	·010	·100	·	·140	·	·005	·	·340	16
17	·015	·020	·005	·060	·385	·005	·145	·240	·070	·030	·	·030	17
18	·035	·	·035	·045	·070	·	·735	·030	·285	·080	·	·	18
19	·015	·180	·320	·	·210	·340	·	·005	·030	·	·045	·	19
20	·005	·130	·010	·	·290	·220	·	·	·115	·	·130	·	20
21	·	·040	·110	·	·030	·035	·	·020	·	·025	·	·	21
22	·010	·010	·065	·	·	·	·	·115	·075	·045	·025	·	22
23	·	·015	·	·	·160	·040	·	·275	·	·100	·	·	23
24	·010	·	·	·	·	·110	·	·100	·	·725	·650	·	24
25	·	·010	·095	·	·	·005	·	·020	·	·020	·110	·	25
26	·	·	·	·	·	·	·055	·375	·190	·115	·305	·	26
27	·	·	·055	·	·	·175	·120	·925	·	·	·230	·045	27
28	·	·	·200	·	·	·070	·	·425	·	·	·020	·090	28
29	·020		·030	·	·580	·	·060	·040	·	·385	·	·330	29
30	·010	✕	·290	·	—	·	·020	·095	·	·070	·005	·	30
31	·020	✕	·210	✕	·020	✕	·	·040	✕	·015	✕	·050	31
Total	2·595	·510	2·545	1·775	2·095	1·710	1·290	4·840	1·295	4·885	3·045	1·545	YEAR'S TOTAL 28·130
Rain Days.	25	8	17	15	14	14	7	27	10	24	17	14	192

W. 8,000, IX. 17.

Sheffield gauges Got [illegible]

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

6.5.19

Kept at Rivelin (Crosley)

in the County of Yorkshire WR

by L S M Marsh

Lat. Long.
Time of Observation As Before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.045		.015	.020				.235	.055	.385	.005	1
2		.085		.055				.285	.245	.010		.565	2
3		.015	.040		.835			.160	.015	.030	.090	.420	3
4			.020		.315			.030	.555	.135	.325		4
5			.030	.040				.175	.305	.365	.005		5
6	.020	.475	.030	.365		.125		.060		.195			6
7	.050	.095	.005	.105					.480	.180	.245	.010	7
8	.020	.130	.140	.030			.110		.405	.080	.065		8
9	.635	.785		.215		.075	.045		.590	.435	.030	.015	9
10	.120	.190		.025			.260		.010	.025	.205	.050	10
11	.465	.105	.005	.030	.055		.185		.155			.025	11
12	.020	.155	.010	.130	.045	.005	.540		.185		.005	.185	12
13	.010	.005		.030	.095	.015			.400	.115	.005	.080	13
14	.360			.020		.140	.205		.750	.060	.005	.205	14
15	.320					.075	.365		.905	.035		.125	15
16							.295	.035	.185			.375	16
17	.260		.020	.005	.075		.295	.075	.285	.070		.260	17
18	.315		.020	.005		.170	.205	.005	.485			.375	18
19	.130	.005	.155	.110		.005	.055	.020	.230	.105		.535	19
20	.090	.165		.060		.105	.020		.090	.195			20
21	.125	.245		.005	.425	.090			.230	.160		.045	21
22	.035	.015			.175	.050	.095		.050	.050		.955	22
23	.045	.005			.425		.165		.055	.010	.020	.065	23
24		.055					.120		.030	.005	.015	.050	24
25						.075	.025	.130	.055	.010			25
26		.005				.030	.200	.035	.195		.025	.195	26
27		.085	.015					.220	.705		.045	.285	27
28		.050	.420					.085	.080		.135	.460	28
29			.005					.005	.090		.005	.125	29
30		X	.425					.040	.005		.050	.195	30
31		X	.235	X		X		.010	X		X	.005	31
Total	3.020	2.715	1.575	1.245	2.465	.960	3.185	1.370	8.005	2.325	1.660	5.610	YEAR'S TOTAL 34.135
Rain Days.	17	18	15	15	10	12	17	15	29	20	16	24	208

Sheffield Gauges

2913
Correct

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rivelin (Crosley)
in the County of Yorkshire
by L. S. M. Marsh Esq

Lat. As Long. Before
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·770	·030	·015	0.15	·385		·375	·015	·140	·110	·095	·350	1
2	·195	·010	·010				·165	·095	·135	·005	·100	·050	2
3	·785		·005		·035	·110	·640		·090	·005	·370	·165	3
4	·090		·280			·005	·065	·135	·240	·005		·290	4
5		·020			·055			·005	·170		·005	·630	5
6	·020		·445		·845					·055		·400	6
7	·090		·240				·005		·005	·005	·025		7
8	·285		·015		·005	·030				·005		·005	8
9	·060		·090						·005		·045		9
10			·205	·025						·010	·025	·100	10
11			1·055	·045	·045		·025					·020	11
12			·540	·235		·125	·110		·210	·050	·020		12
13	·210			·310					1·525	·175	·005	·060	13
14	·245			·255				·010	·075		·055	·010	14
15	·230	·030	·080	·035						·005	·015	·460	15
16	·255	·970		·020		·025					·100	·005	16
17	·075	·300		·010	·005	·045	·030	·120			·465	·005	17
18			·190				·015	·175	·075		·050	·410	18
19	·055	·280	1·090			·060	1·680	·505	·055		·420		19
20	·425	·060	·100			·065	·555	·095	·010		·050	·230	20
21	·085	·380	·030				·120		·010			·370	21
22		·045	·010			·005		·015	·280		·050	·560	22
23						·035				·885	·050	·385	23
24		·005		·230	·015	·015	·015	·025	·095	·515	·130	·125	24
25	·055	·005		·555	·240	·015		·590	·005		·250	·010	25
26	·020	·005	·430	·055		·010	·035	·320	·050		·040	·745	26
27	·150		·095	·190							·075	·015	27
28	·060			·050				1·150		·055	·005	·560	28
29	·130		·010			·010		·010		1·240		·080	29
30	·020	✕	·100	·030		·120				·035	·150	·400	30
31	·030	✕	·020	✕		✕	·085		✕	·085	✕	·010	31
TOTAL	4·340	2·140	5·055	2·060	1·630	·675	3·920	3·265	3·175	3·245	2·595	6·450	YEAR'S TOTAL 38·550
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

23 12 21 15 8 13 15 14 17 14 22 26 200

Sheffield Gauges.

2796

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

19 MAY 1921

Kept at Rivelin (Crosley)

in the County of Yorkshire

by L S M Marsh

Lat. Long.

Time of Observation As Before

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.005	-	.005	.180	.445	.	.335	.025	.075	.165	.190	.105	1
2	-	-	.025	.210	.025	.	.130	.	.225	.140	.	.305	2
3	.015	-	.	.240	.125	.080	1.130	.035	.095	.305	.	.280	3
4	.015	.005	.	.065	.005		.095	.380	.010	.610	.	.025	4
5	-	.010	.050	,	.170		.035	.060	.005	.050	.005	.	5
6	-	-	.430	.025	.095		.040	.		.015	.	.075	6
7	.135	.	.100	.	.005		.395	.		.	.	.005	7
8	.090	.040	.	.540	.160		.335	.085		.015	.	.	8
9	.270	.425	.	.500	.		.125	.010		.015	.005	.	9
10	.350	.620	.050	.200	.		.165	.005			.	.005	10
11	.440	.120	.110	.215	.285	.310	.	.005			.	.110	11
12	.050	.015	.030	.475	.010	.300	.020	.230		.005	.080	.065	12
13	.195	.165	.175	.395	.	.890	.010	.		.	.025	.065	13
14	.060	.010	.500	.130	.	1.060	.020	.	.550	.060	.350	.005	14
15	.	.090	.085	.305	.	.005	.	.	.010	.135	.020	.020	15
16	.	.	.100	.030	.040		.470	.	.035	.145	.015	.	16
17	.005	.	.040	-	.160			.	.225	.140	.	.010	17
18	.020	.		.100	.105			.020	.030	.005	.005	.	18
19	.260	.690	.	.115	.175	.140		.165	.005	.005	.	.	19
20	.050	.900	.010	.245	.	.230	.040		.		.	.070	20
21	.020	.	.	.	.	.	.355	.060	.005		.	.170	21
22	.045	.	.	.325	.	.010	.230	.020	.	.010	.	.140	22
23	.	.	.	.	.		.210	.020	.005		.010	.420	23
24	.035	.005	.330	.020	.			.	.005		.010	.110	24
25		.030	.110	.125	.	.025	.505	.	.005			.	25
26	.185	.075	.130	.305	.005		.090	.	.005			.	26
27	.420	.030	.015	.135	.460	.325	.005	.	.005	.005	.235	.230	27
28	.995	.	.115	.040	.100	.025	.010	.	.010	.005	.	.135	28
29	.005	.	.135	.	.765	.015	.130	.	.020		.120	.715	29
30	.110	╳	.010	.170	.200	.055	.005	.	.165	.010	.130	.320	30
31	.185	╳	.135	╳	.030	╳	.020	.	╳	.435	╳	.145	31
TOTAL	3.960	3.230	2.690	5.090	3.355	3.470	4.905	1.120	1.490	2.275	1.200	3.530	YEAR'S TOTAL 36.315
Days with ·01 in. or more	23 ~~24~~	15 ~~14~~	21	24	16 ~~17~~	14 ~~13~~	24 ~~23~~	13 ~~12~~	16 ~~12~~	17 ~~15~~	13 ~~11~~	21 ~~20~~	219 ~~203~~
Days with ·04 in. or more	16	9	16 ~~15~~	21.	14	9	17	6.	6.	10.	6.	17.	~~146~~ 147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SHEFFIELD W.W

(CROOKES)

YORKSHIRE

1911 — 1920

FORM A2.
BRITISH RAINFALL.
-1 MAR 1912

REGI ... 11.

Kept at Crookes (

in the County of W.R. Yorks

by L. S. M. Mar

in.

~~Ground~~ ft. in.

~~Sea Level~~ ft.

Name

Distance Direction

IMPORTANT NOTE.— ... the result entered to the previous day. If an Observ... ersal rule, he is earnestly requested to add the reading ... following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.185				.065	.070			.060		1
2	.190		.005		.080						.020	.090	2
3	.005				.270					.020	.220		3
4	.020		.025	.115				.010	.100	.145	.385	.240	4
5	.015			.050				.120		.205	.005		5
6	.465			.010				.090		.040	.680	.560	6
7	.005										.160	.020	7
8	.110		.070						.020	.020	.095	.330	8
9	.030					.045						.075	9
10	.045		.035							.005		.685	10
11	.225							.005			.600	.010	11
12	.080		.085		.025				.545	.005	.260	.005	12
13			.025			.015				.005	.060	.315	13
14		.170	.045		.290		.025				.055	.610	14
15		.240	.120							.025	.020	.150	15
16		.270	.040	.085		.085				.015	.135	.080	16
17		.095	.005	.010		.390					.310	.290	17
18		.440		.040		.010				.010	.080	.125	18
19		.080	.005	.045		.005	.035	.010	.225	.085	.360	.050	19
20	.010	.065		.205				.415	.125			.110	20
21		.420	.020	.010		.010	.025	.110		.230	.005	.005	21
22	.010	.150					.025	.075		.125	.015	.180	22
23		.480	.025			.290		.030	.245	.020		.185	23
24	.065	.105	.015	.030		1.070		.020		.030		.175	24
25	.160	.260		.225		.005	.005		.175		.005	.350	25
26	.005	.015		.285	.140			.005		.405	.355	.340	26
27	.005	.185	.055	.225				.740	.235		.010	.040	27
28	.005	.205	.010	.125		.030		.020	.025		.045	.060	28
29			.025	.125		.080	.010		.305	.290	.005	.045	29
30			.010	.005	.130	.050				.470	.010		30
31			.455							.045		.005	31
Total	1.450	3.180	1.260	1.590	.935	2.085	.190	1.720	2.000	2.195	3.955	5.130	TOTAL for year 25.69
No. of Rain Days.	16	15	18	16	6	12	6	13	10	19	23	25	179

W. 8,000, X. '11.

REGI 11.

FORM A2.
BRITISH RAINFALL.
-1 MAR 1912

Kept at Crookes (Crosley)

in the County of W.R. Yorkshire 7

by L. S. M. Marsh

RAIN GAUGE
Pattern
Diameter of top ..... in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level ..... ft.

Time of Observation

Nearest Railway Station
Name
Distance ..... Direction

As before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·185				·065	·070			·060		1
2	·190		·005		·080						·020	·090	2
3	·005				·270					·020	·220		3
4	·020		·025	·115				·010	·100	·145	·385	·240	4
5	·015			·050				·120		·205	·005		5
6	·465			·010				·090		·040	·680	·560	6
7	·005										·160	·020	7
8	·110		·070						·020	·020	·095	·330	8
9	·030					·045						·075	9
10	·045		·035							·005		·685	10
11	·225							·005			·600	·010	11
12	·080		·085		·025				·545	·005	·260	·005	12
13			·025			·015				·005	·060	·315	13
14		·170	·045		·290		·025				·055	·610	14
15		·240	·120							·025	·020	·150	15
16		·270	·040	·085		·085				·015	·135	·080	16
17		·095	·005	·010		·390					·310	·290	17
18		·440		·040		·010				·010	·080	·125	18
19		·080	·005	·045		·005	·035	·010	·225	·085	·360	·050	19
20	·010	·065		·205				·415	·125			·110	20
21		·420	·020	·010		·010	·025	·110		·230	·005	·005	21
22	·010	·150					·025	·075		·125	·015	·180	22
23		·480	·025			·290		·030	·245	·020		·185	23
24	·065	·105	·015	·030		1·070		·020		·030		·175	24
25	·160	·260		·225		·005	·005		·175		·005	·350	25
26	·005	·015		·285	·140			·005		·405	·355	·340	26
27	·005	·185	·055	·225				·740	·235		·010	·040	27
28	·005	·205	·010	·125		·030		·020	·025		·045	·060	28
29			·025	·125		·080	·010		·305	·290	·005	·045	29
30			·010	·005	·130	·050				·470	·010		30
31			·455							·045		·005	31
Total	1·450	3·180	1·260	1·590	·935	2·085	·190	1·720	2·000	2·195	3·955	5·130	TOTAL for year 25·69
No. of Rain Days.	16	15	18	16	6	12	6	13	10	19	23	25	179

W. 8,000, X. '11.

Sheffield

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
24 JAN 1913

Kept at Crookes (Crossley)

in the County of Yorkshire W7

by L. S. M. Marsh.

Lat. Long.
Time of Observation 9a
Nearest Railway Station Before
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.010	.220	-	-	.475	.005	-	.040	-	-	.700	1
2	-	.025	.080	.005	-	.340	.480	-	.035	-	-	.040	2
3	.105	.040	.035	-	.050	.525	.040	.755	.315	-	-	.050	3
4	.170	-	.600	.125	.135	.620	-	.380	.015	-	.120	-	4
5	.300	.060	.015	.040	.065	.095	-	.095	.030	-	.005	.005	5
6	.885	.110	-	.010	.015	.015	-	.385	-	-	-	.005	6
7	-	.030	-	.005	.050	.060	-	.110	-	-	-	.030	7
8	.300	.290	.170	.130	-	.005	.045	.010	.085	-	-	.005	8
9	.055	.110	.110	.235	-	.205	-	.080	.005	-	.060	.085	9
10	-	.005	-	-	-	.040	-	.310	-	-	.420	-	10
11	.185	.035	-	-	-	-	-	.040	-	.005	.090	.610	11
12	.070	.360	.060	-	-	.110	.885	-	-	-	.015	.040	12
13	.005	.100	-	-	-	-	-	-	.010	.035	.120	.105	13
14	.055	-	.240	.025	-	.090	-	.030	-	.005	-	.195	14
15	.170	.050	.050	-	.455	.070	-	.010	-	-	-	.220	15
16	.720	-	.160	-	.045	.110	-	.040	-	.100	-	.085	16
17	.010	.010	.140	-	.005	.235	.085	.205	-	-	-	.685	17
18	.060	-	.090	-	-	.010	-	.075	-	.045	.005	.090	18
19	.350	.100	.100	-	-	.045	.660	.410	-	.005	.030	.005	19
20	.370	-	.075	-	.205	.030	.030	.080	-	.295	-	.010	20
21	.005	-	.335	-	.685	-	.770	-	-	.110	.005	.010	21
22	.010	.080	.035	-	1.260	.105	.100	.290	-	.005	-	.070	22
23	.085	.030	.215	-	.030	-	.690	.245	-	-	.100	.030	23
24	.195	-	.025	-	.055	.010	.135	.280	-	.005	-	.170	24
25	-	-	.055	-	-	.285	-	.045	-	.005	.445	.185	25
26	.005	.155	.095	-	-	.015	.245	.900	-	1.015	.300	.240	26
27	-	.005	.165	-	-	.240	.830	.005	-	.710	.030	.100	27
28	-	.020	.110	-	-	.090	.260	.410	.070	.160	.525	.015	28
29	-	-	.150	-	-	.065	.120		.385	.070	.095	.210	29
30	.075		.065	-	.285	-	.005		.050	.020	-	-	30
31	-		.160	-	.160		.130	.175		.095		.005	31
Total	4.185	1,625	3.555	.575	3.500	3.890	5.515	5.365	1.040	2.685	2.365	4.000	YEAR'S TOTAL 38.300
Rain Days.	21	19	26	7	14	25	17	23	11	14	14	26	217

W. 7,500, XI. 12

Sheffield

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

14 FEB 1914

Kept at Crookes (Crosley)

in the County of Yorkshire

by L. S. M. Marsh.

W7

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

As Before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·030		·115	·090					·125	·025	·080		1
2		·070	·090			·010			-	·005	·080	·040	2
3	·070	·085	·220		·280		·010		·010	·470		·395	3
4	·600	·090	·005	·005	·050		·115		·030	·085	·125	·350	4
5	·040	·015	·090			·130	·040		·030	·835			5
6	·015	·090	·175		·435	·040	·760			·680	·005	·005	6
7		·450			·180	·185	·005			·970	·020	·010	7
8		·040	·005		·495	·115		·075		·135	·125		8
9		·275	·035	·005	·155	·225	·070	·015			·110	·020	9
10	·045	·015	·010	·070		·015	·020			·055	·220		10
11	1·010			·350		·090		·005		·010	·315		11
12					·005	·005				·005	·195		12
13	·050		·100	·020					·185		·145		13
14	·065	·015	·425	·080						·130	·630		14
15	·095	·045	·435	·490			·015		·060		·465		15
16		·015	·160	·110				·070	·065		·095		16
17	·025	·020	·015	·080	·005				1·780		·040		17
18	·040		·290	·310	·025		·070		·005		·120		18
19	·165		·015	·145			·015		·165		·020		19
20	·170		·075	·060					·005	·015	·130		20
21	·015		·075		·310		·180	·015			·315		21
22	·200		·880		·005			·615	·185				22
23	·110		·005		·025	·035		·170	·070	·060	·010		23
24	·340			·015		·010				·005	·010		24
25				·030					·055	·005	·015	·100	25
26		·005	·180	·155						·100		·545	26
27			·015	·395								·300	27
28	·200		·220	·310					·005	·040		·030	28
29	·015		·450	·380	·025			·310			·020	·115	29
30	·415		·005		·010					·425	·075	·030	30
31	·010		·015		·155					·005			31
Total	3·725	1·230	4·105	3·100	2·160	·860	1·300	1·275	2·775	4·060	3·365	1·940	YEAR'S TOTAL 29·895
Rain Days.	22	14	24	18	13	11	10	8	13	18	23	12	186

W.7,000, XI. 13

Sheffield Gauges

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
17 MAR 1915

Kept at Crookes (Crosley)

in the County of Yorkshire WR 7

by L. S. M. Marsh.

Lat. Long.
Time of Observation
Nearest Railway Station As Before
Diameter of Rain Gauge
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·005	·015				·700	·095		·005		·275	1
2			·030				·330	·220			·325	·125	2
3	·075		·050		·085		·040	·040			·035	·860	3
4	·455		·285	·150	·420	·005		·010			·440	·315	4
5	·210		·155	·305	·190	·035					·180	·245	5
6		·025	·080	450	·085	·005	·090	·020			·010	·105	6
7	·005	·020	·175	·150	·040			·015				·175	7
8	·155		·010		·135	·570	·005	·150	·400	·010		·070	8
9	·210	·005		·100	·015	·800		·125			·015	·005	9
10	·190	·125		·085	·020				·040	·005	·035	·010	10
11		·115	·305	·040	·015	·355			·150		·995	·265	11
12		·140	·070			·010	·015		·365		·160	·360	12
13	·005	·110	·200						·065	·020	·440	·175	13
14	·015	·245	·085				·045		·080	·340	·315	·265	14
15	·005	·020	·285						·020	·015	·180		15
16	·030		·030				·370		·155		·005		16
17	·015	·220	·090				·010		·275			·420	17
18			·025			·010			·005			·225	18
19			·130				·045				·040	·110	19
20	·010	·260	·035					·075		·090		·015	20
21		·380				·285				·060	·010	·105	21
22		·015	·020		·085	·085	·030	·020		·135		·010	22
23		·005	·060	·005	·345	·010	·020					·005	23
24	·010		·290	·015	·030		·185	·230		·005	·060		24
25	·035						·030	·110		·610	·015	·275	25
26			·030					·205		·155	·090	·285	26
27	·010										·055	·710	27
28	·100	·100	·015							·040	·125	·220	28
29	·060		·140							·480	·095		29
30	·005	X	·035							·030	·280	·185	30
31	·135	X	·015	X		X	·250		X	·140	X	·035	31
Total	1·735	1·790	2·660	1·300	1·465	2·170	2·165	1·315	1·555	2·140	3·905	5·850	YEAR'S TOTAL 28·050
Rain Days.	18	15	26	8	12	10	15	13	9	15	21	26	188

W. 8,000. X. 14.

Sheffield Gauges [illegible] 3293

REGISTER OF RAINFALL IN 19*15*

FORM A.
BRITISH RAINFALL.
17 FEB 1916

Kept at *Crookes.*

in the County of *Yorkshire.* W 7

by *L. S. M. Marsh. Esq. C. E.*

Lat. Long.

Time of Observation

~~Nearest Railway Station~~ *As Before.*

~~Diameter of Funnel of Rain Gauge~~ in.

~~Height of top of Gauge above Ground ft. in.~~

~~" " " " Sea Level ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.240	.280	.020	-	.470	-	.005	.015	.095	-	.035	.330	1
2	.025	.130	.100	.410	-	.020	.010	.190	-	.095	-	-	2
3	.740	-	.010	.140	-		.315	.245	-	-	.020	.420	3
4	.030	-	-	-	.050	-	.685	.020	-	-	-	.940	4
5	.025	.300	.010	-	-		-	.050	-	.020	.010	.555	5
6	.170	.195	.040	.130	-	-	.415	.030	-	.015	-	.250	6
7	.145	.275	.020	.100	-	-	.050	.440	-	-	-	.115	7
8	.085	.210	.005	.155	-	-	-	.115	-	-	.165	.025	8
9	.010	.015	-	.045	-	-	-	.050	-	.050	.265	.425	9
10	.520	-	.050	-	-	-	-	.005	-	-	.110	.110	10
11	.220	-	.020	.020	.500	-	.070	.005	-	.020	.375	.610	11
12	.020	-	-	.040	.225	-	-	.095	-	.070	1.500	-	12
13	.015	.405	-	-	.010	-	-	-	-	-	-	-	13
14	.020	.010	-	-	-	-	-	.050	.015	-	-	.360	14
15	.935	-	-	-	-	-	-	.140	-	-	.210	.120	15
16	-	.260	-	-	.130	-	1.620	.120	-	.010	-	.015	16
17	-	.305	.010	-	-	-	.230	-	-	-	-	.010	17
18	-	.210	.350	-	-		-	-	-	.005	.015	-	18
19	-	.040	-	-	.005	-	.050	-	-	.005	-	-	19
20	.060	-	-	.020	-	-	.040		-	-	-	.130	20
21	.040	-	-	.085	-	-	.075	-	-	-	-	.085	21
22	.005	-	.170	.045	-	-	.220	-	-	-	-	.070	22
23	.025	.005	.070	-	-		.210	-	.010	.225	-	.070	23
24	-	-	.140	.040		.010	-	-	.515	.025	-	.290	24
25	.005	-	-	.010	-	.310	.015	-	-	.010	-	.090	25
26	.010	.360	-	-	-	.240	.045	-	.015	-	-	.460	26
27	-	.210	-	-	-	.070	.020	-	-	.520	-	.885	27
28	-	.505	.010	-	-	.060	-	.360	-	.130	-	.010	28
29	-		-	-	.040	.400	-	.005	.005	.005	.140	.610	29
30	.085	X	-	.040	-	.350	-	-	-	-	.010	.010	30
31	.090	X	-	X	-	X	.005	.070	X	.190	X	.305	31
Total	3.520	3.715	1.025	1.280	1.430	1.460	4.080	2.005	.655	1.395	2.855	7.300	YEAR'S TOTAL 30.720
Rain Days.	✓ 22	✓ 17	✓ 14	✓ 14	✓ 8	✓ 8	✓ 17	✓ 16	✓ 6	✓ 14	✓ 12	✓ 26	✓ 174

W. 8,000. X. 15.

Sheffield

Ct ML

3219

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Crookes (Crosley)

in the County of Yorkshire

by L S M Marsh Esq

Lat. Long.

Time of Observation

Nearest Railway Station As Before.

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·560	·0051	·360	-	-	·080	·145	-	-	-	·200		1
2	·290	·180	·270	-	-	-	-	.	·085	·090	·010		2
3	·010	240	-	-	-	-	·035	.	845	·250	·130		3
4	·070	·150	-	-	·625	·290	·010	.	·025	·220	·425		4
5	·070	·005	-	-	·060	·230	-	.		·370	·470		5
6	·210	·700	280	010	·505	·0051	·190	-	-	·070	·395	·010	6
7	·120	015	·070	-	·150	-	275	.	-	·160	·050	·225	7
8	-	·010	·600	·005	-	-	-	.	-	·015	·105	·060	8
9	·0051	-	·030	-	370	·010	-	.	·030	-	·065	·275	9
10	·010	·050	·005	·065	-	·655	·055	.	·045	·085	·0051	·265	10
11	-	·440	·190	·225	-	·090	-	.	·030	·0051	-	·065	11
12	·110	·065	·425	·040	355	·025	·170	·025	-	·020	.	·025	12
13	-	·040	·335	·010	·050		·010	·165	-	·175	-	·020	13
14	-	·235	·010	·165	·100		-	·210	-	·130	·020	·040	14
15	-	·580	·660	-	-		·100	·090	-	·050	-	-	15
16	.	·575	·505	·080	-		·085	·180	-	-	.	·005	16
17	·020	·150		·465	-		·095	·010	·235	·145	-	-	17
18	·005	·270	010	·035	-		.	·065	·205	·060	·575	·065	18
19	·105	·035	·305	155	-		-	·040	·020	-	355	·125	19
20	·165	-	·220	·115	·160		-	-	-	-	·005	·030	20
21	·150	-	·080	-	-		·040		-	-	·0051	·220	21
22	-	·035	-	·020	-	·035	-	-		·105	-	·250	22
23	·025	·030	-	·030	-	·005	-	·020	.	·020	·205	·330	23
24	-	·460	-	·045	-	·095	-	·035	.	·005	-	·105	24
25	-	·050	·455	-	·055	.	-	·215	-	·155	265	·060	25
26	·010	·150	·110	-	-	.	-	·065	-	·090	·070	-	26
27	-	210	-	-	-	-	·010	·175	·030	·420	-	-	27
28	-	·330	·020	·010	·015	·125	-	010	·025	·030	-	·120	28
29	·010	·335	-	-	-	·475	-	·0051	·005	·455	-	·430	29
30	-	✕	-	-	·065	·035	-	-	-	·190	-	·0051	30
31	-	✕	-	✕	-	✕	-	-	✕	·255	✕	·220	31
Total	1·945	5·345	4·940	1·475	2·510	2·155	1·220	1·310	1·580	3·520	3·355	2·950	YEAR'S TOTAL 32·305
Rain Days.	17	25	20	15	12	13	13	15	11	24	17	21	~~194~~ 203

W. 8,000, VIII. 16

Sheffield Gauges 3071

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 4 MAR 1918

Kept at Crookes

in the County of Yorkshire

by L S M Marsh.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.070	.	.	.150	.	.070	.	.290	.220	.	.160	.105	1
2	.175	.	.	.130	.	.050	.	.070	.	.	.020	.	2
3	.030	.	.	.010	.	.095	.	.125	.	.070	.060	.	3
4	.030	.	.200	.	.	.	.	.155	.	.090	.	.	4
5	.105	.	.110	.110	.	.	.	.010	.005	.070	.225	.	5
6	.020	.	.	.	.	.115	.	.	.	.180	.110	.020	6
7	.320	.	.	.	.	.315	.	.	.	.740	.	.025	7
8	.470	.	.	.330	.	.	.	.800	.	.790	.300	.055	8
9	.140	.	.130	.070	.005	.	.	.010	.	.150	.325	.	9
10	.130	.	.705	.190	.125	.	.	.230	.	.010	.010	.	10
11	.025	.	.	.380	.	.	.	.450	.	.285	.	.	11
12	.080	.	.	.	.255	.	.	.400	.	.030	.	.045	12
13	.060	.	.	.165	.015	.060	.	.170	.135	.040	.	.020	13
14	.220	.	.	.040	.		.	.080	.	.	.	.165	14
15	.060	.	.	.025	.010	.	.125	.	.	.025	.	.070	15
16	.040	.090	.	.090	.	.105	.010	.075	.	.005	.	.470	16
17	.	.080	.	.055	.355	.015	.080	.310	.040	.010	.	.120	17
18	.010	.	.010	.030	.065	.	.640	.030	.215	.030	.	.	18
19	.	.125	.255		.275	.355	.	.010	.015	.	.030	.	19
20	.010	.145	.010	.	.200	.690	.	.	.090	.	.045	.005	20
21	.	.040	.095	.	.065	.005	.	.030	.	.030	.	.	21
22	.005	.	.080	.		.	.	.095	.025	.030	.005	.	22
23	.	.005	.		.125	.035	.	.160	.	.070	.	.005	23
24	.	.	.	.	.025	.120	.	.100	.	.760	.515	.	24
25	.	.005	.090	.	.	.	.	.	.	.035	.110	.	25
26	.	.	.005	.	.	.015	.030	.275	.130	.090	.170	.	26
27	.	.	.050	.	.	.210	.130	.485	.	.	.130	.045	27
28	.	.	.185	.	.	.065	.	.400	.010	.	.	.080	28
29	.		.030	.	.	.	.040	.010	.	.340	.	.190	29
30	.005	X	.210	.	.	.	.040	.120	.	.060	.005	.010	30
31	.015	X	.265	X	.010	X	.	.035	X	.005	X	.015	31
Total	2.020	.490	2.430	1.775	1.530	2.320	1.095	4.925	.885	3.945	2.220	1.445	YEAR'S TOTAL 25.080
Rain Days.	20	6	15	14	12	16	8	26	9	23	15	16	151

W. 8,000, IX. 17.

Sheffield Gauges

[illegible]

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

6.5.19

Kept at Crookes (Crosley)

in the County of Yorkshire WR

by L S M Marsh

Lat. Long.
Time of Observation
Nearest Railway Station As Before
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·060	·030	·020	·010				·140	·040	·320		1
2		·100		·030	·005			·240	·135	·010		·525	2
3		·010	·040		·760			·210	·010	·020	·115	·010	3
4		·010	·025		·010			·020	·475	·090	·315	·400	4
5		·005	·015	·025	·325		·025	·235	·160	·455		·005	5
6	·010	·600	·010	·295		·085		·040	·010	·160		·010	6
7	·080	·065		·135					·330	·160	·195		7
8		·155	·105	·030			·075		·320	·055	·035	·010	8
9	·305	·945		·225		·050	·070		·440	·235	·025	·010	9
10	·075	·105		·065			·105		·015	·010	·135	·010	10
11	·360	·085		·025	·105		·125		·120	-		·035	11
12	·020	·115	·010	·130	·020		·550		·165	·005		·115	12
13		·005		·040	·130	·010			·210	·080		·090	13
14	·500			·010		·085	·150		·830	·065	·010	·190	14
15	·420		·005	·005		·035	·355		·950		·005	·205	15
16			·005			·030	·720	·015	·190	·010	—	·250	16
17	·280		·020		·055		·650	·035	·205	·110		·180	17
18	·275		·020			·075	·225		·665			·190	18
19	·135		·215	·160			·080	·005	·130	·090		·315	19
20	·075	·165				·085	·040		·110	·185			20
21	·145	·265		·050	·630	·050			·225	·145		·010	21
22	·030	·010			·300	·070	·045		·110	·015	·010	·760	22
23	·040				·320		·075		·040		·010	·050	23
24		·050					·085		·030	·050	·040	·020	24
25						·055	·030	·215	·035	·005	·005		25
26							·275	·045	·115	·005	·050	·185	26
27		·070	·010			·005		·210	·525		·040	·180	27
28		·070	·245					·155	·050		·150	·335	28
29									·065		·005	·180	29
30		X	·395					·015	·020		·040	·200	30
31		X	·130	X		X		·010	X		X		31
Total	2·750	2·890	1·280	1·245	2·670	·635	3·680	1·450	6·825	2·000	1·505	4·470	YEAR'S TOTAL 31·400 ✓
Rain Days.	15	18	15	15	11	12	18	13	30	21	16	26	240

W, 6,500, VII. 18. W W C

Sheffield Gauges. 2915

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Crookes (Crosley)

in the County of Yorkshire

by L S M Marsh Esq

Lat. Long.

Time of Observation As Before

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·790	·030	·010		·335		·375		·080	·075	·080	·190	1
2	·160	·010	·005				·165	·020	·230	·005	·110	·025	2
3	·970				·030	·065	1·095		·105		·250	·170	3
4	·120		·300		·005	·065	·085	·140	·165		·030	·310	4
5		·010			·010				·150		·005	·600	5
6	·010		·265		·975					·040		·320	6
7	·030		·245		·005					·005	·045		7
8	·165		·035			·020					·005		8
9	·040		·030								·010		9
10	·010		·205	·030	·010					·015	·015	·080	10
11			1·070	·030	·095		·050				·020	·005	11
12			·690	·155		·105	·150		·170		·005	·005	12
13	·245			·190					1·140	·110	·005	·060	13
14	·230			·245				·015	·045		·100	·005	14
15	·265	·160	·005	·020							·040	·460	15
16	·160	·480		·125		·005					·080		16
17	·070	·350		·010	·005	·035	·020	·085			·400		17
18			·105		·005		·015	·010	·030		·045	·345	18
19	·040	·205	·810			·035	2·200	·735	·040		·280		19
20	·475	·110	·130			·010	·555	·115	·005		·110	·160	20
21	·110	·285	·015				·130					·300	21
22		·085						·005	·285		·050	·450	22
23				·005		·005				·880	·060	·260	23
24				·170	·045	·010	·055	·005	·040	·600	·095	·120	24
25	·020	·010		·385	·175	·070		·475		·005	·130	·010	25
26	·010		·480	·020		·010		·200	·030		·020	·530	26
27	·150		·060	·125						·005	·040	·120	27
28	·030			·030				1·000		·025	·005	·465	28
29	·075			·005				·045		1·220		·085	29
30	·010		·035	·040		·060				·030	·160	·195	30
31	-		·010				·075			·090		·005	31
TOTAL	4·165	1·735	4·505	1·585	1·695	·495	4·970	2·850	2·515	3·105	2·195	5·275	YEAR'S TOTAL 35·110
Days with ·01 in. or more					1690			1850					
	23	11	18	15	10	12	13	12	14	12	24	23	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Sheffield Gauges

B.R. Form B1.

2798

METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.

To be filled and returned to
THE SUPERINTENDENT,
BRITISH RAINFALL ORGANIZATION,
62, CAMDEN SQUARE, LONDON, N.W.1

9 MAY 1921

Copies of this form will be supplied with pleasure.

RAINFALL IN 1920

NOTE.—Records taken in millimetres should not be entered on this form

At Crookes (Crosley)

In the County of Yorkshire

Rain Gauge

~~Diameter of Funnel .... in.~~

~~Height of Top { *Above Ground* .... ft. .... in.~~

~~*Above Sea Level* .... ft~~

As Before

PLEASE FILL IN.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.		
JAN.	3·855	·860	28	22	17
FEB.	3·075	1·500	19	~~14~~ 15	9
MAR.	2·235	·470	14	~~17~~ 19	15
APR.	4·540	·505	9	24	21
MAY	2·965	·725	29	~~16~~ 17	15
JUNE	3·295	·970	13	12	8
JULY	4·530	·895	3	~~20~~ 22	17
AUG.	·900	·290	4	~~8~~ 10	6
SEPT.	1·105	·295	14	9	6
OCT.	1·830	·585	4	~~12~~ 14	10
NOV.	1·085	·315	14	~~9~~ 10	6
DEC.	3·345	·650	29	~~20~~ 22	18
Total	32·760	832		~~182~~ 196	148

Signed..........

Titles..........

[*Please fill in the other side also.*

Sheffield Gauges

2798

19 MAY 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Crookes (Crosley)

in the County of Yorkshire

by L S M Marsh

Lat. Long.

Time of Observation As Before

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·		·210	·345	·	·255	·005	·015	·110	·170	·095	1
2	·	·	·005	·245	·005	·	·150	·	·265	·185		·255	2
3	·	·005	·	·270	·140	·090	·895	·010	·075	·195		·345	3
4	·010	·	·	·100	·	·	·105	·290		·585		·040	4
5	·	·	·035	·	·190	·	·045	·030		·045		·010	5
6	·	·015	·325	·115	·080	·	·050	·		·005		·050	6
7	·100	·	·095	·020	·	·	·440	·					7
8	·180	·030	·	·440	·100	·	·435	·065		·005			8
9	·250	·315	·	·505	·	·	·110	·005		·005	·006		9
10	·450	·580	·030	·295	·	·	·145	·005			·		10
11	·575	·125	·060	·165	·255	·310	·	·			·	·070	11
12	·040	·020	·050	·315	·010	·260	·005	·225			·070	·060	12
13	·135	·150	·080	·295	·	·970	·	·			·030	·070	13
14	·050	·010	·470	·095	·	·950	·020	·	·295	·095	·315	·005	14
15	·005	·080	·110	·260	·	·	·	·	·140	·100	·930	·015	15
16	·	·	·060	·010	·005	·	·460	·	·015	·060		·	16
17	·005	·	·070	·	·190	·	·005	·	·185	·095		·005	17
18	·020	·	·	·055	·125	·	·	·005	·010			·	18
19	·160	1·500	·	·080	·120	·080	·	·105				·	19
20	·030	·100	·	·220		·235	·025	·			·	·040	20
21	·030	·	·	·		·	·255	·060				·155	21
22	·055	·	·	·260	·	·	·195	·095		·010	·005	·060	22
23	·	·	·	·		·	·255	·			·005	·345	23
24	·045	·005	·305	·005		·	·	·				·110	24
25	·	·055	·075	·085		·030	·520	·					25
26	·115	·060	·160	·195	·070	·	·095	·				·005	26
27	·330	·025	·005	·145	·345	·315	·	·		·010	·195	·280	27
28	·860	·	·100	·015	·055	·035	·005	·			·015	·170	28
29	·085	·	·095	·	·725	·010	·050	·	·005		·110	·650	29
30	·130	X	·005	·140	·155	·010	·	·	·100		·135	·360	30
31	·195	X	·100	X	·050	X	·010	·	X	·325	X	·150	31
TOTAL	3·855	3·075	2·235	4·540	2·965	3·295	4·530	·900	1·105	1·830	1·085	3·345	YEAR'S TOTAL 32·760
Days with ·01 in. or more	22 ~~21~~	15 ~~4~~	19 ~~7~~	24	17 ~~16~~	12	22 ~~20~~	10 ~~8~~	9	14 ~~12~~	10 ~~9~~	22 ~~20~~	~~182~~ 196
Days with ·04 in. or more	17	9	15	21	15	8	17	6	6	10	6	18	148

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SHEFFIELD
STUMPERLOW HALL
1911 - 1920

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

Kept at Stumpe… …rodm …in.
…nd 1 ft. — in.
in the County of Y… …Level 700 ft.
by Henry … …Sheffield_Midland
…nce 4 miles Direction East

IMPORTANT NO… …be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·17	—	—	—	·05	·08	—	—	·03	—	1
2	·23	—	·01	—	·12	—	—	—	—	—	·03	·09	2
3	—	—	—	—	·27	—	—	—	—	·06	·24	—	3
4	·04	—	·03	·11	·02	—	—	·02	·10	·15	·38	·29	4
5	·02	—	—	·07	—	—	—	·10	—	·25	·01	—	5
6	·50	—	·01	·02	—	—	—	·10	—	·07	·58	·59	6
7	·02	—	—	—	—	—	—	—	—	—	·19	·01	7
8	·11	—	·15	—	—	—	—	—	·02	·04	·12	·50	8
9	·02	—	·01	—	—	·07	—	—	—	—	—	·05	9
10	·04	—	·06	—	—	—	—	—	—	—	—	·84	10
11	·24	—	—	—	—	—	—	—	—	—	·53	·05	11
12	·08	—	·14	—	·01	—	—	—	·43	—	·32	—	12
13		—	·05	—	—	—	—	—	—	—	·03	·34	13
14	—	·14	·05	—	·27	—	·02	—	—	—	·10	·69	14
15	—	·22	·14	·04	—	—	—	—	—	·06	·03	·26	15
16	—	·30	·06	·09	—	·11	—	—	—	·07	·14	·08	16
17	—	·05	·03	—	—	·44	—	—	—	—	·35	·29	17
18	—	·45	·01	·03	—	·05	—	—	—	·01	·08	·12	18
19	—	·12	·01	·03	—	·01	·05	·01	·29	·07	·36	·06	19
20	—	·06	—	·16	—	·01	·02	·52	·12	·01	—	·15	20
21	—	·45	·02	·02	—	·01	—	·13	—	·20	·01	·03	21
22	·04	·08	—	—	—	—	·04	·16	—	·19	·03	·25	22
23	—	·38	·03	—	—	·30	—	·03	·25	·05	—	·15	23
24	·04	·12	·02	·06	—	·98	—	·02	[illegible]	·06	—	·31	24
25	·14	·28	·02	·20	—	·01	—	—	·21	·01	—	·46	25
26	—	·05	—	·30	·15	·01	—	·01	—	·45	·33	·40	26
27	—	·20	·12	·21	—	—	—	·73	·22	—	·18	·04	27
28	—	·19	·01	·16	—	·05	—	·02	·04	·01	·07	·10	28
29	—	[illegible]	·02	·15	—	·12	·01	—	·35	·26	·01	·06	29
30	—	[illegible]	—	—	·10	·08	—	—	—	·52	·02	—	30
31	—	—	·51	—	·01	—	—	—	—	·09	—	—	31
Total	1·52	3·09	1·68	1·65	·95	2·25	·19	1·93	2·03	2·63	4·17	6·21	TOTAL for year 25·30
No. of Rain Days.	13	15	23	15	8	14	6	13	10	20	24	25	186

W. 8,000, X. '11.

Form A2.
British Rainfall.

12 JAN 1912

RAINFALL IN 1911

Kept at Stumperlow Hall – Sheffield

in the County of York WR 7

by Henry I. Dixon

Rain Gauge:
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 700 ft.

Time of Observation 8 am

Nearest Railway Station:
Name Sheffield – Midland
Distance 4 miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·17	–	–	–	·05	·08	–	–	·03	–	1
2	·23	–	·01	–	·12	–	–	–	–	–	·03	·09	2
3	–	–	–	–	·27	–	–	–	–	·06	·24	–	3
4	·04	–	·03	·11	·02	–	–	·02	·10	·15	·38	·29	4
5	·02	–	–	·07	–	–	–	·10	–	·25	·01	–	5
6	·58	–	·01	·02	–	–	–	·10	–	·07	·58	·59	6
7	·02	–	–	–	–	–	–	–	–	–	·19	·01	7
8	·11	–	·15	–	–	–	–	–	·02	·04	·12	·50	8
9	·02	–	·01	–	–	·07	–	–	–	–	–	·05	9
10	·04	–	·06	–	–	–	–	–	–	–	–	·84	10
11	·24	–	–	–	–	–	–	–	–	–	·53	·05	11
12	·08	–	·14	–	·01	–	–	–	·43	–	·32	–	12
13	–	–	·05	–	–	–	–	–	–	–	·03	·34	13
14	–	·14	·05	–	·27	–	·02	–	–	–	·10	·69	14
15	–	·22	·14	·04	–	–	–	–	–	·06	·03	·26	15
16	–	·30	·06	·09	–	·11	–	–	–	·07	·14	·08	16
17	–	·05	·03	–	–	·44	–	–	–	–	·35	·29	17
18	–	·45	·01	·03	–	·05	–	–	–	·01	·08	·12	18
19	–	·12	·01	·03	–	·01	·05	·01	·29	·07	·36	·06	19
20	–	·06	–	·16	–	·01	·02	·52	·12	·01	–	·15	20
21	–	·45	·02	·02	–	·01	–	·13	–	·20	·01	·03	21
22	·04	·08	–	–	–	–	·04	·16	–	·19	·03	·25	22
23	–	·38	·03	–	–	·30	–	·03	·25	·05	–	·15	23
24	·04	·12	·02	·06	–	·98	–	·02	[illegible]	·06	–	·31	24
25	·14	·28	·02	·20	–	·01	–	–	·21	·01	–	·46	25
26	–	·05	–	·30	·15	·01	–	·01	–	·45	·33	·40	26
27	–	·20	·12	·21	–	–	–	·73	·22	–	·18	·04	27
28	–	·19	·01	·16	–	·05	–	·02	·04	·01	·07	·10	28
29	–	[illegible]	·02	·15	–	·12	·01	–	·35	·26	·01	·06	29
30	–	[illegible]	–	–	·10	·08	–	–	–	·52	·02	–	30
31	–	–	·51	–	·01	–	–	–	–	·09	–	–	31
~~Total~~	1·52	3·09	1·68	1·65	·95	2·25	·19	1·93	2·03	2·63	4·17	6·21	TOTAL for year 28·30
No. of Rain Days.	13	15	23	15	8	14	6	13	10	20	24	25	186

W. 8,000, X. '11.

Ex M S

FORM A2. BRITISH RAINFALL. 9 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Thrumpsalow Hall - Sheffield

in the County of York

W. 7

by ~~Henry L Dixon~~ James Dixon

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 700 ft.

Time of Observation 8 am

Nearest Railway Station
Name Sheff'd Midland
Distance 4 miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·23	–	–	·40	–	–	·07	–	–	1·17	1
2	–	·04	·10	·01	–	·33	·45	–	·05	–	–	·08	2
3	·13	·03	·03	–	·07	·62	·18	·76	·37	–	–	·06	3
4	·19	–	·75	·16	·17	·65	–	·62	·02	–	·12	–	4
5	·28	·09	·03	·07	·08	·10	–	·14	·08	–	·03	–	5
6	1·22	·13	–	·01	·04	·03	·02	·31	–	–	–	·01	6
7	–	·04	–	·02	·06	·05	–	·24	·03	–	–	·04	7
8	·70	·31	·18	·10	–	·05	·06	·02	·10	–	–	–	8
9	·08	·16	·09	·32	–	·23	–	·04	–	–	·07	·09	9
10	–	·01	–	–	–	·06	–	·35	·02	–	·48	–	10
11	·18	·05	–	–	–	·01	–	·04	–	–	·14	·76	11
12	·09	·45	·06	–	–	·11	1·06	–	–	–	·02	·03	12
13	·03	·10	·02	–	–	·01	·01	·02	–	·04	·10	·09	13
14	·07	–	·27	·01	–	·12	–	·08	–	–	–	·17	14
15	·18	·06	·05	·02	·48	·05	–	·03	–	–	–	·22	15
16	1·14	–	·13	–	·04	·11	–	·06	–	·16	–	·09	16
17	·28	·02	·16	–	–	·29	·08	·23	–	–	–	·81	17
18	·10	·01	·12	–	–	·03	–	·11	–	·08	–	·12	18
19	·32	·08	·06	–	–	·04	·60	·50	–	·03	·05	·02	19
20	·29	–	·13	–	·25	·07	·04	·12	–	·34	–	·03	20
21	–	·01	·44	–	·55	–	·89	–	–	·20	·01	·01	21
22	·03	·10	·04	–	1·14	·11	·09	·23	–	–	–	·09	22
23	·01	·05	·25	–	·03	·02	·91	·46	–	–	·14	·03	23
24	·41	–	·04	–	·07	–	·25	·30	–	–	–	·16	24
25	·01	–	·04	–	–	·30	–	·11	–	–	·34	·21	25
26	·01	·14	·11	–	–	–	·26	·99	–	1·20	·30	·33	26
27	–	–	·19	–	–	·26	1·26	–	–	·72	·03	·12	27
28	–	·02	·15	–	–	·17	·28	·43	·09	·19	·67	·02	28
29	–	–	·16	·01	–	·05	·15	·05	·55	·05	–	·24	29
30	·09	–	·07	–	·29	–	·03	–	·09	·04	–	–	30
31	–	–	·26	–	·21	–	·23	·22	–	·08	–	·01	31
Total	5·84	1·90	4·16	·73	3·48	4·27	6·85	6·46	1·47	3·13	2·50	5·01	TOTAL for year 45·80
No. of Rain Days.	22	20	27	10	14	26	19	25	11	12	14	26	226

W. 8,000, X. '11.

Ex 81

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

Kept at Stumperlow Hall - Sheffield

in the County of York W 7

by James Dixon

Lat. .... Long. ....

Time of Observation 8·45 a.m.

Nearest Railway Station Sheffield - Mid Co[illegible]

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 730 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	-	·17	·10	-	-	-	-	·10	·02	·07	-	1
2	-	·10	·11	·01	-	·02	-	-	·02	-	·08	·04	2
3	0·08	·13	·24	-	·30	-	-	-	·02	·39	-	·42	3
4	·67	·11	-	·01	·06	-	·11	-	·06	·05	·12	·46	4
5	·09	·03	·10	-	-	·13	·04	-	·08	·95	-	-	5
6	·02	·12	·16	-	·45	·04	1·00	-	·02	·76	·02	·01	6
7	-	·53	·01	-	·28	·15	·05	-	-	1·20	·06	·02	7
8	-	·03	·02	-	·70	·16	-	·10	-	·08	·11	-	8
9	-	·35	·03	-	·11	·28	·05	·04	-	-	·18	·03	9
10	·06	·03	·02	·09	·01	-	·02	-	-	·09	·17	-	10
11	·97	-	-	·41	-	·15	-	·01	-	·04	·35	-	11
12	-	-	-	·01	·01	·01	-	-	-	-	·20	-	12
13	·04	-	·10	·04	-	-	·01	-	·23	-	·30	-	13
14	·08	·03	·43	·09	-	-	-	-	-	·17	·65	-	14
15	·17	·06	·54	·40	-	-	·04	-	·17	-	·48	-	15
16	-	·02	·17	·14	-	-	·01	·16	·03	-	·09	-	16
17	·04	·05	·02	·12	-	·05	-	-	1·58	-	·04	-	17
18	·05	-	·22	·33	·05	-	·07	-	-	-	·08	-	18
19	·18	-	·03	·15	-	-	-	-	·20	-	·04	-	19
20	·25	-	·06	·07	-	-	-	-	·06	·09	·14	-	20
21	·03	·01	·08	-	·36	-	·25	·02	-	-	·34	-	21
22	·37	-	·90	-	·03	-	-	·65	·20	-	-	-	22
23	·17	-	·04	-	·04	·07	·01	·18	·14	·04	·02	-	23
24	·31	-	-	·03	-	·05	-	·03	-	-	·01	-	24
25	·01	-	-	·06	-	-	-	-	·07	·02	·02	·12	25
26	-	-	·17	·17	-	·01	-	-	·01	·14	-	·46	26
27	-	·02	·06	·28	-	-	-	-	-	·01	-	·33	27
28	·26	-	·20	·24	-	-	-	-	-	·04	-	·07	28
29	·02	-	·44	·46	·03	-	-	·36	-	-	·02	·13	29
30	·46	-	·03	-	·01	-	-	-	-	·44	·07	·07	30
31	·02	-	·01	-	·16	-	·01	-	-	·02	-	-	31
Total	4·38	1·62	4·36	3·21	2·60	1·12	1·67	1·55	2·99	4·55	3·66	2·16	YEAR'S TOTAL 33·87
Rain Days.	23	15	26	20	15	12	13	9	16	18	24	12	203

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 JAN 1915

Kept at Stumperlow Hall – Sheffield
in the County of York WR 7
by James Dixon

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Sheffield Midland
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·07	–	–	–	·95	·10	–	–	–	·26	1
2	–	–	·04	–	–	–	·29	·29	–	–	·43	·11	2
3	·07	–	·12	–	·10	–	·03	·07	–	–	·07	·78	3
4	·51	–	·35	·07	·49	–	–	·03	–	–	·54	·41	4
5	·17	–	·19	·24	·19	·07	–	–	–	–	·27	·28	5
6	–	·03	·11	·50	·12	–	·09	·03	–	–	·07	·14	6
7	·01	·02	·23	·23	·11	·02	–	·04	–	–	–	·13	7
8	·24	–	·04	·07	·12	·55	·02	·16	·34	·02	–	·07	8
9	·23	·01	–	·09	·01	·89	–	·14	·01	–	·03	–	9
10	·16	·15	–	·13	·06	–	–	–	·08	–	·16	·04	10
11	–	·16	·37	·03	·03	·31	·04	–	·19	–	·91	·36	11
12	–	·19	·13	–	·01	·02	·03	–	·42	–	·20	·40	12
13	·02	·11	·16	–	–	–	–	–	·10	·02	·42	·34	13
14	·03	·21	·13	–	–	–	·07	–	·06	·36	·36	·21	14
15	·01	·02	·32	–	–	–	–	–	·04	·02	·27	–	15
16	·06	–	·04	–	–	–	·38	–	·18	–	–	–	16
17	·03	·24	·11	–	–	–	·02	–	·26	–	–	·53	17
18	–	–	·02	–	–	–	–	–	·01	–	–	·13	18
19	–	–	·25	–	–	–	·04	–	–	–	·04	·11	19
20	·03	·23	·05	–	–	–	–	–	·01	·10	–	·03	20
21	–	·57	–	–	–	·50	–	–	–	·07	·03	·15	21
22	–	·03	–	–	·20	·12	·04	·04	–	·22	–	–	22
23	–	·01	·10	·03	·26	·03	·03	–	–	–	–	·02	23
24	·03	–	·26	·03	·03	–	·27	·30	–	·01	·05	–	24
25	·05	–	–	–	–	–	·08	·12	–	·63	·01	·32	25
26	–	–	·13	–	–	–	–	·18	–	·25	·09	·23	26
27	·03	–	–	–	–	–	–	–	–	–	·08	·71	27
28	·16	·13	·02	–	–	–	–	–	–	·10	·03	·17	28
29	·08		·16	–	–	–	–	–	–	·46	·08	·08	29
30	·01	×	·06	–	–	–	–	–	–	·06	·20	·21	30
31	·15	×	·05	×	–	×	·22	–	×	·16	×	–	31
Total	2·08	2·11	3·51	1·46	1·73	2·51	2·60	1·50	1·70	2·48	4·22	6·22	YEAR'S TOTAL 32·12
Rain Days.	20	15	25	10	13	9	16	12	12	14	21	25	192

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Mumperlow Hall Sheffield
in the County of York WR 7
by James Dixon

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Sheffield Midland
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 730 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·07	–	~~·10~~	–	·90	·10	–	–	–	·21	1
2	–	–	·02	–	~~·57~~	–	·28	·27	–	–	·38	·15	2
3	·05	–	·05	–	10 ~~·29~~	–	·03	·07	–	–	·05	·85	3
4	·40	–	·28	·17	57 ~~·12~~	–	–	·03	–	–	·46	·31	4
5	·18	–	·15	·18	·19	·06	–	–	–	–	·25	·21	5
6	–	·03	·09	·49	·12	–	·09	·04	–	–	–	·11	6
7	·02	·03	·22	·18	·10	·02	–	·04	–	–	–	·13	7
8	·20	–	·03	·01	·13	·65	·02	·13	·32	–	–	·06	8
9	·22	·01	–	·09	·07	·76	–	·16	–	–	·02	–	9
10	·14	·13	–	·12	·06	–	–	–	·10	–	·15	·02	10
11	–	·14	·38	·03	·03	·31	·04	–	·20	–	·85	·34	11
12	–	·16	·14	–	·07	·02	·03	–	·35	–	·21	·36	12
13	·02	·09	·15	–	–	–	–	–	·11	·02	·40	·34	13
14	·03	·18	·10	–	–	–	·07	–	·05	·29	·45	·20	14
15	·01	·02	·27	–	–	–	–	–	·05	·02	·19	–	15
16	·05	–	·03	–	–	–	·40	–	·20	–	–	–	16
17	·03	·21	·10	–	–	–	·02	–	·30	–	–	·46	17
18	–	–	·02	–	–	–	–	–	·03	–	–	·13	18
19	–	–	·25	–	–	–	·04	–	–	–	·04	·12	19
20	·03	·19	·03	–	–	–	–	–	–	·10	–	·03	20
21	–	·54	–	–	–	·38	–	–	–	·07	·03	·15	21
22	–	·03	–	–	·20	·11	·03	·03	–	·21	–	–	22
23	–	·01	·09	·04	·26	·02	·03	–	–	–	–	·03	23
24	·03	–	·24	·03	·02	–	·21	·28	–	–	·05	–	24
25	·05	–	–	–	–	–	·08	·15	–	·59	·02	·28	25
26	–	–	·10	–	–	–	–	·16	–	·27	·08	·20	26
27	·03	–	–	–	–	–	–	–	–	–	·07	·75	27
28	·16	·12	·02	–	–	–	–	–	–	·07	·03	·16	28
29	·08	–	·17	–	–	–	–	–	–	·34	·08	·08	29
30	·01	X	·03	–	–	–	–	–	–	·04	·22	·20	30
31	·13	X	·02	X	–	X	·25	–	X	·13	X	–	31
Total	1·87	1·89	3·05	1·34	1·80	2·33	2·52	1·46	1·71	2·15	4·03	5·88	YEAR'S TOTAL 30·03
Rain Days.	20	15	25	10	13	9	16	12	10	12	20	25	187

W. 8,000. X. 14.

Kitchen garden

3287

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

7 - JAN 16

Kept at Stumperlow Hall Sheffield

in the County of York

by James Dixon

Lat. Long.

Time of Observation 8·45

Nearest Railway Station Sheffield - Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 730 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·22	·07	–	·43	–	·03	·03	·14	–	·04	·32	1
2	·03	·09	·15	·21	–	·04	–	·21	–	·13	–	·01	2
3	·86	–	·02	·12	–	–	·25	·22	–	–	·04	·45	3
4	·03	·02	–	–	·06	–	·85	–	–	–	–	·95	4
5	·03	·34	·03	–	–	–	–	·07	–	·05	·02	·66	5
6	·15	·15	·02	·17	–	–	·39	·05	–	–	–	·16	6
7	·11	·30	·04	·15	–	–	·07	·50	–	–	–	·13	7
8	·12	·21	–	·09	–	–	–	·18	–	–	·10	·01	8
9	–	·06	–	·05	–	–	–	·09	–	·05	·26	·73	9
10	·50	–	·04	–	–	–	–	·03	–	·02	·05	·08	10
11	·15	–	·03	·02	·42	–	·10	·02	–	·01	·55	·36	11
12	·04	–	–	·04	·26	–	–	·12	–	·11	1·18	–	12
13	·02	·58	–	–	·03	–	–	–	–	–	–	–	13
14	·02	·02	–	–	–	–	–	·07	·03	–	–	·41	14
15	·96	–	–	–	–	–	–	·42	–	–	·31	·12	15
16	–	·25	–	–	·20	–	1·75	·10	–	·01	–	·07	16
17	–	·30	·02	–	–	–	·18	·03	–	–	–	–	17
18	–	·20	·33	–	–	–	–	–	–	–	·01	–	18
19	–	·04	–	–	·07	–	·07	–	–	·02	–	–	19
20	·12	–	–	·03	–	–	·08	–	–	–	–	·13	20
21	·05	–	–	·04	–	–	·10	–	–	–	–	·08	21
22	·02	–	·21	·03	–	–	·30	–	–	–	–	·07	22
23	·03	·02	·07	–	–	–	·29	–	·01	·33	–	·10	23
24	–	–	·14	·05	–	–	–	–	·54	·05	–	·30	24
25	–	–	·01	·05	–	·41	·05	–	–	·02	–	·11	25
26	·05	·30	–	–	–	·13	·06	–	·08	–	–	·51	26
27	–	·15	–	–	–	·21	·07	–	–	·65	–	·72	27
28	–	·36	·01	–	–	·20	–	·37	–	·12	–	·02	28
29	·01		–	–	·02	·40	–	–	–	–	·17	·51	29
30	·10	X	–	·05	–	·10	–	–	–	–	–	·03	30
31	·11	X	·02	X	–	X	·01	·10	X	·21	X	·24	31
Total	3·86	3·60	1·21	1·10	1·43	1·49	4·65 ✓	2·61	·80	1·78	2·73	7·22	YEAR'S TOTAL 32·48 ✓
Rain Days.	22	18	16	14	8	7	17	17	5	14	11	26	175

Field Gauge ✓

3288

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

7 - JAN 1916

Kept at Thumpserton Hall - Sheffield

in the County of York

by James Dixon

Lat. Long.

Time of Observation 8·45 am

Nearest Railway Station Sheffield - Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·23	·07	–	·50	–	·02	·03	·12	–	·65	·35	1
2	·02	·14	·16	·26	–	·04	·01	·21	–	·13	–	·02	2
3	·92	–	·02	·09	–	–	·30	·23	–	–	·04	·49	3
4	03	·01	–	–	·07	–	·79	–	–	–	–	1·05	4
5	·03	·34	·03	–	–	–	–	·06	–	·03	·02	·70	5
6	·20	·18	·02	·15	–	–	·34	·07	–	·02	–	·16	6
7	·18	·33	·03	·16	–	–	·08	·53	–	–	–	·14	7
8	·17	·24	–	·11	–	–	–	·18	–	–	·09	·02	8
9	·01	·05	–	·05	–	–	–	·10	–	·05	·28	·69	9
10	·57	–	·02	–	–	–	–	–	–	·02	·09	·06	10
11	·15	–	·04	·03	·47	–	·10	·03	–	–	·64	·55	11
12	·04	–	–	0·05	·30	–	–	·12	–	·12	1·30	–	12
13	·02	·55	–	–	·03	–	–	–	–	–	–	–	13
14	·02	·02	–	–	·01	–	–	·08	·03	–	–	·40	14
15	1·00	–	–	–	–	–	–	·41	–	–	·26	·13	15
16	–	·30	–	–	·20	–	1·95	·10	–	–	–	·01	16
17	–	·29	·03	–	–	–	·20	·04	–	–	–	–	17
18	–	·21	·28	–	–	–	–	–	–	–	·02	–	18
19	–	·04	–	–	·02	–	·09	–	–	·02	–	–	19
20	·09	–	·01	·03	–	–	·08	–	–	–	–	·13	20
21	·06	–	–	·05	–	–	·10	–	–	–	–	·08	21
22	·01	–	·21	·03	–	–	·30	–	–	–	–	·06	22
23	·02	·02	·07	–	–	–	·32	–	–	·37	–	·07	23
24	–	–	·15	·06	–	–	–	–	·55	·06	–	·31	24
25	–	–	·01	·05	–	·47	·04	–	–	·02	–	·13	25
26	·04	·38	–	–	–	·06	·06	–	·08	–	–	·54	26
27	–	·17	–	–	–	·22	·06	–	–	·63	–	·79	27
28	–	·39	·01	–	–	·18	·01	·41	–	·11	–	·02	28
29	·01		–	–	·03	·40	–	·01	–	–	·19	·76	29
30	·11	✕	–	·05	–	·09	–	–	–	–	–	·08	30
31	·13	✕	·03	✕	–	✕	·01	·13	✕	·28	✕	·27	31
Total	4·21	3·89	1·19	1·17	1·63	1·46	4·87	2·74	·78	1·86	2·98	7·96	YEAR'S TOTAL 34·74
Rain Days.	23	18	17	14	9	7	19	17	4	13	11	26	178

W. 8,000. X. 15.

3213

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at [illegible] Hall Sheffield

in the County of York W R

by James Dixon

Lat. 53·32 N Long. 1·33 W

Time of Observation 8·45 am

Nearest Railway Station Sheffield Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 730 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	·06	·51	–	–	·08	·16	–	–	–	·20	–	1
2	·25	·14	·32	–	–	–	–	–	·11	·21	·02	–	2
3	·01	·26	–	–	–	–	·08	–	·61	·29	·14	–	3
4	·07	·05	·02	–	·62	·38	·01	–	·04	·24	·57	–	4
5	·08	·02	–	–	·07	·36	–	–	–	·44	·53	–	5
6	·14	·64	·19	·01	·57	·02	·29	–	–	·10	·47	·02	6
7	·05	·01	·06	–	·10	–	·36	–	–	·20	·07	·19	7
8	–	–	·49	0·01	–	·01	–	–	·	·01	·19	–	8
9	·01	·02	·07	–	·43	·01	–	–	·02	–	·10	·46	9
10	·01	·04	–	·10	–	·50	·07	–	·11	·04	·02	·13	10
11	–	·44	·24	·33	–	·06	·01	–	·05	–	–	·12	11
12	·08	·05	·70	·04	·42	·02	·23	·03	·01	·03	–	·06	12
13	–	·09	·42	·05	·02	–	·01	·16	–	·17	·02	·03	13
14	–	·16	·03	·21	·20	–	–	·30	–	·17	–	·06	14
15	–	·53	·75	·01	–	–	·09	·11	·01	·11	–	–	15
16	–	·34	·41	·16	–	–	·14	·20	–	·01	–	–	16
17	·03	·17	–	·68	–	–	·10	·03	·29	·21	–	–	17
18	·01	·26	·02	·09	–	–	–	·02	·29	·07	·54	·01	18
19	·07	·03	·33	·25	–	–	–	·02	·02	–	1·08	·22	19
20	·16	–	·19	·04	·10	–	·02	–	–	–	·01	·05	20
21	·10	–	·13	·04	–	–	·01	–	–	–	–	·18	21
22	–	·04	·02	·02	–	·05	–	–	–	·12	–	·35	22
23	·03	·11	·01	·03	–	·03	–	·03	–	·02	·19	·27	23
24	–	·45	–	·02	–	·08	–	·04	–	·06	–	·04	24
25	·01	–	·50	–	·10	–	–	·28	–	·12	·33	·15	25
26	·01	·17	·14	–	–	–	–	·14	–	·18	·07	–	26
27	–	·27	·02	–	–	–	·03	·23	–	·25	–	–	27
28	–	·31	·07	–	–	·17	–	–	·02	·05	·01	·11	28
29	·02	·46	–	–	–	·50	–	·02	–	·07	–	·35	29
30	–	X	–	–	–	·05	–	–	–	·11	–	·02	30
31	–	X	–	X	–	X	–	–	X	·34	X	·36	31
Total	1·48	5·12	5·64	2·09	2·63	2·32	1·61	1·61	1·58	4·06	4·50	3·19	YEAR'S TOTAL 35·83
Rain Days.	19	25	23	17	10	15	15	14	12	25	18	20	213

W. 8,000, VIII. 16

Cxd. CEE

3214

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Stumperlowe Hall . Sheffield

in the County of York WR

by James Dixon

Lat. Long.
Time of Observation 8·45 am
Nearest Railway Station Sheffield - Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·46	·05	·41	–	–	·08	·17	–	–	–	·21	–	1
2	·27	·15	·27	–	–	–	–	–	·12	·20	·02	–	2
3	–	·30	–	–	–	–	·08	–	·58	·31	·18	–	3
4	·08	·06	–	–	·60	·35	–	–	·04	·24	·49	–	4
5	·09	·02	–	–	·07	·38	–	–	–	·42	·65	–	5
6	·27	·72	·14	·01	·54	·02	·28	–	–	·08	·44	·02	6
7	·06	–	·06	–	·10	–	·37	–	–	·19	·06	·19	7
8	–	–	·34	·01	–	–	–	–	–	·01	·20	·10	8
9	–	·01	·07	–	·43	·02	–	–	·02	–	·12	·36	9
10	·01	·04	·05	·08	–	·57	·06	–	·11	·03	·01	·17	10
11	–	·42	·18	·28	–	·07	·01	–	·05	–	–	·10	11
12	·11	·06	·60	·03	·41	·03	·24	·03	·01	·02	–	·06	12
13	–	·09	·39	·05	·02	–	·02	·17	–	·16	–	·03	13
14	–	·17	·03	·18	·21	–	–	·30	–	·15	·02	·05	14
15	–	·69	·71	·01	–	–	·09	·12	·01	·10	–	–	15
16	–	·48	·45	·14	–	–	·14	·21	–	–	–	–	16
17	·02	·20	–	·65	–	–	·10	·03	·36	·22	–	–	17
18	·02	·32	·02	·09	–	–	–	·02	·29	·07	·59	·02	18
19	·08	·01	·32	·24	–	–	–	·02	·02	–	·94	·22	19
20	·16	–	·19	·05	·10	–	·02	–	–	–	·01	·07	20
21	·15	–	·14	·04	–	–	·02	–	–	–	–	·18	21
22	–	·04	·02	·02	–	·06	–	–	–	·13	–	·37	22
23	·02	·06	·01	·03	–	·04	–	·03	–	·02	·18	·20	23
24	–	·36	–	·02	–	·09	–	·03	–	·04	–	·16	24
25	–	·02	·47	–	·10	–	–	·27	–	·16	·33	·04	25
26	·01	·10	·10	–	–	–	–	·14	–	·17	·06	–	26
27	–	·20	·02	–	–	–	·04	·23	–	·31	–	–	27
28	–	·26	·05	–	–	·17	–	–	·03	·02	·01	·10	28
29	·02	·45	1	–	–	·51	–	·03	–	·60	1	·40	29
30	1		–	–	–	·04	–	–	–	·14	–	·02	30
31	–		–		–		–	–		·32		·33	31
Total	1·83	5·28	5·04	1·93	2·58	2·37	1·64	1·63	1·64	4·11	4·52	3·19	YEAR'S TOTAL 35·76
Rain Days.	16	25	23	17	10	14	14	14	12	24	18	21	208

W. 8,000, VIII. 16

Ereg 45

3065

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

7. JAN 1918

Kept at Stumperlow Hall – Sheffield

in the County of York

by James Dixon

Lat. 53·32 N Long. 1·33 W

Time of Observation 9 a.m.

Nearest Railway Station Sheffield – Millhouses

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 730 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	–	–	·29	–	·07	–	·25	·21	–	·16	·11	1
2	·19	–	–	–	–	·09	–	·11	–	–	·02	–	2
3	·05	–	–	·02	–	·11	–	·15	–	·17	·16	–	3
4	·06	–	·23	–	–	–	–	·18	–	·13	–	–	4
5	·16	–	·20	·11	–	–	–	·03	·02	·15	·29	–	5
6	·03	–	–	–	–	·14	–	–	–	·37	·15	·03	6
7	·25	–	·02	–	–	·24	–	–	–	·77	·02	·04	7
8	·76	–	–	·25	–	–	–	·56	–	·88	·40	·07	8
9	·06	–	·11	·07	·01	–	–	·02	–	·15	·50	·02	9
10	·26	–	·71	·20	·11	–	–	·20	–	·01	–	–	10
11	·07	–	–	·41	–	–	–	·33	–	·32	–	–	11
12	·13	–	–	–	·25	–	–	·29	–	·02	–	·05	12
13	·07	–	–	·16	·03	·01	–	·26	·19	·03	–	·03	13
14	·14	–	·03	·08	–	–	–	·02	–	–	–	·18	14
15	–	–	–	·03	·01	–	·12	–	–	·03	–	·06	15
16	·06	·12	–	·15	–	·12	·01	·12	–	–	–	·60	16
17	·01	·03	·01	·07	·33	–	·19	·33	·04	·02	·01	·08	17
18	·03	–	·04	·03	·07	–	·70	·08	·28	·06	–	–	18
19	–	·15	·31	–	·20	·32	–	·01	·01	–	·04	–	19
20	–	·14	·02	–	·29	·33	–	–	·14	–	·10	–	20
21	·07	·03	·11	–	·04	·03	–	·03	–	·03	–	–	21
22	·04	·01	·10	–	–	–	–	·10	·07	·05	·02	–	22
23	·01	·01	–	–	·18	·06	–	·15	–	·08	–	–	23
24	–	–	–	–	·01	·12	–	·16	–	·77	·58	–	24
25	–	·01	·15	–	–	–	–	·02	–	·01	·14	–	25
26	–	–	·01	–	–	·03	·05	·34	·15	·08	·25	–	26
27	–	–	·05	–	–	·21	·14	·82	–	·01	·18	·06	27
28	–	–	·20	–	–	·08	–	·50	–	–	–	·07	28
29	·02	–	·02	–	·10	–	·07	·04	–	·38	–	·37	29
30	·01	×	·38	–	–	–	·02	·12	–	·10	·01	–	30
31	·03	×	·30	×	·02	×	–	·04	×	·01	×	·04	31
Total	2·60	·50	3·00	1·87	1·65	1·96	1·30	5·26	1·11	4·63	3·03	1·81	YEAR'S TOTAL 28·77
Rain Days.	23	8	19	13	14	15	8	27	9	24	17	15	192

3066

FORM A.
BRITISH RAINFALL.
7. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Stumperlow Hall – Sheffield

in the County of York

by James Dixon

Lat. 53·32 N Long. 1·33 W

Time of Observation ~~8~~ 9 am

Nearest Railway Station Sheffield, Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	–	–	·26	–	·05	–	0·23	·22	–	·16	·09	1
2	·22	–	–	·01	–	·10	–	0·09	–	–	·02	–	2
3	·05	–	–	·03	–	·12	–	·13	–	·16	·13	–	3
4	·06	–	·21	–	–	–	–	·19	–	·13	·01	–	4
5	·16	–	·18	·10	–	–	–	·03	·02	·16	·25	–	5
6	·03	–	–	–	–	·13	–	–	–	·35	·15	·03	6
7	·24	–	·02	–	–	·25	–	–	–	·76	·02	·04	7
8	·60	–	–	·27	–	–	–	·54	–	·86	·39	·06	8
9	·16	–	·11	·04	–	–	–	·03	–	·16	·52	·03	9
10	·26	–	·81	·19	·13	–	–	·22	–	·02	·01	–	10
11	·08	–	–	·35	–	–	–	·33	–	·33	–	–	11
12	·13	–	–	–	·25	–	–	·28	–	·02	–	·05	12
13	·06	–	–	·20	·03	·01	–	·27	·18	·04	–	·03	13
14	·23	–	·03	·06	–	–	–	·03	–	–	–	·19	14
15	–	–	–	·04	·01	–	·12	–	–	·03	–	·06	15
16	·05	·11	–	·14	–	·13	·01	·10	–	–	–	·57	16
17	·01	·05	·01	·08	·38	·01	·15	·34	·04	·02	·01	·07	17
18	·04	–	·03	·03	·07	–	·69	·10	·28	·06	–	·01	18
19	–	·15	·30	–	·24	·33	–	·02	·03	–	·04	–	19
20	–	·18	·01	–	·38	·34	–	–	·13	–	·08	–	20
21	·06	·05	·10	–	·05	·03	–	·03	–	·03	–	–	21
22	·04	·01	·08	–	–	–	–	·09	·06	·05	·02	–	22
23	·01	·01	–	–	·18	·05	–	·16	–	·07	–	–	23
24	–	–	–	–	·02	·12	–	·15	–	·69	·56	–	24
25	–	·02	·15	–	–	–	–	·02	–	·02	·13	–	25
26	–	–	·01	–	–	·03	·04	·35	·14	·09	·25	–	26
27	–	–	·05	–	–	·25	·14	·80	–	–	·20	·07	27
28	–	–	·20	–	–	·08	–	·49	–	–	–	·06	28
29	·02	–	·03	–	·12	–	·07	·03	–	·39	–	·35	29
30	–	╳	·25	–	–	–	·02	·13	–	·10	·02	–	30
31	·04	╳	·35	╳	·02	╳	–	·04	╳	·01	╳	0·04	31
Total	2·63	0·58	2·93	1·80	1·88	2·03	1·24	5·22	1·10	4·55	2·97	1·75	YEAR'S TOTAL 25·68
Rain Days.	22	8	19	14	13	16	8	27	9	23	19	16	194

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
6. 1. 19

Kept at Thimperlow Hall Sheffield
in the County of York
by James Dixon

Lat. 53' 28 North Long.
Time of Observation 9 am
Nearest Railway Station Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·05	·03	·02	·02	—	—	—	·26	·06	·42	·01	1
2	—	·09	—	·03	—	—	—	·32	·24	·01	[illegible]	·54	2
3	—	·01	·07	—	·92	—	—	·20	·02	·04	·12	—	3
4	—	·01	·04	—	—	—	—	·06	·65	·13	·37	·43	4
5	—	—	·03	·04	·35	—	—	·17	·26	·44	—	—	5
6	—	·60	·03	·37	—	·15	—	·05	—	·16	—	·02	6
7	·05	·06	—	·10	—	—	—	—	·54	·17	·24	—	7
8	—	·24	·11	·04	—	—	·06	—	·41	·09	·06	·01	8
9	·44	1·00	·03	·22	—	·08	·08	—	·60	·32	·04	·02	9
10	·12	·15	—	·06	—	—	·26	—	·02	·01	·17	·01	10
11	·48	·09	—	·04	·08	—	·15	—	·17	—	—	·06	11
12	·02	·18	·02	·20	·05	—	·76	—	·19	·01	—	·19	12
13	—	·01	—	·04	·11	·01	—	—	·42	·10	—	·04	13
14	·57	—	—	·02	—	·12	·22	—	·84	·07	—	·22	14
15	·34	—	—	—	—	·10	·41	—	·90	—	—	·19	15
16	—	—	·01	—	—	·06	·46	·03	·20	·02	—	·36	16
17	·31	—	·04	—	·06	—	·61	·09	·26	·12	—	·25	17
18	·30	—	·02	—	—	·12	·30	—	·60	—	—	·32	18
19	·13	—	·15	·12	—	—	·09	·03	·25	·13	—	·45	19
20	·11	·17	—	·06	—	·12	·02	—	·12	·30	—	—	20
21	·16	·23	—	·03	·72	·09	—	—	·26	·15	—	·04	21
22	·05	·02	—	—	·12	·06	·09	—	·09	·04	—	·90	22
23	·05	—	—	—	·43	—	·11	—	·06	—	·03	·07	23
24	—	·06	—	—	—	—	·09	—	·04	·01	·03	·03	24
25	—	—	—	—	—	·06	·06	·19	·05	·02	—	—	25
26	—	—	—	—	—	—	·18	·03	·17	—	·06	·21	26
27	—	·09	·01	—	—	·01	—	·25	·64	—	·05	·27	27
28	—	·08	·40	—	—	—	—	·10	·08	—	·16	·53	28
29	—	—	—	—	—	—	—	—	·07	—	—	·21	29
30	—	X	·49	—	—	—	—	·04	·01	—	·07	·21	30
31	—	X	·24	X	—	X	—	·02	X	—	X	—	31
Total	3·13	3·14	1·72	1·39	2·86	·98	3·95	1·58	8·42	2·40	1·82	5·59	YEAR'S TOTAL 36·98
Rain Days.	14	18	16	15	10	12	17	14	29	21	13	25	204

W. 6,500, VII. 18. W W C

REGISTER OF RAINFALL IN 1918

Kept at Stumperlow Hall Sheffield
in the County of York
by James Dixon

Lat. 53° 23 North Long.
Time of Observation 9 am
Nearest Railway Station Sheffield Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·04	·03	·02	·07	—	—	—	·25	·05	·43	·01	1
2	—	·09	—	·04	—	—	—	·32	·23	·01	—	·56	2
3	—	—	·07	—	·93	—	—	·22	·07	·03	·11	—	3
4	—	·07	·03	—	—	—	—	·45	·65	·13	·36	·46	4
5	—	—	·02	·04	·35	—	—	·18	·25	·45	—	—	5
6	—	·58	·02	·38	—	·13	—	·05	—	·14	—	·03	6
7	0·04	·07	—	·10	—	—	—	—	·56	·17	·26	—	7
8	—	·24	·12	·05	—	—	·07	—	·40	·09	·06	·01	8
9	0·41	·99	·03	·23	—	·08	·08	—	·60	·31	·04	·07	9
10	·12	·16	—	·05	—	—	·29	—	·02	·07	·17	·01	10
11	·46	·10	—	·04	·08	—	·15	—	·16	—	—	·05	11
12	·07	·18	·03	·71	·06	—	·82	—	·19	·01	—	·18	12
13	·01	·01	—	·04	·10	—	—	—	·43	·11	—	·04	13
14	·53	—	—	·07	—	·13	·22	—	·84	·08	—	·19	14
15	·33	—	—	—	—	·09	·42	—	·93	—	—	·22	15
16	—	—	·07	—	—	·04	·46	·03	·20	·03	—	·35	16
17	·33	—	·04	—	·07	—	·62	·08	·28	·12	—	·25	17
18	·34	—	·03	—	—	·08	·29	—	·61	—	—	·30	18
19	·13	—	·17	·12	—	—	·09	·03	·24	·12	—	·48	19
20	·11	·17	—	·06	—	·13	·07	—	·14	·29	—	—	20
21	·14	·24	—	·03	·75	·09	—	—	·24	·16	—	·04	21
22	·05	·03	—	—	·12	·07	·08	·01	·09	·05	—	·89	22
23	·04	—	—	—	·41	—	·12	—	·06	—	·03	·06	23
24	—	·06	—	—	—	—	·09	—	·04	·07	·03	·03	24
25	—	—	—	—	—	·07	·06	·19	·05	·02	—	—	25
26	—	·01	—	—	—	—	·19	·04	·17	—	·06	·21	26
27	—	·09	·02	—	—	·01	—	·25	·65	—	·05	·28	27
28	—	·06	·39	—	—	—	—	·11	·07	—	·17	·52	28
29	—	—	—	—	—	—	—	—	·07	—	—	·22	29
30	—		·50	—	—	—	—	·04	·01	—	·07	·23	30
31	—		·24		—		—	·02		—		—	31
Total	3·06	3·14	1·76	1·43	2·89	·92	4·07	1·62	8·45	2·41	1·84	5·64	YEAR'S TOTAL 37·23
Rain Days.	15	19	16	15	10	11	17	15	29	21	13	25	205

Ex ML

2910

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Thumpelew Hill Sheffield
in the County of York
by James Dixon

Lat. 53°28' N Long.
Time of Observation 9 am
Nearest Railway Station Sheffield Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·78	·04	·02	—	·42	—	·38	·02	·11	·10	·10	·32	1
2	·19	·02	—	—	—	—	·18	·08	·22	—	·12	·05	2
3	·86	—	—	—	·06	·13	1·19	—	·14	—	·26	·20	3
4	·21	—	·32	—	—	·01	·10	·12	·23	—	·13	·31	4
5	—	·04	—	—	·09	—	·01	—	·22	—	·57	·68	5
6	·01	—	·39	—	·91	—	—	—	—	·08	—	·44	6
7	·06	—	·29	—	·04	—	—	—	—	—	·04	—	7
8	·23	—	·03	—	—	·04	—	—	—	—	·61	—	8
9	·06	—	·05	—	—	—	—	—	—	—	·03	—	9
10	—	—	·23	·03	—	—	—	—	—	·02	·04	·11	10
11	—	—	1·06	·07	·04	—	·05	—	·01	—	·02	·02	11
12	—	—	·74	·18	—	·13	·09	—	·36	—	—	—	12
13	·24	—	—	·25	—	—	—	—	1·40	·20	·02	·08	13
14	·28	—	—	·29	—	—	—	·03	·10	—	·12	·02	14
15	·29	·14	·03	·02	—	—	—	—	—	·01	—	·52	15
16	·24	·40	—	·17	—	·02	—	—	—	—	·12	—	16
17	·09	·85	—	·02	—	·05	·02	·10	—	—	·44	·01	17
18	—	—	·05	—	—	—	·03	·20	·12	—	·06	·38	18
19	·06	·30	1·62	—	—	·04	2·04	·61	·03	—	·36	—	19
20	·53	·08	·14	—	—	·05	·93	·10	—	—	·19	·28	20
21	·11	·37	·04	—	—	—	·12	—	·02	—	·01	·36	21
22	—	·09	—	—	—	—	—	·03	·32	—	·07	·61	22
23	—	—	—	—	—	·07	—	—	—	·99	·04	·49	23
24	—	—	—	·24	·06	·01	·03	·02	·07	·61	·15	·16	24
25	·06	0·02	—	·41	·33	·02	—	·57	—	·01	·21	·01	25
26	·07	—	·52	·05	—	·01	·02	·26	·07	—	·02	·74	26
27	·16	—	·11	·16	—	—	—	·02	—	—	·09	·04	27
28	·07	—	—	·05	—	·01	—	1·10	—	·04	—	·51	28
29	·15	—	—	·01	—	—	—	·04	—	1·29	—	·13	29
30	·04		·10	·04	—	·10	—	—	—	·07	·21	·34	30
31	·02		·03		—		·09	—		·12		·01	31
TOTAL	4·75	2·35	5·77	1·99	1·95	·65	5·28	3·31	3·42	3·54	2·88	6·83	YEAR'S TOTAL 42·72
Days with ·01 in. or more	23	11	18	15	8	14	15	15	15	12	25	25	196

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex MZ

2909

8 JAN 20

Form A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Thrumpton Hall Sheffield

in the County of York

by James Dixon

Lat. 53·25N Long.

Time of Observation 9 am

Nearest Railway Station Sheffield Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 730 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·79	·04	0·02	–	·43	–	·36	·02	·12	·10	·10	·31	1
2	·19	·01	–	–	–	–	·18	·10	·21	–	·12	·06	2
3	·69	–	–	–	·05	·12	1·18	–	·15	–	·27	·21	3
4	·10	–	·32	–	–	·01	·11	·13	·23	–	·12	·33	4
5	–	·04	–	–	·09	–	–	–	·22	–	·01	·70	5
6	·01	–	·41	–	·92	–	–	–	–	·08	–	·44	6
7	·04	–	·28	–	·04	–	–	–	–	–	·03	–	7
8	·22	–	·03	–	–	·03	–	–	–	–	·07	–	8
9	·06	–	·05	–	–	–	–	–	–	–	·03	–	9
10	–	–	·24	·02	–	–	–	–	–	·02	·04	·10	10
11	–	–	1·10	·06	·04	–	·05	–	·01	–	·02	·02	11
12	–	–	·75	·20	–	·13	·08	–	·36	–	·01	–	12
13	·24	–	–	·24	–	–	–	–	1·38	·20	·02	·09	13
14	·27	–	–	·29	–	–	–	·03	·11	–	·12	·02	14
15	·28	·13	·02	·02	–	–	–	–	–	·01	–	·50	15
16	·23	·36	–	·15	–	·02	–	–	–	–	·11	–	16
17	·11	·96	–	·02	–	·05	·01	·11	–	–	·46	·01	17
18	–	–	·05	–	–	–	·03	·23	·12	–	·07	·40	18
19	·06	·28	1·52	–	–	·04	2·03	·57	·03	–	·33	–	19
20	·51	·07	·19	–	–	·04	·87	·09	–	–	·21	·28	20
21	·12	·37	·04	–	–	–	·12	–	·03	–	·01	·37	21
22	–	·10	–	–	–	–	–	·03	·32	–	·08	·57	22
23	–	–	–	–	–	·04	–	–	–	·97	·04	·51	23
24	–	–	–	·23	·06	·01	·03	·02	·08	·60	·15	·15	24
25	·06	·02	–	·42	·37	·02	–	·56	–	·02	·20	·02	25
26	·03	–	·53	·05	–	·01	·01	·28	·07	–	·03	·72	26
27	·18	–	·11	·16	–	–	–	·01	–	–	·07	·05	27
28	·06	–	–	·04	–	–	–	1·10	–	·04	–	·50	28
29	·15	–	–	·01	–	–	–	·04	–	1·28	–	·12	29
30	·04	✕	·10	·04	–	·10	–	–	–	·07	·19	·32	30
31	·02	✕	·02	✕	–	✕	·09	–	✕	·12	✕	·02	31
Total	4·46	2·38	5·80	1·95	2·00	·62	5·15	3·32	3·44	3·51	2·85	6·82	Year's Total 42·30
Days with ·01 in. or more	23	11	18	15	8	13	14	15	15	12	26	25	195

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6 JAN 1921

2792

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Thumperlow Hall Sheffield

in the County of York

by James Dixon

Lat. 53'28 N Long.

Time of Observation 9 am

Nearest Railway Station Sheffield - Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 730 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·01	·24	·44	–	·30	·03	·06	·15	·15	·12	1
2	–	–	·01	·29	·01	–	·32	–	·25	·19	–	·31	2
3	·03	·01	–	·34	·14	·08	·90	·06	·09	·35	–	·36	3
4	·01	–	–	·06	–	–	·14	·36	·02	·65	–	·04	4
5	–	–	·04	–	·15	–	·05	·04	·01	·04	–	–	5
6	–	·01	·41	·13	·13	–	·05	–	–	·01	–	·09	6
7	·24	·01	·12	·02	·01	–	·33	–	–	–	–	–	7
8	·17	·04	–	·61	·15	–	·72	·10	–	·02	–	–	8
9	·23	·45	–	·58	–	–	·06	·03	–	·02	·01	–	9
10	·45	·65	·06	·30	–	–	·16	·03	–	–	–	–	10
11	·56	·15	·10	·22	·32	·36	–	·01	–	–	–	·14	11
12	·05	·62	·04	·42	–	·29	·01	·22	–	–	·08	·08	12
13	·20	·23	·13	·41	–	1·13	·01	–	–	–	·02	·08	13
14	·06	·03	·50	·11	–	1·14	·02	–	·58	·07	·38	–	14
15	–	·10	·20	·32	–	–	–	–	–	·12	·04	·02	15
16	–	–	·11	·03	–	–	·49	–	·04	·14	·01	–	16
17	·02	–	·06	–	·24	–	–	·02	·27	·09	–	·02	17
18	·02	–	–	·09	·14	–	–	–	·01	–	–	–	18
19	·25	1·80	–	·10	·15	·12	–	·11	·01	–	–	–	19
20	·06	·02	–	·23	–	·21	·05	–	–	–	–	·08	20
21	·03	–	–	–	–	–	·28	·05	–	–	–	·18	21
22	·04	–	–	·31	–	·01	·30	·06	–	–	–	·12	22
23	–	–	–	–	–	–	·26	–	–	–	–	·45	23
24	·04	–	·35	·02	–	–	–	–	–	–	·02	·11	24
25	–	·05	·10	·14	–	·02	·62	–	–	–	–	–	25
26	·19	·09	·16	·33	·06	–	·11	–	–	–	–	–	26
27	·37	·03	·01	·17	·66	·40	–	–	–	–	·29	·29	27
28	·95	–	·11	·03	·15	·05	·02	–	·01	–	·01	·19	28
29	·14	–	·13	–	·52	–	·14	–	·02	–	·12	·75	29
30	·18	✕	·07	·20	·19	·05	–	–	·13	–	·13	·48	30
31	·18	✕	·11	✕	·04	✕	·03	–	✕	·54	✕	·[illegible]9	31
TOTAL	4·47	3·69	2·74	5·70	3·50	3·86	5·37	1·12	1·50	2·39	1·26	4·00	YEAR'S TOTAL 39·63
Days with ·01 in. or more	23	16	21	25	17	12	23	13	13	17	12	20	208
Days with ·04 in. or more	18	10	17	21	15	10	18	8	7	10	7	18	158

2793

6 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Thumperlow Hall Sheffield
in the County of York
by James Dixon

Lat. 53'28N Long.
Time of Observation 9 a.m.
Nearest Railway Station Sheffield Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 770 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	·24	·46	—	·31	·03	·06	·15	·16	·12	1
2	—	—	·01	·30	·01	—	·32	—	·25	·19	—	·31	2
3	·03	—	—	·35	·14	·09	·94	·05	·09	·35	—	·34	3
4	·01	—	—	·06	—	—	·14	·37	·01	·64	—	·04	4
5	—	—	·04	—	·14	—	·05	·04	·02	·05	—	—	5
6	—	·01	·40	·13	·12	—	·04	—	—	·01	—	·09	6
7	·26	·01	·12	·02	·01	—	·34	—	—	—	—	—	7
8	·15	·05	—	·64	·15	—	·68	·09	—	·02	—	—	8
9	·24	·44	—	·61	—	—	·06	·03	—	·02	·01	—	9
10	·44	·65	·05	·29	—	—	·16	·03	—	—	—	—	10
11	·57	·12	·10	·25	·33	·37	—	·01	—	—	—	·12	11
12	·05	·03	·04	·45	—	·30	·01	·22	—	—	·08	·08	12
13	·23	·22	·13	·40	—	1·19	·01	—	—	—	·02	·09	13
14	·06	·03	·50	·11	—	1·17	·03	—	·58	·07	·38	—	14
15	—	·10	·18	·31	—	—	—	—	—	·12	·04	·02	15
16	—	—	·11	·04	—	—	·52	—	·04	·11	·01	—	16
17	·02	—	·06	—	·25	—	·01	·02	·27	·13	—	·02	17
18	·03	—	—	·09	·12	—	—	—	·01	—	—	—	18
19	·23	2·02	—	·10	·14	·12	—	·11	·01	—	—	—	19
20	·06	—	—	·23	—	·20	·04	—	—	—	—	·08	20
21	·03	—	—	—	—	—	·29	·06	—	—	—	·17	21
22	·04	—	—	·30	—	·01	·30	·06	—	—	—	·13	22
23	—	—	—	—	—	—	·27	—	—	—	—	·46	23
24	·04	—	·36	·02	—	—	—	—	—	—	·02	·11	24
25	—	·06	·10	·13	—	·02	·65	—	—	—	—	—	25
26	·19	·11	·16	·33	·06	—	·12	—	—	—	—	—	26
27	·37	·02	·01	·16	·66	·41	—	—	—	—	·30	·31	27
28	·85	—	·12	·03	·12	·05	·02	—	·01	—	·01	·19	28
29	·18	—	·13	—	·57	·01	·13	—	·02	—	·13	·74	29
30	·18		·01	·20	·20	·04	—	—	·14	—	·14	·49	30
31	·17		·12		·04		·03	—		·53		·09	31
Total	4·43	3·87	2·76	5·79	3·52	3·98	5·47	1·12	1·57	2·39	1·30	4·00	Year's Total 40·14
Days with ·01 in. or more	23	14	21	25	17	13	24	13	13	13	12	20	208
Days with ·04 in. or more	18	9	17	22	15	10	18	8	7	10	7	18	159

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGISTE

FORM A2.
BRITISH RAINFALL.
-1 MAR 1912

SHEFFIELD WW
REDMIRES RES.
YORKSHIRE
1911 – 1920

Kept at Redmires (C
in the County of WR Yorkshir
by L. S. M. Mar

n.
d ft. in.
Level ft. 3112
nce Direction

IMPORTANT NOTE.—Rain result entered to the previous day. If an Observer pr rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of n the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.430			.005	.070	.180			.070	.010	1
2	.300		.070		.135							.115	2
3			-	.030	.285	.005			.030	.020	.280	.020	3
4	.060		.055	.080	.020	.060		.020	.075	.230	.420	.175	4
5	.100		-	.010				.200	.005	.345			5
6	.310		.030	.010				.185		.070	.590	.560	6
7	.050	.010	-							.050	.090		7
8	.180		.120						.050		.090	.545	8
9	.010		.010	.015								.115	9
10	.025	.025	.050		.005					.005		.725	10
11	.300							.010			.740		11
12	.040		.216		.040				.685		.190	.010	12
13			.025		.005						.095	.355	13
14		.125	.040		.080		.005				.080	.670	14
15		.220	.170	.100	.045					.160	.025	.210	15
16		.590	.070	.095	.005	.125	.020			.110	.200	.120	16
17		.030	.015	-		.460					.170	.230	17
18		.700	.035	.015	.030	.025				.010	.140	.135	18
19	.005	.080	.025	.015		.020	.090	.020	.240	.210	.400	.060	19
20		.160		.255		.015	.035	.625	.090			.160	20
21		.700	.035		-	.025		.170		.130	.005	.080	21
22	.030	.130		.010			.040	.100		.305	.035	.320	22
23		.530	.035		.015	.330		.010	.330	.045		.220	23
24	.060	.150	.040	.090		1.290		.010		.080		.220	24
25	300	.400		.310		.020			.220	.035	.030	.575	25
26		.040		.345	.140	.015		.005	.005	.480	.570	.420	26
27	.005	.230	.200	.525	.005			.970	.475	.010		.070	27
28	.005	.260	.030	.265		.100		.020	.060	.005	.080	.150	28
29			.060	.305		.215	.015		.460	.360	.010	.070	29
30			.020	.010	.160	.195			.010	.520	.060		30
31			.570		.035					.100		.010	31
Total	1.780	4.380	2.350	2.485	1.005	2.905	.275	2.525	2.735	3.280	4.370	6.350	TOTAL for year 34.44
No. of Rain Days.	15	17	23	18	13	15	6	14	13	20	21	27	202

W. 8,000, X. '11.

REGISTE

FORM A2.
BRITISH RAINFALL.
-1 MAR 1912

Kept at Redmires (Crosley)

in the County of WR Yorkshire 7

by L. S. M. Marsh.

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft. 3112
As before

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·430			·005	·070	·180			·070	·010	1
2	·300		·070		·135							·115	2
3			-	·030	·285	·005			·030	·020	·280	·020	3
4	·060		·055	·080	·020	·060		·020	·075	·230	·420	·175	4
5	·100		-	·010				·200	·005	·345			5
6	·310		·030	·010				·185		·070	·590	·560	6
7	·050	·010	-							·050	·090		7
8	·180		·120						·050		·090	·545	8
9	·010		·010	·015								·115	9
10	·025	·025	·050		·005					·005		·725	10
11	·300							·010			·740		11
12	·040		·216		·040				·685		·190	·010	12
13			·025		·005						·095	·355	13
14		·125	·040		·080		·005				·080	·670	14
15		·220	·170	·100	·045					·160	·025	·210	15
16		·590	·070	·095	·005	·125	·020			·110	·200	·120	16
17		·030	·015	-		·460					·170	·230	17
18		·700	·035	·015	·030	·025				·010	·140	·135	18
19	·005	·080	·025	·015		·020	·090	·020	·240	·210	·400	·060	19
20		·160		·255		·015	·035	·625	·090			·160	20
21		·700	·035			·025		·170		·130	·005	·080	21
22	·030	·130		·010			·040	·100		·305	·035	·320	22
23		·530	·035		·015	·330		·010	·330	·045		·220	23
24	·060	·150	·040	·090		1·290		·010		·080		·220	24
25	·300	·400		·310		·020			·220	·035	·030	·575	25
26		·040		·345	·140	·015		·005	·005	·480	·570	·420	26
27	·005	·230	·200	·525	·005			·970	·475	·010		·070	27
28	·005	·260	·030	·265		·100		·020	·060	·005	·080	·150	28
29			·060	·305		·215	·015		·460	·360	·010	·070	29
30			·020	·010	·160	·195			·010	·520	·060		30
31			·570		·035					·100		·010	31
Total	1·780	4·380	2·350	2·485	1·005	2·905	·275	2·525	2·735	3·280	4·370	6·350	TOTAL for year 34·44
No. of Rain Days.	15	17	23	18	13	15	6	14	13	20	21	27	202

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
24 JAN 1913
3112

Kept at Redmires (Crosley)
in the County of Yorkshire W. 7
by L. S. M. Marsh

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

as Before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·120	·260	-	-	·600	·060	·020	·115	-	-	1·150	1
2	·010	·050	·060	·040	·030	·185	·880	-	·065	-	-	·080	2
3	·410	·060	·020	-	·060	·535	-	1·300	·430	·005	-	·120	3
4	·320	-	·770	·460	·210	·635	-	·695	·060	-	·200	-	4
5	·300	·100	·010	·010	·080	·125	-	·160	·050	-	·010	·010	5
6	·830	·220	-	·020	·040	·015	·010	·330	-	·	-	-	6
7	-	·045	·010	·005	·095	·045	-	·055	·090	·005	-	·030	7
8	·400	·370	·230	·190	-	·020	·045	·025	·160	·005	-	-	8
9	·110	·015	·160	·370	-	·140	-	·120	·020	-	·170	·120	9
10	·105	·025	-	·010	-	·140	-	·120	·020	·005	·490	-	10
11	·060	·090	-	·010	-	-	·010	·050	-	·005	·110	·720	11
12	·060	·720	·120	-	-	·120	·925	-	-	-	·020	·050	12
13	·035	·100	-	-	-	-	-	·085	·020	·050	·110	·250	13
14	·115	-	·405	-	-	·135	-	·110	-	·010	-	·440	14
15	·200	·060	·090	-	·600	·110	·005	·040	-	-	-	·290	15
16	1·070	-	·200		·060	·125	·010	·090	-	·240	-	·070	16
17	·330	·020	·185	·005	-	·690	·110	·195	·005	-	-	·620	17
18	·140	·010	·270	-	-	-	·040	-	-	·200	·020	·150	18
19	·300	·105	·170	·005	·020	·040	·635	·460	-	·060	·045	-	19
20	·290	-	·330	-	·325	·115	·060	·170	·005	·360	-	·020	20
21	-	·035	·090	-	·660	-	·895	-	·010	·320	·025	·020	21
22	·020	·125	·020	-	1·220	·135	·120	·510	-	·010	-	·140	22
23	·210	·080	·250	-	·020	-	·840	·480	-	-	·210	·020	23
24	·200	-	·035	-	-	·055	·190	·440	·005	·005	·010	·160	24
25	-	·020	·060	-	-	·295	-	·180	-	·010	·375	·260	25
26	·010	·135	·115	-	-	-	·360	1·080	·005	1·180	·150	·260	26
27	-	-	·450	-	-	·210	·480	-	-	·715	·045	·160	27
28	-	·020	·100	-	-	·020	·250	·460	·285	·180	·520	·010	28
29	-	·010	·160	·050	·	·035	·135	-	·840	·020	-	·240	29
30	·070		·150	-	·245	-	·070	-	·020	·040	-	-	30
31	-		·270		·330		·300	·360		·070		·010	31
Total	5·595	2·535	4·990	1·175	4·055	4·5[illegible]	6·430	7·535	2·205	3·495	2·510	5·400	YEAR'S TOTAL 50·450
Rain Days.	23	23	27	11	15	23	21	24	17	18	16	25	243

W. 7,500, XI. '13

Sheffield

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

14 FEB 1914

3112

Kept at Redmires (Crosley)

in the County of Yorkshire

by L. S. M. Marsh

Lat. Long.

Time of Observation

Nearest Railway Station As Before

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.040	005	.120	.045					.270	.010	.115		1
2	-	.070	.090	.080		.015				.030	.050	.050	2
3	.110	.060	.260	-	.485		.020		.085	.490		.520	3
4	770	.115	.005	.015	.050	.015	.110		.175	.160	.130	.460	4
5	.105	.035	.090	-	.010	.200	.020	.015	.145	1.340	.010		5
6	.040	.105	.190	.010	.530	.060	.810		.010	1.180	.010	.020	6
7	.010	.535	010	-	.360	300	.030		.005	1.400	.020	.010	7
8	.010	.050	.010	-	470	.010		.145		.125	.180		8
9	.020	.360	.095	.010	.110	.330	.010	.040			.180	.050	9
10	.050	.010	.040	.090			.010			.055	.160		10
11	1.300		-	.310	.005	.170		.005		.010	.240	.010	11
12	.030		-	.090	.015	.010			.005	.010	.275		12
13	.070		.155	.020			.025	.015	.170		.180		13
14	.200	.060	.490	.130					.005	.215	.855	.010	14
15	.110	.050	.400	.450			.040		.120	.010	.550	.010	15
16	.010	.035	.210	.030			.020	205	.330		.250	.030	16
17	.040	.040	.010	.240	.065	.050	.015		1.380		.060	.010	17
18	.050		.260	.440	.030		.070		.005		.110	.030	18
19	.260		.020	.140	.020	.030	.005		.175		.040		19
20	.425		.080	.110					005	.020	.370		20
21	.040		.060	.010	.245		255	.020			.300		21
22	.330		.920		.075			.865	.195				22
23	.280		.010		.180	.170	.010	.195	.050	.020	.040	.020	23
24	.330			.045		.180		.020			.020	.020	24
25	.010	.005		.060		.020			.075	.010	.040	.220	25
26		.010	.230	.345	.010				.005	.135		.650	26
27		.015	.010	.320				.005		.010		.300	27
28	.345	-	.330	.310	.010				.015	.010		.070	28
29	.020		.550	.420	.020			.340		.010	.060	.160	29
30	.520		.010	-	.010				.005	.540	.100	.060	30
31	.010		.070		.160		020			.005			31
Total	5.535	1.560	4.725	3.720	2.860	1.560	1.470	1.870	3.230	5.795	4.345	2.710	YEAR'S TOTAL 39.380
Rain Days.	28	16	27	23	19	14	16	11	17	29	25	20	238

W.7,000, XI. 13

Sheffield Gauges Ex LMcC

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
17 MAR 1915 3112

Kept at Redmires (Crosley)
in the County of Yorkshire WR
by L. S. McMarsh.

Lat. Long.
Time of Observation As Before
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.005		.105				.690	.100			.010	.370	1
2	.005		.050				.250	.285		.020	.640	.180	2
3	.350		.270		.130		.030	.040			.020	.520	3
4	.470	—	.640	.150	.190	.010		.010			.990	.300	4
5	.130		.410	.260	.230	.080					.230	.360	5
6		.025	.130	.520	.160	.050	.100	.070	—		.010	.170	6
7	.010	.050	.260	.220	.180	.020		.020	.010		.005	.100	7
8	.450	—	.010	.020	.190	.970	.090	.170	.380	.060	.020	.050	8
9	.220	.010		.070	.060	1.150		.170	.010		.060	.010	9
10	.220	.150	.010	.170	.040				.120	.010	.205	.030	10
11		.200	.370	.050	.030	.300	.020		.300		1.300	.550	11
12		.200	.185		.030	.020	.075		.550		.360	.890	12
13	.020	.140	.135	.010			.020		.220	.030	.700	.530	13
14	.020	.280	.110				.060	.010	.080	.370	.400	.250	14
15	.010	.020	.340					.010	.040	.050	.250		15
16	.050		.080				.545		.200				16
17	.030	.310	.110				.040		.440			.540	17
18	.020		.050						.010		.010	.220	18
19		.010	.110				.070		.070		.070	.130	19
20	.020	.170	.080						.010	.110		.020	20
21		.850	.010			.490				.110	.030	.170	21
22		.040	—		.100	.230	.015	.090		.280			22
23		.010	.100	.080	.310	.050	.115			.010		.020	23
24	.030	.025	.270	.060	.130	.010	.400	.130		.010	.130		24
25	.050						.285	.130		.650	.030	.300	25
26	.010		.140					.140		.290	.100	.240	26
27	.045									.010	.060	.900	27
28	.220	.170	.090			.010				.100	.150	.270	28
29	.110		.110	.010	.010					.060	.150	.060	29
30		X	.090					.010		.190	.130	.300	30
31	.180	X	.040	X		X	.210		X	.340	X	.010	31
Total	2.675	2.660	4.305	1.620	1.790	3.390	3.015	1.385	2.440	3.300	6.060	7.490	YEAR'S TOTAL 40.130
Rain Days.	22	17	27	12	14	13	17	15	14	18	25	27	221

W. 8,000. X. 14.

3289

FORM A.
BRITISH RAINFALL.

17 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Redmires.

in the County of Yorkshire. W 7

by L. S. M. Marsh. Esq. C.E.

Lat. Long.

Time of Observation

Nearest Railway Station As Before.

Diameter of Funnel of Rain Gauge in. 3112

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.260	.300	-	-	.55	-	.03	.115	.230	-	.085	.500	1
2	.030	.200	.26	.19	-	.04	.04	.370	.	.095	.005	.020	2
3	1.060	.010	.04	.18	-	-	.36	.155	.	-	.055	.480	3
4	.020	.050	-	-	.15	-	.575	-	.	-	-	1.265	4
5	.040	.420	.11	-		.01	-	.055	.	.055	.025	.660	5
6	.150	.380	.10	.31		-	.485	.105	.	.015	-	.340	6
7	.440	.415	.02	.23		-	.11	.645	.	-	-	.190	7
8	.180	.270	.01	.11		.	-	.090	.	-	.240	.020	8
9	.040	.050		.07		.	-	.090	.010	.055	.385	.670	9
10	.460	.010	.03			.	.02	.080	.	.020	.210	.120	10
11	.320		.03	.02	.53	.	.21	.005	.010	-	.740	.600	11
12	.080			.03	.47	.	.02	.020	.	.145	1.800	-	12
13	.150	1.215		-	.02	.	.005	-	.	.010	-	.020	13
14	.050	.010		-	-	.	.005	.240	.075	-	-	.400	14
15	.900			-	-	.	-	.230	.025	-	.260	.130	15
16	.010	.430		.01	.185	.	1.78	.100	.	.010	-	.010	16
17		.210	.04	-	-	.	.315	.100	.	-	-	-	17
18		.230	.40	-	-	.	-	.005	.030	.010	.010	.	18
19		.080	.01	.02	.02	.	.075	-	.	.020	.	-	19
20	.230		.03	-	-	-	.155	.025	.	.010	.	.195	20
21	.080			.06	-	-	.170	-	.	.010	.	.080	21
22			.21	.04	-	-	.450	-	.	.010	.	.100	22
23	.100	.030	.10	-	-	-	.410	-	.010	.570	.	.090	23
24	.010		.15	.08	-	-	-	-	.500	.010		.285	24
25			.08	.07	-	.34	.010	-	.010	.025	.	.320	25
26	.070	.370		-	-	.19	.080	-	.070	-	.	.520	26
27		.110		.	-	.29	.235	-	-	.510	-	.700	27
28		.520	.02	-	.	.14	.01	.470	.	.185	-	.010	28
29				-	.055	.435	-	.010	.020	-	.130	.920	29
30	.120	X		.04	-	.285	-	.030	-	.025	.020	.020	30
31	.120	X	.02	X	-	X	.02	.190	X	.420	X	.520	31
Total	4.920	5.310	1.66	1.46	1.98	1.73	5.57	3.130	.990	2.210	3.965	9.185	YEAR'S TOTAL 42.110
Rain Days.	✓ 23	✓ 20	✓ 18	✓ 15	✓ 8	✓ 8	✓ 22	✓ 20	✓ 11	✓ 20	✓ 13	✓ 27	✓ 205

W. 8,000. X. 15.

Sheffield

3215

FORM A.
BRITISH RAINFALL.

3112

REGISTER OF RAINFALL IN 1916.

Kept at Redmires

in the County of Yorkshire

by L. S. M. Marsh Esq.

Lat. Long.

~~Time of Observation~~ As Before

~~Nearest Railway Station~~

~~Diameter of Funnel of Rain Gauge~~ in.

~~Height of top of Gauge above Ground~~ ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.540	.040	.500	-	-	.125	.190	-	-	-	.160	-	1
2	.315	.200	.280	-	-	-	-	-	.140	.220	.020	-	2
3	-	.360	-	-	-	-	.045	-	.550	.225	.100	.020	3
4	.155	.080	.010	.010	.665	.450	-	-	.080	.350	.550	-	4
5	.220	.160	-	-	.080	.600	-	-	-	.495	.450	-	5
6	.530	.630	.290	.015	.535	.030	.330	-	-	.105	.400	.020	6
7	.140	.030	.400	-	.030	-	.420	-	-	.250	.040	.180	7
8	.010	.020	.790	.015	.010	.040	-	-	-	.010	.400	.200	8
9	.020	-	.070	-	.390	.040	-	-	.050	-	.160	.370	9
10	.100	.190	.030	.170	-	.330	.070	-	.130	.060	.020	.130	10
11	.030	.380	.400	.330	.015	.110	-	-	.100	-	-	.070	11
12	.220	.100	.500	.090	.355	.030	.340	.015	-	.060	-	-	12
13	-	.130	.400	.135	.055	-	.010	.145	-	.250	-	.040	13
14	.010	.130	.040	.235	.450	.005	-	.310	-	.230	.020	.070	14
15	.030	.850	.940	.020	-	-	.060	.245	.070	.120	-	-	15
16	.020	.600	.540	.225	-	-	.180	.235	-	.020	-	-	16
17	.050	.150	.010	.900	-	-	.140	.050	.670	.140	-	-	17
18	-	.600	.050	.295	-	.010	-	.040	.250	.140	1.420	.150	18
19	.160	.080	.390	.220	-	-	-	.020	.060	-	.620	.100	19
20	.200	-	.360	.100	.170	-	.030	.030	-	-	.010	.040	20
21	.150	-	.120	.080	-	-	.060	-	-	-	.010	.090	21
22	-	.070	.010	-	-	.030	-	-	-	.140	-	.290	22
23	.030	.070	.010	.050	-	-	-	.080	-	.010	.200	.420	23
24	-	.460	-	.030	-	.165	-	.070	-	.050	-	.170	24
25	.010	.110	.340	-	.090	-	-	.360	-	.180	.430	.020	25
26	.050	.300	.190	-	.010	-	-	.140	.010	.225	.040	-	26
27	-	.360	.020	-	-	-	.290	.400	.010	.315	-	-	27
28	-	.360	.200	-	-	.295	-	-	.030	.040	.010	.180	28
29	.020	.570	-	-	-	.490		.010	.005	.620	-	.560	29
30	-	X	-	-	-	.060	-	-	-	.180	-	.040	30
31	-	X	-	X	.010	X	-	.010	X	.140	X	.820	31
Total	3.010	6.940	6.890	2.920	2.865	2.810	2.165	2.160	2.155	4.575	5.060	3.980	YEAR'S TOTAL 45.530
Rain Days.	22	26	25	17	14	16	13	16	13	25	19	21	227

W. 8,000, VIII. 16

Sheffield Gauges

3067

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
14 MAR 1918

3112

Kept at Redmires (Crosley)

in the County of Yorkshire

by L. S. M. Marsh.

Lat. ____ Long. ____

Time of Observation As Before

Nearest Railway Station

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·265	-	·	·260	·	·060	·	·290	·175	·	·110	·110	1
2	·470	·	·	·205	·	·085	·	·100	·	·	·040	·	2
3	·090	·	·	·020	·	·115	·	·090	·	·150	·180	·	3
4	·090	·	·370	·	·	·	·	·115	·	·190	·	·	4
5	·215	·	·250	·120	·	·	·	·080	·	·180	·305	·	5
6	·050	·	·	·	·	·210	·	·	·	·360	·140	·065	6
7	·430	·	·140	·	·	·255	·	·	·	·810	·040	·020	7
8	·430	·	·	·315	·	·	·	·900	·	·835	·505	·070	8
9	·030	·	·120	·100	·010	·	·	·050	·	·170	·620	·	9
10	·300	·	·920	·180	·100	·	·	·120	·020	·020	·010	·	10
11	·110	·	·	·550	·	·	·	·130	·	·305	·	·	11
12	·130	·	·	·	·245	·	·	·165	·	·050	·	·080	12
13	·110	·	·	·215	·	·	·	·490	·260	·050	·010	·095	13
14	·150	·	·010	·080	·	·	·	·005	·	·	·	·205	14
15	·080	·	·	·020	·020	·	·160	·	·	·020	·	·175	15
16	·070	·080	·	·115	·	·100	·010	·145	·	·	·	1·200	16
17	-	·030	·020	·060	·410	·025	·115	·290	·075	·030	·010	·040	17
18	·060	-	·030	·030	·060	·	·820	·040	·335	·050	·	·	18
19	·040	·170	·420	·	·140	·415	·	·	·030	·	·080	·	19
20	·090	·150	·050	·	·305	·505	·	·	·115	·	·290	·010	20
21	·040	·040	·150	·	·045	·055	·	·020	·	·030	·	·	21
22	·030	·020	·120	·	·	·	·	·090	·110	·070	·090	·	22
23	-	·080	·	·	·180	·100	·	·145	·010	·170	·020	·025	23
24	-	-	·	·	·010	·090	·	·175	·	·730	·540	·010	24
25	-	·030	·150	·	·	·	·	·020	·	·	·150	·	25
26	-	-	·010	·	·	·	·065	·545	·200	·100	·580	·	26
27	-	-	·070	·	·	·220	·110	1·140	·	·010	·415	·060	27
28	·	-	·215	·	·	·085	·	·600	·	·	·060	·110	28
29	·020		·020	·	·100	·	·080	·155	·	·300	·	·575	29
30	·020	X	·340	·	·	·	·020	·130	·	·080	·010	·	30
31	·030	X	·410	X	·020	X	·	·040	X	·010	X	·085	31
Total	3·350	·600	3·815	2·270	1·645	2·320	1·380	6·070	1·330	4·720	4·205	2·935	YEAR'S TOTAL 34·640
Rain Days.	24	8	19	14	13	14	8	25	10	23	21	17	196

W. 8,000, IX. 17.

Sheffield gauges

49

REGISTER OF RAINFALL IN 19 18

FORM A. BRITISH RAINFALL. 6.5.18 3112

Kept at Redmires (Crosley)

in the County of Yorkshire W.R.

by L. S. M. Marsh

Lat. Long.

Time of Observation As Before

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·030	·010	·030	·040	·	·	·	·390	·060	·315	·010	1
2	·	·130	·	·060	·	·	·	·400	·330	·010	·	·585	2
3	·	·010	·100	·	·720	·	·	·265	·010	·020	·090	·020	3
4	·	·010	·065	·	·090	·	·	·035	·700	·070	·330	·395	4
5	·	–	·040	·030	·420	·	·	·140	·475	·480	·	·	5
6	·	·620	·050	·415	·	·175	·	·060	·010	·165	·	·010	6
7	·100	·065	·010	·130	·	·	·	–	·430	·150	·205	·020	7
8	·080	·080	·170	·020	·	·	·140	·010	·450	·050	·060	·010	8
9	·610	·935		·300	·	·080	·020	·	·575	·535	·020	·040	9
10	·180	·205	·	·085	·	·	·470	·	·010	·050	·345	·105	10
11	·515	·160	·010	·060	·085	·	·225	·	·150	·		·	11
12	·100	·195	·025	·190	·040	·020	·495	·	·370	·010	·	·320	12
13	·020	·030	·	·050	·140	·010	·250	·	·180	·100	·	·030	13
14	(·245)	·020	·	·020	·	·155	·400	·	1·250	·125	·	·245	14
15	·370	·	·010	·010	·	·140	·275	·	·915	·	·010	·150	15
16	–	·	·010	·	·	·040	·520	·040	·200	·070	·	·410	16
17	·310		·010	·	·085	·	·230	·160	·295	·090	·	·355	17
18	·355	·	·010	·	·	·145	·090	·020	·560	·165	·	·390	18
19	·150	·	·435	·110	·	·010	·055	·060	·305	·330	·	·445	19
20	·190	·205	·	·090	·	·155	·150	·	·080	·175	·	–	20
21	·020	·200	·	·020	·460	·130	·200	·	·235	·020	·010	·050	21
22	·010	·050	·	·	·090	·100	·110	·	·050	–	·010	·800	22
23	·065	·010		·010	·750	·	·010	·	·100	·020	·040	·080	23
24		·060	·	·	·	·	·230	·	·020	·040	·050	·030	24
25		·	·	·010	·	·080	–	·210	·040	·	·	·	25
26		·045	·	·	·	·	–	·030	·235	·010	·050	·195	26
27		·120	·010	·	·	·020	–	·355	·645	·	·060	·575	27
28		·100	·455	·		·	·	·050	·090	·	·135	·880	28
29			·	·	·	·	·	·	·190		·	·250	29
30		X	·400	·		·	·	·085	·	·	·185	·200	30
31		X	·260	X	·	X		·030	X		X	·010	31
Total	3·320	3·280	2·080	1·640	2·920	1·260	3·870	1·950	9·290	2·745	1·915	6·610	YEAR'S TOTAL 40·880
Rain Days.	16	21	18	18	11	14	17	16	29	22	16	27	225

4

W, 6,500, VII. 18. W W C

Sheffield Gauges

24 PR

Carried 3112

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Redmires (Crosley)
in the County of Yorkshire
by L S M. Marsh Esq.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

As Before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·720	·080	·020	·030	·475	-	·480	·030	·150	·110	·130	·350	1
2	·190	·010	·010		·050	-	·225	·300	·120	·040	·135	·100	2
3	1·000	-				135	·885		·060		·480	·265	3
4	·060	-	·330			·010	·180	·205	·310		010	·340	4
5	·010	·050			·030				·205		015	·785	5
6	·050		·590		·855					·090	010	·535	6
7	·050		·260		·050						·015		7
8	·240		·050		010	·050				·015	·015		8
9	·035		080								060		9
10	-		·300	·090						·010	·030	·110	10
11	·010		1·140	·050	·055		·020		005			·020	11
12	-		·600	·255		·120	·165		·470				12
13	·245			·305		·010		·010	1·540	·220	·030	·070	13
14	·310			·250				·030	·160		·110	·010	14
15	·160	·100	·050	·030	·005						·030	·440	15
16	·300	·900		·010		·040					·125		16
17	·090	·600		·055		·060	·040	·105			·600		17
18	·		·200	·005			·010	·330	·135		·020	·440	18
19	·070	·300	1·000	·005		·060	1·775	·470	·030		·395		19
20	600	·080	·340			·080	·740	070	·020		·160	·530	20
21	·070	·420	·100			·030	·130		·010			·430	21
22	-	·080				·010		·050	·335		·200	·840	22
23			·010			·080				1·010	·080	·620	23
24				·265	·030	·010	·020	·020	·190	655	·130	·220	24
25	·130	·010		·680	·265	·010		·640			·270	·020	25
26	·010		275	·110		·010	·020	·485	·110		·030	·700	26
27	·220	·010	·080	·140				·030	·010		·080	·020	27
28	·070			·070		030		1·275		·070		·550	28
29	·250		·025	·020				·010		1·415		·090	29
30	·020		·140	·070		·165				·080	·165	·350	30
31	·010		·030				·145			·085		·050	31
TOTAL	4·920	2·640	5·630	2·440	1·825	·910	4·835	4·060	3·860	3·800	3·325	7·885	YEAR'S TOTAL 46·130
Days with ·01 in. or more	25	12	21	17	10	15	14	16	16	12	25	24	209

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Sheffield Gauges. 2294

3112

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

19 MAY 1921

Kept at Redmires (Crosley)

in the County of Yorkshire

by L. S. M. Marsh

Lat. ——— Long.

Time of Observation ~~As Before~~

Nearest Railway Station —

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·010	·230	·490	·010	·300	·035	·130	·190	·165	·115	1
2	·	·	·	·285	·010	·	·075	·	·215	·240	·	·310	2
3	·030	·	·	·290	·160	·090	1·230	·060	·125	·270	·	·360	3
4	·010	·	·050	·085	·	·	·120	·435	·070	·505	·	·	4
5	·	·010	·430	·005	·365	·	·050	·095	·130	·070	·	·050	5
6	·	·010	·120	·065	·110	·	·025	·	·	·010	·	·105	6
7	·300	·	·	·010	·015	·	·410	·005	·	·	·	·	7
8	·200	·030	·	·690	·095	·	·280	·085	·	·010	·	·	8
9	·190	·650	·	·625	·	·	·105	·030	·	·030	·025	·	9
10	·560	·850	·055	·220	·	·	·185	·020	·	·	·	·	10
11	·470	·150	·090	·325	·290	·400	·	·025	·	·	·	·170	11
12	·050	·030	·030	·580	·010	·215	·010	·195	·	·	·080	·060	12
13	·220	·260	·185	·260	·005	1·030	·075	·	·	·	·040	·070	13
14	·070	·030	·570	·135	·	1·900	·030	·	·605	·035	·380	·010	14
15	·010	·080	·165	·345	·	·	·	·	·065	·130	·020	·010	15
16	·	·	·255	·055	·035	·	·510	·	·030	·260	·020	·	16
17	·020	·	·050	·	·165	·	·010	·035	·250	·110	·	·020	17
18	·030	·	·	·075	·160	·	·	·010	·070	·	·	·	18
19	·400	1·320	·	·090	·220	·245	·	·130	·030	·	·	·	19
20	·050	·020	·	·270	·	·285	·090	·	·	·	·010	·050	20
21	·020	·	·	·005	·	·	·425	·065	·	·	·010	·225	21
22	·050	·	·	·320	·	·010	·360	·050	—	·010	·010	·210	22
23	·	·010	·010	·	·	·	·205	·	·010	·015	·010	·485	23
24	·040	·	·445	·055	·	·	·	·	·	·	·010	·140	24
25	·010	·040	·080	·140	·	·020	·480	·	·	·	·010	·	25
26	·180	·150	·115	·385	·040	·	·095	·	·	·	·	·	26
27	·340	·060	·010	·150	·425	·505	·005	·	·	·025	·215	·345	27
28	1·100		·130	·105	·130	·030	·010	·	·010	·	·	·155	28
29	·130		·180	·	·650	·015	·275	·	·030	·	·105	·730	29
30	·280	╳	·015	·170	·190	·065	·	·	·130	·	·090	·315	30
31	✓	╳	·130	╳	·055	╳	·030		╳	·660	╳	·155	31
TOTAL	4·760	3·700	3·125	5·970	3·620	4·820	5·390	1·275	1·900	2·570	1·200	4·090	YEAR'S TOTAL 42·420
Days with ·01 in. or more	24	16.	21.	~~25~~ 26	~~19~~ 20	14.	24	~~14~~ 15	15	16	16	21	~~225~~ 228
Days with ·04 in. or more	17.	9.	16.	24	15.	9.	18	8.	10.	9.	7	18.	160

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S. made

12 JAN 1914

SHE~~FF~~FFIELD
MILLHOUSES
YORKSHIRE
1913 - 1918

N A,

INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by J. Firth
Time of Observation 9. a.m.

YEAR
1913.

At Sheffield
County York

See over

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1			.09	.05					.09		.05	
2			.08			.01				.06	.11	.02
3	.23	.16	.24		.32				.02	.55		.47
4	.62	.08		.01	.06		.14		.07	.04	.15	.54
5	.07	.02	.09			.19	.05		.03	1.00		.01
6		.08	.10	.01	.43	.04	1.16		.01	.77	.02	
7		.41	.02		.26	.27	.03		.01	1.19	.05	.01
8		.07			.60					.08	.10	
9		.30	.03		.14	.26					.19	.03
10				.10	.01	.10	} .08 2 days			.06	.18	
11				.30				.11		.02	.20	
12					.01						.22	
13	snow		.11	.03					.20		.22	
14	.41	.05	.51	.05					.19	.10	.67	
15		.06	.42	.55			.02				.47	
16	.18	.03	.06	.04				.09	.53		.11	
17		.04	.09	.09	.02				.66		.04	.01
18			.32	.34	.01		.09				.09	
19	.23		.02	.12					.28		.01	
20	.30	.01	.04	.07					.03	.02	.13	
21			.04		.24		.27	.02			.34	
22	.24		.79		.02			.62	.23			
23	.19		.01		.03	.04		.11	.10	.01	.02	
24	.31			.02		.02						
25									.06	.01	.01	.07
26			.20	.17						.12		.68
27		.01	.02	.40						.01		.33
28	.27		.25	.31						.05		.04
29			.53	.42				.46			.02	.16
30	.01				.05					.40	.06	.04
31	.42		.03		.12							
Totals	3.48	1.32	4.09	3.08	2.32	.93	1.84	1.41	2.51	4.49	3.46	2.41



MONTHLY TOTALS

9 31.34 31.34
15 13 22 19 15 8 9 17 23 13 175

See over

S. made

14 JAN 1914

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by J. Firth

Time of Observation 9. a.m.

YEAR 1913.

At Sheffield

County York

Dec over

Rules for observing Rainfall will be found on back of this Chart.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1			.09	.05					.09		.05	
2			.08			.01				.06	.11	.02
3	.23	.16	.24		.32				.02	.55		.47
4	.62	.08		.01	.06		.14		.07	.04	.15	.54
5	.07	.02	.09			.19	.05		.03	1.00		.01
6		.08	.10	.01	.43	.04	1.16		.01	.77	.02	
7		.41	.02		.26	.27	.03		.01	1.19	.05	.01
8		.07			.60					.08	.10	
9		.30	.03		.14	.26	.08 2 days				.19	.03
10				.10	.01	.10				.06	.18	
11				.30				.11		.02	.20	
12					.01						.22	
13	snow		.11	.03					.20		.22	
14	.41	.05	.51	.05					.19	.10	.67	
15		.06	.42	.55			.02				.47	
16	.18	.03	.06	.04				.09	.53		.11	
17		.04	.09	.09	.02				.66		.04	.01
18			.32	.34	.01		.09				.09	
19	.23		.02	.12					.28		.01	
20	.30	.01	.04	.07					.03	.02	.13	
21			.04		.24		.27	.02			.34	
22	.24		.79		.02			.62	.23			
23	.19		.01		.03	.04		.11	.10	.01	.02	
24	.31			.02		.02						
25									.06	.01	.01	.07
26			.20	.17						.12		.68
27		.01	.02	.40						.01		.33
28	.27		.25	.31						.05		.04
29			.53	.42				.46			.02	.16
30	.01				.05					.40	.06	.04
31	.42		.03		.12							
Totals	3.48	1.32	4.09	3.08	2.32	.93	1.84	1.41	2.51	4.49	3.46	2.41



MONTHLY TOTALS

15 13 22 18 15 8 9 17 23 13 17.5

Total 31.34

31.34

See over

entered 14.IV.15

Cardy Obr Ap 14-15 ~~JJL~~ MC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Sheffield

in the County of York WR 7

by J. Firth

Lat. Long.

Time of Observation 9 - am

Nearest Railway Station Millhouses M R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5½ in.

" " " " Sea Level 356½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	07	-	.	-	TL 72	14	-	-	-	24 n	1
2	.	.	03	-	.	-	TL 30	21	-	.	33	12 n	2
3	13	-	07	-	09	-	06	02	-	-	01	70 n	3
4	42	.	23	14	24	} 03	.	03	-	-	56	27	4
5	snow 22	.	13	23	16		03	.	-	-	13	TL 30	5
6	-	03	09	TL 35	09	01	TL 33	02	-	.	-	22 n	6
7	-	03	22	12	07	01	.	07	-	-	-	09 n	7
8	17	.	02	01	10	65	07	11	T 28	01	-	06	8
9	26	01	-	09	03	89	-	12	-	-	01	-	9
10	16	14	-	20	02	-	-	-	04	-	11	01	10
11	-	14	33	04	T 03	33	-	-	17	-	TL 94	43 n	11
12	-	13	13	.	01	01	03	.	27	.	14	48 n	12
13	sleet 01	12	12	-	-	-	02	Snow 38	06	05	40	32	13
14	03	25	06	-	-	-	03	.	04	46	04	18	14
15	-	03	21	-	-	-	-	-	-	07	02	01	15
16	09	-	03	-	-	-	37	-	13	-	-	-	16
17	04	21	13	.	-	-	02	-	T 29	-	-	55 n	17
18	.	-	01	-	-	TL 04	.	.	01	-	-	13 n	18
19	-	.	08	-	-	-	04	-	}? 05	-	06	12	19
20	sleet 01	30	07	-	-	-	-	-		07	-	02	20
21	-	52	-	-	-	TL 15	-	-	-	08	02	09 n	21
22	.	02	.	-	T 16	10	T 06	06	-	20	-	01	22
23	.	01	05	.	35	02	03		-	-	-	-	23
24	24	.	27	03	02	-	17	TL 28	-	01	08	-	24
25	03	.	.	-	-	-	06	T 13	-	72	02	26 n	25
26	.	-	07	-	-	-	.	53	-	18	13	18 n	26
27	01	-	.	-	-	-	-	-	-	-	11	73 n	27
28	12	11	04	-	-	-	-	-	-	08	03	31 n	28
29	06	-	13	-	-	-	-	-	-	57	07	-	29
30	01	✕	05	-	-	-	-	-	-	11	25	25 n	30
31	11	✕	03	✕	-	✕	25	-	✕	17	✕	-	31
Total	2·12 2·02	2·05	2·67	1·21	1·37	2.24	2·59	2.10	1·34	2·78	3·46	6·08	30·01 YEAR'S TOTAL 30·01
Rain Days.	18	15	25	9	13	11	17	13	10	14	20	25	190

W. 8,000. X. 14.

TL Thunder + Lighting

n = night

FELT HOUSE,
ECCLESALL,
SHEFFIELD

16. APR. 1915

April 15/15

Dear Sir.

In reply to yours of yesterday there is a mistake in January 1914 - The amount for Jany 24 .24. seems all right. - but I added the month up to 2.82 & then corrected it to 2.12 but omitted the correction in copying on to the sheet.

So January = 2.12

& the Total for year 30.01

Please excuse my carelessness.

Yours faithfully

Thos Firth.

I cannot account for Jany 24th .24 being different from neighbourhood -

3255

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Sheffield (Millhouses)

in the County of York 7

by J. Firth

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Millhouses Mid.

4 .1. 1916

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5½ in.

" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	27	21	02	-	28	-	02	03	07	-	02	26	1
2	05	12	16	29	-	03	-	18	01	13	-	02	2
3	85	-	01	09	-	-	34	23	-	-	01	51	3
4	03	-	-	-	03	-	68	-	-	-	-	1.03	4
5	03	45	01	-	-	-	-	07	-	05	03	59	5
6	14	17	04	15	-	-	40	04	-	-	-	18	6
7	12	32	03	11	-	-	05	57	-	-	-	16	7
8	12	15	-	11	-	-	-	15	-	-	17	-	8
9	-	03	-	04	-	-	-	09	-	03	22	72	9
10	53	-	02	-	-	-	-	01	-	01	09	06	10
11	22	-	02	03	46	-	12	01	-	-	73	60	11
12	02	-	-	06	28	-	-	03	-	08	1.96	-	12
13	02	69	-	-	04	-	-	01	-	-	-	02	13
14	01	01	-	-	-	-	-	10	02	01	-	36	14
15	82	-	-	-	-	-	-	25	-	-	22	10	15
16	-	40	-	-	11	-	1.73	08	-	06	-	02	16
17	-	26	02	-	-	-	-	01	-	-	-	-	17
18	-	21	18	-	-	-	-	-	-	-	01	-	18
19	-	04	-	03	01	-	10	-	-	02	-	-	19
20	20	-	-	-	-	-	06	-	-	-	-	12	20
21	06	-	-	05	-	-	13	-	-	-	-	09	21
22	-	-	24	03	-	-	36	-	-	-	-	05	22
23	01	02	06	-	-	-	18	-	02	32	01	14	23
24	-	-	18	-	-	-	-	-	54	03	-	31	24
25	-	-	-	02	-	54	13	-	01	03	-	09	25
26	03	38	-	-	-	03	08	-	04	-	-	60	26
27	-	22	-	-	-	20	04	-	-	62	-	76	27
28	-	55	-	-	-	11	-	39	-	09	-	01	28
29	-	-	-	-	03	1.11	-	01	01	-	13	70	29
30	13		-	03	-	08	-	-	-	-	02	03	30
31	10		03		-		01	08		30		33	31
Total	3.76	4.23	1.02	1.04	1.24	2.10	4.43	2.34	·72	1.78	3.62	7.86	YEAR'S TOTAL 34.14
Rain Days.	20	17	14	13	8	7	16	19	8	14	13	26	175

W. 8,000. X. 15.

Exd [illegible]

3212

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Millhouses Sheffield

in the County of York WR

by J. Firth

Lat. .... Long. ....
Time of Observation 9. am.
Nearest Railway Station Millhouses
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5½ in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	35	02	37	-	-	09	12	-	-	-	22	-	1
2	26	11	22	-	-	-	-	-	07	18	05	-	2
3	-	35	02	-	-	-	08	-	66	22	18	-	3
4	05	07	-	01	62	31	02	-	04	23	48	-	4
5	10	01	-	-	06	28	-	-	-	37	52	-	5
6	22	66	24	-	55	02	-	-	-	15	48	01	6
7	10	-	13	-	16	-	42	-	-	-	10	23	7
8	01	-	38	-	-	-	-	-	-	-	17	18	8
9	-	02	07	-	42	01	04	-	02	-	06	20	9
10	02	10	04	07	-	67	-	-	09	01	01	20	10
11	-	39	25	26	-	13	-	-	04	-	-	08	11
12	09	04	60	02	39	03	20	-	-	02	-	02	12
13	-	07	42	04	01	-	01	20	-	10	01	04	13
14	-	21	03	17	16	-	-	20	-	15	01	04	14
15	-	59	82	13	-	-	09	12	-	10	-	-	15
16	-	64	49	-	-	-	10	25	-	-	-	-	16
17	02	15	-	43	-	-	05	15	24	18	01	-	17
18	-	31	01	05	-	-	-	03	21	07	1.20	-	18
19	10	-	32	13	-	-	-	-	02	-	43	19	18 & 19
20	14	-	32	06	05	-	-	-	-	-	01	10	20
21	09	-	11	01	-	-	03	-	-	-	-	21	21
22	-	05	01	-	-	02	-	-	-	13	-	33	22
23	03	08	-	04	-	-	-	06	-	03	18	25	23
24	-	44	-	01	-	19	-	03	-	05	-	17	24
25	-	09	42	-	06	-	-	17	-	17	32	12	25
26	01	12	08	-	-	-	-	09	-	15	-	-	26
27	-	27	04	-	-	-	02	20	-	26	-	-	27
28	-	41	08	-	02	15	-	-	03	02	-	10	28
29	01	40	01	-	-	42	-	02	-	53	-	39	29
30	-	✕	-	-	-	03	-	-	-	14	-	01	30
31	-	✕	-	✕	-	✕	-	-	✕	26	✕	22	31
Total	1.60	5.60	5.48	1.43	2.50	2.35	1.18	1.52	1.42	3.52	4.44	3.09	YEAR'S TOTAL 34.13
Rain Days.	16	24	24	14	11	13	12	12	10	22	18	21	197

W. 8,000, VIII. 16

Ga not emptied on Dec 18. probably about 05 to 10 may have fallen on 18th

3064

FORM A.
BRITISH RAINFALL.

5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Millhouses Sheffield

in the County of York

by T. Firth

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Millhouses

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5½ in.

" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	–	–	s .15	–	.05	–	.32	.22	–	.13	.09	1
2	.16	–	–	–	–	T .11	–	.08	–	–	.02	–	2
3	.03	–	–	s .13	–	.07	–	.16	–	.12	.14	–	3
4	.05	–	s .13	–		–	–	.11	–	.08	–	–	4
5	.16	–	s .19	s .07	–	–	–	.02	–	.16	.13	–	5
6	.02	–	–	–	–	.21	–	–	–	.38	.13	.02	6
7	.39	–	–	.02	–	.20	–	–	–	.59	.02	.04	7
8	s .68	–	–	s .23	–	–	–	T .64	–	.73	.26	.06	8
9	s .18	–	s .08	s .09	.01	–	–	.22	–	.12	.37	–	9
10	s .22	–	.76	s .19	.16	–	–	–	.01	.01	.01	–	10
11	s .06	–	–	s .34	–	–	–	T .17	–	.31	–	–	11
12	s .11	–	.01	.03	T .26	–	–	T .39	–	.03	–	.05	12
13	s .07	–	.02	.15	.07	T .06	–	.24	.11	.05	–	.03	13
14	s .22	–	–	.07	–	–	–	T .17	–	.02	–	.17	14
15	s .04	–	–	.02	.01	–	T .11	–	–	.01	–	.08	15
16	s .07	.15	–	.03	–	T .15	.03	.09	–	.04	–	s .45	16
17	s –	.02	–	.10	.38	T .03	.18	.24	.03	–	–	s .19	17
18	s .03	–	.02	.03	.07	–	.41	T .06	.22	–		–	18
19	s .03	–	.30	–	.21	.36	–	–	.03	–	.03	–	19
20	s .03	.16	.01	–	T .41	T .29	–	–	.08	–	.06	–	20
21	s .04	.06	s .12	–	.05	.03	–	.04	–	.03	–	–	21
22		.01	s .05	–	–	–		.15	.01	.04	–	–	22
23	–	.01	–	–	.14	.07	–	.10	–	.09	.01	–	23
24	–	.01	–	–	.01	.17	T –	.12	–	.70 gale	.43	–	24
25	–	–	.20		–	–	–	.01	–	.01	.17	–	25
26	–	–	–			o .44	.03	.27	.08	.10	.18	–	26
27	–	–	.07	–	–	.18	.16	.60	–	–	.09	.08	27
28	–	–	.18	–	–	.06	–	.47	–	–	–	.16	28
29	–	–	.02	–	T .10		.04	.01	–	.32	–	.30	29
30	–	X	s .50	–	–		.08	.15	–	.04	.03	.01	30
31	.02	X	s .25	X	.01	X	–	.07	X	.03	X	.02	31
Total	2.66 ✓	.42 ✓	2.91 ✓	1.65 ✓	1.89 ✓	2.48 ✓	1.04 ✓	4.90 ✓	.79 ✓	4.01 ✓	2.21 ✓	1.75 ✓	YEAR'S TOTAL 26.71
Rain Days.	21 ✓	7 ✓	17 ✓	15 ✓	14 ✓	16 ✓	8 ✓	25 ✓	9 ✓	23 ✓	17 ✓	15 ✓	187

W. 8,000, IX. 17.

S = Snow
T = Thunder

o about .35 fell in 9 minutes at 2.30 P.M. June 26

B. Made

46

FORM A.
BRITISH RAINFALL

8 · 1 · 19

REGISTER OF RAINFALL IN 1918

Kept at Millhouses Sheffield
in the County of York W
by J. Firth

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Millhouses
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	01	01	-	-	-	17	06	40	-	1
2	-	17	-	01	-	-	-	26	15	-	-	43	2
3	-	02	06	-	79	-	-	34	03	01	15	02	3
4	-	01	03	-	-	-	-	11	58	13	28	35	4
5	-	01	-	02	39	-	-	15	26	26	-	01	5
6	02	53	03	29	01	08 T	-	03	01	14	-	-	6
7	07 S	05	-	13	-	-	01	-	40 T	14	19	-	7
8	-	33	05 S	05	-	-	04 T	-	39	06	05	-	8
9	39 S	86	07	22	-	07	09	-	50	19	02	02	9
10	11	10	-	03	-	-	10 T	-	01	01	08	01	10
11	45	05	-	28	10	-	20 T	-	12	-	-	03	11
12	-	10	01	12 ?	04	-	68 T	-	18	-	-	14	12
13	-	-	-	06	09	-	-	-	38	10	-	01	13
14	58 S	-	-	02	-	08	11	-	70	04	-	22	14
15	38 S	-	-	01	-	07	39	-	92	03	-	19	15
16	-	-	-	-	-	12	31	-	19	05 ?	-	34	16
17	30	-	02	-	07 T	01	1.40	07	09	11	-	20	17
18	28	-	01	-	-	05	20	-	69	-	-	23	18
19	10	-	26	12	-	-	08	02	19	08	-	33	19
20	07	17	-	06	-	08	04 T	-	10	09	-	-	20
21	19	14	-	02	60 T	05	-	-	24	14	-	03	21
22	03	01	-	-	16 T	04	03	-	16	02	-	72	22
23	04	-	-	-	37 T	-	10 T	-	03	-	03	06	23
24	06	-	-	-	-	-	04 T	-	06	03	04	02	24
25	-	-	-	-	-	07 T	11 T	19	04	01	01	-	25
26	-	-	-	-	-	-	29 T	06	13	-	08	16	26
27	-	04	01	-	-	-	01	20	48	-	04	23	27
28	-	10 S	25	-	-	-	-	12	06	-	16	47	28
29	-	-	-	-	-	-	-	-	06	-	01	20	29
30	-	X	44	-		-	-	03	01	-	04	24	30
31	-	X	14	X	-	X	-	02	X	-	X	01	31
Total	3.07	2.69	1.38	1.45	2.63	·72	4.23	1.60	7.33	1.70	1.58	4.67	YEAR'S TOTAL 33.05
Rain Days.	15	16	13	16	11	11	19	13	30	20	15	25	204

W. 6,500. VII. 18. w w c S : Snow T : thunder heard

SHEFF~~IELD~~
WESTON PK
YORKSHIRE
1911 – 1920

REGIS 1.

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

Kept at Sheffield (
in the County of W.R. Yorksh
by E Howarth

8 in.
Ground 1 ft. 0 in.
Sea Level 430 ft.
a.m.
Name Midland
Distance 1½ mile Direction S.E.

IMPORTANT NOTE.—I the result entered to the previous day. If an Observe versal rule, he is earnestly requested to add the reading following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.162	—	—	—	0.050	0.060	—	—	0.060	—	1
2	0.245	—	—	—	0.100	—	—	—	—	—	0.010	0.078	2
3	—	—	—	—	0.262	—	—	—	0.016	0.010	0.210	—	3
4	0.022	—	0.020	0.077	—	—	—	0.010	0.090	0.120	0.385	0.260	4
5	0.028	—	—	0.012	—	—	—	0.130	—	0.200	—	—	5
6	0.360	—	—	—	—	—	—	0.080	—	0.038	0.672	0.640	6
7	—	—	—	—	—	—	—	—	—	—	0.168	—	7
8	0.117	—	0.050	—	—	—	—	—	0.020	0.020	0.087	0.405	8
9	0.014	—	—	—	—	0.055	—	—	—	—	—	0.044	9
10	0.055	—	0.025	—	0.010	—	—	0.050	—	—	—	0.790	10
11	0.221	—	—	—	—	—	—	0.010	—	—	0.685	—	11
12	0.030	—	0.076	—	0.020	—	—	—	0.688	—	0.250	—	12
13	—	—	0.040	—	—	0.038	—	—	—	—	0.077	0.360	13
14	—	0.154	0.040	—	0.340	—	0.012	—	—	—	0.042	0.697	14
15	—	0.220	0.125	0.024	—	—	—	—	—	0.062	0.014	0.156	15
16	—	0.223	0.060	0.050	—	0.087	—	—	—	0.035	0.218	0.068	16
17	—	0.082	0.014	0.010	—	0.380	—	—	—	—	0.200	0.265	17
18	—	0.434	0.010	0.037	—	0.115	—	—	—	0.010	0.120	0.104	18
19	—	0.082	—	0.033	—	0.010	0.034	0.010	0.222	0.098	0.310	0.053	19
20	—	0.080	—	0.200	—	—	0.020	0.353	0.170	—	—	0.116	20
21	—	0.406	0.018	—	—	—	0.010	0.112	—	0.240	—	—	21
22	0.020	0.088	—	—	—	—	—	0.060	—	0.120	0.021	0.204	22
23	—	0.445	0.026	—	—	0.310	—	0.038	0.240	0.010	—	0.187	23
24	0.030	0.110	0.020	0.025	—	0.980	—	0.020	—	0.038	—	0.170	24
25	0.110	0.260	—	0.202	—	—	0.010	—	0.180	—	0.023	0.310	25
26	—	0.020	—	0.265	0.148	—	—	—	—	0.385	0.365	0.353	26
27	—	0.160	0.115	0.200	—	—	—	0.773	0.208	—	—	0.040	27
28	—	0.175	—	0.135	—	0.020	—	0.024	0.017	—	0.043	0.054	28
29	—		0.018	0.109	—	0.060	0.010	—	0.265	0.310	0.010	0.040	29
30	—		—	—	0.110	0.055	—	—	—	0.442	0.010	—	30
31	—		0.380		—		—	—		0.048		—	31
Total	1.252	2.939	1.199	1.379	0.990	2.110	0.146	1.730	2.116	2.186	3.980	5.394	TOTAL 25.421
No. of Rain Days.	12	15	17	14	7	11	7	14	11	17	22	22	169

W. 8,000, X. '11.

✓

REGIS 1.

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

Kept at Sheffield (Weston Park)
in the County of WR Yorkshire. 7
by E Howarth

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 430 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Midland
Distance 1½ miles Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.162	—	—	—	0.050	0.060	—	—	0.060	—	1
2	0.245	—	—	—	0.100	—	—	—	—	—	0.010	0.078	2
3	—	—	—	—	0.262	—	—	—	0.016	0.010	0.210	—	3
4	0.022	—	0.020	0.077	—	—	—	0.010	0.090	0.120	0.385	0.260	4
5	0.028	—	—	0.012	—	—	—	0.130	—	0.200	—	—	5
6	0.360	—	—	—	—	—	—	0.080	—	0.038	0.672	0.640	6
7	—	—	—	—	—	—	—	—	—	—	0.168	—	7
8	0.117	—	0.050	—	—	—	—	—	0.020	0.020	0.087	0.405	8
9	0.014	—	—	—	—	0.055	—	—	—	—	—	0.044	9
10	0.055	—	0.025	—	0.010	—	—	0.050	—	—	—	0.790	10
11	0.221	—	—	—	—	—	—	0.010	—	—	0.685	—	11
12	0.030	—	0.076	—	0.020	—	—	—	0.688	—	0.250	—	12
13	—	—	0.040	—	—	0.038	—	—	—	—	0.077	0.360	13
14	—	0.154	0.040	—	0.340	—	0.012	—	—	—	0.042	0.697	14
15	—	0.220	0.125	0.024	—	—	—	—	—	0.062	0.014	0.156	15
16	—	0.223	0.060	0.050	—	0.087	—	—	—	0.035	0.218	0.068	16
17	—	0.082	0.014	0.010	—	0.380	—	—	—	—	0.200	0.265	17
18	—	0.434	0.010	0.037	—	0.115	—	—	—	0.010	0.120	0.104	18
19	—	0.082	—	0.033	—	0.010	0.034	0.010	0.222	0.098	0.310	0.053	19
20	—	0.080	—	0.200	—	—	0.020	0.353	0.170	—	—	0.116	20
21	—	0.406	0.018	—	—	—	0.010	0.112	—	0.240	—	—	21
22	0.020	0.088	—	—	—	—	—	0.060	—	0.120	0.021	0.204	22
23	—	0.445	0.026	—	—	0.310	—	0.038	0.240	0.010	—	0.187	23
24	0.030	0.110	0.020	0.025	—	0.980	—	0.020	—	0.038	—	0.170	24
25	0.110	0.260	—	0.202	—	—	0.010	—	0.180	—	0.023	0.310	25
26	—	0.020	—	0.265	0.148	—	—	—	—	0.385	0.365	0.353	26
27	—	0.160	0.115	0.200	—	—	—	0.773	0.208	—	—	0.040	27
28	—	0.175	—	0.135	—	0.020	—	0.024	0.017	—	0.043	0.054	28
29	—		0.018	0.109	—	0.060	0.010	—	0.265	0.310	0.010	0.040	29
30	—		—	—	0.110	0.055	—	—	—	0.442	0.010	—	30
31	—		0.380		—		—	—		0.048		—	31
Total	1.252	2.939	1.199	1.379	0.990	2.110	0.146	1.730	2.116	2.186	3.980	5.394	TOTAL for year 25.421
No. of Rain Days.	12	15	17	14	7	11	7	14	11	17	22	22	169

Section **A** for the entry of Daily Observations

Station No. 3119

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~ 11

copy

Kept at Weston Park Sheffield

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·16	-	-	-	·05	·06	-	-	·06	-		1
2	·25	-	-	-	·10	-	-	-	-	-	·01	·08		2
3	-	-	-	-	·26	-	-	-	·02	·01	·21	-		3
4	·02	-	·02	·08	-	-	-	·01	·09	·12	·39	·26		4
5	·03	-	-	·01	-	-	-	·13	-	·20	-	-		5
6	·36	-	-	-	-	-	-	·08	-	·04	·67	·64		6
7	-	-	-	-	-	-	-	-	-	-	·17	-		7
8	·12	-	·05	-	-	-	-	-	·02	·02	·09	·41		8
9	·01	-	-	-	-	·05	-	-	-	-	-	·04		9
10	·05	-	·03	-	·01	-	-	·05	-	-	-	·79		10
11	·22	-	-	-	-	-	-	·01	-	-	·69	-		11
12	·03	-	·08	-	·02	-	-	-	·69	-	·25	-		12
13	-	-	·04	-	-	·04	-	-	-	-	·08	·36		13
14	-	·15	·04	-	·34	-	·01	-	-	-	·04	·70		14
15	-	·22	·13	·02	-	-	-	-	-	·06	·01	·16		15
16	-	·22	·06	·05	-	·09	-	-	-	·03	·22	·07		16
17	-	·08	·01	·01	-	·38	-	-	-	-	·20	·27		17
18	-	·43	·01	·04	-	·11	-	-	-	·01	·12	·10		18
19	-	·08	-	·03	-	·01	·03	·01	·22	·10	·31	·05		19
20	-	·08	-	·20	-	-	·02	·35	·17	-	-	·12		20
21	-	·41	·02	-	-	-	·01	·11	-	·24	-	-		21
22	·02	·09	-	-	-	-	-	·06	-	·12	·02	·20		22
23	-	·45	·03	-	-	·31	-	·04	·24	·01	-	·19		23
24	·03	·11	·02	·03	-	·98	-	·02	-	·04	-	·17		24
25	·11	·26	-	·20	-	-	·01	-	·18	-	·02	·31		25
26	-	·02	-	·27	·15	-	-	-	-	·39	·37	·35		26
27	-	·16	·11	·20	-	-	-	·77	·21	-	-	·04		27
28	-	·17	-	·13	-	·02	-	·02	·02	-	·04	·05		28
29	-	X	·02	·11	-	·06	·01	-	·27	·31	·01	·04		29
30	-	X	-	-	·11	·05	-	-	-	·44	·01	-		30
31	-	X	·38	X	-	X	-	-	X	·05	X	-		31
TOTAL	1·25	2·93	1·21	1·38	·99	2·10	·14	1·72	2·13	2·19	3·99	5·40	Year's Total 25·43	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(Signed) (P.T.O.)

FORM A2.
BRITISH RAINFALL.
12 FEB 1913

REGISTER OF RAINFALL IN 1912.

Kept at Weston Park Museum, Sheffield

in the County of York W. 7

by E Howarth

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 430 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0·010	0·172	-	-	0·515	-	-	0·040	-	-	0·740	1
2	-	-	0·070	-	-	0·380	0·495	-	0·040	-	-	0·040	2
3	0·081	0·020	0·050	-	0·068	0·515	-	0·940	0·311	-	-	0·040	3
4	0·178	-	0·610	0·115	0·132	0·588	-	0·390	0·011	-	0·122	-	4
5	0·270	0·070	0·010	-	0·065	0·105	-	0·100	0·023	-	0·010	-	5
6	1·042	0·108	-	0·010	0·020	0·018	-	0·480	-	-	-	-	6
7	-	0·030	-	-	0·040	0·066	-	0·042	-	-	-	0·037	7
8	0·675	0·358	0·150	0·122	-	-	0·030	-	0·102	-	-	-	8
9	0·034	0·038	0·107	0·250	-	0·062	-	0·106	-	-	0·060	0·105	9
10	0·058	0·010	-	-	-	0·066	-	0·300	-	-	0·383	-	10
11	0·126	0·036	-	-	-	-	-	0·030	-	-	0·093	0·570	11
12	0·062	0·405	0·052	-	-	0·110	0·815	-	-	-	0·026	0·026	12
13	0·010	0·035	-	-	-	-	-	-	0·015	0·049	0·136	0·090	13
14	0·067	-	0·220	0·020	-	0·078	-	0·012	-	-	-	0·160	14
15	0·200	0·055	0·058	-	0·475	0·060	-	-	-	-	-	0·200	15
16	1·040	-	0·155	-	0·048	0·090	-	0·030	-	0·110	-	0·085	16
17	0·090	0·015	0·140	-	-	0·230	0·060	0·210	-	-	-	0·690	17
18	0·106	-	0·075	-	-	-	0·040	0·090	-	0·033	-	0·085	18
19	0·340	0·116	0·110	-	-	0·050	0·635	0·485	-	0·010	0·028	-	19
20	0·330	-	0·105	-	0·260	0·025	0·030	0·070	-	0·270	-	0·010	20
21	-	-	0·405	-	0·770	-	0·820	-	-	0·108	0·010	0·010	21
22	0·010	0·080	-	-	1·188	0·150	0·073	0·363	-	-	-	0·070	22
23	0·063	0·037	0·212	-	0·027	-	0·685	0·183	-	-	0·090	0·025	23
24	0·190	-	0·020	-	0·027	0·026	0·092	0·295	-	0·010	-	0·170	24
25	-	-	0·047	-	-	0·280	-	0·201	-	-	0·422	0·230	25
26	-	0·150	0·080	-	-	0·010	0·262	0·750	-	1·120	0·312	0·251	26
27	-	-	0·138	-	-	0·275	0·640	-	-	0·752	0·024	0·102	27
28	-	0·022	0·087	-	-	0·076	0·212	0·427	0·080	0·180	0·525	0·015	28
29	-	-	0·139	-	-	0·078	0·123	-	0·507	0·070	0·025	0·180	29
30	0·076		0·050	-	0·340	-	-	-	0·060	0·050	-	-	30
31	-		0·160		0·185		0·170	0·194		0·080		-	31
Total	5·048	1·595	3·422	0·517	3·645	3·853	5·182	5·698	1·189	2·842	2·266	3·931	TOTAL for year
No. of Rain Days.	21	18	25	5	14	23	16	21	10	13	15	23	39·188 204

W. 8,000, X. '11.

Section **A** for the entry of Daily Observations

Station No. 3119

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 196 12

Kept at Weston Park, Sheffield

copy

in the County of

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	·17	-	-	·51	-	-	·04	-	-	·74		1
2	-	-	·07	-	-	·38	·49	-	·04	-	-	·04		2
3	·08	·02	·05	-	·07	·51	-	·94	·31	-	-	·04		3
4	·18	-	·61	·11	·13	·59	-	·39	·01	-	·12	-		4
5	·27	·07	·01	-	·07	·11	-	·10	·02	-	·01	-		5
6	1·04	·11	-	·01	·02	·02	-	·48	-	-	-	-		6
7	-	·03	-	-	·04	·07	-	·04	-	-	-	·04		7
8	·67	·36	·15	·12	-	-	·03	-	·10	-	-	-		8
9	·03	·04	·11	·25	-	·06	-	·11	-	-	·06	·11		9
10	·06	·01	-	-	-	·07	-	·30	-	-	·38	-		10
11	·13	·04	-	-	-	-	-	·03	-	-	·09	·57		11
12	·06	·41	·05	-	-	·11	·81	-	-	-	·03	·03		12
13	·01	·03	-	-	-	-	-	-	·01	·05	·14	·09		13
14	·07	-	·22	·02	-	·08	-	·01	-	-	-	·16		14
15	·20	·05	·06	-	·47	·06	-	-	-	-	-	·20		15
16	1·04	-	·15	-	·05	·09	-	·03	-	·11	-	·09		16
17	·09	·01	·14	-	-	·23	·06	·21	-	-	-	·69		17
18	·11	-	·07	-	-	-	·04	·09	-	·03	-	·09		18
19	·34	·12	·11	-	-	·05	·63	·49	-	·01	·03	-		19
20	·33	-	·11	-	·26	·03	·03	·07	-	·27	-	·01		20
21	-	-	·41	-	·47	-	·82	-	-	·11	--·01	·01		21
22	·01	·08	-	-	1·19	·15	·07	·36	-	-	-	·07		22
23	·06	·04	·21	-	·03	-	·69	18	-	-	·09	·03		23
24	·19	-	·02	-	·03	·03	·09	·29	-	·01	-	·17		24
25	-	-	·05	-	-	·28	-	·20	-	-	·42	·23		25
26	-	·15	·08	-	-	·01	·26	·75	-	1·12	·31	·25		26
27	-	-	·14	-	-	·27	·64	-	-	·75	·02	·10		27
28	-	·02	·09	-	-	·08	·21	·43	·08	·18	·53	·01		28
29	-	-	·14	-	-	·08	·12	-	·51	·07	·03	·18		29
30	·08	X	·05	-	·34	-	-	-	·06	·05	-	-		30
31	-	X	·16	X	·19	X	·17	·19	X	·08	X	-		31
TOTAL	5·05	1·60	3·43	·51	3·66	3·87	5·16	5·69	1·18	2·84	2·27	3·95	Year's Total 39·21	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
28 JAN 1914

Kept at Weston Park, Sheffield W7

in the County of York

by E Howarth

Lat. 53° 22′ 52″ N Long. 1° 29′ 25″ W

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·020	-	0·120	0·090	-	-	-	-	0·151	0·024	0·080	-	1
2	0·010	0·075	0·090	-	-	0·010	-	-	-	0·010	0·085	0·034	2
3	0·060	0·090	0·212	-	0·280	-	0·034	-	0·014	0·460	-	0·390	3
4	0·620	0·084	-	0·010	0·066	0·010	0·100	-	0·042	0·090	0·130	0·388	4
5	0·018	0·015	0·100	-	-	0·095	0·030	-	0·036	1·003	-	-	5
6	0·018	0·092	0·182	-	0·432	0·026	1·005	-	0·010	0·674	0·010	-	6
7	-	0·433	-	-	0·178	0·275	-	-	-	0·970	0·047	0·012	7
8	-	0·040	-	-	0·480	0·050	-	0·075	-	0·100	0·100	-	8
9	-	0·270	0·025	-	0·130	0·215	0·093	0·010	-	-	0·170	0·024	9
10	0·055	-	0·010	0·094	0·010	-	0·024	-	-	0·055	0·165	-	10
11	0·950	-	-	0·312	-	0·090	-	0·015	-	0·010	0·275	-	11
12	-	-	-	-	-	0·010	-	-	-	-	0·215	-	12
13	0·060	-	0·090	0·023	-	-	-	-	0·196	-	0·138	-	13
14	0·102	0·035	0·440	0·060	-	-	-	-	-	0·110	0·595	-	14
15	0·078	0·040	0·470	0·566	-	-	0·010	-	0·059	-	0·400	-	15
16	-	0·012	0·155	0·025	-	-	-	0·050	0·252	-	0·077	-	16
17	0·022	0·030	0·040	0·080	-	-	-	-	1·690	-	0·047	-	17
18	0·030	-	0·284	0·335	0·045	-	0·082	-	-	-	0·110	-	18
19	0·215	-	0·012	0·090	-	-	-	-	0·167	-	0·020	-	19
20	0·195	-	0·080	0·068	-	-	-	-	-	0·023	0·130	-	20
21	0·010	-	0·080	-	0·310	-	0·190	0·012	-	-	0·315	-	21
22	0·225	-	0·920	-	0·011	-	-	0·630	0·235	-	—	-	22
23	0·090	-	-	-	0·020	0·043	-	0·180	0·080	0·040	0·012	-	23
24	0·322	-	-	0·020	-	-	-	-	-	-	0·010	-	24
25	-	-	-	0·020	-	-	-	-	0·072	0·014	0·015	0·086	25
26	-	-	0·198	0·162	-	-	-	-	-	0·115	-	0·578	26
27	-	-	0·012	0·388	-	-	-	-	-	-	-	0·250	27
28	0·293	-	0·280	0·310	-	-	-	-	-	0·043	-	0·050	28
29	0·010		0·540	0·398	0·034	-	-	0·256	-	-	0·020	0·100	29
30	0·345		-	-	0·020	-	-	-	-	0·430	0·060	0·033	30
31	0·015		0·033		0·150		-	-		-		-	31
Total	3·763	1·216	4·373	3·051	2·166	0·824	1·568	1·228	3·004	4·171	3·226	1·945	YEAR'S TOTAL 30·535
Rain Days.	23	12	22	18	14	10	9	8	13	17	24	11	181

W.7,000, XI. 13

Section **A** for the entry of Daily Observations

Station No. 3119

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~ 13

COPY

Kept at Weston Park Sheffield

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	-	·12	·09	-	-	-	-	·15	·02	·08	-		1
2	·01	·07	·09	-	-	·01	-	-	-	·01	·09	·03		2
3	·06	·09	·21	-	·28	-	·03	-	·01	·46	-	·39		3
4	·62	·08	-	·01	·07	·01	·10	-	·04	·09	·13	·39		4
5	·02	·01	·10	-	-	·09	·03	-	·04	1·00	-	-		5
6	·02	·09	·18	-	·43	·03	1·01	-	·01	·67	·01	-		6
7	-	·43	-	-	·18	·27	-	-	-	·97	·05	·01		7
8	-	·04	-	-	·48	·05	-	·07	-	·10	·10	-		8
9	-	·27	·03	-	·13	·21	·09	·01	-	-	·17	·02		9
10	·05	-	·01	·09	·01	-	·02	-	-	·05	·17	-		10
11	·95	-	-	·31	-	·09	-	·01	-	·01	·27	-		11
12	-	-	-	-	-	·01	-	-	-	-	·21	-		12
13	·06	-	·09	·02	-	-	-	-	·20	-	·14	-		13
14	·11	·03	·44	·06	-	-	-	-	-	·11	·59	-		14
15	·08	·04	·47	·57	-	-	·01	-	·06	-	·40	0		15
16	-	·01	·15	·03	-	-	-	·05	·25	-	·08	-		16
17	·02	·03	·04	·08	-	-	-	-	1·69	-	·05	-		17
18	·03	-	·28	·33	·05	-	- ·08	-	-	-	·11	-		18
19	·21	-	·01	·09	-	-	-	-	·17	-	·02	-		19
20	·19	-	·08	·07	-	-	-	-	-	·02	·13	-		20
21	·01	-	·08	-	·31	-	·19	·01	-	-	·31	-		21
22	·23	-	·92	-	·01	-	-	·63	·23	-	-	-		22
23	·09	-	-	-	·02	·04	-	·18	·08	·04	·01	-		23
24	·32	-	-	·02	-	-	-	-	-	-	·01	-		24
25	-	-	-	·02	-	-	-	-	·07	·01	·01	·09		25
26	-	-	·20	·16	-	-	-	-	-	·11	-	·58		26
27	-	-	·01	·39	-	-	-	-	-	-	-	·25		27
28	·29	-	·28	·31	-	-	-	-	-	·04	-	·05		28
29	·01	X	·54	·40	·03	-	-	·26	-	-	·02	·10		29
30	·35	X	-	-	·02	-	-	-	-	·43	·06	·03		30
31	·01	X	·03	X	·15	X	-	-	X	-	X	-		31
TOTAL	3·76	1·19	4·36	3·05	2·17	·81	1·56	1·22	3·00	4·14	3·22	1·94	Year's Total 30.42	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Exd BS

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

8 - JAN 1915

Kept at Weston Park Museum, Sheffield

in the County of Yorkshire. WR 7

by E. Howarth

Lat. 53° 22' 52" N Long. 1° 29' 25" W

Time of Observation 9 am

Nearest Railway Station Midland 1½ mile

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	0.015	-	-	-	0.940	0.120	-	-	-	0.250	1
2	-	-	0.026	-	-	-	0.330	0.190	-	-	0.425	0.125	2
3	0.060	-	0.030	-	0.090	-	0.040	0.050	-	-	0.025	0.820	3
4	0.405	-	0.245	0.160	0.425	-	-	0.010	-	-	0.510	0.280	4
5	0.146	-	0.135	0.290	0.160	0.027	-	-	-	-	0.128	0.250	5
6	-	0.030	0.080	0.430	0.090	-	0.170	0.020	-	-	0.015	0.155	6
7	-	0.030	0.190	0.146	0.080	0.010	-	0.047	-	-	-	0.120	7
8	0.130	-	0.010	-	0.082	0.600	0.010	0.110	0.500	0.017	-	0.070	8
9	0.250	-	-	0.105	0.020	0.820	-	0.120	-	-	0.010	-	9
10	0.175	0.150	-	0.140	0.020	-	-	-	0.030	0.010	0.110	0.010	10
11	-	0.140	0.315	0.030	0.010	0.353	-	-	0.140	-	0.850	0.380	11
12	-	0.140	0.110	-	-	0.010	0.020	-	0.330	-	0.150	0.460	12
13	0.010	0.100	0.150	-	-	-	0.015	-	0.057	0.060	0.370	0.286	13
14	0.027	0.250	0.070	-	-	-	0.040	-	0.080	0.320	0.370	0.200	14
15	-	0.020	0.270	-	-	-	-	-	0.020	0.010	0.200	0.010	15
16	0.040	-	0.025	-	-	-	0.405	-	0.170	-	-	-	16
17	0.012	0.220	0.132	-	-	-	0.010	-	0.215	-	-	0.545	17
18	-	-	0.010	-	-	0.030	-	-	-	-	-	0.150	18
19	-	-	0.090	-	-	-	0.035	-	0.010	-	0.060	0.136	19
20	0.010	0.295	0.043	-	-	-	-	0.026	0.010	0.097	-	0.010	20
21	-	0.480	-	-	-	0.240	-	-	-	0.065	0.020	0.110	21
22	-	0.010	0.023	-	0.150	0.068	0.035	0.018	-	0.135	-	0.010	22
23	-	0.010	0.065	0.010	0.300	0.018	0.010	-	-	-	-	0.010	23
24	0.010	-	0.322	-	0.047	-	0.157	0.230	-	-	0.070	-	24
25	0.033	-	-	-	-	-	0.030	0.130	-	0.640	0.012	0.330	25
26	-	-	0.025	-	-	-	-	0.200	-	0.137	0.087	0.210	26
27	0.012	-	-	-	-	-	-	-	-	-	0.113	0.685	27
28	0.100	0.100	0.020	-	-	-	-	-	-	0.040	0.070	0.235	28
29	0.058		0.145	-	-	-	-	-	-	0.477	0.085	0.010	29
30	-	X	0.036	-	-	-	-	-	-	0.060	0.295	0.210	30
31	0.130	X	0.015	X	-	X	0.255	-	X	0.180	X	-	31
Total	1.608	1.975	2.597	1.311	1.474	2.176	2.502	1.271	1.592	2.248	3.975	6.067	YEAR'S TOTAL 28.796
Rain Days.	17	14	26	8	12	10	16	13	11	14	21	27	189

W. 8,000. X. 14.

Section A **for the entry of Daily Observations**

Station No. 3119

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~ 14

COPY

Kept at Weston Park Sheffield
in the County of
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·01	-	-	-	·94	·12	-	-	-	·25		1
2	-	-	·03	-	-	-	·33	·19	-	-	·43	·13		2
3	·06	-	·03	-	·09	-	·04	·05	-	-	·63	·82		3
4	·41	-	·25	·16	·43	-	-	·01	-	-	·51	·28		4
5	·15	-	·13	29	·16	·03	-	-	-	-	·13	·25		5
6	-	·03	·08	·43	·09	-	·17	·02	-	-	·01	·15		6
7	-	·03	·19	·15	·08	·01	-	·05	-	-	-	·12		7
8	·13	-	·01	-	·08	·60	·01	·11	·50	·02	-	·07		8
9	·25	-	-	·11	·02	·82	-	·12	-	-	·01	-		9
10	·17	·15	-	·14	·02	-	-	-	·03	·01	·11	·01		10
11	-	·14	·31	·03	·01	·35	-	-	·14	-	·85	·38		11
12	-	·14	·11	-	-	·01	·02	-	·33	-	·15	·46		12
13	·01	·10	·15	-	-	-	·01	-	·06	·06	·37	·29		13
14	·03	·25	·07	-	-	-	·04	-	·08	·32	·37	·20		14
15	-	·02	·27	-	-	-	-	-	·02	·01	·20	·01		15
16	·04	-	·03	-	-	-	·41	-	·17	-	-	-		16
17	·01	22	·13	-	-	-	·01	-	·25	-	-	·55		17
18	-	-	·01	-	-	·03	-	-	-	-	-	·15		18
19	-	-	·09	-	-	-	·03	-	·01	-	·06	·14		19
20	·01	·29	·04	-	-	-	-	·03	·01	·10	-	·01		20
21	-	·48	-	-	-	·24	-	-	-	·07	·02	·11		21
22	-	·01	·02	-	·15	·07	·03	·02	-	·13	-	·01		22
23	-	·01	·07	·01	30	·02	·01	-	-	-	-	·01		23
24	·01	-	·32	-	·05	-	·16	·23	-	-	·07	-		24
25	·03	-	-	-	-	-	·03	·13	-	·64	·01	·33		25
26	-	-	·03	-	-	-	-	·20	-	·14	·09	·21		26
27	·01	-	-	-	-	-	-	-	-	-	·11	·69		27
28	·10	·10	·02	-	-	-	-	-	-	·04	·07	·23		28
29	·06	X	·15	-	-	-	-	-	-	·48	·09	·01		29
30	-	X	·04	-	-	-	-	-	-	·06	·29	·21		30
31	·13	X	·01	X	-	X	·25	-	X	·18	X	-		31
TOTAL	1·61	1·97	2·60	1·32	1·48	2·18	2·49	1·28	1·60	2·26	3·98	6·08	Year's Total 2885	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

7 JAN. 1916

Kept at Weston Park Museum, Sheffield
in the County of Yorkshire
by E Howarth

Lat. 53° 22' 52 Long. 1° 29' 25
Time of Observation 9 am.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.275	0.310	0.032	-	0.480	-	0.024	0.028	0.103	-	0.047	0.315	1
2	0.050	0.140	0.095	0.394	-	0.024	-	0.209	-	0.099	-	0.012	2
3	0.780	-	0.012	0.103	-	-	0.350	0.190	-	-	0.024	0.433	3
4	0.030	-	-	-	0.032	-	0.725	-	-	-	-	1.016	4
5	0.030	0.450	-	-	-	-	-	0.063	-	0.035	0.024	0.599	5
6	0.150	0.184	0.034	0.126	-	-	0.422	0.032	-	-	-	0.190	6
7	0.170	0.310	0.030	0.118	-	-	0.051	0.568	-	-	-	0.122	7
8	0.095	0.220	-	0.122	-	-	-	0.138	-	-	0.182	-	8
9	-	0.030	-	0.051	-	-	-	0.055	-	0.047	0.221	0.725	9
10	0.540	-	0.059	-	-	-	-	-	-	0.012	0.118	0.103	10
11	0.195	0.010	0.028	0.016	0.551	-	0.083	0.036	-	-	0.528	0.500	11
12	0.015	-	-	0.047	0.225	-	-	0.043	-	0.087	1.690	-	12
13	0.010	0.600	-	-	0.020	-	-	-	-	-	-	0.012	13
14	0.020	0.010	-	-	-	-	-	0.051	0.028	-	-	0.402	14
15	0.890	-	-	-	-	-	-	0.209	-	-	0.178*	0.118	15
16	-	0.325	-	-	0.126	-	1.696	0.182	-	0.016	-	0.012	16
17	-	0.270	0.018	-	-	-	0.118	-	-	-	-	-	17
18	-	0.213	0.300*	-	-	-	-	-	-	-	0.024	-	18
19	-	0.036	-	0.024	0.012	-	0.071	-	-	0.012	-	-	19
20	0.050	-	-	-	-	-	0.051	-	-	-	-	0.126	20
21	0.045	-	-	0.083	-	-	0.071	-	-	-	-	0.087	21
22	-	-	0.227	0.047	-	-	0.248	-	-	-	-	0.063	22
23	0.020	0.012	0.060	-	-	-	0.225	-	0.016	0.300	0.012	0.095	23
24	-	-	0.150	0.051	-	0.028	-	-	0.492	0.020	-	0.284	24
25	-	-	-	0.020	-	0.520	0.024	-	-	0.020	-	0.083	25
26	0.030	0.395	-	-	-	0.060	0.067	-	0.024	-	-	0.512	26
27	-	0.182	-	-	-	0.047	0.035	-	-	0.623	-	0.859	27
28	-	0.490	0.022*	-	-	0.122	-	0.347	-	0.107	-	0.012	28
29	-	✕	-	-	0.030	0.480	-	-	-	-	0.146	0.756	29
30	0.100	✕	-	0.035	-	0.276	-	-	-	-	0.010	0.016	30
31	0.090	✕	-	✕	-	✕	-	0.069	✕	0.252	✕	0.358	31
Total	3.585	4.187	1.067	1.237	1.476	1.557	4.261	2.218	0.663	1.630	3.204	7.810	YEAR'S TOTAL 32.895
Rain Days.	20	18	13	14	8	8	16	15	5	13	13	26	169

W. 8,000. X. 15.

Section A **for the entry of Daily Observations** **Station No.** 3119

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~15

copy

Kept at Weston Park Sheffield

in the County of

Diameter of funnel of gauge ...... in.

Height of top of gauge above ground ...... ft. ...... in.

Height of ground above sea level ...... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·31	·03	-	·48	-	·02	·03	·10	-	·05	·31		1
2	·05	·14	·09	·39	-	·02	-	·21	-	·10	-	·01		2
3	·78	-	·01	·10	-	-	·35	·19	-	-	·02	·43		3
4	·03	-	-	-	·03	-	·73	-	-	-	-	1·02		4
5	·03	·45	-	-	-	-	-	·06	-	·03	·02	·60		5
6	·15	·18	·03	·13	-	-	·42	·03	-	-	-	·19		6
7	·17	·31	·03	·12	-	-	·05	·57	-	-	-	·12		7
8	·09	·22	-	·12	-	-	-	·14	-	-	·18	-		8
9	-	·03	-	·05	-	-	-	·05	-	·05	·22	·73		9
10	·54	-	·06	-	-	-	-	-	-	·01	·12	·10		10
11	·19	·01	·03	·02	·55	-	·08	·04	-	-	·53	·50		11
12	·01	-	-	·05	·23	-	-	·04	-	·09	1·69	-		12
13	·01	·60	-	-	·02	-	-	-	-	-	-	·01		13
14	·02	·01	-	-	-	-	-	·05	·03	-	-	·40		14
15	·89	-	-	-	-	-	-	·21	-	-	·18	·12		15
16	-	·33	-	-	·13	-	1·70	·18	-	·02	-	·01		16
17	-	·27	·02	-	-	-	·12	-	-	-	-	-		17
18	-	·21	·30	-	-	-	-	-	-	-	·02	-		18
19	-	·04	-	·02	·01	-	·07	-	-	·01	-	-		19
20	·05	-	-	-	-	-	·05	-	-	-	-	·13		20
21	·05	-	-	·08	-	-	·07	-	-	-	-	·09		21
22	-	-	·23	·05	-	-	·25	-	-	-	-	·06		22
23	·02	·01	·06	-	-	-	·23	-	·02	·30	·01	·09		23
24	-	-	·15	·05	-	·03	-	-	·49	·02	-	·28		24
25	-	-	-	·02	-	·52	·02	-	-	·02	-	·08		25
26	·03	·39	-	-	-	·06	·07	-	·02	-	-	·51		26
27	-	·18	-	-	-	·05	·03	-	-	·62	-	·86		27
28	-	·49	·02	-	-	·12	-	·35	-	·11	-	·01		28
29	-	X	-	-	·03	·48	-	-	-	-	·15	·76		29
30	·10	X	-	·03	-	·28	-	-	-	-	·01	·02		30
31	·09	X	-	X	-	X	-	·07	X	·25	X	·36		31
TOTAL	3·57	4·18	1·06	1·23	1·48	1·56	4·26	2·22	·66	1·63	3·20	7·80	Year's Total 32·85	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) ...... (P.T.O.)

3221

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

SHEFFIELD PUBLIC Museum WESTON PARK

27 JAN 1917

Kept at
in the County of York
by E. Howarth

Lat. 53° 22' 52 N Long. 1° 29' 25" W.
Time of Observation 9 A.M [G.M.T.
Nearest Railway Station Sheffield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·500	0·039	0·418	—	—	0·059	0·138	—	—	—	0·205	—	1
2	0·296	0·122	0·217	—	—	—	—	—	0·153	0·166	0·016	—	2
3	—	0·288	—	—	—	—	0·051	—	0·791	0·264	0·170	—	3
4	0·059	0·103	—	0·012	0·642	0·319	0·012	—	0·028	0·170	0·441	—	4
5	0·083	—	0·012	—	0·063	0·190	—	—	—	0·374	0·512	—	5
6	0·197	0·733	0·178	0·008	0·536	0·012	0·221	—	—	0·071	0·441	0·032	6
7	0·074	—	0·047	—	0·166	—	0·248	—	—	0·158	0·051	0·244	7
8	—	0·008	0·260	—	—	—	—	—	—	0·028	0·087	0·213	8
9	—	—	0·051	—	0·398	0·047	0·012	—	0·039	—	0·051	0·209	9
10	—	0·091	0·028	0·059	—	0·662	0·035	—	0·032	0·032	0·012	0·248	10
11	—	0·398	0·193	0·197	—	0·126	—	—	0·024	0·012	—	0·079	11
12	0·095	0·067	0·492	0·039	0·429	0·032	0·174	0·039	—	0·020	—	0·020	12
13	—	0·074	0·389	—	0·024	—	0·020	0·170	—	0·158	0·008	0·039	13
14	—	0·229	0·024	0·178	0·095	—	—	0·248	—	0·142	0·024	0·039	14
15	—	0·591	0·795	—	—	—	0·091	0·107	—	0·039	—	—	15
16	—	0·626	0·500	0·095	—	—	0·079	0·170	—	—	—	0·020	16
17	0·020	0·162	—	0·365	—	—	0·083	0·016	0·197	0·166	—	—	17
18	—	0·248	0·016	0·024	—	—	—	0·099	0·166	0·051	0·996	0·079	18
19	0·091	0·008	0·378	0·205	—	—	—	0·032	0·020	—	0·374	0·071	19
20	0·158	0·008	0·182	0·103	0·146	—	0·020	—	—	—	—	0·063	20
21	0·153	—	0·103	0·020	0·008	—	0·020	—	—	—	0·008	0·225	21
22	—	0·051	0·012	—	—	0·032	—	—	—	0·107	—	0·276	22
23	0·024	0·043	—	0·043	—	—	—	0·035	—	0·024	0·205	0·276	23
24	—	0·445	—	0·028	—	0·134	—	0·039	—	0·051	—	0·138	24
25	—	0·059	0·496	—	0·063	—	—	0·221	—	0·162	0·256	0·055	25
26	0·012	0·055	0·106	—	—	—	—	0·059	—	0·153	0·055	—	26
27	—	0·244	0·012	—	—	—	0·012	0·170	0·028	0·284	—	0·008	27
28	—	0·288	0·055	0·012	0·020	0·091	—	0·039	0·020	0·020	0·008	0·134	28
29	—	0·378	—	—	—	0·465	—	0·016	—	0·484	—	0·429	29
30	—	X	—	—	0·039	0·032	—	—	—	0·182	—	—	30
31	—	X	—	X	0·016	X	—	—	X	0·260	X	0·190	31
Total	1·762	5·358	4·964	1·388	2·645	2·201	1·216	1·460	1·498	3·578	3·920	3·087	YEAR'S TOTAL 33·077
Rain Days.	13	25	23	15	14	13	15	15	11	25	19	22	210

Section A **for the entry of Daily Observations**

Station No. 3119

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~16

Kept at Weston Park Sheffield

-COPY

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·50	·04	·42	-	-	·06	·14	-	-	-	·21	-		1
2	·30	·12	·22	-	-	-	-	-	·15	·17	·02	-		2
3	-	·29	-	-	-	-	·05	-	·79	·26	·17	-		3
4	·06	·10	-	·01	·64	·32	·01	-	·03	·17	·44	-		4
5	·08	-	·01	-	·06	·19	-	-	-	·37	·51	-		5
6	·20	·73	·18	·01	·54	·01	·22	-	-	·07	·44	·03		6
7	·07	-	·05	-	·17	-	·25	-	-	·16	·05	·24		7
8	-	·01	·26	-	-	-	-	-	-	·03	·09	·21		8
9	-	-	·05	-	·40	·05	·01	-	·04	-	·05	·21		9
10	-	·09	·03	·06	-	·66	·03	-	·03	·03	·01	·25		10
11	-	·40	·19	·20	-	·13	-	-	·02	·01	-	·08		11
12	·09	·07	·49	·04	·43	·03	·17	·04	-	·02	-	·02		12
13	-	·07	·39	-	·02	-	·02	·17	-	·16	·01	·04		13
14	-	·23	·02	·18	·09	-	-	·25	-	·14	·02	·04		14
15	-	·59	·79	-	-	-	·09	·11	-	·04	-	-		15
16	-	·63	·50	·09	-	-	·08	·17	-	-	-	·02		16
17	·02	·16	-	·37	-	-	·08	·02	·20	·17	-	-		17
18	-	·25	·02	·02	-	-	-	·10	·17	·05	1·00	·08		18
19	·09	·01	·38	·21	-	-	-	·03	·02	-	·37	·07		19
20	·16	·01	·18	·10	·15	-	·02	-	-	-	-	·06		20
21	·15	-	·10	·02	·01	-	·02	-	-	-	·01	·23		21
22	-	·05	·01	-	-	·03	-	-	-	·11	-	·28		22
23	·02	·04	-	·04	-	-	-	·03	-	·02	·21	·28		23
24	-	·45	-	·03	-	·13	-	·04	-	·05	-	·14		24
25	-	·06	·50	-	·06	-	-	·22	-	·16	·26	·05		25
26	·01	·05	·11	-	-	-	-	·06	-	·15	·05	-		26
27	-	·24	·01	-	-	-	·01	·17	·03	·28	-	·01		27
28	-	·29	·05	·01	·02	·09	-	·04	·02	·02	·01	·13		28
29	-	·38	-	-	-	·47	-	·01	-	·48	-	·43		29
30	-	X	-	-	·04	·03	-	-	-	·18	-	-		30
31	-	X	-	X	·02	X	-	-	X	·26	X	·19		31
TOTAL	1·75	5·36	4·96	1·39	2·65	2·20	1·20	1·46	1·50	3·56	3·93	3·09	Year's Total 3305	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

3073

FORM A.
BRITISH RAINFALL.

21 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Weston Park Museum Sheffield.
in the County of Yorkshire
by E Howarth

Lat. 53°22'52" Long. 1 29 25
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.051	-	-	0.190	-	0.043	-	0.300	0.174	-	0.178	0.122	1
2	0.162	-	-	0.079	-	0.063	-	0.074	-	-	0.020	-	2
3	0.039	-	-	0.016	-	0.083	-	0.130	-	0.071	0.095	-	3
4	0.032	0.012	0.162	-	-	-	-	0.134	-	0.055	-	-	4
5	0.134	-	0.153	0.111	-	-	-	0.016	-	0.067	0.217	-	5
6	0.020	-	-	-	-	0.292	-	-	-	0.280	0.103	0.028	6
7	0.394	0.012	0.008	-	-	0.107	-	-	-	0.642	-	0.024	7
8	0.468	-	-	0.323	-	-	-	0.878	-	0.772	0.280	0.074	8
9	0.083	-	0.071	0.039	0.024	-	-	0.016	-	0.166	0.284	-	9
10	0.150	-	0.795	0.122	0.126	-	-	0.268	-	-	0.016	-	10
11	0.024	-	-	0.484	-	-	-	0.327	-	0.292	-	-	11
12	0.114	-	-	0.024	0.271	-	-	0.311	-	0.043	-	0.055	12
13	0.051	-	-	0.158	0.032	0.074	-	0.205	0.134	0.063	-	0.024	13
14	0.182	-	-	0.059	-	-	-	0.099	-	0.008	-	0.166	14
15	0.035	-	-	0.035	0.016	-	0.122	-	-	0.028	-	0.083	15
16	0.047	0.153	-	0.095	-	0.083	-	0.138	-	-	-	0.382	16
17	0.016	0.039	-	0.074	0.410	0.028	0.201	0.288	0.051	0.008	-	0.087	17
18	0.016	0.008	0.024	0.024	0.095	-	0.445	0.035	0.225	0.028	-	-	18
19	0.020	0.146	0.244	-	0.256	0.504	-	0.028	0.020	-	0.039	-	19
20	0.012	0.178	0.024	-	0.186	0.851	-	-	0.107	-	0.047	0.012	20
21	0.012	0.043	0.099	-	0.079	0.008	-	0.035	-	0.028	-	-	21
22	0.028	-	0.063	-	-	-	-	0.146	0.024	0.039	-	-	22
23	-	0.024	-	-	0.146	0.074	-	0.114	0.008	0.079	-	-	23
24	-	0.012	-	-	0.012	0.099	-	0.091	-	0.780	0.520	0.008	24
25	-	0.012	0.090	-	-	-	-	-	-	0.032	0.122	-	25
26	-	-	-	-	-	0.032	0.035	0.268	0.091	0.111	0.138	-	26
27	-	-	0.059	-	-	0.205	0.142	0.704	-	-	0.079	0.067	27
28	0.008	-	0.193	-	-	0.032	-	0.244	0.016	-	-	0.114	28
29	0.012	X	0.043	-	-	-	0.043	-	-	0.327	-	0.244	29
30	0.012	X	0.256	-	-	-	0.051	0.126	-	0.059	0.012	-	30
31	0.020	X	0.264	X	0.028	X	-	0.067	X	0.016	X	0.032	31
Total	2.142	0.639	2.548	1.833	1.681	2.578	1.039	5.042	0.850	3.994	2.150	1.522	YEAR'S TOTAL 26.018
Rain Days.	26	11	16	15	13	16	7	25	10	23	15	16	193

W. 8,000, IX. 17.

Section **A** for the entry of Daily Observations

Station No. 3119

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~ 17

COPY

Kept at Weston Park. Sheffield

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	–	–	·19	–	·04	–	·30	·17	–	·18	·12		1
2	·16	–	–	·08	–	·06	–	·07	–	–	·02	–		2
3	·04	–	–	·02	–	·08	–	·13	–	·07	·09	–		3
4	·03	·01	·16	–	–	–	–	·13	–	·05	–	–		4
5	·13	–	·15	·11	–	–	–	·02	–	·07	·22	–		5
6	·02	–	–	–	–	·29	–	–	–	·28	·10	·03		6
7	·39	·01	·01	–	–	·11	–	–	–	·64	–	·02		7
8	·47	–	–	·32	–	–	–	·88	–	·77	·28	·07		8
9	·08	–	·07	·04	·02	–	–	·02	–	·17	·28	–		9
10	·15	–	·79	·12	·13	–	–	·27	–	–	·02	–		10
11	·02	–	–	·48	–	–	–	·33	–	·29	–	–		11
12	·11	–	–	·02	·27	–	–	·31	–	·04	–	·05		12
13	·05	–	–	·16	·03	·07	–	·21	·13	·06	–	·02		13
14	·18	–	–	·06	–	–	–	·10	–	·01	–	·17		14
15	·03	–	–	·03	·02	–	·12	–	–	·03	–	·08		15
16	·05	·15	–	·09	–	·08	–	·14	–	–	–	·38		16
17	·02	·04	–	·07	·41	·03	·20	·29	·05	·01	–	·09		17
18	·02	·01	·02	·02	·09	–	·45	·03	·23	·03	–	–		18
19	·02	·15	·24	–	·26	·50	–	·03	·02	–	·04	–		19
20	·01	·18	·02	–	·19	·85	–	–	·11	–	·05	·01		20
21	·01	·04	·10	–	·08	·01	–	·03	–	·03	–	–		21
22	·03	–	·06	–	–	–	–	·15	·02	·04	–	–		22
23	–	·02	–	–	·15	·07	–	·11	·01	·08	–	–		23
24	–	·01	–	–	·01	·10	–	·09	–	·78	·52	·01		24
25	–	·01	·09	–	–	–	–	–	–	·03	·12	–		25
26	–	–	–	–	–	·03	·03	·27	·09	·11	·14	–		26
27	–	–	·06	–	–	·21	·14	·70	–	–	·08	·07		27
28	·01	–	·19	–	–	·03	–	·24	·02	–	–	·11		28
29	·01	X	·04	–	–	–	·04	–	–	·33	–	·24		29
30	·01	X	·26	–	–	–	·05	·13	–	·06	·01	–		30
31	·02	X	·26	X	·03	X	–	·07	X	·02	X	·03		31
TOTAL	2·12	·63	2·52	1·81	1·69	2·56	1·03	5·05	·85	4·00	2·15	1·50	Year's Total 25·91	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
28·1·19

Kept at Weston Park Museum Sheffield

in the County of Yorkshire W

by E Howarth

Lat. 53 22 52 N Long. 1 29 25 W
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	0·071	0·016	0·020	0·020	-	-	-	0·118	0·043	0·350	-	1
2	-	0·091	0·012	0·032	-	-	-	0·256	0·118	0·012	-	0·512	2
3	-	0·016	0·047	-	0·737	-	-	0·232	0·028	0·024	0·134	0·016	3
4	-	0·012	0·020	-	-	-	-	0·079	0·563	0·107	0·296	0·386	4
5	-	0·008	0·020	0·043	0·311	-	0·028	0·229	0·150	0·366	-	-	5
6	-	0·559	0·028	0·304	-	0·099	-	0·071	-	0·205	-	0·016	6
7	0·047	0·047	-	0·130	-	-	-	-	0·472	0·138	0·197	-	7
8	0·008	0·205	0·122	0·055	-	-	0·074	-	0·284	0·047	0·035	-	8
9	0·271	0·938	-	0·288	-	0·047	0·079	0·008	0·492	0·221	0·028	0·020	9
10	0·095	0·114	-	0·020	-	-	0·098	-	0·016	0·012	0·114	0·016	10
11	0·327	0·067	-	0·028	0·114	-	0·153	-	0·095	-	-	0·039	11
12	0·024	0·103	0·024	0·130	0·047	-	0·626	-	0·142	-	-	0·103	12
13	-	-	-	0·051	0·122	0·016	-	-	0·453	0·095	-	0·091	13
14	0·532	-	-	0·020	-	0·063	0·162	-	0·744	0·071	-	0·217	14
15	0·315	-	-	0·012	-	0·024	0·374	-	0·910	-	-	0·209	15
16	-	-	-	-	-	0·012	0·733	0·020	0·182	0·016	-	0·248	16
17	0·272	-	0·032	0·012	0·063	-	0·847	0·032	0·150	0·111	0·012	0·186	17
18	0·292	-	0·028	-	-	0·079	0·197	-	0·658	-	-	0·240	18
19	0·122	-	0·256	0·153	-	-	0·079	-	0·111	0·079	-	0·319	19
20	0·081	0·178	-	0·055	-	0·087	0·074	-	0·103	0·186	0·012	-	20
21	0·170	0·244	-	0·028	0·776	0·051	-	-	0·221	0·134	-	0·020	21
22	0·035	0·012	-	-	0·209	0·071	0·051	-	0·153	0·016	0·012	0·748	22
23	0·047	-	-	-	0·319	-	0·130	-	0·035	-	0·024	0·051	23
24	-	0·055	-	-	-	-	0·071	-	0·043	0·063	0·035	0·024	24
25	-	-	-	-	-	0·035	0·032	0·197	0·071	-	-	-	25
26	-	-	-	-	-	-	0·286	0·087	0·087	0·012	0·071	0·197	26
27	-	0·063	0·020	-	-	-	-	0·162	0·528	0·008	0·039	0·170	27
28	-	0·087	0·260	-	-	-	-	0·362	0·051	-	0·166	0·350	28
29	-		-	-	-	-	-	-	0·059	-	-	0·158	29
30	-		0·418	-	-	-	-	0·016	0·024	-	0·039	0·225	30
31	-		0·134		-		-	-		-		-	31
Total	2·638	2·870	1·437	1·381	2·718	0·584	4·092	1·751	7·061	1·966	1·564	4·561	YEAR'S TOTAL 32·623
Rain Days.	15	18	15	17	10	11	18	13	29	21	16	24	207

55

FORM A.
BRITISH RAINFALL.

28. 1 19

REGISTER OF RAINFALL IN 1918

Kept at Westin Park Museum Sheffield

in the County of Yorkshire W

by E Howarth

Lat. 53 22 52N Long. 1 29 25 W
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	0·071	0·016	0·020	0·020	-	-	-	0·118	0·043	0·350	-	1
2	-	0·091	0·012	0·032	-	-	-	0·256	0·118	0·012	-	0·512	2
3	-	0·016	0·047	-	0·737	-	-	0·232	0·028	0·024	0·134	0·016	3
4	-	0·012	0·020	-	-	-	-	0·079	0·563	0·107	0·296	0·386	4
5	-	0·008	0·020	0·043	0·311	-	0·028	0·229	0·150	0·366	-	-	5
6	-	0·559	0·028	0·304	-	0·099	-	0·071	-	0·205	-	0·016	6
7	0·047	0·047	-	0·130	-	-	-	-	0·472	0·138	0·197	-	7
8	0·008	0·205	0·122	0·055	-	-	0·074	-	0·284	0·047	0·035	-	8
9	0·271	0·938	-	0·288	-	0·047	0·079	0·008	0·492	0·221	0·028	0·020	9
10	0·095	0·114	-	0·020	-	-	0·098	-	0·016	0·012	0·114	0·016	10
11	0·327	0·067	-	0·028	0·114	-	0·153	-	0·095	-	-	0·039	11
12	0·024	0·103	0·024	0·130	0·047	-	0·626	-	0·142	-	-	0·103	12
13	-	-	-	0·051	0·122	0·016	-	-	0·453	0·095	-	0·091	13
14	0·532	-	-	0·020	-	0·063	0·162	-	0·744	0·071	-	0·217	14
15	0·315	-	-	0·012	-	0·024	0·374	-	0·910	-	-	0·209	15
16	-	-	-	-	-	0·012	0·733	0·020	0·182	0·016	-	0·248	16
17	0·272	-	0·032	0·012	0·063	-	0·847	0·032	0·150	0·111	0·012	0·186	17
18	0·292	-	0·028	-	-	0·079	0·197	-	0·658	-	-	0·240	18
19	0·122	-	0·256	0·153	-	-	0·079	-	0·111	0·079	-	0·319	19
20	0·081	0·178	-	0·055	-	0·087	0·074	-	0·103	0·186	0·012	-	20
21	0·170	0·244	-	0·028	0·776	0·051	-	-	0·221	0·134	-	0·020	21
22	0·035	0·012	-	-	0·209	0·071	0·051	-	0·153	0·016	0·012	0·748	22
23	0·047	-	-	-	0·319	-	0·130	-	0·035	-	0·024	0·051	23
24	-	0·055	-	-	-	-	0·071	-	0·043	0·063	0·035	0·024	24
25	-	-	-	-	-	0·035	0·032	0·197	0·071	-	-	-	25
26	-	-	-	-	-	-	0·284	0·087	0·087	0·012	0·071	0·197	26
27	-	0·063	0·020	-	-	-	-	0·162	0·528	0·008	0·039	0·170	27
28	-	0·087	0·260	-	-	-	-	0·362	0·051	-	0·166	0·350	28
29	-		-	-	-	-	-	-	0·059	-	-	0·158	29
30	-	X	0·418	-	-	-	-	0·016	0·024	-	0·039	0·225	30
31	-	X	0·134	X	-	X	-	-	X	-	X	-	31
Total	2·638	2·870	1·437	1·381	2·718	0·584	4·092	1·751	7·061	1·966	1·564	4·561	YEAR'S TOTAL 32·623
Rain Days	15	18	15	17	10	11	18	13	29	21	16	24	203

W, 6,500, VII. 18. w w c

Section A **for the entry of Daily Observations**

Station No. 3119

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~ 18

COPY

Kept at Weston Park - Sheffield
in the County of
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·07	·02	·02	·02	–	–	–	·12	·04	·35	–		1
2	–	·09	·01	·03	–	–	–	·26	·12	·01	–	·51		2
3	–	·02	·05	–	·74	–	–	·23	·03	·02	·13	·02		3
4	–	·01	·02	–	–	–	–	·08	·56	·11	·30	·39		4
5	–	·01	·02	·04	·31	–	·03	·23	·15	·37	–	–		5
6	–	·56	·03	·30	–	·10	–	·07	–	·21	–	·02		6
7	·05	·05	–	·13	–	–	–	–	·47	·14	·20	–		7
8	·01	·21	·12	·05	–	–	·07	–	·28	·05	·03	–		8
9	·27	·94	–	·29	–	·05	·08	·01	·49	·22	·03	·02		9
10	·09	·11	–	·02	–	–	·10	–	·02	·01	·11	·02		10
11	·33	·07	–	·03	·11	–	·15	–	·09	–	–	·04		11
12	·02	·10	·02	·13	·05	–	·63	–	·14	–	–	·10		12
13	–	–	–	·05	·12	·02	–	–	·45	·09	–	·09		13
14	·53	–	–	·02	–	·06	·16	–	·44	·07	–	·22		14
15	·31	–	–	·01	–	·02	·37	–	·91	–	–	·21		15
16	–	–	–	–	–	·01	·73	·02	·18	·02	–	·25		16
17	·27	–	·03	·01	·06	–	·85	·03	·15	·11	·01	·19		17
18	·29	–	·03	–	–	·08	·20	–	·66	–	–	·24		18
19	·12	–	·26	·15	–	–	·08	–	·11	·08	–	·32		19
20	·08	·18	–	·05	–	·09	·07	–	·10	·19	·01	–		20
21	·17	·24	–	·03	·78	·05	–	–	·22	·13	–	·02		21
22	·03	·01	–	–	·21	·07	·05	–	·15	·02	·01	·75		22
23	·05	–	–	–	·32	–	·13	–	·03	–	·02	·05		23
24	–	·05	–	–	–	–	·07	–	·04	·06	·03	·02		24
25	–	–	–	–	–	·03	·03	·20	·07	–	–	–		25
26	–	–	–	–	–	–	·28	·09	·09	·01	·07	·20		26
27	–	·06	·02	–	–	–	–	·16	·53	·01	·04	·17		27
28	–	·09	·26	–	–	–	–	·36	·05	–	·17	·35		28
29	–	X	–	–	–	–	–	–	·06	–	–	·16		29
30	–	X	·42	–	–	–	–	·02	·02	–	·04	·23		30
31	–	X	·13	X	–	X	–	–	X	–	X	–		31
TOTAL	2·62	2·87	1·44	1·36	2·72	·58	4·08	1·76	7·03	1·97	1·55	4·59	Year's Total 32·57	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

2917

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at Weston Park Museum
in the County of Sheffield Yorkshire
by E Howarth

Lat. 53. 22. 52 N Long. 1. 29. 25. W
Time of Observation 9 am
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.827	0.028	0.020	0.008	0.308	-	0.335	-	0.083	0.067	0.103	0.197	1
2	0.158	0.012	0.008	-	-	-	0.174	0.020	0.323	0.012	0.138	0.028	2
3	1.110	-	-	-	0.043	0.138	0.953	-	0.074	-	0.292	0.174	3
4	0.126	-	0.260	-	-	0.012	0.083	0.138	0.162	-	0.028	0.315	4
5	-	0.020	-	-	0.099	-	-	-	0.158	-	-	0.626	5
6	0.012	-	0.240	-	0.822	-	-	-	-	0.043	-	0.288	6
7	0.028	-	0.240	-	-	-	-	-	-	-	0.035	-	7
8	0.197	-	0.035	-	-	0.016	-	-	-	-	-	-	8
9	0.043	-	0.055	-	0.010	-	-	-	-	-	0.032	-	9
10	-	-	0.178	0.039	0.122	-	-	-	-	0.012	0.020	0.103	10
11	-	-	0.953	0.032	-	-	0.047	-	-	-	0.020	0.016	11
12	-	-	0.615	0.142	-	0.095	0.142	-	0.153	-	0.012	-	12
13	0.252	-	-	0.276	-	-	-	-	1.079	0.091	0.016	0.063	13
14	0.225	-	-	0.193	-	-	-	0.032	0.059	-	0.063	0.008	14
15	0.264	0.193	0.012	0.032	-	-	-	-	-	-	0.051	0.488	15
16	0.150	0.827	0.012	0.122	-	0.024	-	-	-	-	0.083	-	16
17	0.063	0.426	-	0.020	-	0.028	0.020	0.087	-	-	0.378	-	17
18	-	-	0.182	-	-	-	0.024	0.476	0.024	-	0.047	0.323	18
19	0.055	0.256	0.973	-	-	0.039	2.107	0.335	0.028	-	0.292	0.012	19
20	0.472	0.079	0.130	-	-	0.008	0.441	0.039	-	-	0.103	0.153	20
21	0.114	0.296	0.016	-	-	-	0.150	-	0.016	-	-	0.271	21
22	-	0.083	-	-	-	-	-	0.008	0.268	-	0.047	0.433	22
23	-	-	0.008	0.020	-	0.008	-	-	-	0.886	0.055	0.256	23
24	-	-	-	0.162	0.087	0.016	0.043	0.032	0.032	0.524	0.087	0.142	24
25	0.024	-	-	0.386	0.134	0.051	-	0.457	-	-	0.130	0.012	25
26	0.012	-	0.484	0.028	-	0.016	0.012	0.172	0.035	-	0.024	0.677	26
27	0.134	-	0.051	0.174	-	-	-	0.039	-	-	0.055	0.020	27
28	0.039	-	-	0.035	-	-	-	1.154	-	0.032	-	0.488	28
29	0.095		-	0.012	-	-	-	0.008	-	1.276	-	0.095	29
30	0.020		0.043	0.043	-	0.064	-	-	-	0.043	0.162	0.178	30
31	0.016		0.020		-		0.071	-		0.087		0.008	31
TOTAL	4.436	2.220	4.535	1.724	1.625	0.515	4.602	2.997	2.494	3.073	2.273	5.374	YEAR'S TOTAL 35.868
Days with ·01 in. or more	23	10	19	16	8	11	14	12	14	11	24	23	185

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Section **A** for the entry of Daily Observations

Station No. 3119

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~19

Kept at Weston Park Sheffield

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·83	·03	·02	·01	·31	-	·33	-	·08	·07	·10	·20		1
2	·16	·01	·01	-	-	-	·17	·02	·32	·01	·14	·03		2
3	1·11	-	-	-	·04	·14	·95	-	·07	-	·29	·17		3
4	·13	-	·26	-	-	·01	·08	·14	·16	-	·03	·31		4
5	-	·02	-	-	·10	-	-	-	·16	-	-	·63		5
6	·01	-	·24	-	·82	-	-	-	-	·04	-	·29		6
7	·03	-	·24	-	-	-	-	-	-	-	·03	-		7
8	·20	-	·03	-	-	·01	-	-	-	-	-	-		8
9	·04	-	·05	-	·01	-	-	-	-	-	·03	-		9
10	-	-	·18	·04	·12	-	-	-	-	·01	·02	·10		10
11	-	-	·95	·03	-	-	·05	-	-	-	·02	·02		11
12	-	-	·61	·14	-	·09	·14	-	·15	-	·01	-		12
13	·25	-	-	·28	-	-	-	-	1·08	·09	·02	·06		13
14	·23	-	-	·19	-	-	-	·03	·06	-	·06	·01		14
15	·26	·19	·01	·03	-	-	-	-	-	-	·05	·49		15
16	·15	·83	·01	·12	-	·02	-	-	-	-	·08	-		16
17	·06	·43	-	·02	-	·03	·02	·09	-	-	·38	-		17
18	-	-	·18	-	-	-	·02	·48	·02	-	·05	·32		18
19	·05	·26	·97	-	-	·04	2·11	·33	·03	-	·29	·01		19
20	·47	·08	·13	-	-	·01	·44	·04	-	-	·10	·15		20
21	·11	·30	·02	-	-	-	·15	-	·02	-	-	·27		21
22	-	·08	-	-	-	-	-	·01	·27	-	·05	·43		22
23	-	-	·01	·02	-	·01	-	-	-	·89	·05	·26		23
24	-	-	-	·16	·09	·02	·04	·03	·03	·52	·09	·14		24
25	·02	-	-	·39	·13	·05	-	·46	-	-	·13	·01		25
26	·01	-	·48	·03	-	·02	·01	·17	·03	-	·02	·68		26
27	·13	-	·05	·17	-	-	-	·04	-	-	·05	·02		27
28	·04	-	-	·03	-	-	-	1·15	-	·03	-	·49		28
29	·09	X	-	·01	-	-	-	·01	-	1·28	-	·09		29
30	·02	X	·04	·04	-	·06	-	-	-	·04	·16	·18		30
31	·02	X	·02	X	-	X	·07	-	X	·09	X	·01		31
TOTAL	4·42	2·23	4·51	1·71	1·62	·51	4·58	3·00	2·48	3·07	2·25	5·37	Year's Total 35·75	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

2800

4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Weston Park Museum Sheffield

in the County of Yorkshire

by E Howarth

Lat. 53·22·52N Long. 1·29·25W

Time of Observation 9 am

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 428 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0·012	0·213	0·304	-	0·292	0·020	0·012	0·111	0·217	0·103	1
2	-	-	0·012	0·292	0·008	-	0·039	-	0·264	0·182	-	0·236	2
3	0·012	0·012	-	0·343	0·162	0·083	0·704	0·016	0·074	0·271	-	0·268	3
4	0·012	-	-	0·055	-	-	0·095	0·284	-	0·544	-	0·035	4
5	-	0·008	0·035	-	0·205	-	0·079	0·028	-	0·055	-	-	5
6	-	0·012	0·244	0·111	0·071	-	0·035	-	-	-	-	0·059	6
7	0·142	-	0·107	0·016	-	-	0·465	-	-	-	-	-	7
8	0·170	0·028	-	0·507	0·095	-	0·445	0·059	-	0·012	0·008	-	8
9	0·229	0·311	-	0·559	-	-	0·079	0·012	-	0·020	-	-	9
10	0·453	0·551	0·039	0·311	-	-	0·134	0·008	-	-	-	-	10
11	0·567	0·142	0·079	0·240	0·176	0·364	-	-	-	-	-	0·095	11
12	0·047	0·028	0·039	0·362	-	0·260	0·008	0·186	-	-	0·067	0·059	12
13	0·126	0·138	0·071	0·284	-	1·048	-	-	-	-	0·020	0·063	13
14	0·067	0·012	0·571	0·103	-	0·961	0·032	-	0·445	0·114	0·304	0·012	14
15	-	0·079	0·138	0·236	-	-	-	-	-	0·111	0·028	0·012	15
16	-	-	0·063	0·016	-	-	0·532	-	0·012	0·071	-	-	16
17	0·012	-	0·051	-	0·190	-	-	-	0·170	0·095	-	-	17
18	0·020	-	-	0·071	0·118	-	-	-	0·012	-	-	-	18
19	0·153	1·686	-	0·063	0·103	0·138	-	0·103	-	-	-	-	19
20	0·028	0·051	-	0·205	-	0·190	0·055	-	-	-	-	0·039	20
21	0·043	-	-	-	-	-	0·240	0·055	-	-	-	0·118	21
22	0·055	-	-	0·268	-	-	0·304	0·122	-	-	-	0·055	22
23	-	-	-	-	-	-	0·150	-	-	-	-	0·378	23
24	0·035	-	0·304	0·012	-	-	-	-	-	-	-	0·111	24
25	-	0·059	0·087	0·067	-	0·032	0·536	-	-	-	-	-	25
26	0·100	0·063	0·162	0·244	0·150	-	0·079	-	-	-	-	0·008	26
27	0·350	0·012	0·012	0·071	0·268	0·296	-	-	-	-	0·236	0·300	27
28	1·048	-	0·118	0·012	0·142	0·043	-	-	0·008	-	0·016	0·162	28
29	0·122	-	0·087	-	0·843	0·016	0·051	-	0·016	-	0·114	0·646	29
30	0·197	X	0·008	0·170	0·130	0·051	-	-	0·114	-	0·142	0·389	30
31	0·142	X	0·107	X	0·055	X	0·012	-	X	0·406	X	0·111	31
TOTAL	4·130	3·192	2·346	4·831	3·020	3·472	4·366	0·893	1·127	1·992	1·152	3·259	YEAR'S TOTAL 33·780
Days with ·01 in. or more	23	15	20	25	15	12	20	10	9	12	9	20	190
Days with ·04 in. or more	17	9	14	21	15	10	16	6	5	10	6	16	145

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2800

M A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sheffield (MO)
in the County of Yorkshire
by E. Howarth

Lat. 53° 23' N Long. 1° 29' W
Time of Observation 9 h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	0.3	5.4	7.7	-	7.4	0.5	0.3	2.8	5.5	2.6	1
2	-	-	0.3	7.4	0.2	-	1.0	-	6.7	4.6	-	6.0	2
3	0.3	0.3	-	8.7	4.1	2.1	17.9	0.4	1.9	6.9	-	6.8	3
4	0.3	-	-	1.4	-	-	2.4	7.2	-	13.8	-	0.9	4
5	-	0.2	0.9	-	5.2	-	2.0	0.7	-	1.4	-	-	5
6	-	0.3	6.2	2.8	1.8	-	0.9	-	-	-	-	1.5	6
7	3.6	-	2.7	0.4	-	-	11.8	-	-	-	-	-	7
8	4.3	0.7	-	12.9	2.4	-	11.3	1.5	-	0.3	0.2	-	8
9	5.8	7.9	-	14.2	-	-	2.0	0.3	-	0.5	-	-	9
10	11.5	14.0	1.0	7.9	-	-	3.4	0.2	-	-	-	-	10
11	14.4	3.6	0.2	6.1	7.0	9.0	-	-	-	-	-	2.4	11
12	1.2	0.7	0.1	9.2	-	6.6	0.2	4.7	-	-	1.7	1.5	12
13	3.2	3.5	1.8	7.2	-	26.6	-	-	-	-	0.5	1.6	13
14	1.7	0.3	14.5	2.6	-	24.4	0.8	-	11.3	2.9	7.7	0.3	14
15	-	2.0	3.5	6.0	-	-	-	-	-	2.8	0.7	0.3	15
16	-	-	1.6	0.4	-	-	13.5	-	0.3	1.8	-	-	16
17	0.3	-	1.3	-	4.8	-	-	-	4.3	2.4	-	-	17
18	0.5	-	-	1.8	3.0	-	-	-	0.3	-	-	-	18
19	3.9	42.8	-	1.6	2.6	3.5	-	2.6	-	-	-	-	19
20	0.7	1.3	-	5.2	-	4.8	1.4	-	-	-	-	1.0	20
21	1.1	-	-	-	-	-	6.1	1.4	-	-	-	3.0	21
22	1.4	-	-	6.8	-	-	7.7	3.1	-	-	-	1.4	22
23	-	-	-	-	-	-	3.8	-	-	-	-	9.6	23
24	0.9	-	7.7	0.3	-	-	-	-	-	-	-	2.8	24
25	-	1.5	2.2	1.7	-	0.8	13.6	-	-	-	-	-	25
26	2.6	1.6	4.1	6.2	3.8	-	2.0	-	-	-	-	0.2	26
27	8.9	0.3	0.3	1.8	6.8	7.5	-	-	-	-	6.0	7.6	27
28	26.6	-	3.0	0.3	3.6	1.1	-	-	0.2	-	0.4	4.1	28
29	3.1	-	2.2	-	21.4	0.4	1.3	-	0.4	-	2.9	16.4	29
30	5.0		0.2	4.3	3.3	1.3	-	-	2.9	-	3.6	9.9	30
31	3.6		2.7		1.4		0.3	-		10.3		2.8	31 33.74
TOTAL	104.9	81.0 ✓	56.8 ✓	122.6 ✓	79.1 ✓	88.1 ✓	110.8 ✓	22.6 ✓	28.6 ✓	50.5 ✓	29.2 ✓	82.7 ✓	YEAR'S TOTAL 856.9
Days with 0·2 mm. or more	23	16 ✓	20 ✓	25 ✓	16 ✓	12	21 ✓	11 ✓	10 ✓	12 ✓	10 ✓	21 ✓	197 ✓
	17				15	10	17	6	5	10	6	17	147

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

SHEFFIELD
FULWOOD HSE
YORKSHIRE
1911 - 1912

Kept at Fulwo…
in the County of WR…
by …

…rden
…5 in.
…round 1 ft. – in.
…ea Level 670 ft.
…·5 am
…ame Sheffield - Midland
…istance 4 miles Direction East

IMPORTANT … he result "entered to the previous day. If an … sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·26	–	–	–	·05	·08	–	–	·03	–	1
2	·23	–	·01	·01	·12	–	–	–	–	–	–	·09	2
3	–	–	–	–	·26	–	–	–	–	·06	·22	–	3
4	·05	–	·03	·15	·02	–	–	·02	·10	·18	·41	·24	4
5	·03	–	–	·03	–	–	–	·10	–	·27	–	–	5
6	·47	–	–	·02	–	–	–	·11	–	·08	·64	·59	6
7	·01	–	–	–	–	–	–	–	–	–	·15	–	7
8	·12	–	·18	–	–	–	–	–	·03	·05	·10	·47	8
9	·01	–	·01	–	–	·09	–	–	–	–	–	·08	9
10	·02	–	·03	–	–	–	–	–	–	–	–	·80	10
11	·21	–	–	–	–	–	–	–	–	–	·56	·02	11
12	·14	–	·13	–	·03	–	–	–	·49	–	·30	–	12
13	–	–	·06	–	–	–	–	–	·01	–	·07	·31	13
14	–	·13	·05	–	·27	–	·02	–	–	–	·04	·68	14
15	–	·19	·17	·04	–	–	–	–	–	·08	·03	·27	15
16	–	·27	·06	·08	–	·10	–	–	–	·06	·22	·08	16
17	–	·04	·02	–	–	·44	–	–	–	–	·23	·27	17
18	–	·46	–	·02	–	·04	–	–	–	·02	·13	·12	18
19	–	·12	·01	·01	·02	·01	·05	–	·27	·09	·32	·08	19
20	–	·07	–	·05	–	–	·02	·52	·13	·01	–	·13	20
21	–	·50	·03	–	–	·01	–	·12	–	·18	·01	·04	21
22	·02	·10	–	·01	–	–	·05	·14	–	·19	·03	·25	22
23	–	·42	·05	–	–	~~·40~~	–	·02	·23	·02	–	·21	23
24	·01	·12	·03	·05	–	1·02	–	·02	–	·05	–	·23	24
25	·22	·22	·01	·21	–	–	–	–	·21	·02	–	·50	25
26	–	·04	–	·28	·15	·02	–	–	–	·45	·50	·40	26
27	–	·13	·16	·17	–	–	–	·77	·26	–	·02	·04	27
28	–	·20	·02	·12	–	·04	–	·02	·07	·01	·06	·09	28
29	–	–	·03	·25	–	·10	·01	–	·35	·28	–	·05	29
30	–	–	–	–	·12	·09	–	–	–	·50	·01	–	30
31	–	–	·49	–	·05	–	–	–	–	·11	–	–	31
Total	1·54	3·11	1·84	1·50	1·04	2·36	·20	1·92	2·15	2·71	4·08	6·04	TOTAL for year 28·49
No. of Rain Days.	13	15	21	16	9	12	6	11	11	20	21	24	179

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

Kept at Fulwood House Sheffield

in the County of WR York

by James Dixon

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 670 ft.

Time of Observation 8·45 am

Nearest Railway Station
Name Sheffield - Midland
Distance 4 miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·26	—	—	—	·05	·08	—	—	·03	—	1
2	·23	—	·01	·01	·12	—	—	—	—	—	—	·09	2
3	—	—	—	—	·26	—	—	—	—	·06	·22	—	3
4	·05	—	·03	·15	·02	—	—	·02	·10	·18	·41	·24	4
5	·03	—	—	·03	—	—	—	·10	—	·27	—	—	5
6	·47	—	—	·02	—	—	—	·11	—	·08	·64	·59	6
7	·01	—	—	—	—	—	—	—	—	—	·15	—	7
8	·12	—	·18	—	—	—	—	—	·03	·05	·10	·47	8
9	·01	—	·01	—	—	·09	—	—	—	—	—	·08	9
10	·02	—	·03	—	—	—	—	—	—	—	—	·80	10
11	·21	—	—	—	—	—	—	—	—	—	·56	·02	11
12	·14	—	·13	—	·03	—	—	—	·49	—	·30	—	12
13	—	—	·06	—	—	—	—	—	·01	—	·07	·31	13
14	—	·13	·05	—	·27	—	·02	—	—	—	·04	·68	14
15	—	·19	·17	·04	—	—	—	—	—	·08	·03	·27	15
16	—	·27	·06	·08	—	·10	—	—	—	·06	·22	·08	16
17	—	·04	·02	—	—	·44	—	—	—	—	·23	·27	17
18	—	·46	—	·02	—	·04	—	—	—	·02	·13	·12	18
19	—	·12	·01	·01	·02	·01	·05	—	·27	·09	·32	·08	19
20	—	·07	—	·05	—	—	·02	·52	·13	·01	—	·13	20
21	—	·50	·03	—	—	·01	—	·12	—	·18	·01	·04	21
22	·02	·10	—	·01	—	—	·05	·14	—	·19	·03	·25	22
23	—	·42	·05	—	—	~~·40~~	—	·02	·23	·02	—	·21	23
24	·01	·12	·03	·05	—	1·02	—	·02	—	·05	—	·23	24
25	·22	·22	·01	·21	—	—	—	—	·21	·02	—	·50	25
26	—	·04	—	·28	·15	·02	—	—	—	·45	·50	·40	26
27	—	·13	·16	·17	—	—	—	·77	·26	—	·02	·04	27
28	—	·20	·02	·12	—	·04	—	·02	·07	·01	·06	·09	28
29	—	—	·03	·25	—	·10	·01	—	·35	·28	—	·05	29
30	—	—	—	—	·12	·09	—	—	—	·50	·01	—	30
31	—	—	·49	—	·05	—	—	—	—	·11	—	—	31
Total	1·54	3·11	1·84	1·50	1·04	2·36	·20	1·92	2·15	2·71	4·08	6·04	TOTAL for year 28·29
No. of Rain Days.	13	15	21	16	9	12	6	11	11	20	21	24	179

W. 8,000, X. '11.

Cx M.R

FORM A2.
BRITISH RAINFALL.
9 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Fulwood House, Sheffield
in the County of York W.Y
by James Dixon

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 670 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Sheff: Midland
Distance 4 miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·24	—	—	·46	—	—	·07	—	—	1·10	1
2	—	·04	·09	·01	—	·32	·66	—	·05	—	—	·06	2
3	·14	·01	·02	—	·09	·70	—	·94	·34	—	—	·05	3
4	·23	[illegible]	·72	·24	·17	·59	—	·49	·05	—	·16	—	4
5	·29	·08	·02	·01	·07	·10	·01	·10	·06	—	·02	·01	5
6	1·17	·12	—	·03	·05	·01	·01	·46	—	—	—	—	6
7	—	·04	—	·02	·06	·08	—	·10	·04	—	—	·03	7
8	·67	·43	·16	·12	—	·01	·06	·01	·14	—	—	—	8
9	·07	·02	·08	·39	—	·21	—	·13	·01	—	·12	·08	9
10	·04	·01	—	—	—	·05	—	·24	·01	—	·45	—	10
11	·11	·65	·01	—	—	—	·01	·03	—	—	·17	·80	11
12	·07	·56	·05	—	—	·12	1·00	—	—	—	·01	·03	12
13	·01	0·8	—	—	—	—	—	·04	—	·04	·11	·10	13
14	·07	—	·33	·03	—	·11	—	·06	—	—	—	·20	14
15	·20	·06	·06	—	·57	·06	—	·03	—	—	—	·25	15
16	1·05	[illegible]	·15	—	·03	·08	—	·06	—	·14	—	·09	16
17	·26	·02	·13	—	—	·33	·09	·22	—	—	—	·79	17
18	·16	—	·20	—	—	—	—	·11	—	·07	—	·12	18
19	·17	·08	·18	—	—	·03	·71	·49	—	·03	·04	·01	19
20	·40	—	·13	—	·28	·09	·05	·12	—	·36	—	·02	20
21	—	—	·38	—	·66	—	·91	—	—	·22	—	·01	21
22	·02	·09	·05	—	1·24	·10	·08	·40	—	·01	—	·09	22
23	—	·03	·26	—	·04	·03	·97	·26	—	—	·12	·03	23
24	·39	—	·03	—	·07	·02	·22	·31	—	—	·03	·16	24
25	·01	—	·04	—	—	·29	—	·10	—	—	·40	·24	25
26	·01	·15	·10	—	—	—	·25	1·02	—	1·20	·36	·27	26
27	—	—	·23	—	—	·29	1·24	—	—	·77	·03	·11	27
28	—	0·01	·09	—	—	·16	·28	·44	·11	·19	·60	·02	28
29	—	—	·17	—	—	·07	·14	—	·53	·07	·10	·24	29
30	·09	—	·10	—	·32	—	·04	—	·05	·04	—	—	30
31	—	—	·22	—	·23	—	·23	·23	—	·10	—	—	31
Total	5·63	1·88	4·24	·85	3·82	4·31	6·96	6·39	1·46	3·24	2·72	4·91	TOTAL for year ✓ 46·41
No. of Rain Days.	22	18	27	8	14	24	19	24	12	13	15	25	221 ✓

W. 8,000, X. '11.

REC

SHIPLEY
GLENHOLME

1915 - 1920

FORM A.
BRITISH RAINFALL.

JAN 1916

Kept at Glenholme

in the County of Yo

by M. E. Burton

"W

ire M. R.

in.

und - ft. 9 in.

Level 370 ft.

IMPORTANT NO result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21	·28	—	—	·12	—	·10	·19	·04	—	·01	·04	1
2	·01	·24	·15	·25	·01	·02	·20	·34	—	·02	—	—	2
3	·93	—	·01	·06	—	—	·25	·73	—	—	·02	·62	3
4	·04	·03	—	—	·13	·02	·56	—	—	—	—	·81	4
5	·15	·17	·09	—	·07	·01	—	·01	—	·01	·02	·93	5
6	·16	·24	·16	·23	—	—	·54	—	—	—	—	·33	6
7	·31	·76	—	·36	·07	—	·14	·55	—	—	—	·21	7
8	·24	·11	—	·19	—	—	·25	·04	—	—	·18	—	8
9	·02	·03	—	—	—	—	—	·05	—	·03	·25	·64	9
10	·51	—	·01	·01	—	—	—	·40	—	·10	—	·16	10
11	·12	—	·02	·01	·75	—	·06	·15	—	—	·13	·54	11
12	·06	·01	—	·11	·07	—	·13	·05	—	·39	1·08	—	12
13	·05	·55	—	—	—	—	·03	—	·13	—	—	·03	13
14	·13	·01	—	—	·02	—	·18	·12	—	—	—	·12	14
15	1·15	—	—	—	—	—	·01	·07	·03	·01	·26	·26	15
16	—	·64	—	—	·14	—	·64	·28	—	—	—	·01	16
17	—	·41	—	—	—	—	·01	·03	—	—	—	·03	17
18	—	·06	·12	—	—	—	—	·08	·04	·03	·01	—	18
19	—	·05	·01	·02	·04	—	·24	·07	—	—	—	—	19
20	·16	·03	—	—	·05	—	·03	—	—	—	—	·28	20
21	·17	·04	—	·01	—	—	·05	—	—	—	—	·09	21
22	·01	—	·12	—	—	—	·12	—	—	—	—	·07	22
23	—	·01	·04	—	—	—	·12	—	—	·15	—	·13	23
24	—	·01	·12	·04	—	·01	—	—	·35	·02	—	·29	24
25	—	—	—	—	—	—	—	—	·02	·03	—	·10	25
26	·02	·33	—	—	—	·05	·36	—	—	—	—	·55	26
27	—	·21	—	—	—	—	·14	—	—	·40	—	·28	27
28	—	·40	—	—	·09	·78	—	·34	—	·17	—	·12	28
29	·01	✕	—	—	·21	·55	—	—	—	·01	·19	·71	29
30	·10	✕	—	·03	—	·19	·01	—	—	·01	·01	·02	30
31	·11	✕	—	✕	—	✕	·01	·18	✕	·05	✕	·28	31
Total	4·67	4·62	·85	1·32	1·77	1·63	4·18	3·68	·61	1·43	2·16	7·65	YEAR'S TOTAL 34·57 ✓
Rain Days.	22	22	11	12	13	8	23	18	6	15	11	26	187 ✓

W. 8,000. X. 14.

FORM A.
BRITISH RAINFALL.

JAN 1916

REC

Kept at Glenholme Shipley

in the County of York 9

by M E Burton

Lat. 53°49'57" N Long. 1°47'52" W

Time of Observation 9 A.M.

Nearest Railway Station Saltaire M. R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground - ft. 9 in.

" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21	·28	—	–	·12	–	·10	·19	·04	—	·01	·04	1
2	·01	·24	·15	·25	·01	·02	·20	·34	–	·02	–	–	2
3	·93	—	·01	·06	–	–	·25	·73	–	–	·02	·62	3
4	·04	·03	–	–	·13	·02	·56	–	–	–	–	·81	4
5	·15	·17	·09	—	·07	·01	–	·01	–	·01	·02	·93	5
6	·16	·24	·16	·23	–	–	·54	–	–	–	–	·33	6
7	·31	·76	–	·36	·07	–	·14	·55	–	—	—	·21	7
8	·24	·11	—	·19	–	–	·25	·04	–	—	·18	–	8
9	·02	·03	—	–	–	–	–	·05	–	·03	·25	·64	9
10	·51	—	·01	·01	–	–	–	·40	–	·10	–	·16	10
11	·12	—	·02	·01	·75	–	·06	·15	–	–	·13	·54	11
12	·06	·01	–	·11	·07	–	·13	·05	–	·39	1·08	–	12
13	·05	·55	–	–	–	–	·03	–	·13	–	–	·03	13
14	·13	·01	–	–	·02	–	·18	·12	–	–	–	·12	14
15	1·15	–	–	–	–	–	·01	·07	·03	·01	·26	·26	15
16	—	·64	–	–	·14	–	·64	·28	–	–	–	·01	16
17	—	·41	–	–	–	–	·01	·03	–	–	–	·03	17
18	—	·06	·12	–	–	–	–	·08	·04	·03	·01	–	18
19	—	·05	·01	·02	·04	–	·24	·07	–	–	–	–	19
20	·16	·03	–	–	·05	–	·03	–	–	–	–	·28	20
21	·17	·04	–	·01	–	–	·05	–	–	–	–	·09	21
22	·01	–	·12	–	–	–	·12	–	–	–	–	·07	22
23	–	·01	·04	–	–	–	·12	–	–	·15	–	·13	23
24	–	·01	·12	·04	–	·01	–	-	·35	·02	–	·29	24
25	—	—	–	–	–	–	–	–	·02	·03	–	·10	25
26	·02	·33	–	–	–	·05	·36	-	–	–	–	·55	26
27	–	·21	–	–	–	–	·14	–	–	·40	-	·28	27
28	–	·40	–	–	·09	·78	–	·34	–	·17	-	·12	28
29	·01		–	–	·21	·55	–	–	–	·01	·19	·71	29
30	·10		–	·03	–	·19	·01	–	–	·01	·01	·02	30
31	·11		–		-		·01	·18		·05		·28	31
Total	4·67	4·62	·85	1·32	1·77	1·63	4·18	3·68	·61	1·43	2·16	7·65	YEAR'S TOTAL 34·57
Rain Days.	22	22	11	12	13	8	23	18	6	15	11	26	187

W. 8,000. X. 14.

Exd D.L

3398

FORM A.
BRITISH RAINFALL.
5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Glenholme Shipley
in the County of York WR
by M E Burton

Lat. 53°49'57" Long. 1°47'52"
Time of Observation 9 a.m
Nearest Railway Station Saltaire M. R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·82	·01	·14	–	–	·16	·31	–	–	·01	·05	–	1
2	·08	·04	·08	–	–	–	–	–	·40	·12	–	·01	2
3	·03	·18	·01	·03	–	·01	·83	–	·37	·18	·18	–	3
4	·14	·40	–	–	·63	·51	–	–	·58	·57	·26	–	4
5	·03	·21	·01	–	·03	·11	–	–	–	·44	·37	–	5
6	·38	·49	·14	·04	·32	–	·28	–	–	·05	·62	·03	6
7	·06	·15	·07	–	·11	–	·18	–	–	·29	–	·25	7
8	–	·07	·22	–	–	·02	·02	–	–	·04	·27	·10	8
9	·04	–	·06	–	·45	·27	–	–	·28	–	·13	·34	9
10	·09	·05	·02	·08	–	·47	–	–	·01	·49	–	·10	10
11	–	·56	·33	·17	·07	·05	·02	–	·01	·04	–	·05	11
12	·11	·11	·41	·04	·33	·01	·26	·02	–	·07	–	·01	12
13	–	·10	·18	·04	–	–	–	·82	–	·88	·01	·14	13
14	·01	·15	·03	·10	·20	–	–	·26	–	·10	·01	·02	14
15	–	·43	·71	·01	–	–	·12	·15	–	·04	–	–	15
16	–	·28	·50	·11	–	–	·08	·35	–	·05	–	–	16
17	·07	·18	–	·33	–	–	·05	·03	·22	·22	–	–	17
18	–	·46	–	·04	–	–	·02	·19	·39	·03	·83	·23	18
19	·29	·02	·27	·31	–	–	–	·10	·03	–	·34	·01	19
20	·30	–	·28	·12	–	–	·05	·02	–	–	·01	·05	20
21	·34	–	·02	·02	·05	–	–	–	–	–	–	–	21
22	·02	·05	·06	–	–	·14	–	–	–	·12	–	·07	22
23	·05	·02	·11	·10	–	·03	–	·01	–	·01	·19	·26	23
24	–	·23	·09	·02	–	·12	–	·27	–	·06	·02	·09	24
25	·05	·11	·45	–	·04	–	–	·15	–	·09	·10	·06	25
26	·03	·12	·37	–	·01	·03	–	–	–	·07	·03	–	26
27	–	·24	·01	–	·05	·01	–	·02	·01	·40	–	–	27
28	–	·26	·02	–	·16	·02	–	–	–	1·10	·01	·33	28
29	–	·26	·01	–	–	·12	–	–	–	·37	–	·41	29
30	–	X	–	–	–	·01	–	–	–	·90	–	·06	30
31	–	X	–	X	·05	X	–	–	X	·08	X	·15	31
Total	2·94	5·18	4·60	1·56	2·50	2·09	2·22	2·39	2·30	6·82	3·43	2·77	YEAR'S TOTAL 38·80
Rain Days.	19	26	26	16	14	17	12	13	10	27	17	21	218

W. 8,000. X. 15.

Exd

3245

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at Glenholme Shipley
in the County of York
by M E Burton

Lat. 53°49'57" Long. 1°47'52"
Time of Observation 9 a m G m T
Nearest Railway Station Saltaire M. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	—	·14	—	·55	—	·10	·15	—	·29	·21	1
2	·29	—	—	·44	—	·10	—	·01	—	—	·01	—	2
3	·04	·01	—	·04	—	·15	—	·02	—	·25	·03	—	3
4	—	—	·09	·01	—	—	—	·04	—	·08	—	—	4
5	·33	—	·15	·19	—	—	—	·01	—	·09	·18	—	5
6	·01	—	—	·01	—	·06	—	—	—	·31	·39	·04	6
7	·48	—	—	—	—	·20	—	·01	—	·45	·02	·09	7
8	·64	—	—	·14	—	—	—	1·01	·03	·66	·10	·10	8
9	—	—	·01	·27	—	—	—	·05	—	·10	·38	·01	9
10	·24	—	·98	·29	·09	—	—	·15	—	·02	—	—	10
11	·03	—	—	·11	—	—	—	·11	—	·46	·01	—	11
12	·01	—	—	—	·35	—	—	·29	—	·53	—	·01	12
13	·10	—	—	·15	·17	·11	—	·23	·36	·03	—	·06	13
14	·22	—	—	·12	—	—	—	·31	—	—	—	·20	14
15	·02	—	—	·07	—	—	·20	·01	·11	·02	—	·12	15
16	·03	·05	·09	·13	—	—	—	·09	·01	—	—	·54	16
17	—	·08	·05	·13	·69	—	·10	·73	·01	·15	—	·16	17
18	·04	·01	·03	·03	·12	—	·44	·29	·07	—	—	—	18
19	·06	·10	·29	—	·46	·14	—	—	—	—	·01	—	19
20	·07	·22	·03	—	·24	·11	—	·01	·05	—	·02	—	20
21	·01	·05	·09	—	·05	—	—	·05	—	·04	—	—	21
22	—	—	·05	—	—	—	—	·15	·05	·08	·04	—	22
23	—	·05	—	—	·38	·47	·02	·12	—	·03	·05	—	23
24	—	·01	—	—	—	·02	—	·06	—	1·04	·60	·02	24
25	—	·03	·06	—	—	—	—	·07	—	·59	·04	—	25
26	—	—	—	—	—	—	·02	·66	·10	·60	·11	—	26
27	—	—	—	—	—	·18	·27	·80	—	·04	·09	·06	27
28	—	—	·31	—	—	—	·02	·07	—	·01	·13	—	28
29	—	X	·05	—	·25	—	·13	—	—	·33	·59	·14	29
30	·01	X	·35	—	—	—	—	·02	—	·24	·04	·02	30
31	·04	X	·43	X	·01	X	·01	·26	X	·02	X	·03	31
Total	2·69 ✓	·61 ✓	3·06 ✓	2·27 ✓	2·81 ✓	2·09 ✓	1·21 ✓	5·73 ✓	·94 ✓	6·17 ✓	3·13 ✓	1·81 ✓	YEAR'S TOTAL 32·52 ✓
Rain Days.	20 ✓	10 ✓	16 ✓	16 ✓	11 ✓	11 ✓	9 ✓	28 ✓	10 ✓	24 ✓	20 ✓	16 ✓	191 ✓

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

6. 1. 19

Kept at Glenholme Shipley
in the County of York W
by M E Burton

Lat. 53°49′57″ Long. 1°47′52″
Time of Observation 9 a.m (Clock time)
Nearest Railway Station Saltaire M.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·03	·02	·02	·07	—	—	—	·24	·04	·15	·04	1
2	·03	·17	—	·01	—	—	—	—	·16	·02	—	·16	2
3	—	·02	·01	—	·53	—	—	·10	—	·06	·05	·01	3
4	—	·04	·01	—	·04	—	—	·03	·60	·18	·42	·36	4
5	—	·01	·04	·04	·23	—	—	·63	·03	·18	·07	—	5
6	·05	·75	·03	·20	·01	·14	—	·17	·02	·14	—	·05	6
7	·05	·10	—	·09	—	—	—	—	·10	·21	·20	·01	7
8	—	·37	·11	—	—	—	·14	·03	·34	·10	·04	—	8
9	·23	·95	—	·13	—	·03	—	—	·94	·11	·05	·03	9
10	·01	·74	—	—	—	—	·40	—	·18	·04	·11	·02	10
11	·21	·08	—	—	·05	—	·07	·02	·05	—	—	·05	11
12	·03	·10	·03	·01	·01	—	·47	—	·06	·01	—	·08	12
13	—	·02	—	·03	·09	—	—	—	·39	·10	—	—	13
14	·32	—	—	—	—	·10	·11	—	·51	·07	—	·14	14
15	·13	—	—	—	—	·04	·78	—	1·20	—	—	·53	15
16	—	—	—	—	—	·30	·11	·02	·21	·01	—	·23	16
17	·29	—	—	—	·39	·01	·11	·04	·14	·35	·01	·34	17
18	·47	—	·07	—	—	·04	·25	·02	·47	—	—	·19	18
19	·25	—	·19	·06	—	·05	·43	·03	·29	·15	—	·96	19
20	·34	·52	—	·15	—	·02	1·57	—	·13	·02	—	—	20
21	·30	·64	—	—	·80	·11	—	—	·17	·17	—	·01	21
22	·07	·02	—	—	·34	·11	·26	·01	·08	—	—	·75	22
23	·01	·01	—	—	1·16	—	·22	—	·03	—	—	·11	23
24	—	·02	—	—	—	—	·05	·04	·07	—	·04	·01	24
25	—	—	—	—	—	·32	·14	·35	·06	—	—	—	25
26	—	·06	—	—	—	—	·03	·08	·37	—	·11	·08	26
27	—	·15	·17	—	·03	—	—	·29	·92	—	·15	·29	27
28	—	·14	·31	—	—	—	—	·11	·14	—	·06	·64	28
29	—		—	—	—	—	—	—	·04	—	—	·25	29
30	—		·24	·01	—	—	—	·05	—	—	·01	·34	30
31	—		·13		—		—	·04		—		—	31
Total	2·81	4·94	1·36	·75	3·75	1·27	5·14	2·06	7·94	1·96	1·47	5·68	YEAR'S TOTAL 39·13
Rain Days.	17	21	13	11	13	12	16	18	28	18	14	25	206

W, 6,500, VII. 18. W W C

R4 RR

3081

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

26 JAN 20

Kept at Glenholme Shipley

in the County of York

by M E Burton

Lat. 53°49'57" Long. 1°47'52"

Time of Observation 9 a.m.

Nearest Railway Station Saltaire M.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·74	—	·01	—	·34	—	·12	—	·18	·17	·01	·12	1
2	·24	·01	·20	—	·03	—	·21	·02	·01	—	·03	·02	2
3	·80	—	—	—	·05	·12	·98	—	·05	—	·26	·37	3
4	·20	·05	·29	—	·01	—	·04	·12	·10	—	·05	·11	4
5	·06	—	—	—	·03	—	—	—	—	—	·02	·23	5
6	·03	—	·20	—	·89	—	—	—	—	—	·01	·10	6
7	·04	—	·09	—	·11	—	—	—	—	—	·09	—	7
8	·20	—	·01	·01	·02	·04	—	—	—	—	—	—	8
9	·71	—	·12	—	—	·02	—	—	—	—	·02	—	9
10	—	—	·40	·03	·24	—	—	—	—	—	·02	·29	10
11	—	—	1·14	·04	·05	—	·08	—	—	—	·02	—	11
12	—	—	·25	·12	—	·26	·12	—	·05	·02	·22	—	12
13	·17	—	—	·23	—	—	·03	·01	—	·27	—	·02	13
14	·17	—	—	·46	—	—	—	·07	—	—	·09	·08	14
15	·16	·15	·04	·13	—	—	—	—	—	—	—	·54	15
16	·10	·76	—	·05	—	—	—	—	—	—	·11	—	16
17	·01	·08	—	—	·01	·08	—	·11	—	—	·41	—	17
18	—	—	·23	—	·02	—	·04	·23	·03	—	—	·28	18
19	·03	·28	1·65	—	—	·07	·90	·12	·05	—	·51	·01	19
20	·67	·09	·03	—	—	·01	·28	·04	·03	—	·16	·16	20
21	·09	·28	—	—	—	·02	·18	—	—	—	—	·35	21
22	—	·15	·02	—	—	·01	—	·05	·21	—	·03	·45	22
23	—	—	·02	·03	—	·03	—	—	—	·61	·12	·15	23
24	·01	—	—	·10	—	·01	—	—	·16	·21	·11	·50	24
25	·12	·03	—	·29	·05	·01	—	·61	·03	—	·32	—	25
26	·02	·02	·75	·01	—	·03	—	·26	·08	—	·06	·87	26
27	·16	·02	·02	·28	—	—	—	—	—	—	·01	·13	27
28	—	—	—	·09	—	—	—	·60	—	·10	—	·44	28
29	·07		—	—	—	—	—	·02	—	·68	—	·12	29
30	—		·04	·01	—	·12	—	—	—	·06	·36	·30	30
31	·02		·04		—		·09	—		·02		·01	31
TOTAL	4·82	1·92	5·55	1·88	1·85	·83	3·07	2·26	·98	2·14	3·04	5·65	YEAR'S TOTAL 33·99
Days with ·01 in. or more	23	12	20	15	13	14	12	13	12	9	23	23	189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

5 JAN 1921

Kept at Glenholme Shipley
in the County of York
by M E Burton

Lat. 53°49'57" Long. 1°47'52"
Time of Observation 9 a.m. (clock time)
Nearest Railway Station Saltaire
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·04	·23	·80	—	·58	·04	·06	·11	·16	·10	1
2	·02	—	·01	·13	·05	—	·76	—	·26	·42	—	·33	2
3	—	·03	—	·04	·04	·01	·65	·02	·08	·17	—	·45	3
4	·03	—	—	·04	·10	—	·31	·96	·01	·71	—	·08	4
5	—	—	·04	—	·06	—	·10	·12	·04	·18	—	·01	5
6	—	—	·40	·08	·11	—	·02	—	—	—	·02	·07	6
7	·18	—	·09	·05	·11	—	·49	—	—	—	·01	—	7
8	·10	·07	·03	·30	·09	—	·40	·15	—	—	·02	—	8
9	·29	·90	—	·45	—	—	·01	·04	·01	·01	—	—	9
10	·63	·78	·02	·34	—	—	·27	·15	—	—	—	—	10
11	·57	·03	·05	·21	·23	·16	—	—	—	—	—	·14	11
12	·10	·10	·42	·38	·02	—	·01	·03	—	—	·05	·07	12
13	·11	·14	·10	·11	·03	·35	—	—	—	—	·16	·15	13
14	·04	·05	·24	·22	—	·23	·03	—	·17	·14	·58	·01	14
15	·01	·18	·02	·28	—	—	—	—	—	·80	·18	—	15
16	·03	—	·05	—	—	—	·64	—	·09	—	·29	—	16
17	·09	—	·02	—	·15	—	—	·10	·28	·01	—	—	17
18	·14	—	·03	·05	·37	—	—	—	·07	—	—	—	18
19	·11	·55	—	·07	·12	·06	—	·05	·03	—	·01	—	19
20	·02	—	—	·24	—	·07	·08	—	—	—	—	—	20
21	—	—	—	·05	—	—	·53	·05	—	—	—	·10	21
22	·12	—	—	·29	—	·05	·14	·04	—	·01	—	·12	22
23	—	—	—	·01	—	—	·39	—	·01	·01	—	·34	23
24	·06	—	·58	·02	—	—	·17	—	—	—	—	·12	24
25	—	·03	·03	—	—	—	·73	·04	—	—	·01	·01	25
26	·11	·08	·32	·10	·12	—	·01	—	—	—	·04	—	26
27	·10	·03	—	·09	·15	·67	—	—	—	—	·38	·08	27
28	·86	·01	·18	·04	·05	·06	—	—	—	—	—	·17	28
29	·15	—	·16	—	·94	—	·09	—	·03	—	·19	·81	29
30	·21	X	·05	·01	·03	·20	—	—	·25	—	·15	·35	30
31	·23	X	·12	X	·01	X	—	—	X	·50	X	·12	31
													YEAR'S TOTAL
TOTAL	4·31	2·98	3·00	3·83	3·58	1·86	6·41	1·79	1·39	3·07	2·25	3·63	38·10
Days with ·01 in. or more	24	14	22	25	20	10	21	13	14	12	15	20	210
Days with ·04 in. or more	18	9	15	22	16	9	16	11	9	8	10	17	160

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SHIPLEY

WEST POINT

1911 - 1912

FORM A2.
BRITISH RAINFALL

3 - JAN 1912

Kept at West Poi
in the County of Y
by Malcolm

in.
and ~~ft.~~ 12 in.
Level 382 ft.
u.
e Saltaire
ance 1m. Direction N.E.

IMPORTANT N e result entered to the previous day. If an al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ×

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·25	-	·01	-	·06	·07	-	-	·07	-	1
2	·17	-	-	-	·10	-	·05	-	-	·01	·02	·09	2
3	·02	-	·02	-	·34	-	-	-	-	·02	·27	·01	3
4	·02	-	·07	·13 snow	·03	-	-	·15	·14	·10	·45	·40	4
5	·05	-	-	·07 snow	·02	-	-	·34	-	·10	·26	·05	5
6	·30	-	·05	·04	-	-	-	·22	-	·11	·39	·43	6
7	·02	-	-	·01	-	-	-	-	-	-	·17	·43	7
8	·05	-	·14	-	-	-	-	-	·02	-	-	·92	8
9	-	-	-	-	-	-	-	-	-	-	-	·15	9
10	·10	·10	·02	·02	-	-	-	-	-	-	-	·65	10
11	·18	-	·01	-	-	-	-	-	-	-	·62	·20	11
12	·05	-	·05	-	·12	-	-	-	1·02	-	·41	·01	12
13	-	-	-	-	·08	-	-	-	-	-	·08	·38	13
14	·02	·10	·10	-	·11	-	-	-	-	-	·01	·31	14
15	-	·16	-	·02	-	-	-	-	-	·08	·10	·24	15
16	-	·58	·11	-	-	·25	-	-	-	·09	·14	·17	16
17	-	-	·06	-	·13	·14	-	-	-	-	·25	·06	17
18	-	·41	·10	-	-	·07	-	-	-	·13	·08	·07	18
19	-	·05	·02	·01	-	·02	-	·03	·08	·13	·24	·09	19
20	-	·03	-	·20	-	-	·04	·62	·09	·04	-	·25	20
21	·01	·52	·05	·01	-	-	-	·09	·02	·23	-	·11	21
22	·08	·10	-	-	-	·02	-	·05	-	·29	-	-	22
23	·03	·52	-	-	·02	·40	-	-	·09	·03	·04	·17	23
24	·10	·12	·03	·04	-	1·77	-	·02	-	·23	-	·22	24
25	·02	·52	-	·05	-	·03	·09	-	·76	·06	-	·27	25
26	-	·04	-	·08	·04	-	-	·04	-	·94	·23	·33	26
27	·03	·14	·07	·20	·01	-	-	·31	·22	·01	·02	·03	27
28	-	·25	·04	·19	-	·05	-	·01	·14	-	-	·10	28
29	-		·06	·12	-	·25	·03	-	1·20	·37	-	·10	29
30	-		-	·02	·08	·15	-	-	·01	·16	-	-	30
31	-		·02		·01	-	-	-		·21		-	31
Total	1·25	3·64	1·27	1·21	1·10	3·15	·27	1·95	2·79	3·34	3·85	6·24	TOTAL for year
No. of Rain Days	17	15	19	16	14	11	5	12	12	20	19	27	30·06
Total to each month		4·89	6·16	7·37	8·47	11·62	11·89	13·84	16·63	19·97	23·82	30·06	8

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

Kept at West Point, Shipley.

in the County of York WR 9

by Malcolm Paterson M. Inst. C.E.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ~~ft.~~ 12 in.
" " " Sea Level 382 ft.

Time of Observation 8 pm.

Nearest Railway Station
Name Saltaire
Distance 1m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·25	-	·01	-	·06	·07	-	-	·07	-	1
2	·17	-	-	-	·10	-	·05	-	-	·01	·02	·09	2
3	·02	-	·02	-	·34	-	-	-	-	·02	·27	·01	3
4	·02	-	·07	·13 snow	·03	-	-	·15	·14	·10	·45	·40	4
5	·05	-	-	·07 snow	·02	-	-	·34	-	·10	·26	·05	5
6	·30	-	·05	·04	-	-	-	·22	-	·11	·39	·43	6
7	·02	-	-	·01	-	-	-	-	-	-	·17	·43	7
8	·05	-	·14	-	-	-	-	-	·02	-	-	·92	8
9	-	-	-	-	-	-	-	-	-	-	-	·15	9
10	·10	·10	·02	·02	-	-	-	-	-	-	-	·65	10
11	·18	-	·01	-	-	-	-	-	-	-	·62	·20	11
12	·05	-	·05	-	·12	-	-	-	1·02	-	·41	·01	12
13	-	-	-	-	·08	-	-	-	-	-	·08	·38	13
14	·02	·10	·10	-	·11	-	-	-	-	-	·01	·31	14
15	-	·16	-	·02	-	-	-	-	-	·08	·10	·24	15
16	-	·58	·11	-	-	·25	-	-	-	·09	·14	·17	16
17	-	-	·06	-	·13	·14	-	-	-	-	·25	·06	17
18	-	·41	·10	-	-	·07	-	-	-	·13	·08	·07	18
19	-	·05	·02	·01	-	·02	-	·03	·08	·13	·24	·09	19
20	-	·03	-	·20	-	-	·04	·62	·09	·04	-	·25	20
21	·01	·52	·05	·01	-	-	-	·09	·02	·23	-	·11	21
22	·08	·10	-	-	-	·02	-	·05	-	·29	-	-	22
23	·03	·52	-	-	·02	·40	-	-	·09	·03	·04	·17	23
24	·10	·12	·03	·04	-	1·77	-	·02	-	·23	-	·22	24
25	·02	·52	-	·05	-	·03	·09	-	·76	·06	-	·27	25
26	-	·04	-	·08	·04	-	-	·04	-	·94	·23	·33	26
27	·03	·14	·07	·20	·01	-	-	·31	·22	·01	·02	·03	27
28	-	·25	·04	·19	-	·05	-	·01	·14	-	-	·10	28
29	-		·06	·12	-	·25	·03	-	·20	·37	-	·10	29
30	-		-	·02	·08	·15	-	-	·01	·16	-	-	30
31	-		·02		·01	-	-	-		·21		-	31
Total	1·25	3·64	1·27	1·21	1·10	3·15	·27	1·95	2·79	3·34	3·85	6·24	TOTAL for year
No. of Rain Days	17	15	19	16	14	11	5	12	12	20	19	27	30·06
Total to each month	4·89	6·16	7·37	8·47	11·62	11·89	13·84	16·63	19·97	23·82	30·06		18

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 - JAN 1913

W. 9

Kept at West Point, Shipley
in the County of York
by Malcolm McCulloch Paterson

Lat. Long.
Time of Observation 8·0 a.m
Nearest Railway Station Saltaire
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 382 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·18	-	-	·37	·21	·01	·16	-	-	·34	1
2	-	·22	·30	-	·01	·12	·38	-	·12	-	-	·02	2
3	·12	·02	·10	-	-	·54	-	·69	·41	-	-	·05	3
4	·18	-	·70	·09	·09	·49	-	·90	·03	-	·06	-	4
5	·22	·01	·01	·02	·27	·65	-	·04	·01	-	-	-	5
6	·98	·11	·15	-	·03	·01	-	·40	-	-	-	-	6
7	part snow -	·15	·01	·02	-	·01	-	·19	·01	-	·01	-	7
8	·55	·22	·13	·08	-	·09	·01	-	·17	-	-	-	8
9	·11	·25	·10	·30	-	·10	-	-	-	-	·02	·04	9
10	·06	·02	-	·04	·03	1·13	-	-	-	-	·65	-	10
11	·30	·15	-	-	-	-	-	·01	-	-	·07	·45	11
12	·07	·22	-	-	-	·19	·07	-	-	-	-	·08	12
13	-	·01	-	-	-	-	-	·03	-	·11	·08	·36	13
14	·15	-	·41	-	·06	·17	-	-	-	-	-	·31	14
15	·27	·05	·20	-	·38	·15	-	-	-	-	-	·28	15
16	1·75	-	·20	-	·06	·23	-	-	-	·05	-	·04	16
17	·09	·04	·18	-	·01	·40	-	·35	-	-	·03	·61	17
18	snow ·28	·01	·19	-	-	·03	-	-	-	-	-	·05	18
19	snow ·21	·19	·23	-	-	·02	·11	·48	-	·38	·06	-	19
20	·32	-	·14	-	·42	·05	·15	·03	-	·33	·02	·04	20
21	·02	-	·55	-	·09	-	·09	-	-	·02	·01	·03	21
22	·06	·13	·05	-	·81	·38	·15	·41	-	-	-	·02	22
23	·02	-	·13	-	·01	-	·34	·38	-	-	·10	·01	23
24	·24	-	·03	-	·14	·10	·30	·27	-	-	·15	·10	24
25	-	-	-	-	-	·55	-	·03	-	·06	·69	·11	25
26	-	·16	·08	-	-	-	·34	·65	-	1·52	·44	·20	26
27	-	·12	·10	-	-	·55	·24	·12	-	·48	·01	·24	27
28	-	·01	·03	-	-	·19	·25	·70	·06	·39	·27	·08	28
29	·02	·06	·17	-	-	·03	·17	·01	·63	·13	-	·47	29
30	-	-	·20	-	·14	-	·06	-	·02	·01	-	·02	30
31	-	-	·06		·25		1·11	·21		-		·01	31
Total	6·02	2·15	4·63	·55	2·80	6·55	3·98	5·91	1·62	3·48	2·67	3·96	YEAR'S TOTAL 44·32
Rain Days.	21	20	26	6	16	24	16	20	10	11	16	24	210
		8·17	12·80	13·35	16·15	22·70	26·68	32·59	34·21	37·69	40·36	44·32	

taken by Smith, Milkman

W. 7,500, XI. '12

SILSDEN
-
BOLTON RD.
YORKSHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

RI

Kept at 77 Bolt

1 ft. in.

el 432 ft.

in the County of WR Yor

by A. Elde

Farton & Silsden

1¼ ml Direction South

IMPORTANT NOTI ult entered to the previous day. If an Obs universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			21		1		5	4			7		1
2	35		11		6		3			2	13	11	2
3	1				48			2			26		3
4	2		8	3				16		2	73	29	4
5	3							44		2	34	6	5
6	44			7				25			26	55	6
7	1										6		7
8	5		11									59	8
9												11	9
10	11	8						3	5			59	10
11	23		3					2			56	20	11
12	5		10		11				1.02		21		12
13	1				2						8	42	13
14	2	21	9		5					7	2	34	14
15		22		3							23	25	15
16		61	10			14	4			5	20	8	16
17			12		5	60	3				23	7	17
18		51	14			25				1	3		18
19		3	1			1	10	2	24	9	16	20	19
20		4		17			5	47	11	2		17	20
21		47					2	12		33		9	21
22	8	11				1		4		28	2		22
23	1	34			4	44			5	8		8	23
24	16	11		6		1.25						15	24
25	1			10		5	22		56	3		12	25
26		3		12	5			10	1	65	27	28	26
27	3	11	14	17				30	28		1	3	27
28		28	3	19		12			26		4	24	28
29				20		56		16	23	48		9	29
30					5	4				21			30
31			4							12			31
~~Total~~	1.62	3.18	1.34	1.14	·92	3.77	·54	2.17	2.81	2.68	3.91	5.11	TOTAL for year 29.19
No. of Rain Days.	17	14	14	10	9 10	11	8	14	10	16	20	23	166 167

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at 77 Bolton Road, Silsden
in the County of WR York 9
by A. Elder

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 432 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Steeton & Silsden
Distance 1¼ mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			21		1		5	4			7		1
2	35		11		6		3			2	13	11	2
3	1				48			2			26		3
4	2		8	3				16		2	73	29	4
5	3							44		2	34	6	5
6	44			7				25			26	55	6
7	1										6		7
8	5		11									59	8
9												11	9
10	11	8						3	5			59	10
11	23		3					2			56	20	11
12	5		10		11				1.02		21		12
13	1				2						8	42	13
14	2	21	9		5					7	2	34	14
15		22		3							23	25	15
16		61	10			14	4			5	20	8	16
17			12		5	60	3				23	7	17
18		51	17			25				1	3		18
19		3	1			1	10	2	24	9	16	20	19
20		4		17			5	47	11	2		17	20
21		47					2	12		33		9	21
22	8	11				1		4		28	2		22
23	1	34			4	44			5	8		8	23
24	16	11		6		1.25						15	24
25	1			10		5	22		56	3		12	25
26		3		12	5			10	1	65	27	28	26
27	3	11	14	17				30	28		1	3	27
28		28	3	19		12			26		4	24	28
29				20		56		16	23	48		9	29
30					5	4				21			30
31			4							12			31
~~Total~~	1.62	3.18	1.34	1.14	.92	3.77	.54	2.17	2.81	2.68	3.91	5.11	TOTAL for year
No. of Rain Days.	17	14	14	10	9 10	11	8	14	10	16	20	23	29.19 166

167

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19 12

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Silsden

in the County of Yorks .W 9

by S. P. Elder

RAIN GAUGE: Pattern

Diameter of top 5 in.

Height of top above Ground 1 ft. = in.

" " " Sea Level 432 ft.

Time of Observation 9 a.m

Nearest Railway Station: Name Steeton and Silsden

Distance 1¼ m Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1		17			19	20	7	28			21	1
2	2	12	33		3	11	27		9			5	2
3	16		11			61		49	48			6	3
4	43		55	17	3	78		58			9		4
5	17		6	2	24	53		6	1	1			5
6	77	7	12		1			75					6
7	18	17	1		3	3		12	12		7		7
8		17	17	15	4	3	6		10		3		8
9	16	17	3	28		8						3	9
10	4	1				51					52		10
11	10	7									3	38	11
12	8	8	2			25	29					16	12
13								9		20	15	89	13
14	19		42		2	27		3				60	14
15	25	20			42	24							15
16	85	2	17			15				6		15	16
17		13	10		2	52		42			8	58	17
18	19					8		3					18
19	18	19	38			1		19		63	4	6	19
20	24				41	5		3		35	5		20
21			29		3					3	1	7	21
22	4				27	41	6	46					22
23	2		17			1	16	~~44~~			21	1	23
24	17		2		4	1	68	10			17	11	24
25						64	29				67		25
26	3	33	12			3	20	23		1.44	42	33	26
27			20		1	32	20	12		24		17	27
28		2				24	58	51		38	13	4	28
29			22			1	35	4	51	23	3	25	29
30			30		11	1	2					3	30
31			7		8		1.31	22				5	31
Total	4.28	1.75	4.03	0.62	1.79	6.15	4.67	4.98	1.59	3.57	2.40	4.23	TOTAL for year 40.36
No. of Rain Days.	21	14	22	4	16	26	14	20	7	10	16	20	190

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at 77 Bolton Road, Silsden

in the County of Yorkshire W G

by Arthur Elder

Lat. 53° 55' N. Long. 1° 56' W

Time of Observation 9 a.m

Nearest Railway Station Steeton & Silsden

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 432 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	4		27								2		1
2		13	41	18		7					18		2
3		40	36		37					2	4	42	3
4	27	8	7		2				5	7		36	4
5	22	8	22			32			8	2			5
6	3	25	31		69	2	36			31	2		6
7		35	7	1	24	17	10			66	2	1	7
8		10	2		37			6		5	10		8
9		11	33		17	37		16			3	12	9
10		1	19	9			5						10
11	33	1		41		14					10	3	11
12							1		3		27		12
13			24						24	2	7		13
14	6		17	18						12	7		14
15	10		44	55					4		50	9	15
16			4	10			3				17		16
17	2		1	9	3		7		16		13		17
18	9		42	28			4				30		18
19	13		6	24					6	4	17		19
20	21		8	3						12	55		20
21			4		5		13	14			1		21
22	19		65		4			75	6				22
23	18		9		19	32		15	10		4		23
24	39					19		2				13	24
25				2					35	2		11	25
26			13	29					10	7		37	26
27		6		13						10		15	27
28	25		18	23								62	28
29	1		46	33	5			24			7	3	29
30	39									18			30
31	1		3		7								31
Total	2.92	1.58	5.32	3.16	2.29	1.60	0.79	1.52	1.27	1.80	2.86	2.44	YEAR'S TOTAL 27.55
Rain Days.	18	11	25	16	12	8	8	7	11	14	20	12	162

W. 7,500, XI. ·12

corr for [illegible] W.D. 12.IV.15 WLMcC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL 22 JAN 1915

Kept at 77 Bolton Rd. Silsden

in the County of Yorkshire W 9

by St. Elder, Esq

Lat. 53.55' N Long. 1° 56' W

Time of Observation 9 a.m

Nearest Railway Station Steeton & Silsden

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 432 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				18	1			35			27	26	1
2			30				1.39	12		2			2
3	42		16				18	62		2	22	38	3
4	28		21		21			7			7	63	4
5			45	29	7						6	60	5
6			23	14	2	8	6				38	37	6
7	2	3		9	20			4			12	7	7
8	76			12	12	8		2				30	8
9	37	8			4	27		8	4		2	7	9
10	2	14		16	2	80		5	1		12		10
11		18	19						2		40	58	11
12		17			4		1		6		87	75	12
13		20	10	1			7		39		28		13
14	5	26	49	2			5		5		39	48	14
15	2		9				2		13				15
16	1								15			32	16
17		26	8				1.02		35		59		17
18		8	7			.01	5		54				18
19		6	19			.03			1	3		38	19
20		9	8				13		5		4		20
21		51						7					21
22	2	16	3	2		53		12		3			22
23			25	3	27	15	1	3		11	4	19	23
24	4			4	11	4	1	1					24
25						1	19	28			5		25
26							3	16		65	1	38	26
27			15					1		19	32	31	27
28							1		2	18	68	75	28
29	7		11			1							29
30	20	X	8		6			4		34	48	10	30
31	41	X	41	X		X		6	X	19	X	9	31
	–	–	·18	·01	–	–	·35	–	–	·27	·26	(–)	YEAR'S TOTAL
Total	~~2.69~~ 2.69	~~2.22~~ 2.22	~~3.67~~ 3.85	~~1.10~~ ·93	~~1.17~~ 1.16	~~2.01~~ 2.01	~~3.23~~ 3.58	~~2.13~~ 1.78	~~1.12~~ 1.82	~~1.75~~ 2.03	~~5.41~~ 5.40	~~7.01~~ 6.75	~~34.22~~ 34.22
Rain Days.	14	13	~~19~~ 20	11	~~12~~ 11	11	~~15~~ 16	~~17~~ 16	13	~~10~~ 11	28	~~19~~ 18	174

W. 8,000. X. 14.

3488

end fr aulth 27.IV.16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

3 - JAN 1916

Kept at 77 Bolton Road Silsden

in the County of Yorkshire 9

by A. Elder

Lat. 53°55' N Long. 1°56' W

Time of Observation 9 am

Nearest Railway Station Steeton & Silsden

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 432 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·84			·18		·01	·17	·30			·01	1
2	·04	·35		·22		·04	·24	·21	·07				2
3		·01		·20			·27	·60				·61	3
4	·15	·17				·19	·27					·76	4
5	1·04	·25		·01	·02	·03		·01				·72	5
6		·21		·26	·28	·13	·42	·04	·04			·12	6
7	·51	·64		·41	·31	·25	·36	·34	·02	·03		·16	7
8	·02	·14		·04	·05		·33	·08			·21		8
9	·24	·03				·01		·03	·01	·04	·29	·50	9
10		·01	1·12	·05				·15		·12		·19	10
11	·61	·01			·53		·05	·16		·07	·18	·54	11
12	·23			·03	·03		·17	·03			1·03		12
13	·03	·51						·01	·07			·04	13
14	·20			·12	·08		·16					·08	14
15	·40			·05			·07	·46			·20	·16	15
16	·37	·51					·52	·67					16
17		·29	·02					·04	·13	·01			17
18	·14	·09	·23					·19	·03	·29			18
19	·17	·03	·02	·19			·24			·03			19
20		·02			·21		·15					·28	20
21		·03		·04	·02		·04					·10	21
22			·08				·08					·04	22
23				·06			·43		·02	·08		·03	23
24				·06		·01			1·27	·08		·26	24
25				·03	·03				·03			·16	25
26	·02			·04		·04	·17					·50	26
27			·02				·12			·32		·32	27
28			·05		·43	·22		·37		·11		·02	28
29					·14	·55			·16		·07	·57	29
30	·12	X		·16		·35			·03			·01	30
31	·09	X		X		X		·26	X	·04	X	·16	31
Total	4·75	3·84	1·54	1·97	2·31	1·82	4·10	3·84	2·88 2·18	1·22	1·98	6·34	YEAR'S TOTAL 35·89 35·89
Rain Days.	18	18	7	17	13	11	19	18	13	12	6	24	176

W. 8,000. X. 15.

Exd C.J.E

741

FORM A.
BRITISH RAINFALL.
2 JAN

REGISTER OF RAINFALL IN 1916

Kept at 77 Bolton Road, Silsden

in the County of York WR

by Arthur Elder

Lat. 53° 55′ N. Long. 1° 56′ W.
Time of Observation 9 a.m.
Nearest Railway Station Steeton & Silsden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 432 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·73	·09	·38		·08	·35	·35	·03	·03	·04	·01		1
2	·08	·02	·12		·06	·09	·08		·19	·18			2
3	·01	·23	·06	·03	·20	·08	·03		1·23	·21	·23		3
4	·10	·25			·21	·07	·28		·23	·48	·27		4
5	·04	·34	·10		·68	·12	·03	·02		·67	·40		5
6	·59	·43	·38		·38	·06	·43			·04	·40	·03	6
7	·02	·13	·25		·16	·14	1·37			·43	·01	·26	7
8		·15	·07	·02	·03	·31	·36		·08		·20	·26	8
9	·03		·10	·06		·12	·09				·10		9
10		·06	·02	·08		·09	·08			·80	·01	·23	10
11	·03	·01	·13	·10		·02	·47			·03	·01	·01	11
12	·07	·42	·07	·03	·23	·14	·86	·03	·02	·13			12
13		·17	·10	·02	·04	·04	·36	·43		·89		·13	13
14	·03	·15	·03		·13	·01		·05					14
15		·49	·04	·09			·02	·14		·08			15
16	·04	·28	·57	·10	·04		·39	·89		·07			16
17	·03	·26	·02	·04	·20		·02	·49	·27	·21	·01	·20	17
18		·53		·26			·05	·22	·15	·11	·71		18
19	·25		·61	·42				·06			·40		19
20	·27		·14	·54			·02	·06			·01		20
21	·34		·09	·07	·06								21
22		·66	·12	·07		·10				·24		·10	22
23		·08	·16	·10		·04				·04	·10	·21	23
24		·10	·02	·07	·04	·55		·72			·03	·07	24
25	·08	·14	·12	·05	·05	·09		1·53		·09	·25	·04	25
26		·24	·18			·05		·28		·04			26
27		·23			·04			·45		·36		·01	27
28		·13			·02	·03		·03		·77	·02	·54	28
29		·57								·30		·17	29
30		✕					·02	·06		·93		·10	30
31		✕		✕	·32	✕			✕	·34	✕	·21	31
Total	2·74	5·56	3·80	2·81	3·03	2·58	5·01	5·69	2·20	7·48	3·29	2·57	YEAR'S TOTAL 46·68
Rain Days.	17	25	24	18	19	20	19	17	18	24	18	16	225

W. 8,000, VIII. 16

3259

FORM A.
BRITISH RAINFALL
2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at 77 Bolton Road, Silsden

in the County of Yorkshire

by Mr. S. Reeder

Lat. 53° 55′ Long. 1° 56′

Time of Observation 9 a.m.

Nearest Railway Station Steeton + Silsden

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 432 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04			·04		·17			·28		·21	·17	1
2	·38			·04		·02		·01		·02			2
3		·07		·04		·13				·25	·03		3
4		·01	·04							·14			4
5	·26		·08	·34						·08	·15		5
6	·02					·06				·66	·40	·10	6
7	·41			·01		·15				·19	·03	·05	7
8	·54			·22				1·07		·41	·22	·17	8
9			·09	·12				·07		·06	·47		9
10	·10		1·16	·16	·09			·07			·01		10
11	·10									·27			11
12		·01		·01	·27			·75		·61			12
13	·12			·19	·01			·17	·36			·18	13
14			·04	·23	·01			·26				·15	14
15					·02		·26	·12	·10	·02		·65	15
16	·10	·04	·04	·15		·02		·15	·02				16
17		·07	·08		·52		·15	·82		·17			17
18	·06		·04		·09		·39	·15	·23		·01	·10	18
19	·08	·19	·23		·30	·02		·01				·02	19
20	·03	·19			·17	·14			·39		·04		20
21	·01	·03	·03	·01	·08	·01				·03			21
22			·05			·01		·03	·13	·13			22
23		·03			·23	·44		·32	·01	·07	·07		23
24						·04		·09		·78	·61		24
25		·04	·08			·01		·19		·32	·03		25
26						·02		·04	·13	·52	·12		26
27			·01		·06	·27	·29	·78		·08	·13		27
28			·24					·42			·10	·01	28
29					·09		·04	·10		·41	·20	·07	29
30	·03	×	·32							·09	·13		30
31	·02	×	·25	×		×		·23	×	·01	×	·05	31
Total	2·30	·68	2·78	1·56	1·94	1·51	1·13	5·85	1·65	5·32	2·96	1·72	YEAR'S TOTAL 29·40
Rain Days.	16	10	16	13	13	15	5	21	9	22	18	12	140

W. 8,000, IX. 17.

CX918

241

FORM A.
BRITISH RAINFALL.

2.10

REGISTER OF RAINFALL IN 1918

Kept at 77 Bolton Road, Silsden
in the County of Yorkshire WR
by Arthur Elder

Lat. 53° 55' N. Long. 1° 56' W
Time of Observation 9 A.M.
Nearest Railway Station Steeton & Silsden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 432 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07		·07	·12				·32	·05	·20	·12	1
2	·03	·06							·28	·01		·18	2
3					·37			·03		·12	·02	·01	3
4	·02				·14			·06	·78	·13	·34		4
5				·35	·16	·08		·83	·01	·29	·06		5
6		·95		·21				·07	·12	·20			6
7		·16		·14				·01	·34		·33		7
8	·23	·35	·08				·13	·01	·40	·04			8
9	·16	·58		·02					·88	·13	·10	·05	9
10		1·09	·19						·28	·07	·22	·01	10
11	·27	·07	·03	·02	·04		·09	·02	·13	·01		·11	11
12	·01	·16		·06	·02		·16		·06			·10	12
13		·01			·06				·35	·29			13
14	·37					·11	·08		·50	·09		·31	14
15	·03					·02	·76		1·06			·44	15
16					·02	·25	·22	·12	·26			·27	16
17	·30				·47		·31	·11	·04	·37		·24	17
18	·61		·34				·11		·37			·26	18
19	·24		·11	·08			·40	·08	·44	·18		1·10	19
20	·14	·33			·02	·02	·85		·09		·01		20
21	·29	·28			·11	·07			·27	·17			21
22	·06	·27			·27	·05	·23		·07			·90	22
23	·01				·53	·02	·22		·04		·01	·08	23
24							·09	·04	·05		·02		24
25						·24	·08	·51	·15				25
26								·02	·33	·01	·06	·10	26
27			·55				·02	·32	·53		·10	·37	27
28			·31					·12	·13		·04	·85	28
29									·04			·64	29
30		✕	·17	·01				·11			·02	·08	30
31		✕	·09	✕		✕		·02	✕		✕	·01	31
Total	2·77	4·38	1·87	0.96	2·33	0·86	3·75	2·48	8·32	2·16	1·53	6·25	YEAR'S TOTAL 37·66
Rain Days.	15	13	9	9	13	9	15	17	28	16	14	21	179

W, 6,500, V.I. 18. W W C

3095

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 77 Bolton Road, Silsden
in the County of Yorkshire
by Arthur Elder

Lat. 53° 55' N. Long. 1° 56' W.
Time of Observation 9 A.M.
Nearest Railway Station Steeton & Silsden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 432 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·05	·01		·02	·23		·14		·36	·04	·01	·08	1
2	·28		·10		·15		·11		·25		·02	·10	2
3	·70				·12		·01				·18	·24	3
4	·14	·04	·23		·02		·01	·06	·05		·04	·08	4
5	·13						·02		·07		·02	·22	5
6	·04		·24		·75					·04		·13	6
7	·02		·05		·05	·07		·01			·06		7
8	·12		·01	·05							·01		8
9	·43		·05		·01	·09				·01	·02		9
10			·57	·04	·13					·04	·08	·05	10
11			1·02	·06					·07				11
12			·24			·12	·11		·42		·17		12
13				·41				·19					13
14	·32										·02		14
15	·10	·10		·14				·03			·14	·33	15
16	·07	·85				·03							16
17		·03			·02			·52			·44		17
18			·22				·10					·28	18
19	·02	·21	·77			·04		·03	·04		·25		19
20	·33	·07	·01			·05		·07			·25	·39	20
21	·06	·26						·04				·21	21
22		·16				·02		·02			·04	·41	22
23				·03		·01	·01			·60	·10	·07	23
24				·07		·10			·06	·09	·16	·38	24
25	·07	·02		·23	·06	·03		·46	·36		·17		25
26	·08		·61	·03		·02		·45	·05		·02	·51	26
27	·26			·23							·04	·03	27
28				·03				·50		·22		·29	28
29	·08					·01			·02	·50		·17	29
30	·03		·05	·03		·05				·14	·17	·18	30
31	·02		·03				·19			·05		·05	31
TOTAL	4·35	1·75	4·20	1·37	1·54	0·64	0·70	2·38	1·57	1·73	2·41	4·20	YEAR'S TOTAL 26·84
Days with ·01 in. or more	21	10	15	13	10	13	9	12	11	10	22	20	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

EX MR

2980

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 77 Bolton Road, Silsden

in the County of York

by Arthur Elder

Lat. 53°55'N Long. 1°56'W

Time of Observation 9 A.M

Nearest Railway Station Steeton & Silsden

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 432 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			6	21	42		51	3		6	9	8	1
2	4			16	1		54		29	14		24	2
3	1			3	8		5	24	11	35		32	3
4	1			3	11		38	47	1	58			4
5			5		10		6		8	27			5
6			25	12	6		2					12	6
7	18	2	8	4	4		35						7
8	10	7		29	9		1	20					8
9	25	1.03	1	95			2	10					9
10	85	53		31			21	6					10
11	14	5	1	11	11	12						6	11
12	9	15	40	38	3	1	2		17	3	8	8	12
13	11	6	12	9	5	19	5			21	23	13	13
14	2	3	17	18		16	2		9		52		14
15	1	19		13			1		22	2	18		15
16			3		2		52		5		18		16
17					10			13	2				17
18	6			5	74			1					18
19	24	32		5	20	15							19
20	4			18			15					7	20
21							60	1				8	21
22	9			24		4	18	4					22
23				2			22					19	23
24	9		41	3			33						24
25		6	8			2	38						25
26	9	8	35	13	6		5					5	26
27	16			5	36	58					24		27
28	70	3	35	6	1	2			1			15	28
29	10		14	8	92		18				24	57	29
30	20	×			3	7			12		14	40	30
31	19	×	7	×	3	×			×	50	×	6	31
TOTAL	3.77	2.62	2.58	3.92	3.57	1.36	4.86	1.29	1.17	2.19	1.90	2.60	YEAR'S TOTAL 31.83
Days with ·01 in. or more	23	13	16	24	21	10	23	10	11	9	9	15	184
Days with ·04 in. or more	19	10	13	20	15	7	17	7	8	7	9	15	147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Written 15·4·15

REG

SKELTON IN CLEVELAND

THE RECTORY

1913 – 1919

FORM A.
BRITISH RAINFALL.
9 FEB 1914

Kept at The Rect

in the County of NRY

by Rev H Mast

in.

ft. in.

el ft.

IMPORTANT NOT sult entered to the previous day. If an Obs le, he is earnestly requested to add the readi e space provided for it at the end of this paragraph. rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·03	·46					·21				1
2			·01			·12				·05	·01		2
3					·01		·12		·03				3
4	·17		·21				·11		·05	·93	·05		4
5	·73	·01	·05			·06	·12			·16			5
6		·12	·07		·25	·57	·07						6
7		·07			·02	·08	·08			·86			7
8					·80	·03			×	·03	·10		8
9		·04	·03	·12	·08					·02	·01		9
10		·05	·05	·01							·22		10
11	·55×			·24×		·10			(·30)	·01	·03		11
12	·24×					·03			×		·15		12
13									×	·03	·16		13
14	·06×	·08	·04×	·01			·30	·11				·12	14
15	·10		·05	·09				·5			·05		15
16		·01	·01					·6					16
17		·03	·23	·04					·04				17
18				·01		·93§						·08	18
19	·12				·03	·01			·06				19
20	·73	·06							·06	·09	·19		20
21	·06		·01				·05	·11	~~·03~~	·18			21
22			·36					·27	·03		·01 ↓		22
23	·08		·03			·20	·28		·01				23
24	·32					·20		·10	~~·15~~				24
25				·01					·21	·02	·14 ↓	·07	25
26				·24					·15	·30		·24	26
27		·10	·01	·23	·29	·17					·01		27
28	·05	·04	·15	·29	·01							·40	28
29			·27	·16	·04			·13		·30		1·08×	29
30	·10		·03							·22	·04	·17	30
31	·01				·19								31
Total	3·34	·61	1·64	1·91	1·72	2·50	1·13	·83	1·15 ~~·85~~	3·14	1·17	2·16	YEAR'S TOTAL ~~20·89~~ 21·30
Rain Days.	15	11	18	13	10	12	8	7	~~10~~ 13	14	14	7	~~139~~ 142

W. 7,500, XI. 12

× Snow

§ in [illegible]

Written 15.4.75

REGI

FORM A.
BRITISH RAINFALL.
9 FEB 1914

✓ *Kept at* The Rectory, Skelton in Cleveland

in the County of N R Yorks

by Rev H Mackworth Drake

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02		·03	·46					·21				1
2			·01			·12				·05	·01		2
3					·01		·12		·03				3
4	·17		·21				·11		·05	·93	·05		4
5	·73	·01	·05			·06	·12			·18			5
6		·12	·07		·25	·57	·07						6
7		·07			·02	·08	·08			·86			7
8					·80	·03			×	·03	·10		8
9		·04	·03	·12	·08					·02	·01		9
10		·05	·05	·01							·22		10
11	·55×			·24×		·10			(·30)	·01	·03		11
12	·24×					·03			×		·15		12
13									×	·03	·16		13
14	·06×	·08	·04×	·01			·30	·11				·12	14
15	·10		·05	·09				·57			·05		15
16		·01	·01					·6					16
17		·03	·23	·04					·04				17
18				·01		·93§						·08	18
19	·12				·03	·01			·06				19
20	·73	·06							·06	·09	·19		20
21	·06		·01				·05	·11	~~·03~~	·18			21
22			·36					·27	·03		·01 ↓		22
23	·08		·03			·20	·28		·01				23
24	·32					·20		·10	·~~15~~				24
25				·01					·21	·02	·14 ↓	·07	25
26				·24					·15	·30		·24	26
27		·10	·01	·23	·29	·17					·01		27
28	·05	·04	·15	·29	·01							·40	28
29			·27	·16	·04			·13		·30		1·08×	29
30	·10		·03							·22	·04	·17	30
31	·01				·19								31
Total	3·34	·61	1·64	1·91	1·72	2·50	1·13	·83	~~·85~~ 1·15	3·14	1·17	2·16	YEAR'S TOTAL ~~20·89~~ 21·30
Rain Days.	15 +1	11	18	13	10	12	8	7	~~10~~ 13	14	14	7	~~139~~ 142

W. 7,500, XI. 12

× Snow

in thaw

C.S/9

The Rectory,
Skelton-in-Cleveland.

April 17th 1914

Dear Sir

Thank you for your letter. Certainly make the entry ·30 between Sept: 8th & 13th if you think correct. From my diary it looks as if it had been a dry time.

You will have noticed the Castle record is always for a day in advance. today rain (had there been any) will be recorded tomorrow as for the 18th. I have pointed this out now to the head gardener.

I am quite ready if you think it wiser for my record to be omitted.

Yrs truly

H. Mackworth Drake

As [illegible] published
is [illegible] which
·80 [illegible] Sept 1913
[illegible] that
Written 15.4.14

Omitted

altered A

9 FEB 1914

THE RECTORY,
SKELTON-IN-CLEVELAND,

Feb. 2nd 1914

Dear Dr Mill

I fear this record is worthless - my gardener has taken it & I fear made mistakes. At any rate I think either he or the Skelton Castle gardener must be very wrong - We are only say 3 or 4 hundred yards apart - & should hardly differ as we do by nearly 2½ inches for the year – & then one has e.g.–Jan 31st a big rain fall, the other none!

I note one mistake the Castle seem to make. Booking the rain they take on say Feb: 2nd at 9.30 – as Feb 2nd and not Feb 1st to which it belongs.

I think you had better not quote mine but I enclose it

Yrs truly

H. Mackworth. Drake.

Esk D 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 FEB 1915

Kept at The Rectory - Skelton-in-Cleveland

in the County of York NR 5

by Revd- H. M. Drake.

Lat. Long.

Time of Observation 9·30

Nearest Railway Station North Skelton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-		-	-	1·65	·63	-	·05	·20	·06	1
2	-	-	.		-	.	1·08	·14	-	·02	·46	·16	2
3	-	-	·06		·08	-	·04	-	-	-	.	·22	3
4	-	-	.	·03	·12	-	-	-	-	-	·36	·24	4
5	-	-	·07	·03	·02	·06	·05	-	.	-	·25	-	5
6	-	·02	.	·11	·02	·03	-	·04	.	-	-	·02	6
7	.	·01	·04	-	·13	·10	-	-	-	.	.	·17	7
8	·40	.	·10	-	·35	·53	-	.	-	·11	-	·01	8
9	·28	-	-	-	·02	1·58	-	·02	·52	·02	·10	·03	9
10	·12	·07	.	-	-	.	-	-	·04	.	.	-	10
11	-	·14	·05	-	·22	·21	-	-	-	-	·17	·68	11
12	·04^{s}	·03	-	-	-	·05	-	-	·77	-	·01	·78	12
13	·04	·04	·17	-	-	-	-	-	-	-	·09	·42	13
14	·06	·12	-	.	-	-	·12	.	·02	·18	·06^{s}	·24	14
15	·02	-	·28	-		·02	·75	-	-	·02	·62	·01	15
16	·02	-	-	.	-	.	2·26	-	·35	·01	·27	.	16
17	·10	·06	-	.	-	-	.	-	·84	.	·01	·02	17
18	·02	·05	·11	-	-	·35	-	-	·05	.	·01	·17	18
19	.	-	-	-	-	.	·13	-	·45	.	·04	·01	19
20	·04	·15	·55	-	-	·33	·02	-	·01	·03	-	·01	20
21	·04^{s}	·41	·08	.	-	·02	·01	·02	-	·07	·10	·01	21
22	·01	·01	.	·04	·36	·06	-	-	-	·02	·07	·06	22
23	.	·01	.	·04	·42	·18	-	-	-	.	-	·05	23
24	-		-	·08	-	.	-	-	-	.	·11	-	24
25	.	·11	·02	.	-	-	-	·09	-	·31	·01	·17	25
26	.	-	·11	-	.	-	·43	·01	-	·27	·06	·16	26
27	·01	.	.	-	-	-	-	.	-	.	·17	·37	27
28	·02	.	-	-	.	-	·07	·01	-	.	·01	·06	28
29	.		·03	-	·07	-	-	·15	-	·61	·02	I	29
30	.	X	·01	·05	·01	.	·10	·08	-	·15	·13	·16	30
31	·04	X		X	·01	X		·04	X	·38	X	-	31
Total	1·26	1·23	1·68	·38	1·83	3·52	6·71	1·23	2·45	2·25	3·33	4·29	YEAR'S TOTAL 30·16
Rain Days.	16	14	14	7	13	13	13	11	9	15	23	25	173

W. 8,000. X. 14.

3694

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
5 FEB 1916

Kept at The Rectory - Skelton-in-Cleveland

in the County of York (N. Riding) 5

by Revd. H. Mackworth Drake.

Lat. Long.

Time of Observation - 9.30

Nearest Railway Station North Skelton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·15	·04		·30		·~~0~~		·10		·05	·21	1
2	·	·21	·18			·04	·05	·33	·18		·24	·03	2
3	·50		·02	·04			·34	·44			·17	·78	3
4	·16		·03		·02		·10	·02			·18	·99	4
5	·07	·02	·05	·06	·01					·10	·03	·27	5
6	·01	·31	·05		·59		1·11		·02	·08		·04	6
7	·22	·31	·12		·01		·05	·03					7
8	·03	·10				·21	·10	·26		·01	·09		8
9	·	·03					·09	·03			·02	·28	9
10	·14											·07	10
11	·03	·37	·03	·04	·67		·05	·05				·16	11
12	·08	·04		·32	·07		·14	·04		·14	·82	·08.S.	12
13	·	·26						·03				·02	13
14	·	·13			·15		·04					·02	14
15	·16	·05					·13			·30	·06	·02	15
16	·	·29					1·18	·46		·08	·12		16
17	·22	·10	·03				·11	·02	·08		·34	·01	17
18		·03	·65.S						·02	·02	·03		18
19		·01	·02.S				·16			·25	·01		19
20	·03	·		·03			·03			·15		·53	20
21	·14	·02		·11								·06	21
22	·11											·08	22
23	·16	·07		·01			·22	·04		·08	·02	·02	23
24	·01		·31	·02		·02			·41			·08	24
25						·28				·03	·29	[illegible]	25
26	·01	·01	·07.S.	·07		·08	·11		·09	·20	·07.S.	·14	26
27	·06	·14.S	·08.S						·02	·12		·24	27
28	·02	·03	·10.S.		·28			1·36	·01	·18	·05	·03	28
29	·01		·04.S.		·26		·02		·72		·06	·33	29
30	·01	✕		·13			·02	·	·18	·01		·01	30
31	·08	✕		✕		✕		·30	✕	·06	✕	·06	31
Total	2·64	2·68	1·79	·83	2·36	·63	4·05	3·41	1·83	1·81	2·65	4·56	YEAR'S TOTAL 29·24
Rain Days.	23	21	16	10	10	5	19	14	11	16	18	25	188

W. 8,000. X. 15.

3631

Exd

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 8 MAR 1917

Kept at The Rectory. Skelton-in-Cleveland
in the County of York NR
by Revd. H. Mackworth Drake

Lat. Long.
Time of Observation 9.30 a.m
Nearest Railway Station Nth Skelton
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·10		s ·16			·07	·08		~~·06~~				1
2	-	·01	s ·12						·06	·01		·02	2
3	-	·10	s ·05	·09			·04		·47	·03	·12	·02	3
4	-	·40	s ·01	·01	·80	·15			·14	·56	·21	·31	4
5	·08	·08	s ·21		·22	·05				·21	·29		5
6		·27	s ·07	·04	·31		·15			·04	·12	·03	6
7			s ·13	·02	·09	·26				·13		·18	7
8			s ·26	~~·04~~	·03	·24	·03			·1	·03		8
9			s ·07	~~·16~~	·16					·02	·01	·34	9
10	·17		s ·01	·04		·02	·15*					·21	10
11		·50	s ·68	·16	·01	·11	·18		·03			·24	11
12		·01	·42	·09	·35	·07	·51			·05		·25	12
13		·04	·16	·11	·15	·02	·06	·21	·02	·25	·01	·24	13
14		·07	·05		·03	·09		·25		·11		·41	14
15	·06	·06	·27		·		·05	·33		~~·02~~		·01	15
16		·01	·08	·08				·07		·02		·24	16
17				·12	·02			·31	·13	·09	·02		17
18		·19		·65		·04	·05	·35	·19	·06	1·64		18
19	·06	·04	·05	·29				·03	·02		·96	·11	19
20	·05		·32	·03				·16			·08		20
21		s ·30?	·07	·01			·18						21
22		s ·03		·02			·04			·04		·01	22
23	·01		·03					·06				·47	23
24		s ·02	s ·06			·23		·12		·65		·01	24
25		s ·06	·01					·11		·14	·09	·02	25
26	·14	s ·13						~~·59~~		·01	·11		26
27		s ·37	s ·03			·01		·59		·20			27
28		s ·29			·19	·03		·09	·02	·01	·24 more on month. some mistake	·09	28
29		s ·23		·01		·01				·02			29
30		✕				·12	·04	-	·11	·07			30
31		✕		✕		✕			✕	·06	✕	·01	31
Total	·67	3·21	3·32	1·77	2·36	1·52	1·56	2·68	1·19	2·18	3·93	3·22	YEAR'S TOTAL 27·61
Rain Days.	8	21	23	16	12	16	19	13	10	22	13	20	187

W. 8,000, VIII. 16

S = snow.

* away from home - mistake so put in same as Skelton Castle

27·61

The Rectory,
Skelton-in-Cleveland.

March 7th 1917

Dear Dr Mill

I do not know if this is too late to be of any use. I have compared it with Skelton Castle record & find it very difficult to account for the difference of 3 or 4 inches. Part of the monthly difference is accounted for by their counting the rain taken on March 1st as March the first's - not Feb: 28th -

I am inclined to doubt their

figures more than my article
I will only take the rain each day
but keep it to measure at
the end of the month.

Yrs faithfully

H. Mackworth. Drake.

3480

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at The Rectory Skelton-in-Cleveland

in the County of York

by Rev. H. Mackworth Drake.

Lat. Long.

Time of Observation 9.30 a.m.

Nearest Railway Station North Skelton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

12 APR 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·28^{S}		·05		·40	·25		·10		1
2	·03	·01^{S}		·32^{S}				·19	·05				2
3				·10^{S}				·06		·01	·02		3
4			·01^{S}					·02		·01			4
5			·04^{S}	·37^{S}				·03		·02			5
6			·01^{S}					·01		·07	·09		6
7	·68									·19		·02	7
8	·34			·11^{S}				1·30	·06	·39	·15		8
9	·03			·01^{S}				·41	·02	·09	·15	·04	9
10	·02		·55	·21^{S}	·09		·01	·30		·08	·36		10
11	·15	·02		·12^{S}		·01		·15		·11			11
12	1·04	·02	·02	·19^{S}	·13			·12		·82		·03	12
13	·19^{S}			·03	·07			·12	·10	·10		·04	13
14	·20^{S}		·01	·33^{S}	·69		·12	·07		·02		·07	14
15	·13^{S}		·04	·04^{S}	·02			·34				·07^{S}	15
16	·11^{S}			·17^{S}				·01				·31^{S}	16
17	·06^{S}	·01		·10^{S}	·08	·27	·02	·29				·21^{S}	17
18	·05^{S}			·07	·08		·17	·08					18
19	·19^{S}	·15	·18		·06	·19						·01	19
20	·06^{S}	·23	·14^{S}	·02		·48		·15	·10		·44		20
21	·03^{S}	·19	·14^{S}					·04				·09	21
22						·03		·02		·02			22
23	·02^{S}	·04	·13^{S}		·19			·06			·01	·01	23
24	·01^{S}	·03			·14			·02		·18	·16	·10	24
25		·04	·10^{S}			·06	·02			·04		·21^{S}	25
26			·06^{S}			·03		·45	·06		·08^{S}	·02^{S}	26
27			·13			·23	·40	·48				·04	27
28			·04			·02	·17	·74		·03			28
29			·01				·11	·34		·21			29
30	·03	✕	·03	·07			·07						30
31	·12	✕	·62^{S}	✕		✕	·04		✕		✕	·23	31
Total	3·49	·74	2·26	2·54	1·55	1·37	1·13	6·20	·64	2·39	1·56	1·50	YEAR'S TOTAL 25·37
Rain Days.	20	10	18	17	10	10	10	26	7	17	10	16	171

W. 8,000, IX. 17. S = Snow – Snow on 40 days.

→ 19.IV.17

with C's

1917

3480

The Rectory,
Skelton-in-Cleveland.

April 16th 1917

Dear Dr Mill

As you probably know we have had extraordinary weather in these parts. I think some snow has fallen each day since April 1st – we started with an average of about 18" in depth for the 1st 2 days.

Can you help me as to measurement. I have always understood that 10" of snow made about 1" of water. My measurement of snow differed vastly from the depth of snow. I concluded, all the snow could not have got into the gauge.

but on the 10th when the average
new fall was 4½" & the guage
said ·21 I carefully took in the
5" receptacle 4½ of snow – & to
my astonishment it melted to
exactly ·21.
(The encyclopaedia gives 1' of snow
to 1" water)
Curiously enough my first 2 takings
when I thought there must have
been about 18" of snow came to
·90 not far off the same proportion
as 4½" to ·21.
Perhaps a "summer time" snow lies
lighter!
The castle is wildly different from mine!
& from obvious observation not correct on the
1st day at any rate – & think I am wrong the 2nd day
when the wind was strong.

Yrs truly
H. Mackworth. Drake

T × ML

82

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
3 · 3 · 19

Kept at The Rectory - Skelton-in-Cleveland
in the County of York N.R.
by Rev H. Mackworth Drake

Lat. Long.
Time of Observation 9·30
Nearest Railway Station Wn Skelton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04^{S}		·02		·03		·24	·02	·23	·04	1
2	·05	·03		·13					·01			·13	2
3	·02		·05		·04			·07		·01	·31		3
4			·11		·16				·02	·01	·13	·06	4
5			·04	·01	·20					·01			5
6	·02	·27		·72				·80		·15			6
7	·08			·02	·01	·16				·02	·13		7
8		·02	·12				·42		·03	·03			8
9	·01	·23		·04			·15		·77	·09		·01	9
10				·03			·06		·07				10
11	·12^{S}	·05	·04	·04	·18		·08					·03	11
12		·10	·09	·03	·02		·94		·22	·20		·02	12
13		·02		·08	·08				·14	·05			13
14				·04		·01	·06		·47			·02	14
15			·02	·04			·28		·90			·88	15
16	·13^{S}		·02			·05	·26	·17	·24			·14	16
17	·04				·26	·02	·32	·01		·41		·12	17
18	·40		·09	·20^{S}			·34		·50	·15		·13	18
19	·12			·07^{S}			·23	·14	·09	·35		~~·27~~	19
20	·03	·42	·02	·13^{S}		·03	·94			·12		~~·05~~^{S}	20
21	·08				·28		·09		·04	·20			21
22				·06	·07		·03					·27	22
23	·05				·39		·19		·10			·05^{S}	23
24		·07							·13	·02		·04^{S}	24
25				·02		·03	·03	·04	·01		·04		25
26							·05	·16	·26	·01			26
27		·03	·04			·15		·40	·23		·02	·07	27
28		·06	·36									·38	28
29			·02					·01	·17		·06	·11	29
30		✕	·02					·03	·07		·02	·29	30
31		✕	·13	✕		✕			✕		✕	·05	31
Total	1·15	1·30	1·21	1·66	1·71	·45	4·50	1·83	4·71	1·85	·94	2·84	YEAR'S TOTAL 24·15
Rain Days.	13	11	16	16	12	7	18	10	21	17	8	19	168

W. 6,500, VII. 18. W W C

S (= snow) on 8 days

3312

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Rectory - Skelton-in-Cleveland
in the County of York
by Rev H. M. Drake

Lat. 54½ N Long. 1 W.
Time of Observation 9·30
Nearest Railway Station North Skelton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·03	·01		·22		·43		·23	·03	·11	·01	1
2	·09	·03			·02		·55		·06		·10		2
3	·73	·10 s	·43 s	·07	·16	·04	·01		·21		·22	·03	3
4	·27	·02 s			·08	·03	·03	·05			·17		4
5	·32		·21			·01	·02				·03		5
6			·30							·15	·17	·15	6
7	·08				·06						·05	·29	7
8	·17		·08	·01	·05					·05	·21	·09	8
9			·01							·20	·29 s		9
10			·74							·13	·16 s	·01	10
11			·33	·01	·06		·22		·11	·10	·12 s		11
12			·16				·01			·20	·21 s		12
13	·03		·01	·05		·16	·11	·16		·17	·25 s		13
14	·13		·08 s	·22				·04		·06			14
15	·02	·13		·12				·01		·01	·04 s	·55	15
16		·02									·01		16
17		·01		·01	·09	·01		·01			·01		17
18								·29	·01		·01	·05	18
19	·01	·16	·26	·01			·37	·03	·10 s			·01	19
20	·20	·15				·04	·02	·02	·06 s			·18	20
21	·05	·13	·07 s					·03	·03		·01	·06	21
22		·22	·03 s				·17	·03	·01			·06	22
23			·05 s	·09		·25	·01	·02		1·01			23
24				·02		·05	·03			1·20	·04		24
25		·14		·03	·01	·09		·47		·03	·08		25
26	·12 s	·30	·09	·04		·01		·22	·01	·20	·11	·34	26
27	·02	·01		·67			·08			·60	·16		27
28	·23			·02			·07	1·18		·26	·10	·11	28
29			·01 s	·03		·11				·96	·01	·16	29
30	·09 s		·02 s	·22		·44		·02		·26	·02	·11	30
31	·08 s		·06 s				·15			·19		·09	31
TOTAL	2·66	1·45	2·92	1·62	·75	1·24	2·28	2·58	·83	5·81	2·69	2·30	YEAR'S TOTAL 27·13
Days with ·01 in. or more	18	14	19	16	9	12	16	15	10	19	25	17	190
SNOW	3	2	8	-			-	-	2		6		21

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SKIPTON URBAN DISTRICT COUNCIL.

TELEPHONE Nº 51.

ARTHUR E.W. ALDRIDGE,
Surveyor and Waterworks Engineer.

OFFICE HOURS. 9 A.M. TO 10-30 A.M.

*Town Hall,
Skipton.*

5 JUL 1911

9

July 4th 1911.

Dr. Mill,
62 Camden Square,
LONDON N.W.

Dear Sir.,

Enclosed is register of rainfall taken at Embsay Moor for 1910.

Owing to the distance from my Office to the gauge only occasional readings were taken as shewn.

I have now readings taken every day according to your directions, so for 1911 I hope to forward you a complete list .

Yours faithfully,

Arthur E W Aldridge

Engineer & Surveyor .

SKIPTON

TOWN HALL

1911 - 1920

REGIS

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Skipton T

in the County of WR York

by Arthur E W Aldred

in.

round ft. 9" in.

ea Level 364 ft.

ame Skipton

istance 933 yds Direction SW

IMPORTANT NOTE.— he result entered to the previous day. If an Observ rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	·00	·25	·03	·00	·00	·06	·00	·00	0·00	·14	·00	1
2	·00	·00	·38		·00	·00	·00	·07	·00	·00	·15	·00	2
3	·23	·00	·01	·00	·15	·00	·06	·00	·00	·06	·09	·00	3
4	·02	·00	·16	·00	·39	·00	·00	·03	·00	·00	·31	·16	4
5	·01			·03	·03	·00	·00	·20	·06	·04	·75		5
6	·09	·00	·12	·14	·00	·00	·00	·50	·00	·01	·12		6
7	·46	·00	·00	·02		·00	·00	·31	·00	·05	·34	·71	7
8	·04	·00	·00	·00	·00	·00	·00	·00	·00	·00	·15	·00	8
9	·06	·00	·12		·00	·00	·00	·00	·00	·00	·02	·67	9
10	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·06		10
11	·16	·05	·03	·00	·00	·00	·00	·01	·00	·00	·00	·79	11
12	·09			·00	·00	·00	·00	·05	·00	·00	·39	·15	12
13	·03	·00	·19	·00	·00	·00	·00	·00	·93	·00	·36	·00	13
14	·00	·00	·02	·00		·00	·00	·00	·00	·00	·11	·47	14
15		·25	·03	·00	·30	·00	·00	·00	·00	·00	·02	·30	15
16	·04	·21	·14		·00	·00	·00	·04	·00	·05	·38	·31	16
17	·00	·59	·09	·04	·00	·10	·06	·00	·00	·03	·24	·17	17
18	·01	·01	·08	·00	·75	·52	·03	·00	·00	·00	·13	·07	18
19	·00			·00	·00	·15	·00	·00	·00	·00	·00	·08	19
20	·00	·48	·20	·03	·00	·00	·23	·00	·32	·11	·25	·16	20
21	·00	·06	·00	·17		·01	·24	·29	·17	·03	·00	·16	21
22		·64	·00	·01	·00	·00	·06	·10	·08	·10	·00	·10	22
23	·12	·04	·00		·00	·04	·00	·01	·00	·26	·04	·00	23
24	·00	·46	·00	·00	·08	·47	·00	·00	·07	·26	·00	·18	24
25	·09	·07	·00	·11	·00		·00	·01	·00	·10	·00	·07	25
26	·01			·10	·00	·89	·00	·00	·61	·05	·26	·15	26
27	·00	·49	·00	·20	·03	·00	·00		·02	·96	·00	·27	27
28	·04	·24	·04	·23		·00	·00	·43	·33	·00	·00	·05	28
29			·00	·15	·00	·18	·00	·00	·22	·00	·02	·30	29
30	·00		·00		·00	·21	·00	·10	·44	·53	·01	·10	30
31	·00		·00	·22	·02			·00		·27		·00	31
Total	1·61	3·59	1·86	1·48	1·75	2·57	0·74	2·11	3·25	2·91	4·33	5·42	TOTAL for year 31·62
No. of Rain Days.	17	13	15	14	8	9	7	13	11	16	22	21	166

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Skipton Town Hall Yard

in the County of WR York 9

by Arthur E W Aldridge Surveyor Skipton

RAIN GAUGE
Pattern Circular
Diameter of top 8 in.
Height of top above Ground — ft. 9" in.
" " " Sea Level 364 ft.

Time of Observation

Nearest Railway Station
Name Skipton
Distance 933 yds Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·00	·25	·03	·00	·00	·06	·00	·00	0·00	·14	·00	1
2	·00	·00	·38		·00	·00	·00	·07	·00	·00	·15	·00	2
3	·23	·00	·01	·00	·15	·00	·06	·00	·00	·06	·09	·00	3
4	·02	·00	·16	·00	·39	·00	·00	·03	·00	·00	·31	·16	4
5	·01			·03	·03	·00	·00	·20	·06	·04	·75		5
6	·09	·00	·12	·14	·00	·00	·00	·50	·00	·01	·12		6
7	·46	·00	·00	·02		·00	·00	·31	·00	·05	·34	·71	7
8	·04	·00	·00	·00	·00	·00	·00	·00	·00	·00	·15	·00	8
9	·06	·00	·12		·00	·00	·00	·00	·00	·00	·02	·67	9
10	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·06		10
11	·16	·05	·03	·00	·00	·00	·00	·01	·00	·00	·00	·79	11
12	·09			·00	·00	·00	·00	·05	·00	·00	·39	·15	12
13	·03	·00	·19	·00	·00	·00	·00	·00	·93	·00	·36	·00	13
14	·00	·00	·02	·00		·00	·00	·00	·00	·00	·11	·47	14
15		·25	·03	·00	·30	·00	·00	·00	·00	·00	·02	·30	15
16	·04	·21	·14		·00	·00	·00	·00	·00	·05	·38	·31	16
17	·00	·59	·09	·04	·00	·10	·06	·00	·00	·03	·24	·17	17
18	·01	·01	·08	·00	·75	·52	·03	·00	·00	·00	·13	·07	18
19	·00			·00	·00	·15	·00	·00	·00	·00	·00	·08	19
20	·00	·48	·20	·03	·00	·00	·23	·00	·32	·11	·25	·16	20
21	·00	·06	·00	·17		·01	·24	·29	·07	·03	·00	·16	21
22		·64	·00	·01	·00	·00	·06	·10	·08	·10	·00	·10	22
23	·12	·04	·00		·00	·04	·00	·01	·00	·26	·04	·00	23
24	·00	·46	·00	·00	·08	·47	·00	·00	·07	·26	·00	·18	24
25	·09	·07	·00	·11	·00		·00	·01	·00	·10	·00	·07	25
26	·01			·10	·00	·89	·00	·00	·61	·05	·26	·15	26
27	·00	·49	·00	·20	·03	·00	·00		·02	·96	·00	·27	27
28	·04	·24	·04	·23		·00	·00	·43	·33	·00	·00	·05	28
29			·00	·15	·00	·18	·00	·00	·22	·00	·02	·30	29
30	·00		·00		·00	·21	·00	·10	·44	·53	·01	·10	30
31	·00		·00	·22	·02			·00		·27		·00	31
Total	1·61	3·59	1·86	1·48	1·75	2·54	0·74	2·11	3·25	2·91	4·33	5·42	TOTAL for year 31·62
No. of Rain Days.	17	13	15	14	8	9	7	13	11	16	22	21	166

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

17 JAN 1913

Kept at Skipton (Town Hall)

in the County of W. R. Yorkshire. W. 9

by

Lat. 2° Long. 54°

Time of Observation 9 a.m.

Nearest Railway Station Skipton.

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.00	0.00	0.10	0.00	0.00	0.16	0.19	0.07	0.33	0.01	0.00	0.43	1
2	0.05	0.14	0.40	0.02	0.04	0.11	0.28	0.00	0.04	0.00	0.00	0.00	2
3	0.15	0.00	0.10	0.00	0.00	0.67	0.00	0.44	0.55	0.00	0.00	0.08	3
4	0.46	0.00	0.55	0.21	0.02	0.56	0.00	0.80	0.10	0.00	0.18	0.00	4
5	0.14	0.00	0.10	0.02	0.34	0.87	0.00	0.07	0.00	0.00	0.03	0.00	5
6	0.59	0.18	0.06	0.00	0.03	0.01	0.00	0.81	0.00	0.00	0.00	0.00	6
7	0.00	0.10	0.03	0.00	0.03	0.00	0.02	0.18	0.10	0.00	0.13	0.00	7
8	0.31	0.18	0.17	0.15	0.10	0.07	0.08	0.00	0.08	0.00	0.05	0.01	8
9	0.43	0.14	0.08	0.24	0.00	0.30	0.00	0.00	0.00	0.00	0.04	0.07	9
10	0.08	0.00	0.00	0.03	0.00	0.68	0.00	0.00	0.00	0.00	0.40	0.00	10
11	0.13	0.09	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.04	0.50	11
12	0.08	0.08	0.02	0.00	0.00	0.79	0.52	0.03	0.00	0.00	0.00	0.18	12
13	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.05	0.01	0.17	0.15	0.57	13
14	0.27	0.00	0.36	0.00	0.00	0.23	0.00	0.04	0.00	0.00	0.00	0.56	14
15	0.29	0.11	0.02	0.00	0.33	0.24	0.00	0.00	0.00	0.00	0.00	0.14	15
16	0.48	0.00	0.11	0.00	0.00	0.12	0.00	0.02	0.00	0.09	0.00	0.16	16
17	0.07	0.02	0.13	0.00	0.00	0.52	0.00	0.37	0.00	0.00	0.12	0.64	17
18	0.08	0.01	0.00	0.00	0.00	0.14	0.00	0.09	0.00	0.26	0.02	0.07	18
19	0.11	0.16	0.32	0.00	0.00	0.04	0.01	0.27	0.00	0.31	0.08	0.00	19
20	0.25	0.00	0.10	0.00	0.47	0.00	0.00	0.05	0.00	0.42	0.07	0.02	20
21	0.00	0.00	0.18	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.01	0.10	21
22	0.03	0.15	0.00	0.00	0.40	0.19	0.02	0.44	0.00	0.00	0.00	0.00	22
23	0.00	0.00	0.20	0.00	0.00	0.04	0.18	0.55	0.00	0.00	0.30	0.00	23
24	0.18	0.00	0.08	0.00	0.02	0.04	0.03	0.06	0.00	0.24	0.22	0.10	24
25	0.00	0.00	0.05	0.00	0.00	0.35	0.25	0.00	0.00	0.00	0.47	0.22	25
26	0.00	0.15	0.09	0.00	0.00	0.03	0.28	0.13	0.00	1.35	0.35	0.31	26
27	0.00	0.12	0.17	0.00	0.00	0.36	0.31	0.00	0.00	0.30	0.00	0.25	27
28	0.00	0.00	0.01	0.00	0.00	0.25	0.30	0.74	0.04	0.37	0.13	0.05	28
29	0.00	0.04	0.10	0.00	0.09	0.17	0.32	0.15	0.53	0.16	0.00	0.08	29
30	0.00		0.21	0.00	0.09	0.00	0.01	0.01	0.01	0.00	0.00	0.02	30
31	0.00		0.13		0.08		1.38	0.34		0.00		0.08	31
Total	4.17	1.67	3.90	0.67	2.20	6.42	4.18	5.71	1.79	3.67	2.79	4.64	YEAR'S TOTAL 41.81
Rain Days.	19	15	27	6	15	24	16	22	10	11	18	22	205

W. 7,500, XI. 12

H S. made

Cor by md. g. by totals 8.V.14

4358

BRITISH RAINFALL. FORM A.

31 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Shipton Town Hall check g.

in the County of W. R. York W-9

by A. G. H. Aldridge

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·27	·02	·22	·15							·05	·01	1
2		·22	·63	·03		·13					·31	·11	2
3	·03	·23	·34		·45		·01			·01	·06	·13	3
4	·30	·11	·09		·02		·02		·01		·08	·20	4
5	·21	·08	·06		·01	·15	·12	·01	·01	·01		·02	5
6	·03	·31	·27		180	~~·15~~ ·04	·37			·03	·02		6
7		·27	·06		·26	·24	·04			·45			7
8		·09			·38	·02		·05			·14	·04	8
9		·19	·35		·23	·37	·005	·32			·07	·15	9
10		·01	·23	·11			·005		·01		·05		10
11				·45		·08				·05	·11	·04	11
12	·42						·01	·02	·09		·36		12
13			·31	·01					·31	·02	·11		13
14	·26		·16	·16			·005			·12	·06		14
15	·29		·58	·61					·04		·48	·08	15
16			·11	·09			·01				·27		16
17			·01	·05	·03	·06	·09		·09		·15		17
18	·07		·43	·25	·03	·08	·03				~~·20~~ ·29		18
19	·29		·06	·08		·03			·05	·07	·20		19
20	·15		·11	·08						·21	·62		20
21		·01	·02		·09		·12	·31					21
22	·21		·52		·04			·38	·06				22
23	·24		·04		·12	·23		·20	·19		·08	·03	23
24	·38					·29					·01	·01	24
25		·03		·03					·53	·02	·02	·35	25
26			·11	·41					·18	·09		·69	26
27				·15						·23		·22	27
28	·36		·14	·30						·01	·01	·05	28
29	·02		·39	·34	·06			·22		·01	·09		29
30	·55		·01		·03					·30	·04		30
31	·17		·05		·12								31
Total	4·25	1·57	5·30	3·30	2·67	1·72	·835	1·51	1·57	1·63	3·68	2·13	YEAR'S TOTAL 30·165
Rain Days.	18	~~11~~ 12	25	17	~~16~~ 15	12	13	8	12	15	24	15	186

W. 7,500, XI. 12

Cor. for with Hy recorder sheets. 4.V.14.

REGISTER OF RAINFALL IN 19/13.

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

W 9

Kept at Town Hall Skipton

in the County of Yorkshire

by Arthur E. W. Aldridge.

Lat. 50° - 57' - 43" Long. 2° - 0' - 44·4"
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 6 ~~8~~" diam Hyetograph
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·77	·00	·22	·15				—	—	—	·05	·01	1
2	—	·22	·63	·03		·14		—	—	—	·31	·11	2
3	0·03	·22	·345		·44		·01	—	—	·01	·06	·13	3
4	0·30	·58 ·08	·085		·02		·01	—	·01	—	·08	·19	4
5	·21	·06 ·08	·06		·01	·15	·12	·02	·01	·01	—	·02	5
6	·02	·30	·285		·80	·04	·38	—	—	·03	·02	—	6
7	—	·28	·06		·26	·24	·045	—	—	·45	—	—	7
8	—	·07 ·04			·38	·02	—	·06	—	—	·14	·02	8
9	—	·18	·36		·23	·37	·005	·34	—	—	·07	·13	9
10	—	·00	·24	·11			·005	—	·01	—	·05	—	10
11	—			·44		·075	—	—	—	·04	·12	·03	11
12	·70				·01		·01	·02	·09	—	·36	—	12
13	—		·32	·01			—	—	·31	·02	·11	—	13
14	0·10		·17	·17			·005	—	—	·12	·06	—	14
15	·15		·56	·625			—	—	·04	—	·47	·06	15
16	—		·10	·08			·02	—	—	—	·26	—	16
17	—	·008	·01	·04	·03	·065	·08	—	·09	—	·15	—	17
18	0·06		·43	·25	·03	·08	·03	—	—	—	·29	—	18
19	·29	—	·07	·07		·04	—	—	·05	·07	·20	—	19
20	·14		·11	·08			—	—	—	·21	·61	—	20
21	—	·01	·025		·09		·13	·32	—	—	—	—	21
22	·21		·53		·04		—	·39	·06	—	—	—	22
23	·23		·04		·12	·22	—	·21	·20	—	·07	·03	23
24	·38					·30	—	—	—	—	·01	·02	24
25	—	·02		·03			—	—	·55	·02	·02	·34	25
26	—		·10	·40			—	—	·19	·09	—	·65	26
27	—			·15			—	—	—	·23	—	·22	27
28	·34		·145	·30			—	—	—	·01	·01	·05	28
29	·01		·40	·36	·06		—	·23	—	·01	·09	·00	29
30	·54		·01		·03		—	—	—	·30	·03	·00	30
31	·18		·04		·13		—	—		—		·00	31
Total	4·16	1·438	5·345	3·295	2·68	1·74 ~~1·50~~	·850 ~~·820~~	1·58	1·61	1·62	3·64	2·01	YEAR'S TOTAL ~~29·698~~ 29·968
Rain Days.	18	11	25	17	16	12	12 ~~13~~	8	12	15	24	15	~~186~~ 185

185

W.7,000, XI. 13

Tomlins.

Ex(M'C.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

25 MAR 1915

Kept at Town Hall, Skipton Check'd.

in the County of W.R. Yorkshire WR 9

by A. E. W. Aldridge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·05	-	-	-	·97	·09	-	·01	-	·38	1
2	-	-	·03	·02	-	-	·19	·73	-	·05	·29	·10	2
3	·15	-	·23	-	·44	-	-	·07	-	-	-	·84	3
4	·35	-	·25	·23	·13	-	-	-	-	-	·10	·67	4
5	·11	-	·52	·13	·01	·07	-	-	-	·01	·35	·27	5
6	-	-	·24	·21	·11	-	-	-	-	-	·05	·07	6
7	·08	·01	·19	·19	·14	-	-	·02	-	-	·01	·28	7
8	·88	-	·05	-	·18	·24	-	·25	-	-	·01	·23	8
9	·40	·17	-	·06	-	·95	-	·21	-	-	·13	-	9
10	·02	·06	-	·01	·03	-	-	-	·03	-	·33	-	10
11	-	·13	·25	-	·05	-	·02	-	·07	-	·79	·56	11
12	-	·20	·07	-	·01	-	·14	-	·39	-	·23	·55	12
13	-	·35	·16	·02	-	-	·04	-	·03	-	·30	·36	13
14	·05	·66	·10	-	-	-	·09	-	·06	-	-	·49	14
15	-	-	·38	-	-	-	-	-	·16	-	·59 s.	·03	15
16	-	-	·02	-	-	-	·92	-	·66	-	-	-	16
17	·06	·33	·11	-	-	-	·06	-	·28	-	-	·43	17
18	-	·12	·07	-	-	·07	-	-	-	·01	-	·09	18
19	-	·09	·15	-	-	-	·08	-	·06	-	·03	·15	19
20	·01	·11	·06	-	-	·03	-	·01	-	-	-	·03	20
21	-	·48	-	-	-	·45	-	·20	-	·08	-	·06	21
22	-	·22	-	-	·16	·28	-	·03	-	·11	-	·02	22
23	-	-	·10	·08	·19	·09	·03	-	-	-	-	·01	23
24	·04	-	·30	·04	·62	·02	·14	·30	-	-	·12	-	24
25	·05	-	-	-	-	-	-	·30	-	·72	·04	·43	25
26	·01	-	·09	-	-	-	-	·01	-	·21	·34	·29	26
27	·03	-	-	-	-	-	-	-	-	·17	·58	·59	27
28	·06	·18	·03	-	-	·02	-	-	-	·02	·29	·03	28
29	·05		·09	-	·08	-	-	·02	-	·32	·15	-	29
30	·07		·46	-	-	-	-	·07	-	·15	·26	·15	30
31	·42		·10		-		·42	-		·29		-	31
Total	2·84	3·11	4·10	·99	1·65	2·22	3·10	2·31	1·74	2·15	4·96	7·11	YEAR'S TOTAL 36·28 ✓
Rain Days.	18	14	25	10	13	10	12	14	9	13	20	25	183 ✓

W. 8,000. X. 14.

cnd [illegible] 15·11·16

3494

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

2 JAN 1916

Kept at Town Hall, Skipton R

in the County of Yorks. 9

by Arthur E. W. Aldredge,
Engineer & Surveyor.

Lat. 50° 57′ 43″ Long. 2° - 0′ w 4

Time of Observation 9 a.m.

Nearest Railway Station Skipton.

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 364 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·49	·35	—	—	·38	—	·01	·20	·04	—	—	—	1
2	—	·42	·22	·19	—	·04	·19	·33	—	—	—	—	2
3	·51	—	·05	·17	—	—	·25	·23	—	—	—	·55	3
4	—	·15	—	—	·06	·03	·11	—	—	—	—	·66	4
5	·25	·17	·14	—	·03	·01	—	·01	—	—	—	·63	5
6	·26	·25	·15	·20	—	—	·50	05	—	—	—	·35	6
7	·64	·65	—	·29	—	—	·43	·31	—	—	—	·38	7
8	·18	·22	—	·14	—	—	·48	·08	—	—	·29	·38	8
9	—	·05	—	—	—	—	—	·04	—	·03	·23	·15	9
10	·42	—	·02	·01	—	—	—	·30	—	·04	—	·09	10
11	·11	·03	·01	—	·74	—	·04	·34	—	—	·06	·35	11
12	·18	·01	—	·19	·02	—	·24	06	—	·15	·78	—	12
13	·18	·40	—	·03	—	—	—	—	·10	—	—	—	13
14	·10	·02	—	—	·13	—	·16	·10	·03	—	—	·10	14
15	·94	—	—	·02	—	—	·04	·21	·05	—	·24	·16	15
16	—	·54	—	—	·10	—	·50	·74	—	—	—	·01	16
17	—	·30	·02	—	—	—	·02	—	—	—	—	—	17
18	—	·24	·38	—	—	—	—	—	—	·03	—	—	18
19	—	·03	·03	·06	·03	—	·19	—	—	—	—	—	19
20	·20	·02	—	—	·13	—	·10	—	—	—	—	·32	20
21	·05	·08	—	·01	—	—	·04	—	—	—	—	·08	21
22	·02	·02	·06	·03	—	—	·05	—	—	—	—	·06	22
23	—	·02	·13	—	—	—	·15	—	·03	·09	—	·12	23
24	—	—	·06	·02	—	—	—	—	·53	·02	—	·41	24
25	—	—	—	—	—	—	·05	—	·02	—	—	·14	25
26	·02	·25	—	—	—	06	·19	—	—	—	—	·48	26
27	—	·07	—	—	—	—	·06	—	—	·49	—	·28	27
28	—	·20	·01	—	·04	·99	—	·32	—	·10	—	·05	28
29	—	—	—	—	·10	·10	—	—	—	—	·07	·44	29
30	—	✕	—	·17	—	·47	—	—	—	—	—	—	30
31	·20	✕	—	✕	—	✕	02	·27	✕	·09	✕	·23	31
Total	4·75	4·49	1·28	1·53	1·76	1·70	3·82	3·59	·80	1·04	1·67	6·42 6·49	YEAR'S TOTAL 32·85 ~~32·62~~
Rain Days.	17	23	13	14	11	7	22	16	7	9	6	23	168

W. 8,000. X. 14.

3418

FORM A.
BRITISH RAINFALL.
15. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Town Hall, Skipton

in the County of Yorks. WR

by A. E. W. Aldridge. Engineer & Surveyor.

Lat. 50° 57' 43" Long. 2° 0' 44.4"

Time of Observation 9 o'clock

Nearest Railway Station Skipton Mid

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.64	.03	.03	—	—	.03	.41	—	—	—	.01	—	1
2	.11	.07	03	—	—	02	—	—	.21	.14	.03	—	2
3	—	.14	.01	.03	—	.01	.20	—	1.09	.11	.30	—	3
4	.10	.28	—	—	.50	.66	—	.01	.58	.75	.28	—	4
5	.06	.34	—	—	.03	.42	—	—	—	1.16	.56	—	5
6	.49	.55	.02	.01	.26	.01	.08	—	—	.16	.21	02	6
7	.08	.07	.11	—	.16	.01	.35	—	—	.48	.02	25	7
8	—	.09	.11	—	.01	.04	—	—	—	.03	.26	05	8
9	.04	.03	.09	—	.46	.20	.02	—	.01	—	.16	35	9
10	.06	—	—	.11	—	.25	.04	—	—	.65	.06	01	10
11	.04	.38	.22	.29	.02	.01	.09	—	.08	.10	.01	08	11
12	.09	.11	.21	.10	26	—	.53	03	—	11	.03	.02	12
13	—	—	.11	—	.01	—	—	.31	—	.79	.02	.08	13
14	.01	.17	—	14	.19	—	—	40	.01	.18	—	—	14
15	.02	.40	.55	03	—	—	.11	1.64	.02	.02	—		15
16	—	.24	51	.15	—	—	.06	.30	—	.02	—	—	16
17	.06	25	—	.44	—	—	.09	—	.23	.23	—	—	17
18	—	(43)	—	.02	—	—	.02	.28	.25	.13	.61	02	18
19	.29	—	.30	.28	—	—	—	.06	.01	—	.31	.15	19
20	.30	—	.05	.04	—	—	.03	.07	—	—	.04	.13	20
21	.34	—	—	—	.01	—	—	—	—	—	—	—	21
22	—	.10	—	—	—	.09	—	—	—	22	.15	.01	22
23	.06	.09	.03	14	—	—	—	—	—	.08	06	.18	23
24	—	.05	.12	.02	—	.14	—	.21	—	.02	.20	.13	24
25	.03	.04	.24	—	.07	.01	—	.46	—	.10	.01	.07	25
26	.06	.09	.26	—	—	.02	.18	.04	—	.03	—	—	26
27	—	.18	.02	—	—	—	—	.10	—	.42	—	—	27
28	—	.14	.03	—	—	.01	—	—	—	.76	01	.53	28
29	—	.19	—	—	—	.18	—	—	—	.30	—	.31	29
30	—	X	—	—	—	—	.02	—	—	.91	—	.12	30
31		X		X	.03	X		.04	X	.25	X	.20	31
Total	2.94	4.49	3.08	1.83	2.01	2.11	2.23	3.95	2.49	8.15	3.34	2.41	YEAR'S TOTAL 39.38
Rain Days.	19	24	20	14	13	17	15.	14	10	26	21	19	212

W. 8,000, VIII. 16

3275

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL.

Kept at Town Hall Skipton
in the County of Yorks.
by A. E. W. Aldridge
Engineer.

Lat. 50° 54' 43" Long. 2° 0' 44·4"
Time of Observation 9 a.m.
Nearest Railway Station Skipton Mid
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 364 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·39		·12			1·00		·21	·33	1
2	·43			·21		·04		·02	·01	·06			2
3	·09	·05				·24				·24	·04		3
4			·10							·21			4
5	·30		·18	·03						·04	·13	·02	5
6				·05		·05				·33	·40	·10	6
7	·45					·12				·41	·02	·05	7
8	·46			·21				1·93	·01	·50	·14	·04	8
9	·02			·08				·18		·08	·57	·15	9
10	·22		·96	·18	·15			·05		·01			10
11	·01			·19	·02					·22			11
12			·01	·02	·31	·01		·50	·01	·78			12
13	·06			·20	·02	·02		·16	·41	·02		·16	13
14	·16			·15				·50				·24	14
15	·05			·02	·02		·44	·05	·07	·04		·12	15
16	·03	·01	·03	·16			·05	·18	·05			·26	16
17		·10	·13	·20	·35		·06	·43		·12		·28	17
18			·02	·03	·06		·47	·18	·50		·03		18
19	·04	·18	·31		·29	·08							19
20	·03	·18	·01		·15	·23		~~·01~~	·11		·08		20
21		·03	·04		·08			·21		·04			21
22			·03			·08			·07	·17	·01		22
23		·02			·31	·41	·03	·38	·06	·02	·10		23
24						·04		·15		·55	·46	·03	24
25		·03	·04				·02	·03		·38	·02		25
26						·11	·01	·50	·15	·31	·20		26
27						·20	·47	·44		·14	·07	·10	27
28			·32					·26			·05		28
29							·14			·35	·13	·02	29
30	·02	X	·22							·06	·16		30
31		X		X		X		·09	X		X	·03	31
Total	2·39	·60	2·40	2·12	1·76	1·45	1·42	6·54	2·45	5·08	2·85	1·93	YEAR'S TOTAL 31·59
Rain Days.	16	8	14	15	11	14 ~~13~~	9	19	12	23	18	15	17~~3~~4

W. 8,000. X. 15.

Exd 248

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL

Kept at Town Hall, Skipton,
in the County of Yorkshire W
by A E W Aldridge, Engineer.

Lat. 50° 57' 43" Long. 2° 0' 4~~4~~3"
Time of Observation 9 a.m
Nearest Railway Station Skipton Midland
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		18	·03	·01	·10				·30	07	·32	·19	1
2		·10	·02	07	·30				·26	·01		·18	2
3								·02		·28	·02	·02	3
4					·18			·09	·69	·24	·31	·13	4
5	·02	~~46~~	·04	·10	·10			·93	·06	·36	·14	·01	5
6	·10	·96		·35		·11		·15		·21		·65	6
7		·24		·16					·36	·28	·26		7
8	·01	·18	·08				·14	·04	·14	·04	·06		8
9	·32	·63	·02	·07		·11	·01		1·10	·20	·19	·06	9
10	·01	1·08							·31	·07	·20	·03	10
11	·28	·11			·05		·19	·01	·27			·17	11
12		·21		·03	·10				·08			·12	12
13					·10	·01			·28	·24			13
14	·44			·02		·07	·07		28	·03		·12	14
15						·10	·61		1·15			·63	15
16						·28	·20	·09	·43			·22	16
17	·10				·09	·07	·28	·06	·04	·39		·19	17
18	·91		·10			·05	·21		·39			·30	18
19	·28	·02	·12	·06			·35	17	·46	·11		·70	19
20	·09	·60		·11		·02	·83		·23			·60	20
21	·23	·37			·04	·13			·44	·15			21
22	·08	·05			·38	·07	·11	·04	·18			·91	22
23	·04	·01			·46		·17		·14		·03	·05	23
24	·02	·12					·52	·04	·07		·03	·01	24
25						·34	·20	·67	·10				25
26		·04					·12	·04	·50	·01	·07	·07	26
27		·17	·26					·34	·28	·02	·10	·36	27
28		10	·36					·05	·21		·03	·61	28
29									·19		02	·69	29
30		X	·22					·12		·01		·10	30
31		X	·18	X		X		·07	X		X		31
Total	2·93	5·17	1·43	·98	1·90	1·36	4·01	2·93	8·94	2·72	1·78	6·52	YEAR'S TOTAL 40·67
Rain Days.	15	18	11	10	11	12	15	17	27	18	14	25	193

W. 6,500, VII. 18. w w c

Exd L 3102

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Town Hall Skipton
in the County of Yorkshire
by A E W Aldridge, Engineer.

Lat. 50° 57′ 43″ Long. 2° 0′ 44·4″
Time of Observation 9 . a m .
Nearest Railway Station Skipton .
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·83		·06		·25		·27		·21	·23	·03	·07	1
2	·17	·01	·19		·04		·11	02	·04	—	·02	·09	2
3	·12				·06	·10	·21		—	—	·11	·50	3
4	·42	·01	·08		·06	·02	·02	·06	—		·06	·08	4
5	·08	·06	·25						·03		·02	·30	5
6	·02		·34		·67		01			·02	·01	·25	6
7	·03		·11		·03					·02	·05		7
8	·20		·01	·05	·02	·05		04					8
9	·72		·06			·06					02		9
10			·89	·06	·08						·02	·29	10
11			·80	·07	·02		·04			·02	·05		11
12			·25	·13		·10	·08		·02	·06	·05		12
13	·17			·25			·05			·32	·27	·02	13
14	·22			·33			·01	·10		·01			14
15	·20	·11	·04	·11				·03			·02	37	15
16	·10	·46									·15		16
17		·05			·02	·04		·13			55		17
18	·02	—	·12				·05	·16	·19		·02	·27	18
19	·02	·20	·64			·07	·35	·10			·24		19
20	·43	·12				22	·30	·07			·19	·36	20
21	·09	·19				·01	·07				·02	·26	21
22		·22				·03		·14	·31		·05	·34	22
23						03				85	07	·12	23
24				09		·04			·22	·06	·25	20	24
25	·09	·02		·27	·04	·09		·59	·03		10	·10	25
26	·11	·02	·65	·01		·04		·27	·12		·09	·46	26
27	·26			·15							·06	·07	27
28				·11				·58		·23		·42	28
29	·07							·03		·55		·24	29
30		X		·04		·12		·14		·13	·08	·21	30
31		X	·10	X		X	·22		X	·02	X	·06	31
Total	4·37	1·47	4·59	1·67	1·29	1·02	1·79	2·46	1·17	2·52	2·60	5·08	Year's Total 30·03
Days with ·01 in. or more	21	12	16	13	11	15	14	15	9	13	26	22	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WRA 2587

JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Town Hall Skipton

in the County of Yorkshire

by A. E. W. Aldridge

Lat. 53° 57′ 43 Long. 2° 0′ 44″

Time of Observation 9 am

Nearest Railway Station Skipton Mid

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ „ „ „ Sea Level 367 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·06	·22	·36		·34	·12	·05	·06	·07	·08	1
2			·03	·06	·04		·29	·04	·24	·35		·42	2
3		·03		·02	·13		·03	·20	·13	·24		·27	3
4				·03	·01		·27	·79	·03	·69		·05	4
5			·04		·21		·02	·09	·08	·41			5
6			·20	·16	·20		·06					·09	6
7	(·28)	·02	·06	·04	·01		·32						7
8	·17	·04	·02	·23	·22			·19					8
9	·19	1·03	·03	·52			·09	·09	·02	·02			9
10	·45	·58	·02	·24			·24	·09				·01	10
11	·42	·08	·05	·06	·19	·11						·02	11
12	·13	·20	·38	·43	·05		·09				·12	·06	12
13	·13	·03	·10	·18	·04	·27	·05				·30	·23	13
14	·02	·05	·12	·17		·20	·05		·16	·08	·70		14
15	·03	·20	·02	·24						·60	·26		15
16			·06		·08		·72		·15		·42		16
17	·14		·02		·17			·18	·17				17
18	·15			·13	·63			·07					18
19	·10	·30		·09	·26	·07		·03	·05				19
20	·07			·20			·17		·06		·01	·03	20
21	·02						·57					·13	21
22	·10			·12		·02	·20	·09				·04	22
23				·03			·20					·21	23
24	·03		·55	·06			·22					·27	24
25		·07	·19	·01		·10	·63						25
26	·11	·05	·37	·10	·07		·04				·02		26
27	·20	·01		·09	·42	·48					·20	·11	27
28	·53	·05	·25	·12		·03						·18	28
29	·24	—	·11	·03	·46	·04	·21				·22	·78	29
30	·19		·02		·02	·05			·26		·22	·26	30
31	·30		·06		·04					·43		·20	31
TOTAL	4·30	2·74	2·76	3·58	3·91	1·34	4·84	1·98	1·40	2·88	2·54	3·44	YEAR'S TOTAL 35·74
Days with ·01 in. or more	22	15	22	25	20	10	21	12	12	9	11	19	198
Days with ·04 in. or more	18	11	14	20	17	8	20	11	10	8	9	16	162

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.